
50

**YEARS OF
CANCER
REGISTRATION**

SINGAPORE CANCER REGISTRY

APPENDICES

CONTENTS

3	APPENDIX A Sources of cases and basis of diagnosis
5	APPENDIX B Number of cases by site and five-year age group, 1968 - 2017
87	APPENDIX C Incidence rates by site and five-year age group, 1968 - 2017
169	APPENDIX D Lifetime risk for ten most frequent cancers in males & females by ethnicity and five-year period, 1968 - 2017
175	APPENDIX E Relative survival and observed survival by stage, period, site and age group, 1968 - 2017
267	APPENDIX F Computation of expected survival rates, confidence interval and age-standardised estimate
271	APPENDIX G Histologic types by site, 2008 - 2017
335	APPENDIX H Haematolymphoid neoplasms, 2008 - 2017
343	APPENDIX I Sub-sites distribution, 2008 - 2017

APPENDIX A:
SOURCES OF CASES AND
BASIS OF DIAGNOSIS

APPENDIX A: SOURCES OF CASES AND BASIS OF DIAGNOSIS

Source of notification	No.	%
Spontaneously	9574	13.4
Cases registered by staff on the basis of:		
Pathology reports/haemato listing	52953	74.3
Hospital listing	8561	12.0
Death certificate	177	0.2
Total	71,265	100

Most valid basis of diagnosis	No.	%
Microscopic confirmation:		
Histology of primary tumour	57043	80.0
Histology of metastasis	2905	4.1
Cytology	5311	7.5
Other basis of diagnosis:		
Clinical investigation	5599	7.9
Clinical only	245	0.3
Death certificate only	162	0.2
Total	71,265	100

APPENDIX B:
NUMBER OF CASES BY SITE AND FIVE-YEAR
AGE GROUP, 1968-2017

Appendix B1: Number of cases by primary site and five-year age group for males, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Tongue	C01-C02	68	0	0	1	1	1	1	2	5	2	3	10	10	8	11	6	5	2
Major salivary gland (incl. parotid gland)	C07-C08	17	0	0	1	0	1	0	1	0	3	2	1	2	0	2	1	2	1
Mouth	C03-C06	77	0	0	0	2	0	1	2	2	4	2	10	14	14	11	9	2	4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	77	0	0	0	0	0	0	0	0	3	9	6	18	17	10	6	6	2
Nasopharynx	C11	569	1	1	3	16	14	22	47	64	78	83	87	65	38	26	19	3	2
Oesophagus	C15	450	0	0	0	0	0	0	0	4	11	22	47	80	101	86	58	23	18
Stomach	C16	1094	0	0	0	0	2	8	11	28	58	71	127	183	219	186	124	56	21
Small intestines	C17	7	0	0	0	0	0	0	0	1	0	0	1	1	1	0	3	0	0
Colon	C18	297	0	0	0	2	5	3	5	14	14	26	35	46	40	46	35	17	9
Rectosigmoid & rectum	C19-C20	266	0	0	1	1	1	3	6	6	6	20	29	53	49	43	26	14	8
Anus	C21	9	0	0	0	0	0	0	1	0	0	3	1	0	1	2	1	0	0
Liver & intrahepatic bile ducts	C22	898	1	0	1	2	2	10	5	31	73	79	114	173	168	122	76	30	11
Gallbladder & extrahepatic bile ducts	C23-C24	31	0	0	0	0	0	0	1	0	0	2	6	4	6	9	2	0	1
Pancreas	C25	92	0	0	1	0	0	1	1	3	2	9	12	13	23	15	6	5	1
Retropertoneum & peritoneum	C48	13	2	1	0	0	0	0	1	1	1	0	1	1	2	1	0	2	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	33	0	0	1	0	1	0	1	0	3	2	4	5	4	8	2	2	0
Larynx	C32	193	0	0	0	0	0	0	0	2	7	7	25	35	36	43	26	7	5
Lung (incl. trachea & bronchus)	C33-C34	1361	0	1	0	0	3	5	6	22	39	75	142	230	328	260	165	61	24
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	10	0	0	1	2	2	2	0	0	1	0	1	1	0	0	0	0	0
Bone	C40-C41	39	0	1	7	9	8	2	0	1	2	2	0	2	3	0	2	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	44	3	1	2	3	4	2	4	4	1	3	3	3	1	4	4	1	1
Melanoma of skin	C43	18	0	0	1	1	1	1	0	0	2	1	2	4	3	0	1	0	1
Non-melanoma skin	C44	167	0	0	0	1	3	3	4	4	11	14	16	21	31	21	14	10	14
Breast	C50	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
Prostate	C61	94	0	0	0	0	0	0	0	2	1	0	7	10	17	19	18	13	7
Testis	C62	38	5	0	1	5	4	0	5	5	4	4	2	2	0	0	1	0	0
Penis & other male genital organs	C60, C63	45	0	0	0	0	1	2	2	3	5	10	3	8	5	1	1	3	1
Urinary bladder	C67	150	0	0	0	0	0	1	2	2	5	6	13	19	33	35	21	10	3
Kidney & other urinary organs	C64-C66 & C68	77	5	1	0	0	0	1	1	1	4	9	11	9	12	15	5	3	0
Eye	C69	10	4	0	0	1	0	0	0	1	0	0	1	2	0	1	0	0	0
Brain & CNS	C70-C72	76	6	8	13	10	6	1	2	6	6	2	6	9	1	0	0	0	0
Thyroid	C73	40	0	0	2	2	2	3	1	5	4	4	1	4	6	4	1	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	6	3	0	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	253	31	24	28	14	15	8	6	10	10	13	18	17	26	15	12	5	1
Myeloid neoplasms	C92-C93	144	12	10	14	13	12	6	5	7	13	7	12	7	8	11	3	3	1
Others & unspecified	OTH	217	5	1	1	3	4	3	6	6	11	13	27	37	42	34	16	7	1
All sites	ALL	6985	78	49	80	88	92	89	128	240	384	503	783	1089	1245	1042	665	251	139

Appendix B1: Number of cases by primary site and five-year age group for males, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
Tongue	C01-C02	78	0	0	0	0	0	0	2	1	4	9	12	11	16	11	6	3	3
Major salivary gland (incl. parotid gland)	C07-C08	24	0	1	0	1	1	2	1	0	0	2	5	4	1	1	1	2	2
Mouth	C03-C06	71	0	0	0	0	1	0	0	0	0	5	11	7	16	14	6	8	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	89	0	0	0	0	0	2	1	3	4	7	13	11	15	13	9	7	4
Nasopharynx	C11	672	0	0	2	5	22	40	49	98	104	92	94	60	60	21	16	8	1
Oesophagus	C15	465	0	0	0	0	0	1	0	1	3	20	30	60	107	100	67	55	21
Stomach	C16	1216	0	1	0	0	6	8	11	32	70	69	108	148	214	272	158	79	40
Small intestines	C17	15	0	0	0	0	0	0	0	1	0	2	1	2	4	1	2	1	1
Colon	C18	426	0	0	2	4	5	6	9	10	22	36	44	38	76	70	58	23	23
Rectosigmoid & rectum	C19-C20	398	0	1	0	2	4	5	12	12	16	23	32	50	75	71	58	23	14
Anus	C21	17	0	0	0	0	0	0	1	0	0	2	3	1	3	3	1	1	2
Liver & intrahepatic bile ducts	C22	965	4	2	0	4	6	13	23	22	63	88	111	146	168	147	97	45	26
Gallbladder & extrahepatic bile ducts	C23-C24	51	0	0	0	0	1	1	0	0	2	4	1	12	11	10	8	2	0
Pancreas	C25	112	0	0	0	0	1	1	1	3	2	6	14	20	20	18	16	6	4
Retropertoneum & peritoneum	C48	4	0	0	0	0	1	0	0	0	0	1	0	1	0	0	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	49	0	0	1	1	0	0	0	3	6	5	8	9	4	4	5	3	0
Larynx	C32	221	0	0	0	0	0	0	0	2	5	13	20	35	57	42	31	10	6
Lung (incl. trachea & bronchus)	C33-C34	1920	0	0	1	0	1	1	3	21	53	108	170	288	431	404	277	113	49
Pleura	C38.4	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	9	0	0	1	4	0	0	0	0	0	0	0	1	2	0	1	0	0
Bone	C40-C41	42	0	2	8	9	5	2	1	3	3	1	1	2	2	2	1	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	68	11	1	3	5	3	1	4	4	8	3	5	6	7	3	1	3	0
Melanoma of skin	C43	19	0	0	0	1	0	3	2	1	0	1	1	1	2	1	4	1	1
Non-melanoma skin	C44	247	0	1	0	1	3	3	3	6	15	11	33	38	25	39	29	23	17
Breast	C50	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Prostate	C61	144	1	0	0	0	0	0	0	0	2	0	7	12	21	29	31	26	15
Testis	C62	42	3	0	0	5	7	5	5	5	5	0	1	2	1	1	0	1	1
Penis & other male genital organs	C60, C63	41	0	0	0	0	0	0	0	2	1	2	9	8	5	4	8	0	2
Urinary bladder	C67	197	0	0	0	0	0	0	0	2	9	6	26	25	44	26	32	14	13
Kidney & other urinary organs	C64 - C66 & C68	100	5	1	1	2	0	1	2	3	3	9	12	14	12	22	9	3	1
Eye	C69	11	3	2	1	0	0	2	0	0	0	0	0	2	0	1	0	0	0
Brain & CNS	C70-C72	62	5	6	6	5	4	4	1	3	4	7	5	4	5	3	0	0	0
Thyroid	C73	61	0	0	2	1	5	7	3	4	4	5	8	3	5	8	3	3	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	7	2	1	0	2	0	0	0	0	1	0	0	0	0	0	0	1	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	267	25	29	13	10	14	12	9	10	9	11	20	25	24	25	15	13	3
Myeloid neoplasms	C92-C93	166	10	18	5	19	13	11	12	10	5	14	12	6	6	13	6	4	2
Others & unspecified	OTH	271	3	4	2	2	2	3	4	6	16	25	27	37	38	53	34	9	6
All sites	ALL	8553	72	70	48	83	104	134	159	268	441	587	844	1090	1478	1433	992	490	260

Appendix B1: Number of cases by primary site and five-year age group for males, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	72	0	0	0	0	0	0	0	0	0	0	1	1	0	3	0	0	0
Tongue	C01-C02	72	0	0	0	0	0	1	0	0	7	7	6	13	7	14	7	4	6
Major salivary gland (incl. parotid gland)	C07-C08	25	0	1	0	0	1	3	0	1	3	3	1	4	1	3	2	2	0
Mouth	C03-C06	93	0	0	0	0	0	0	1	1	7	7	9	9	15	12	14	12	6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	112	0	0	0	1	0	1	1	3	4	7	10	14	13	20	21	12	5
Nasopharynx	C11	705	1	0	5	9	19	27	63	83	113	119	98	57	40	39	18	8	6
Oesophagus	C15	440	0	0	0	0	0	0	2	0	4	11	28	56	77	85	88	58	31
Stomach	C16	1233	0	0	0	1	3	6	13	13	34	80	117	156	203	236	195	121	55
Small intestines	C17	17	0	0	0	0	0	0	0	0	1	3	1	4	3	2	3	0	0
Colon	C18	575	0	0	1	4	2	4	13	13	24	33	50	73	89	111	93	43	22
Rectosigmoid & rectum	C19-C20	482	0	0	0	1	2	1	13	10	10	35	54	60	80	98	57	35	26
Anus	C21	11	0	0	0	0	0	0	0	0	1	0	0	1	1	2	1	2	3
Liver & intrahepatic bile ducts	C22	1126	5	1	0	2	1	6	19	37	56	97	126	160	175	194	132	84	31
Gallbladder & extrahepatic bile ducts	C23-C24	74	0	0	0	0	0	0	0	0	1	5	4	7	11	15	17	10	4
Pancreas	C25	161	0	0	0	0	1	1	1	2	8	13	12	19	22	31	29	17	5
Retropertoneum & peritoneum	C48	9	0	0	0	0	0	1	1	0	0	1	1	0	1	3	0	0	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	43	0	0	0	1	1	1	1	1	1	3	7	9	4	4	3	7	0
Larynx	C32	290	0	0	0	0	0	1	0	4	17	18	31	35	40	54	53	28	9
Lung (incl. trachea & bronchus)	C33-C34	2440	0	0	0	0	3	4	8	16	64	105	210	316	415	533	445	225	96
Pleura	C38.4	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	10	0	0	0	1	1	2	0	1	0	1	1	0	3	0	0	0	0
Bone	C40-C41	59	1	1	9	15	8	5	6	3	1	0	3	3	2	1	1	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	66	4	2	3	2	8	5	4	5	4	5	4	6	6	5	2	1	0
Melanoma of skin	C43	30	0	0	1	0	0	0	2	0	4	1	3	4	4	5	2	2	2
Non-melanoma skin	C44	319	0	1	1	4	5	3	8	10	17	23	29	31	39	49	38	39	22
Breast	C50	8	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	2
Prostate	C61	240	0	0	0	0	0	0	0	0	0	2	8	16	37	56	42	51	28
Testis	C62	51	3	0	0	3	6	14	9	2	4	3	3	0	1	1	1	0	1
Penis & other male genital organs	C60, C63	35	0	0	0	0	0	0	0	0	3	3	6	7	7	4	2	2	1
Urinary bladder	C67	271	1	0	0	0	2	2	6	4	5	8	21	28	47	49	52	27	19
Kidney & other urinary organs	C64-C66 & C68	118	7	0	0	0	1	2	1	3	3	8	14	18	23	18	12	6	2
Eye	C69	11	5	0	0	0	0	1	0	0	0	0	1	1	2	1	0	0	0
Brain & CNS	C70-C72	94	1	11	5	7	4	7	11	4	8	8	8	7	2	5	3	3	0
Thyroid	C73	74	0	0	1	2	3	3	9	5	6	1	13	7	7	3	5	5	4
Adrenal gland, other endocrine glands & related structures	C74-C75.5	9	5	0	0	2	0	0	0	0	1	0	0	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	352	19	17	12	16	18	12	24	12	11	18	21	29	55	33	25	20	10
Myeloid neoplasms	C92-C93	179	8	9	5	19	7	17	9	7	16	14	8	13	9	23	6	4	5
Others & unspecified	OTH	284	0	1	2	1	2	6	6	5	19	21	33	29	45	51	31	19	13
All sites	ALL	10124	60	44	45	91	98	136	231	245	458	663	943	1193	1488	1764	1401	849	415

Appendix B1: Number of cases by primary site and five-year age group for males, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	6	0	0	0	0	1	0	0	0	0	1	0	0	0	1	1	1	1
Tongue	C01-C02	93	0	0	0	1	1	3	2	2	1	4	10	21	12	19	6	6	7
Major salivary gland (incl. parotid gland)	C07-C08	39	0	0	1	3	2	4	4	2	1	4	5	3	6	1	3	1	1
Mouth	C03-C06	100	0	0	0	0	0	0	1	1	0	6	12	14	21	17	8	16	4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	107	0	0	0	0	0	1	2	5	2	5	13	14	14	19	15	14	3
Nasopharynx	C11	868	0	0	2	3	13	39	77	118	137	139	129	85	49	37	20	15	5
Oesophagus	C15	398	0	0	0	0	0	0	2	1	5	17	28	57	53	69	71	57	38
Stomach	C16	1334	0	0	0	0	3	3	7	22	23	53	111	164	177	250	232	164	125
Small intestines	C17	21	0	1	0	0	0	1	1	2	1	1	2	2	6	1	2	0	1
Colon	C18	815	0	1	2	1	5	5	21	21	33	33	65	103	106	134	129	102	54
Rectosigmoid & rectum	C19-C20	620	0	0	0	0	2	2	11	13	19	49	78	67	100	103	76	63	37
Anus	C21	24	0	0	0	0	0	1	1	0	0	2	3	6	2	1	5	1	2
Liver & intrahepatic bile ducts	C22	1095	1	2	0	1	2	4	19	26	51	81	99	152	181	170	152	108	46
Gallbladder & extrahepatic bile ducts	C23-C24	77	0	0	0	0	0	0	2	2	2	4	6	7	10	20	15	3	6
Pancreas	C25	224	0	0	0	1	0	1	4	4	5	13	29	28	23	31	33	29	23
Retropertoneum & peritoneum	C48	18	0	0	0	0	0	1	0	0	2	1	1	3	3	1	1	3	2
Nasal cavity, middle ear & accessory sinuses	C30-C31	43	1	0	0	1	1	2	0	2	4	3	3	11	4	3	3	3	2
Larynx	C32	262	0	0	0	0	0	0	0	3	3	14	25	40	47	44	47	25	14
Lung (incl. trachea & bronchus)	C33-C34	2770	0	0	0	1	5	0	14	35	51	108	248	402	402	497	457	356	194
Pleura	C38.4	4	0	0	0	0	0	0	1	0	0	0	0	1	1	0	1	0	0
Thymus, heart & mediastinum	C37-C38.3	24	0	0	0	1	1	0	0	5	1	2	5	3	4	2	0	0	0
Bone	C40-C41	57	0	1	5	13	6	9	9	3	5	1	2	0	0	2	1	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	98	2	3	2	4	7	11	5	9	15	5	4	8	2	6	8	2	5
Melanoma of skin	C43	23	0	0	0	1	1	2	0	1	0	1	0	8	4	2	3	0	0
Non-melanoma skin	C44	371	0	0	1	0	4	3	5	10	9	26	23	45	46	38	68	48	45
Breast	C50	4	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	1
Prostate	C61	356	0	0	0	0	0	0	0	0	0	2	11	25	39	55	78	73	73
Testis	C62	64	7	0	0	4	6	7	13	4	3	5	7	3	3	2	0	0	0
Penis & other male genital organs	C60, C63	33	0	1	0	1	0	0	0	1	2	4	2	4	3	4	4	2	5
Urinary bladder	C67	316	0	0	0	0	2	1	1	6	9	12	17	30	39	49	75	35	40
Kidney & other urinary organs	C64-C66 & C68	161	6	0	0	1	0	1	3	4	4	13	20	12	23	25	28	15	6
Eye	C69	12	6	1	0	0	0	1	0	0	0	0	1	2	0	0	0	1	0
Brain & CNS	C70-C72	126	8	12	8	7	12	7	10	9	10	4	1	16	9	5	4	3	1
Thyroid	C73	115	0	2	2	5	8	12	7	10	9	12	8	10	11	7	6	2	4
Adrenal gland, other endocrine glands & related structures	C74-C75.5	22	9	1	2	4	2	1	1	0	1	0	0	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	511	40	18	16	21	15	19	19	20	17	35	41	51	43	62	44	32	18
Myeloid neoplasms	C92-C93	192	10	5	8	9	13	8	14	12	10	9	20	14	15	15	16	8	6
Others & unspecified	OTH	275	0	0	0	1	1	4	0	6	11	13	20	39	43	39	42	37	19
All site	ALL	11678	90	48	49	83	113	149	257	359	447	682	1049	1450	1502	1733	1654	1225	788

Appendix B1: Number of cases by primary site and five-year age group for males, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	85	0	0	0	0	2	1	2	4	9	3	14	7	13	8	7	5	10
Major salivary gland (incl. parotid gland)	C07-C08	41	0	0	1	2	1	6	1	3	2	2	7	2	2	4	5	3	0
Mouth	C03-C06	98	0	0	0	0	1	0	1	1	1	6	11	9	16	22	17	7	6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	139	0	0	0	2	0	0	1	1	4	1	15	24	27	22	19	15	8
Nasopharynx	C11	1069	0	0	2	7	9	35	90	131	183	158	148	107	84	54	33	17	11
Oesophagus	C15	408	0	0	0	0	0	0	0	1	3	10	27	58	61	65	60	65	58
Stomach	C16	1374	0	0	0	0	1	8	10	21	46	43	91	144	229	234	211	177	159
Small intestines	C17	30	0	0	0	0	0	0	1	1	3	2	2	3	3	2	5	7	1
Colon	C18	1195	0	0	1	2	5	11	18	26	46	54	104	124	152	177	185	161	129
Rectosigmoid & rectum	C19-C20	857	0	0	0	0	2	2	13	18	42	43	81	124	142	126	107	85	72
Anus	C21	31	0	0	0	0	0	0	2	0	1	0	4	5	3	7	4	5	0
Liver & intrahepatic bile ducts	C22	1089	2	2	1	0	2	6	22	38	52	55	82	143	189	167	146	105	77
Gallbladder & extrahepatic bile ducts	C23-C24	96	0	0	0	0	0	0	1	3	6	3	5	9	13	13	16	12	15
Pancreas	C25	239	1	0	0	0	0	0	4	4	8	11	26	29	41	34	32	30	19
Retropertoneum & peritoneum	C48	11	0	0	0	0	0	0	1	0	0	0	1	1	5	1	0	2	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	51	0	0	0	3	1	1	3	2	6	6	9	6	5	3	4	1	1
Larynx	C32	284	0	0	0	0	0	0	2	4	10	11	13	44	54	47	47	32	20
Lung (incl. trachea & bronchus)	C33-C34	2971	0	0	0	2	0	4	11	24	60	108	192	362	516	517	477	360	338
Pleura	C38.4	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1
Thymus, heart & mediastinum	C37-C38.3	41	0	0	0	4	3	4	4	4	4	1	2	6	6	2	1	0	0
Bone	C40-C41	60	0	0	3	8	7	6	3	3	3	3	5	2	3	3	3	1	2
Connective & soft tissues (incl peripheral nerves)	C47 & C49	91	3	2	2	4	7	5	3	8	7	5	11	8	7	8	6	2	3
Melanoma of skin	C43	28	0	0	0	1	0	1	0	1	1	3	1	0	0	7	4	5	4
Non-melanoma skin	C44	501	0	0	1	3	3	8	6	17	25	26	65	51	67	61	52	57	59
Breast	C50	11	0	0	0	0	0	0	0	0	0	0	0	2	2	2	3	1	1
Prostate	C61	529	0	0	0	0	0	0	0	0	1	1	7	28	59	82	118	111	122
Testis	C62	71	13	1	1	4	7	9	5	13	7	3	3	1	1	3	0	0	0
Penis & other male genital organs	C60, C63	51	0	0	0	0	0	3	0	1	4	2	4	8	7	8	5	4	5
Urinary bladder	C67	414	0	0	0	0	4	3	8	7	8	12	26	32	59	70	58	68	59
Kidney & other urinary organs	C64-C66 & C68	223	4	2	1	1	2	2	3	4	12	16	19	23	34	36	28	22	14
Eye	C69	20	13	0	0	0	0	0	0	1	1	1	1	0	0	0	2	0	1
Brain & CNS	C70-C72	150	10	13	9	5	15	16	8	12	11	9	9	11	9	7	4	4	2
Thyroid	C73	115	0	0	0	3	10	7	4	11	10	11	10	13	14	8	4	5	5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	26	6	3	2	2	3	0	2	1	0	0	1	2	1	2	1	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	613	33	27	25	29	18	20	22	34	37	34	52	54	64	54	38	37	35
Myeloid neoplasms	C92-C93	230	13	5	5	11	5	13	21	17	18	12	18	13	21	18	18	17	5
Others & unspecified	OTH	386	1	1	2	0	3	4	4	12	13	22	33	33	61	75	56	38	28
All sites	ALL	13633	99	56	56	93	102	175	287	424	645	680	1099	1489	1971	1950	1776	1461	1270

Appendix B1: Number of cases by primary site and five-year age group for males, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Tongue	C01-C02	94	0	0	0	0	1	1	1	4	10	8	9	10	16	10	13	7	2	2
Major salivary gland (incl. parotid gland)	C07-C08	58	0	0	0	0	2	1	3	5	10	8	4	4	4	7	2	2	6	0
Mouth	C03-C06	111	0	0	0	0	1	0	2	3	4	5	12	10	19	14	16	12	5	8
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	168	0	0	0	0	0	0	1	3	4	14	19	19	30	30	23	13	9	3
Nasopharynx	C11	1131	0	1	0	3	6	28	63	167	192	184	132	131	99	58	32	22	8	5
Oesophagus	C15	389	0	0	0	0	0	0	1	0	10	16	25	47	48	68	69	45	33	27
Stomach	C16	1442	0	0	1	1	2	4	12	21	33	57	81	160	199	245	220	176	148	82
Small intestines	C17	49	0	0	0	0	1	0	2	4	1	6	2	7	3	12	3	3	1	4
Colon	C18	1432	0	0	0	1	3	7	19	30	62	87	82	158	203	231	219	163	105	62
Rectosigmoid & rectum	C19-C20	1118	0	0	0	0	1	5	11	29	59	79	86	157	157	160	159	88	76	51
Anus	C21	23	0	0	0	0	0	1	0	0	1	1	0	2	4	3	4	3	1	3
Liver & intrahepatic bile ducts	C22	1302	4	2	2	2	7	12	38	71	86	105	148	148	184	214	162	141	93	29
Gallbladder & extrahepatic bile ducts	C23-C24	147	0	0	0	0	0	2	4	4	4	12	15	14	11	28	26	12	12	7
Pancreas	C25	310	1	0	0	0	2	2	3	11	26	24	24	25	50	49	51	38	11	17
Retropertoneum & peritoneum	C48	21	2	0	0	0	0	0	0	0	1	2	5	3	4	1	1	1	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	64	0	0	0	0	0	0	1	4	4	7	3	9	12	9	6	4	2	3
Larynx	C32	360	0	0	0	0	1	0	1	2	5	16	27	46	56	66	62	39	32	7
Lung (incl. trachea & bronchus)	C33-C34	3168	0	0	0	0	0	5	9	44	74	99	185	303	462	640	544	401	269	133
Pleura	C38.4	22	0	0	0	0	0	0	1	0	2	2	2	3	5	3	2	2	0	0
Thymus, heart & mediastinum	C37-C38.3	42	1	0	1	5	6	1	2	4	2	5	2	2	10	0	0	0	1	0
Bone	C40-C41	50	0	1	3	4	6	5	5	6	6	4	3	3	0	2	2	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	113	4	3	2	5	6	5	7	10	12	8	7	11	12	7	9	2	2	1
Melanoma of skin	C43	31	0	0	0	0	0	1	3	1	3	2	1	1	2	6	2	3	4	2
Non-melanoma skin	C44	667	0	0	1	1	2	6	10	21	36	48	50	69	67	85	80	71	75	45
Breast	C50	10	0	0	0	0	0	0	0	1	1	1	1	1	0	2	1	2	0	0
Prostate	C61	901	0	0	0	0	0	0	0	2	0	1	12	42	84	164	189	187	155	65
Testis	C62	87	10	0	0	3	4	10	17	13	12	5	3	4	4	1	1	1	0	0
Penis & other male genital organs	C60, C63	66	0	0	0	0	0	0	1	0	3	4	8	6	10	16	5	5	5	3
Urinary bladder	C67	486	0	0	0	0	0	1	3	8	24	19	29	50	62	79	66	70	53	22
Kidney & other urinary organs	C64-C66 & C68	366	4	2	1	0	1	0	6	6	27	39	37	41	47	54	48	21	18	14
Eye	C69	10	6	0	0	0	0	0	0	0	1	0	0	2	0	0	1	0	0	0
Brain & CNS	C70-C72	182	11	24	9	6	9	8	14	12	10	10	12	11	12	14	9	5	4	2
Thyroid	C73	145	0	1	0	4	4	7	13	16	13	12	11	18	15	10	8	6	6	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	29	8	3	2	2	2	0	1	1	3	0	1	2	0	1	1	1	0	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	824	41	27	20	20	22	26	42	42	57	58	64	66	78	74	75	46	46	20
Myeloid neoplasms	C92-C93	375	12	6	5	11	11	16	23	25	24	22	22	29	36	41	39	26	16	11
Others & unspecified	OTH	438	2	0	1	2	2	2	9	7	16	18	31	31	60	77	57	56	43	24
All sites	ALL	16232	106	70	48	70	95	149	299	536	808	971	1112	1645	2065	2481	2207	1674	1242	654

Appendix B1: Number of cases by primary site and five-year age group for males, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	144	0	0	0	0	1	5	5	8	6	11	21	20	21	18	10	10	6	2
Major salivary gland (incl. parotid gland)	C07-C08	64	0	1	0	1	3	6	6	5	5	8	4	3	4	7	8	5	2	1
Mouth	C03-C06	123	0	0	0	0	2	3	0	4	5	9	11	24	18	13	9	2	2	5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	172	0	0	0	0	0	0	2	0	3	13	14	16	27	29	33	19	9	7
Nasopharynx	C11	1104	0	0	1	0	3	19	60	140	187	205	170	105	91	65	33	14	6	5
Oesophagus	C15	397	0	0	0	0	1	0	0	1	3	19	29	46	63	72	67	43	30	23
Stomach	C16	1452	0	0	0	0	4	7	7	24	32	55	92	112	200	246	236	212	123	102
Small intestines	C17	70	0	0	1	0	0	1	1	1	2	7	11	11	10	10	8	1	4	2
Colon	C18	1861	0	1	1	2	3	10	22	39	47	107	163	157	250	289	281	243	150	96
Rectosigmoid & rectum	C19-C20	1391	0	0	0	1	3	3	11	18	58	86	154	173	205	209	185	133	88	64
Anus	C21	34	0	0	0	0	0	0	2	3	1	3	2	2	1	8	8	2	2	0
Liver & intrahepatic bile ducts	C22	1554	6	1	1	3	4	2	11	35	66	104	159	168	206	254	217	165	85	67
Gallbladder & extrahepatic bile ducts	C23-C24	161	0	0	0	0	0	0	0	5	9	12	15	13	22	31	22	15	8	9
Pancreas	C25	410	0	0	0	0	0	1	4	5	20	20	37	40	49	75	52	30	25	25
Retropertoneum & peritoneum	C48	35	3	0	0	1	0	0	1	0	1	4	4	4	7	5	1	4	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	72	1	0	2	0	2	1	2	0	7	7	4	9	11	4	9	1	6	6
Larynx	C32	351	0	0	0	0	0	0	0	4	7	16	22	40	56	81	54	36	19	16
Lung (incl. trachea & bronchus)	C33-C34	3598	0	0	0	0	1	4	13	33	69	121	216	322	472	647	670	510	315	205
Pleura	C38.4	26	0	0	0	0	0	0	0	0	1	4	4	1	7	4	4	1	0	0
Thymus, heart & mediastinum	C37-C38.3	48	1	0	1	3	4	3	2	3	6	2	6	5	5	1	3	1	2	0
Bone	C40-C41	58	0	2	7	3	6	3	4	4	7	2	4	5	3	1	5	1	1	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	135	10	1	3	5	9	7	4	11	19	13	13	3	6	7	12	6	3	3
Melanoma of skin	C43	42	0	0	0	0	0	1	1	1	2	3	3	10	3	1	5	3	3	7
Non-melanoma skin	C44	789	0	0	0	1	1	4	13	22	45	55	66	74	95	100	104	77	61	71
Breast	C50	22	0	0	0	0	0	1	0	0	1	0	0	5	1	2	3	4	3	2
Prostate	C61	1359	2	0	0	0	1	2	0	1	2	11	30	88	187	235	291	239	166	104
Testis	C62	92	8	0	1	4	7	15	16	13	7	7	5	2	4	1	0	1	0	1
Penis & other male genital organs	C60, C63	63	0	0	0	3	0	0	0	2	7	3	7	5	8	5	7	7	4	5
Urinary bladder	C67	614	0	0	0	0	1	1	3	8	11	31	41	56	79	94	84	95	66	44
Kidney & other urinary organs	C64-C66 & C68	468	6	2	1	0	1	3	4	11	35	39	53	43	41	78	63	51	22	15
Eye	C69	16	7	0	0	0	0	0	1	1	0	0	3	0	2	0	0	1	1	0
Brain & CNS	C70-C72	194	19	9	8	7	3	9	8	15	20	15	20	11	10	15	10	7	5	3
Thyroid	C73	188	0	1	0	0	2	12	19	14	28	20	18	15	19	15	12	4	6	3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	45	7	7	8	7	1	1	0	3	1	2	3	1	0	1	1	2	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1047	49	33	36	27	26	34	31	54	62	83	84	96	97	106	99	79	28	23
Myeloid neoplasms	C92-C93	433	13	1	9	12	11	15	18	27	27	30	49	35	54	36	27	31	24	14
Others & unspecified	OTH	416	0	0	0	2	0	5	6	6	8	20	25	38	54	69	64	56	41	28
All sites	ALL	19048	132	59	80	82	98	169	276	521	817	1147	1562	1758	2388	2859	2701	2140	1321	958

Appendix B1: Number of cases by primary site and five-year age group for males, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	6	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	0	0	0
Tongue	C01-C02	154	0	0	0	0	1	0	3	2	14	20	14	17	15	31	12	8	9	8
Major salivary gland (incl. parotid gland)	C07-C08	69	0	1	1	0	1	1	2	4	5	2	10	11	3	7	3	10	5	3
Mouth	C03-C06	127	0	0	0	1	1	0	1	0	3	9	17	19	16	18	24	10	5	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	211	0	0	0	0	0	0	0	1	6	11	28	27	32	36	32	19	12	7
Nasopharynx	C11	1212	0	0	4	1	7	12	47	84	178	217	211	164	109	85	52	28	6	7
Oesophagus	C15	335	0	0	0	0	0	0	0	5	5	14	25	43	57	46	57	36	30	17
Stomach	C16	1380	0	0	0	0	3	5	1	10	45	48	80	116	136	210	235	258	127	106
Small intestines	C17	88	0	0	0	0	0	2	0	2	5	9	9	11	8	17	14	5	4	2
Colon	C18	2193	0	0	0	1	4	7	13	24	60	92	181	258	255	365	335	287	181	130
Rectosigmoid & rectum	C19-C20	1656	0	0	0	0	1	4	14	32	59	103	205	220	216	237	218	177	98	72
Anus	C21	59	0	0	0	0	0	0	0	2	1	6	8	8	5	6	7	8	2	6
Liver & intrahepatic bile ducts	C22	1787	3	1	1	1	3	2	11	21	46	90	179	233	257	282	248	211	123	75
Gallbladder & extrahepatic bile ducts	C23-C24	174	0	0	0	0	0	0	0	1	2	7	14	21	20	21	41	20	12	15
Pancreas	C25	579	0	0	0	0	1	1	4	4	19	28	66	73	55	94	91	68	47	28
Retropertoneum & peritoneum	C48	23	0	0	0	0	0	0	0	0	0	0	3	3	5	3	6	1	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	82	1	0	0	0	0	2	2	5	4	7	8	12	11	16	9	2	3	0
Larynx	C32	354	0	0	0	0	0	0	0	2	8	18	30	53	48	50	49	46	26	24
Lung (incl. trachea & bronchus)	C33-C34	3862	0	1	0	3	2	3	13	20	79	144	232	345	463	652	724	627	332	222
Pleura	C38.4	41	0	0	0	0	0	1	0	0	1	1	6	2	5	4	11	7	2	1
Thymus, heart & mediastinum	C37-C38.3	92	1	1	3	7	6	3	6	6	8	8	4	11	8	9	3	4	0	3
Bone	C40-C41	76	0	5	6	6	9	3	3	0	6	9	7	4	2	3	2	3	1	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	188	7	5	3	4	2	4	8	10	20	26	19	20	17	14	8	11	6	4
Melanoma of skin	C43	50	0	0	0	0	1	3	3	2	3	7	5	5	4	9	2	5	1	0
Non-melanoma skin	C44	954	0	1	0	0	4	3	13	24	43	56	69	91	115	129	118	115	86	87
Breast	C50	17	0	0	0	0	0	0	0	0	0	1	2	1	6	2	1	3	1	0
Prostate	C61	2209	0	0	0	1	0	0	0	2	3	19	67	223	325	447	442	372	174	134
Testis	C62	120	6	0	0	9	11	18	23	13	18	8	5	6	1	0	0	1	0	1
Penis & other male genital organs	C60, C63	94	0	0	0	0	0	0	0	1	5	3	13	11	10	14	16	14	5	2
Urinary bladder	C67	683	0	0	0	0	0	5	4	12	10	40	57	63	69	99	99	61	65	65
Kidney & other urinary organs	C64-C66 & C68	647	3	0	1	0	1	3	7	21	40	51	89	95	76	89	75	59	23	14
Eye	C69	20	9	0	0	0	1	0	0	0	1	0	3	3	0	1	0	0	1	1
Brain & CNS	C70-C72	291	15	8	18	12	8	14	14	21	19	25	27	32	25	22	13	12	5	3
Thyroid	C73	216	0	0	2	4	4	12	20	13	15	24	32	24	17	24	13	7	4	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	44	6	3	5	4	2	1	2	3	3	3	1	3	4	1	3	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1349	54	37	33	37	31	35	31	49	79	103	129	130	121	148	147	101	49	35
Myeloid neoplasms	C92-C93	571	11	4	5	6	6	19	20	24	32	37	67	62	50	65	62	56	19	26
Others & unspecified	OTH	391	1	0	0	0	1	1	4	9	10	19	33	43	38	64	54	43	40	31
All sites	ALL	22404	117	67	82	97	117	167	266	429	855	1266	1956	2464	2605	3321	3226	2734	1501	1134

Appendix B1: Number of cases by primary site and five-year age group for males, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Tongue	C01-C02	192	1	0	0	0	0	2	5	7	12	15	24	25	29	23	21	14	6	8
Major salivary gland (incl. parotid gland)	C07-C08	102	0	0	1	2	5	3	5	4	6	11	13	22	6	6	8	6	2	2
Mouth	C03-C06	127	0	0	0	1	1	1	1	3	6	10	17	17	17	17	8	9	11	8
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	260	0	0	0	0	0	0	0	0	4	15	26	43	32	39	35	37	20	9
Nasopharynx	C11	1147	0	0	2	2	6	10	23	85	127	196	198	195	125	74	58	32	10	4
Oesophagus	C15	418	0	0	0	0	0	0	0	3	3	24	34	54	69	70	55	44	38	24
Stomach	C16	1450	0	0	0	1	3	4	10	18	28	47	104	132	159	175	250	228	172	119
Small intestines	C17	137	0	0	0	0	1	1	1	1	7	8	11	23	21	16	17	11	5	6
Colon	C18	2831	0	0	1	2	3	9	15	32	59	116	246	327	416	378	402	351	279	195
Rectosigmoid & rectum	C19-C20	1956	0	0	0	0	5	1	12	28	47	117	234	289	309	272	260	197	114	71
Anus	C21	85	0	0	0	0	0	0	1	3	3	4	12	11	11	14	14	7	5	0
Liver & intrahepatic bile ducts	C22	2134	6	1	1	0	0	3	9	15	39	82	217	297	350	304	298	262	157	93
Gallbladder & extrahepatic bile ducts	C23-C24	260	0	0	0	0	0	0	1	2	7	14	32	28	37	40	40	29	21	9
Pancreas	C25	744	0	0	0	1	0	2	2	12	23	25	60	111	97	126	109	85	56	35
Retropertoneum & peritoneum	C48	37	0	0	0	1	0	1	4	0	0	4	3	6	3	5	3	4	1	2
Nasal cavity, middle ear & accessory sinuses	C30-C31	109	0	0	0	0	1	2	5	1	5	14	18	18	13	14	9	4	3	2
Larynx	C32	360	0	0	0	0	0	0	0	1	3	18	29	43	59	54	47	50	35	21
Lung (incl. trachea & bronchus)	C33-C34	4291	1	0	0	1	1	4	11	27	76	157	264	413	535	615	740	725	436	285
Pleura	C38.4	65	0	0	0	0	0	0	0	0	2	3	2	4	7	11	14	16	5	1
Thymus, heart & mediastinum	C37-C38.3	145	0	1	4	5	11	6	9	18	7	15	15	17	7	12	9	5	4	0
Bone	C40-C41	98	1	3	12	17	8	4	6	9	5	8	7	4	2	4	3	4	0	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	256	12	1	8	12	7	11	10	14	9	19	18	29	31	14	20	19	7	15
Melanoma of skin	C43	73	0	0	0	1	1	0	0	5	3	4	9	6	11	8	11	6	4	4
Non-melanoma skin	C44	1469	0	0	2	1	3	3	20	36	53	89	113	136	191	151	194	195	147	135
Breast	C50	29	0	0	0	0	0	0	0	1	4	3	3	1	3	1	4	4	3	2
Prostate	C61	3336	0	0	0	1	0	0	0	2	10	37	104	293	553	639	704	524	299	170
Testis	C62	171	6	0	0	13	27	18	21	32	19	13	9	5	2	1	0	3	2	0
Penis & other male genital organs	C60, C63	108	0	0	0	0	0	0	0	3	2	3	5	13	18	26	16	8	9	5
Urinary bladder	C67	695	1	0	0	0	1	2	3	10	15	37	59	60	98	87	103	92	80	47
Kidney & other urinary organs	C64-C66 & C68	1006	3	0	1	1	2	3	16	15	50	80	121	134	149	142	107	103	57	22
Eye	C69	16	5	1	0	0	0	0	1	0	1	2	0	2	0	0	4	0	0	0
Brain & CNS	C70-C72	364	21	13	15	19	9	11	17	24	24	31	29	33	26	38	19	14	18	3
Thyroid	C73	313	0	0	1	4	1	12	22	17	26	40	31	43	32	33	22	16	10	3
Adrenal gland; other endocrine glands & related structures	C74-C75.5	63	13	6	3	5	6	2	2	3	2	4	3	3	3	1	2	3	1	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1842	49	33	37	39	47	50	56	57	81	115	162	218	229	186	186	156	93	48
Myeloid neoplasms	C92-C93	883	14	5	13	11	7	19	19	25	42	67	87	77	91	73	114	108	69	42
Others & unspecified	OTH	363	0	0	0	1	0	0	2	5	8	13	32	31	37	42	55	62	45	30
All sites	ALL	27937	133	64	101	141	156	184	309	524	819	1461	2351	3164	3779	3711	3961	3433	2224	1422

Appendix B1: Number of cases by primary site and five-year age group for males, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	5	0	0	0	0	0	0	0	0	2	1	0	0	0	1	0	0	0	1
Tongue	C01-C02	256	0	0	0	0	1	4	5	13	15	10	33	43	41	28	30	17	7	9
Major salivary gland (incl. parotid gland)	C07-C08	113	0	0	0	2	4	1	5	3	8	8	11	14	14	17	8	8	5	5
Mouth	C03-C06	164	0	0	0	1	0	0	1	2	4	7	12	26	24	21	28	20	12	6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	269	0	0	0	1	0	0	1	4	3	9	29	38	50	44	29	24	21	16
Nasopharynx	C11	1079	0	0	0	0	6	7	27	52	96	154	171	162	171	107	59	41	21	5
Oesophagus	C15	474	0	0	0	0	0	0	3	0	3	9	44	63	78	89	71	48	35	31
Stomach	C16	1551	0	0	1	0	2	4	4	13	24	59	102	163	192	230	217	246	151	143
Small intestines	C17	188	0	0	0	1	0	2	2	5	3	10	24	18	25	41	15	18	14	10
Colon	C18	3456	0	0	1	2	5	11	16	32	72	104	235	372	538	584	500	416	329	239
Rectosigmoid & rectum	C19-C20	2343	0	0	0	0	5	6	8	37	62	120	211	335	404	410	289	223	143	90
Anus	C21	106	0	0	0	0	0	0	1	2	1	5	10	11	18	28	18	8	4	0
Liver & intrahepatic bile ducts	C22	2705	4	0	1	0	1	1	8	11	34	95	190	336	486	428	371	343	224	172
Gallbladder & extrahepatic bile ducts	C23-C24	363	0	0	0	0	0	1	1	2	6	3	19	42	59	71	53	45	36	25
Pancreas	C25	1050	0	0	0	1	1	1	4	4	15	35	78	121	156	182	149	164	95	44
Retropertoneum & peritoneum	C48	51	1	0	0	0	0	2	1	1	1	5	8	2	9	7	4	5	3	2
Nasal cavity, middle ear & accessory sinuses	C30-C31	139	1	0	1	0	1	2	8	7	7	11	14	20	16	24	9	7	7	4
Larynx	C32	405	0	0	0	0	0	0	0	1	3	8	28	58	74	64	66	43	40	20
Lung (incl. trachea & bronchus)	C33-C34	4992	1	0	0	0	0	3	10	26	56	125	272	463	665	795	821	800	570	385
Pluera	C38.4	86	0	0	0	0	1	0	0	0	0	1	1	6	9	15	20	16	9	8
Thymus, heart & mediastinum	C37-C38.3	202	2	0	2	10	8	8	3	9	14	17	25	31	25	24	13	7	4	0
Bone	C40-C41	96	0	1	8	13	12	8	3	6	6	5	3	7	5	12	5	2	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	329	7	1	6	9	5	15	12	18	26	20	38	38	37	38	26	20	10	3
Melanoma of skin	C43	105	0	0	0	0	0	1	3	6	6	5	12	15	15	10	7	15	5	5
Non-melanoma skin	C44	1866	0	0	1	0	1	7	13	26	51	89	119	155	217	233	249	244	233	228
Breast	C50	36	0	0	0	0	0	1	0	1	1	4	2	3	6	3	5	2	5	3
Prostate	C61	4853	0	1	0	0	0	0	0	2	6	29	120	364	757	1086	1007	791	436	254
Testis	C62	208	6	0	0	10	31	31	36	38	22	12	11	4	2	2	1	0	1	1
Penis & other male genital organs	C60, C63	140	0	0	0	0	0	0	1	2	0	7	14	20	20	22	22	12	12	8
Urinary bladder	C67	657	0	0	0	0	0	1	2	7	5	17	36	64	79	110	86	102	81	67
Kidney & other urinary organs	C64-C66 & C68	1381	5	2	0	0	1	9	12	22	66	90	139	181	213	231	161	120	87	42
Eye	C69	26	7	1	0	0	1	0	3	0	0	1	0	1	5	2	0	2	3	0
Brain & CNS	C70-C72	412	15	6	13	11	10	10	20	11	25	22	40	45	44	52	33	27	18	10
Thyroid	C73	502	0	0	0	4	16	20	23	27	51	35	83	66	65	45	33	22	9	3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	58	8	1	3	3	6	2	3	1	3	3	2	4	6	3	4	5	1	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	2259	49	36	29	41	52	55	58	58	83	115	166	237	284	327	248	204	127	90
Myeloid neoplasms	C92-C93	1134	11	3	9	10	16	17	27	22	44	59	99	105	122	162	127	137	90	74
Others & unspecified	OTH	402	0	0	0	1	1	1	1	6	8	9	15	41	59	48	44	58	40	70
All sites	ALL	34461	117	52	75	120	187	231	325	477	832	1318	2416	3674	4990	5596	4828	4262	2888	2073

Appendix B2: Number of cases by primary site and five-year age group for females, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
Tongue	C01-C02	20	0	0	0	0	0	0	0	1	1	3	5	1	2	3	3	0	1
Major salivary gland (incl. parotid gland)	C07-C08	19	0	0	1	0	1	2	1	1	1	2	0	2	3	2	1	2	0
Mouth	C03-C06	32	0	0	0	0	2	0	0	3	2	3	5	2	5	3	2	3	2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	14	0	0	0	0	0	0	0	1	0	1	3	2	1	1	1	4	0
Nasopharynx	C11	222	1	0	1	4	4	11	18	29	37	26	25	28	16	12	7	2	1
Oesophagus	C15	188	0	0	0	0	0	0	2	3	8	10	21	22	30	39	30	13	10
Stomach	C16	542	0	0	0	0	3	10	15	26	32	30	48	75	82	86	70	44	21
Small intestines	C17	6	0	0	0	0	0	1	0	0	0	1	1	0	0	2	1	0	0
Colon	C18	278	0	0	1	1	3	1	6	8	15	22	30	34	53	34	26	19	25
Rectosigmoid & rectum	C19-C20	200	0	0	0	0	0	0	5	9	14	14	27	30	36	20	20	16	9
Anus	C21	8	0	0	0	0	0	0	0	0	1	0	0	2	1	2	0	0	2
Liver & intrahepatic bile ducts	C22	243	2	1	0	0	1	3	2	5	6	20	37	25	38	41	24	26	12
Gallbladder & extrahepatic bile ducts	C23-C24	27	0	0	0	0	0	0	0	3	1	2	1	8	5	0	3	3	1
Pancreas	C25	50	0	0	0	1	0	1	0	0	2	4	10	5	9	8	5	0	0
Retropertoneum & peritoneum	C48	11	0	0	0	0	2	0	0	0	0	3	0	2	4	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	14	0	1	0	1	0	0	0	0	1	3	1	1	0	2	2	2	0
Larynx	C32	23	0	0	0	0	0	0	0	1	1	2	4	0	10	2	2	0	1
Lung (incl. trachea & bronchus)	C33-C34	489	0	0	0	0	0	4	7	8	14	24	61	65	105	80	68	35	18
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	5	0	0	1	0	0	1	0	0	0	1	1	0	1	0	0	0	0
Bone	C40-C41	26	2	0	6	7	4	1	1	0	2	1	0	0	0	1	0	1	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	39	4	1	2	1	3	0	1	2	3	3	4	3	3	6	1	1	1
Melanoma of skin	C43	9	0	0	0	0	0	0	2	0	1	0	1	0	1	1	1	1	1
Non-melanoma skin	C44	153	0	0	0	0	2	2	3	6	4	4	10	13	19	18	31	21	20
Breast	C50	672	0	0	0	1	1	12	35	61	78	85	101	97	74	61	35	16	15
Cervix uteri	C53	603	0	0	0	0	3	11	29	38	72	90	74	105	68	58	25	21	9
Placenta	C58	38	0	0	0	2	4	14	8	5	3	2	0	0	0	0	0	0	0
Corpus uteri	C54	159	0	0	0	0	0	0	4	7	11	9	32	38	23	16	9	5	5
Ovary & fallopian tube	C56-C57.0	222	0	2	10	8	9	9	19	19	20	25	25	30	27	10	6	1	2
Vulva & vagina	C51-C52	29	0	0	0	0	0	1	0	0	2	3	1	6	3	3	2	5	3
Urinary bladder	C67	55	0	0	0	0	0	0	0	0	1	1	2	9	12	15	7	6	2
Kidney & other urinary organs	C64-C66 & C68	57	6	1	0	0	1	1	2	2	1	4	8	7	7	8	3	5	1
Eye	C69	10	7	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	0
Brain & CNS	C70-C72	44	4	5	2	3	5	4	2	3	3	2	5	4	2	0	0	0	0
Thyroid	C73	163	0	0	2	7	17	12	22	9	6	9	11	21	23	10	9	3	2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	3	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	153	19	15	12	13	7	4	6	9	6	5	9	14	12	9	10	1	2
Myeloid neoplasms	C92-C93	108	14	5	7	2	5	7	10	7	5	4	6	5	11	8	11	1	0
Others & unspecified	OTH	149	5	0	2	1	2	1	4	4	4	11	17	16	35	24	10	9	4
All sites	ALL	5087	65	32	47	52	79	113	204	270	360	430	587	673	720	586	428	271	170

Appendix B2: Number of cases by primary site and five-year age group for females, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	10	0	0	0	0	0	0	2	1	1	1	1	1	1	0	1	1	0
Major salivary gland (incl. parotid gland)	C07-C08	28	0	0	0	0	3	2	2	6	4	1	1	2	3	2	1	0	1
Mouth	C03-C06	38	0	0	0	1	0	0	1	2	2	2	3	10	4	2	4	5	2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	24	0	0	1	1	1	0	1	0	0	1	3	0	3	6	5	0	2
Nasopharynx	C11	274	0	0	1	6	6	25	31	41	33	26	34	23	21	14	5	2	6
Oesophagus	C15	144	0	0	0	0	0	0	1	1	3	4	6	14	28	28	23	22	14
Stomach	C16	610	0	0	0	0	3	8	12	20	33	34	49	65	90	95	80	69	52
Small intestines	C17	9	0	0	0	0	0	0	0	2	1	1	1	0	1	2	1	0	0
Colon	C18	432	0	1	2	2	6	4	5	10	18	23	46	43	72	70	63	34	33
Rectosigmoid & rectum	C19-C20	283	0	0	0	0	2	3	6	7	10	13	29	30	43	50	42	20	28
Anus	C21	12	0	0	0	0	0	0	0	0	0	0	0	4	2	1	1	3	1
Liver & intrahepatic bile ducts	C22	255	1	0	1	3	2	4	6	3	6	18	18	37	42	45	40	19	10
Gallbladder & extrahepatic bile ducts	C23-C24	60	0	0	0	0	0	0	0	0	4	1	6	4	6	13	10	13	3
Pancreas	C25	78	0	0	0	0	1	2	2	2	4	3	6	14	11	12	11	7	4
Retropertoneum & peritoneum	C48	4	0	1	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	28	0	1	0	0	0	1	1	1	2	1	1	3	2	6	4	2	3
Larynx	C32	22	0	0	0	0	0	0	0	0	1	0	3	7	5	2	3	0	1
Lung (incl. trachea & bronchus)	C33-C34	663	0	0	0	0	0	2	5	8	20	35	54	74	111	137	101	70	46
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Bone	C40-C41	34	1	2	7	8	3	3	3	1	0	2	2	0	1	0	0	2	1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	55	11	2	1	3	3	7	2	4	0	2	6	3	3	4	3	1	0
Melanoma of skin	C43	15	0	0	0	0	1	0	1	1	2	1	1	4	2	0	1	1	0
Non-melanoma skin	C44	198	0	1	0	2	3	2	2	4	7	8	12	22	27	19	21	34	34
Breast	C50	861	0	0	0	2	5	22	41	85	95	127	104	103	106	67	53	31	20
Cervix uteri	C53	675	0	0	0	0	0	15	22	58	75	100	86	109	92	57	32	14	15
Placenta	C58	30	0	0	0	1	7	7	11	2	2	0	0	0	0	0	0	0	0
Corpus uteri	C54	154	0	0	0	0	0	1	7	6	10	14	29	26	24	13	15	6	3
Ovary & fallopian tube	C56-C57.0	262	1	2	3	7	12	16	15	23	32	22	30	37	20	18	12	9	3
Vulva & vagina	C51-C52	23	0	0	0	0	1	1	1	0	2	2	2	1	5	3	3	1	1
Urinary bladder	C67	65	0	0	0	0	0	0	0	0	0	1	6	5	13	12	9	11	8
Kidney & other urinary organs	C64-C66 & C68	58	5	0	0	0	0	2	1	2	1	3	9	8	9	7	6	1	4
Eye	C69	11	7	0	0	0	0	1	0	1	0	0	1	0	0	0	0	1	0
Brain & CNS	C70-C72	62	7	12	10	2	5	3	3	2	5	2	4	2	1	2	1	0	1
Thyroid	C73	168	0	0	3	10	18	17	11	16	17	13	15	8	21	6	9	4	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	6	0	2	2	0	0	0	1	0	0	0	0	1	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	180	19	12	14	10	8	7	6	2	4	7	16	9	19	17	18	7	5
Myeloid neoplasms	C92-C93	133	12	6	7	13	8	5	4	10	9	9	6	8	10	18	5	3	1
Others & unspecified	OTH	220	2	1	0	2	0	5	4	12	10	9	24	31	35	30	27	16	12
All sites	ALL	6186	66	43	52	73	98	167	209	327	414	486	615	709	834	760	610	409	314

Appendix B2: Number of cases by primary site and five-year age group for females, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Tongue	C01-C02	35	0	0	0	0	1	4	1	2	3	4	3	3	4	3	5	2	0
Major salivary gland (incl. parotid gland)	C07-C08	36	0	0	2	0	2	3	0	3	4	4	3	3	5	3	3	0	1
Mouth	C03-C06	40	0	0	0	0	0	1	1	1	0	7	4	3	6	4	8	1	4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	31	0	0	0	1	1	0	1	1	4	0	3	3	5	4	3	4	1
Nasopharynx	C11	326	0	0	1	3	8	23	40	34	37	47	48	28	21	19	9	5	3
Oesophagus	C15	150	0	0	0	0	0	0	0	0	5	5	12	19	19	26	17	27	20
Stomach	C16	643	0	0	0	1	5	8	10	17	33	36	46	70	72	114	98	72	61
Small intestines	C17	18	0	0	0	0	0	0	1	0	0	3	3	3	2	3	1	1	1
Colon	C18	655	0	0	1	2	4	0	15	21	28	44	53	77	97	100	83	69	61
Rectosigmoid & rectum	C19-C20	429	0	0	0	2	2	6	12	10	17	26	31	52	63	58	71	49	30
Anus	C21	14	0	0	0	0	0	0	0	0	0	0	2	3	2	2	2	2	1
Liver & intrahepatic bile ducts	C22	305	3	0	0	0	1	3	2	3	9	20	20	37	27	55	54	46	25
Gallbladder & extrahepatic bile ducts	C23-C24	71	0	0	0	0	0	2	2	3	2	3	5	6	12	14	10	10	4
Pancreas	C25	116	0	0	0	0	0	0	0	0	5	5	5	11	18	20	28	15	9
Retropertoneum & peritoneum	C48	13	0	0	1	0	1	1	0	1	1	1	3	0	1	2	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	31	0	0	0	0	1	1	0	0	2	2	4	5	6	5	3	1	1
Larynx	C32	33	0	0	0	0	0	0	0	1	1	1	3	7	6	5	2	5	2
Lung (incl. trachea & bronchus)	C33-C34	893	0	0	0	2	2	4	2	10	16	37	69	89	149	162	158	101	92
Pleura	C38.4	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	8	0	1	1	1	0	0	0	1	0	2	1	0	0	0	1	0	0
Bone	C40-C41	44	1	3	6	4	6	4	4	2	4	0	1	2	1	2	2	0	2
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	54	6	4	1	7	6	1	3	5	2	3	2	6	2	3	1	0	2
Melanoma of skin	C43	16	0	0	0	0	1	0	0	1	1	1	2	1	3	2	1	1	2
Non-melanoma skin	C44	328	0	1	2	2	2	5	10	3	14	18	19	24	26	43	50	45	64
Breast	C50	1237	0	0	0	2	6	35	63	114	185	181	129	124	138	97	76	43	44
Cervix uteri	C53	751	0	0	0	0	2	17	35	62	97	107	119	88	89	60	40	23	12
Placenta	C58	39	0	0	0	5	11	10	8	2	1	1	1	0	0	0	0	0	0
Corpus uteri	C54	217	0	0	0	0	1	5	4	8	20	22	40	31	29	34	10	10	3
Ovary & fallopian tube	C56-C57.0	414	0	0	7	11	21	24	15	32	46	45	60	39	43	34	15	10	12
Vulva & vagina	C51-C52	26	0	0	0	1	0	2	0	0	2	0	2	3	2	4	3	3	4
Urinary bladder	C67	92	0	0	0	0	0	0	0	1	3	1	5	8	11	15	17	18	13
Kidney & other urinary organs	C64-C66 & C68	64	2	1	0	0	0	3	4	4	1	6	4	5	8	7	7	7	5
Eye	C69	12	7	0	0	0	0	0	1	0	0	0	1	1	1	1	0	0	0
Brain & CNS	C70-C72	61	5	10	5	6	8	3	2	5	5	2	1	1	0	4	3	1	0
Thyroid	C73	226	0	0	4	21	22	22	25	22	16	17	12	15	12	18	8	5	7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	8	3	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	218	13	12	5	11	8	9	9	6	12	15	17	27	17	27	20	6	4
Myeloid neoplasms	C92-C93	148	2	4	4	11	13	8	10	6	15	6	10	11	13	8	18	6	3
Others & unspecified	OTH	188	0	0	1	0	2	4	6	3	6	4	19	21	28	24	30	19	21
All sites	All	7992	42	37	41	93	137	206	287	384	598	677	765	826	938	982	858	607	514

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B2: Number of cases by primary site and five-year age group for females, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	35	0	0	0	0	0	1	2	2	0	3	3	3	5	4	3	4	5
Major salivary gland (incl. parotid gland)	C07-C08	33	0	0	0	3	0	0	3	3	2	4	3	2	1	3	3	4	2
Mouth	C03-C06	39	0	1	0	0	0	1	0	0	0	1	4	5	10	7	5	2	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	17	0	0	0	0	0	1	1	2	0	2	1	2	0	4	2	1	1
Nasopharynx	C11	374	0	0	0	2	7	30	40	48	63	53	38	28	24	18	15	6	2
Oesophagus	C15	142	0	0	0	0	0	0	1	0	1	3	8	9	17	35	30	19	
Stomach	C16	772	0	0	0	0	1	13	18	17	25	48	51	72	91	111	123	105	97
Small intestines	C17	21	0	0	0	0	0	0	0	0	3	4	4	3	1	1	3	2	0
Colon	C18	893	0	0	1	4	5	10	18	28	38	54	72	102	104	129	132	104	92
Rectosigmoid & rectum	C19-C20	500	0	0	0	0	1	5	5	17	19	40	31	53	77	49	76	67	60
Anus	C21	21	0	0	0	0	0	0	2	1	1	0	1	4	1	1	4	3	3
Liver & intrahepatic bile ducts	C22	354	1	0	1	1	2	0	7	9	5	7	29	45	48	54	50	47	48
Gallbladder & extrahepatic bile ducts	C23-C24	88	0	0	0	0	1	3	1	2	2	7	4	14	15	14	7	13	7
Pancreas	C25	174	0	0	1	0	2	1	3	3	4	13	15	24	16	22	22	24	24
Retropertoneum & peritoneum	C48	11	0	1	0	0	2	0	0	0	1	0	1	1	2	1	1	0	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	30	0	1	0	1	0	1	1	1	0	2	5	4	3	4	2	3	2
Larynx	C32	39	0	0	0	0	0	0	0	0	1	1	3	4	6	6	8	5	5
Lung (incl. trachea & bronchus)	C33-C34	1072	0	0	0	1	1	4	8	19	22	39	71	94	150	181	203	155	124
Pleura	C38.4	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Thymus, heart & mediastinum	C37-C38.3	10	0	0	0	0	1	0	1	1	0	2	0	0	2	2	1	0	0
Bone	C40-C41	44	1	3	7	7	4	5	4	0	3	1	3	1	1	2	0	1	1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	82	6	3	3	4	7	4	7	4	9	7	6	6	7	4	3	3	2
Melanoma of skin	C43	17	0	0	0	0	1	0	1	0	0	3	1	0	1	3	2	3	2
Non-melanoma skin	C44	374	0	1	2	0	4	3	9	10	15	17	19	30	37	52	59	51	65
Breast	C50	1737	0	0	0	5	11	42	96	208	223	274	209	184	135	139	94	61	56
Cervix uteri	C53	897	0	0	0	1	1	16	48	116	106	121	142	110	77	63	39	36	21
Placenta	C58	19	0	0	0	0	3	3	3	4	3	1	2	0	0	0	0	0	0
Corpus uteri	C54	314	0	0	0	1	1	4	8	21	26	47	45	45	56	20	18	12	10
Ovary & fallopian tube	C56-C57.0	504	1	1	4	14	23	33	28	47	49	61	59	55	42	34	29	13	11
Vulva & vagina	C51-C52	41	0	0	0	0	1	0	0	1	2	1	0	5	3	12	5	8	3
Urinary bladder	C67	125	0	0	0	0	0	1	2	4	3	4	4	12	16	19	20	18	22
Kidney & other urinary organs	C64-C66 & C68	100	3	0	0	0	2	3	2	3	0	0	12	12	12	16	17	8	8
Eye	C69	9	6	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	1
Brain & CNS	C70-C72	99	10	9	13	6	9	7	6	6	2	5	3	6	7	2	4	3	1
Thyroid	C73	370	0	1	4	14	26	43	52	49	31	38	33	17	12	22	12	7	9
Adrenal gland, other endocrine glands & related structures	C74-C75.5	9	4	0	0	0	0	0	0	1	1	1	0	1	0	1	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	349	33	14	16	10	15	15	14	14	13	14	29	25	31	30	39	28	13
Myeloid neoplasms	C92-C93	127	4	3	7	8	7	10	15	5	10	5	10	8	9	9	3	7	7
Others & unspecified	OTH	223	3	0	0	2	1	3	5	7	6	10	19	21	25	38	33	28	22
All sites	All	10067	72	38	59	83	130	259	407	667	682	900	936	1009	1043	1056	1078	858	750

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B2: Number of cases by primary site and five-year age group for females, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	
Lip	C00	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Tongue	C01-C02	42	0	0	0	0	0	1	1	5	5	5	4	5	3	3	3	4	3	3
Major salivary gland (incl. parotid gland)	C07-C08	42	0	0	2	1	2	1	4	5	3	3	2	2	4	5	4	2	2	2
Mouth	C03-C06	49	0	0	0	0	1	1	1	1	2	2	4	7	7	8	6	3	6	6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	27	0	0	0	0	0	0	0	1	2	1	0	5	3	5	2	6	2	2
Nasopharynx	C11	444	0	0	1	0	6	14	54	67	67	52	56	39	33	23	15	12	5	5
Oesophagus	C15	149	0	0	0	0	0	0	0	1	2	2	4	12	15	17	24	32	40	40
Stomach	C16	826	0	0	0	2	1	4	14	35	32	32	45	87	81	115	124	112	142	142
Small intestines	C17	29	0	0	0	1	0	0	0	2	1	2	2	5	4	2	1	3	6	6
Colon	C18	1239	0	0	2	4	5	9	19	42	45	52	97	116	147	161	177	177	186	186
Rectosigmoid & rectum	C19-C20	609	0	0	0	0	0	6	7	16	21	29	58	51	76	86	99	74	86	86
Anus	C21	21	0	0	1	0	0	0	1	0	0	1	0	0	1	3	5	6	3	3
Liver & intrahepatic bile ducts	C22	354	5	2	0	1	0	2	2	4	12	14	21	25	39	61	42	60	64	64
Gallbladder & extrahepatic bile ducts	C23-C24	122	0	0	0	0	0	1	0	5	4	12	11	9	15	13	23	9	20	20
Pancreas	C25	193	0	0	2	0	1	0	1	7	5	10	16	16	22	26	36	24	27	27
Retropertoneum & peritoneum	C48	18	3	0	0	0	0	2	1	0	0	2	0	3	2	2	2	2	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	30	0	0	0	1	2	1	1	1	3	0	4	2	7	3	3	1	1	1
Larynx	C32	42	0	0	0	0	0	0	0	0	0	2	2	3	7	12	7	6	3	3
Lung (incl. trachea & bronchus)	C33-C34	1174	0	0	0	0	1	6	13	21	28	38	77	84	140	183	197	187	199	199
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	32	0	0	0	0	1	2	4	4	2	5	6	2	2	1	0	2	1	1
Bone	C40-C41	55	3	2	4	7	3	11	8	1	5	1	1	1	1	3	3	0	1	1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	63	1	2	2	1	5	5	1	6	5	4	7	2	4	3	11	2	2	2
Melanoma of skin	C43	37	1	0	0	0	1	2	2	3	2	2	3	1	5	2	2	3	8	8
Non-melanoma skin	C44	526	0	0	2	0	6	6	11	20	24	25	21	33	54	48	78	68	130	130
Breast	C50	2631	0	0	0	0	3	36	141	291	462	378	312	247	219	196	131	110	105	105
Cervix uteri	C53	1002	0	0	0	2	1	7	33	98	146	141	139	119	98	84	53	52	29	29
Placenta	C58	9	0	0	0	0	2	1	5	1	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	435	0	0	0	0	1	1	11	43	50	54	50	82	57	38	24	13	11	11
Ovary & fallopian tube	C56-C57.0	703	1	4	5	14	32	44	55	50	68	85	94	68	57	50	30	34	12	12
Vulva & vagina	C51-C52	63	0	0	0	1	1	1	1	2	3	4	3	5	7	8	8	10	9	9
Urinary bladder	C67	117	0	0	0	0	0	1	0	1	1	4	8	9	11	19	20	24	19	19
Kidney & other urinary organs	C64-C66 & C68	130	6	0	0	1	0	4	3	0	6	9	9	13	21	16	12	15	15	15
Eye	C69	14	9	1	0	0	0	0	2	0	0	0	0	0	1	0	0	1	0	0
Brain & CNS	C70-C72	116	5	9	8	4	6	6	9	10	2	5	6	3	12	11	9	5	6	6
Thyroid	C73	436	1	1	6	10	36	43	54	48	45	45	31	29	21	19	19	15	13	13
Adrenal gland, other endocrine glands & related structures	C74-C75.5	17	4	2	2	0	0	0	1	1	0	1	1	1	0	1	3	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	457	27	24	10	10	11	14	17	24	23	30	18	39	53	48	44	33	32	32
Myeloid neoplasms	C92-C93	171	9	7	2	13	13	15	7	11	12	12	6	14	12	5	13	13	7	7
Others & unspecified	OTH	333	3	0	0	0	1	3	4	17	12	14	24	40	31	39	52	45	48	48
All sites	ALL	12761	78	54	49	73	142	250	488	844	1100	1078	1143	1180	1272	1320	1283	1164	1243	1243

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B2: Number of cases by primary site and five-year age group for females, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	54	0	0	0	0	0	1	4	7	3	4	5	4	4	4	3	7	5	3
Major salivary gland (incl. parotid gland)	C07-C08	48	0	0	1	1	2	3	3	5	4	4	6	6	3	3	3	2	2	0
Mouth	C03-C06	54	0	0	0	1	0	0	0	4	2	1	1	11	9	7	7	4	4	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	24	0	0	0	0	0	0	0	4	1	0	1	1	3	4	3	4	1	2
Nasopharynx	C11	406	0	0	0	1	6	10	35	58	70	56	48	46	26	20	8	14	5	3
Oesophagus	C15	117	0	0	0	0	0	0	0	0	0	1	7	9	7	14	27	25	11	16
Stomach	C16	917	0	0	0	1	4	8	11	29	33	52	50	73	83	120	141	136	110	66
Small intestines	C17	48	0	0	0	1	0	0	1	4	3	3	7	2	2	9	7	3	5	1
Colon	C18	1427	0	0	0	2	3	9	12	45	51	82	87	140	146	213	204	185	152	96
Rectosigmoid & rectum	C19-C20	873	0	0	0	3	1	16	21	42	47	63	63	82	119	141	100	122	64	52
Anus	C21	31	0	0	0	0	0	0	0	0	0	2	0	4	3	3	1	3	11	4
Liver & intrahepatic bile ducts	C22	379	1	0	1	0	1	4	4	11	7	13	12	23	48	63	65	53	37	36
Gallbladder & extrahepatic bile ducts	C23-C24	175	0	0	0	0	2	1	6	5	12	13	10	25	28	21	21	17	14	14
Pancreas	C25	244	0	0	0	1	0	1	1	2	6	6	15	25	30	40	37	37	25	18
Retropertoneum & peritoneum	C48	35	3	0	4	0	0	0	2	2	3	4	1	4	3	7	2	1	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	25	0	0	0	0	0	1	0	2	3	2	3	3	3	3	2	2	1	0
Larynx	C32	29	0	0	0	0	0	0	0	0	2	1	1	3	4	8	5	3	2	0
Lung (incl. trachea & bronchus)	C33-C34	1444	0	0	1	0	2	4	8	26	50	70	75	127	129	233	220	213	167	119
Pleura	C38.4	7	0	0	0	0	0	0	0	1	1	1	0	1	1	0	0	1	0	1
Thymus, heart & mediastinum	C37-C38.3	25	0	0	1	0	0	1	3	4	3	4	3	2	3	0	1	0	0	0
Bone	C40-C41	34	0	2	3	3	2	4	2	6	1	2	1	3	1	1	1	0	1	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	85	2	2	2	4	3	4	11	3	9	6	3	6	5	8	3	5	6	3
Melanoma of skin	C43	40	0	0	0	1	1	3	2	4	1	1	3	2	4	7	1	6	3	1
Non-melanoma skin	C44	666	0	0	1	5	2	8	12	20	22	35	38	47	56	66	74	93	76	111
Breast	C50	3598	0	0	1	1	7	28	169	345	566	661	447	409	312	230	171	116	82	53
Cervix uteri	C53	1128	0	0	0	0	1	10	48	121	146	149	150	149	97	86	70	50	32	19
Placenta	C58	11	0	0	0	0	0	2	5	0	3	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	609	0	0	0	0	1	3	21	45	57	93	94	93	70	56	36	29	7	4
Ovary & fallopian tube	C56-C57.0	886	2	5	8	16	37	42	63	76	91	136	96	75	67	64	48	29	18	13
Vulva & vagina	C51-C52	76	0	0	0	0	0	0	1	1	5	6	5	9	5	10	14	11	4	5
Urinary bladder	C67	139	0	0	0	0	2	2	0	2	2	7	5	12	8	18	21	23	22	15
Kidney & other urinary organs	C64-C66 & C68	175	3	1	0	1	0	1	5	12	7	8	16	16	37	18	18	15	8	9
Eye	C69	7	4	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	147	16	14	10	3	6	6	13	7	11	8	4	6	12	7	14	5	4	1
Thyroid	C73	492	0	1	7	10	21	44	63	52	74	54	31	33	22	29	20	15	8	8
Adrenal gland, other endocrine glands & related structures	C74-C75.5	25	6	3	0	0	1	0	1	1	2	3	2	1	1	0	1	3	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	552	22	17	6	12	16	15	30	35	35	42	46	46	46	51	54	41	24	25
Myeloid neoplasms	C92-C93	297	15	3	3	8	12	10	14	20	23	16	8	15	26	32	25	31	22	14
Others & unspecified	OTH	416	4	0	0	0	1	3	6	16	18	24	19	29	45	52	59	62	42	36
All sites	ALL	15746	78	50	49	72	134	230	565	997	1362	1611	1362	1527	1465	1655	1487	1370	980	752

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B2: Number of cases by primary site and five-year age group for females, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	71	0	0	0	0	0	3	2	2	9	7	11	7	4	4	5	7	5	5
Major salivary gland (incl. parotid gland)	C07-C08	51	0	0	2	0	0	1	3	1	6	5	6	5	7	8	2	2	2	1
Mouth	C03-C06	65	0	1	0	1	1	2	2	4	3	5	4	4	8	8	5	6	6	5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	36	1	0	0	0	0	0	0	1	3	4	2	3	4	8	5	2	2	1
Nasopharynx	C11	381	0	0	1	0	1	8	24	49	64	82	53	31	19	16	12	13	7	1
Oesophagus	C15	111	0	0	0	0	0	0	0	1	2	2	2	8	12	17	15	16	17	19
Stomach	C16	969	0	0	0	0	3	7	11	33	36	60	59	61	86	127	139	110	108	129
Small intestines	C17	59	0	0	0	0	0	2	0	3	2	6	4	11	2	8	7	8	0	6
Colon	C18	1850	0	1	0	1	4	10	17	30	63	122	155	150	161	233	273	267	207	156
Rectosigmoid & rectum	C19-C20	945	0	0	1	0	4	2	9	25	32	71	80	83	118	110	147	103	84	76
Anus	C21	48	0	0	0	0	0	0	0	2	2	3	6	4	5	3	5	9	4	5
Liver & intrahepatic bile ducts	C22	471	3	0	1	0	1	3	6	3	12	22	19	27	43	62	73	78	55	63
Gallbladder & extrahepatic bile ducts	C23-C24	229	0	0	0	0	0	0	2	1	8	13	17	20	23	29	34	33	26	23
Pancreas	C25	345	0	0	0	0	1	2	2	6	13	11	18	31	33	49	49	45	52	33
Retropertoneum & peritoneum	C48	47	0	0	0	2	0	3	2	0	5	7	7	5	2	6	4	2	1	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	26	1	0	0	0	0	1	1	3	4	1	2	4	0	1	2	4	1	1
Larynx	C32	27	0	0	0	0	0	0	0	0	0	1	1	0	2	7	3	3	4	6
Lung (incl. trachea & bronchus)	C33-C34	1603	1	0	0	0	2	2	18	18	46	79	115	107	137	204	229	247	203	195
Pleura	C38.4	7	0	0	0	0	0	0	0	0	1	1	1	0	0	1	1	0	1	1
Thymus, heart & mediastinum	C37-C38.3	44	0	0	0	0	0	2	1	6	7	10	2	7	3	3	3	0	0	0
Bone	C40-C41	58	0	6	8	1	1	9	3	7	4	2	5	3	1	0	1	1	3	3
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	101	3	2	3	3	5	10	11	11	12	9	11	6	5	6	4	3	2	3
Melanoma of skin	C43	36	0	0	0	0	1	1	1	2	3	1	6	3	2	3	4	3	2	4
Non-melanoma skin	C44	790	0	0	0	0	2	3	7	10	23	25	34	42	46	72	71	104	101	143
Breast	C50	5577	0	0	0	3	11	43	179	437	800	1106	893	632	463	366	263	179	118	84
Cervix uteri	C53	1038	0	0	0	1	3	14	36	82	116	166	146	122	108	90	62	37	29	26
Placenta	C58	8	0	0	0	0	2	1	3	1	0	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	908	0	0	0	0	1	2	8	17	53	79	161	178	111	98	88	57	31	13
Ovary & fallopian tube	C56-C57.0	1061	1	3	2	18	30	46	55	66	120	173	155	101	85	79	53	39	25	10
Vulva & vagina	C51-C52	96	0	0	0	0	1	1	1	1	4	7	5	9	14	12	15	5	10	11
Urinary bladder	C67	185	0	0	0	0	1	2	1	3	5	6	11	13	19	15	26	30	26	27
Kidney & other urinary organs	C64-C66 & C68	283	4	2	0	0	0	2	12	10	16	22	23	15	27	35	37	32	24	22
Eye	C69	8	4	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
Brain & CNS	C70-C72	173	12	17	6	3	4	5	11	15	8	14	16	11	10	11	11	7	8	4
Thyroid	C73	654	0	0	4	13	37	48	58	93	79	77	68	38	41	27	37	24	4	6
Adrenal gland, other endocrine glands & related structures	C74-C75.5	35	8	2	0	1	2	4	0	0	3	3	6	1	0	4	0	0	0	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	714	27	15	13	15	23	27	31	29	40	54	70	51	54	81	72	52	32	28
Myeloid neoplasms	C92-C93	383	11	4	6	6	7	10	17	26	27	26	34	29	36	36	33	28	25	22
Others & unspecified	OTH	365	2	1	0	0	1	3	7	8	13	14	23	25	33	45	43	53	48	46
All sites	ALL	19860	78	56	47	71	149	284	552	1056	1672	2388	2256	1784	1737	1873	1836	1580	1263	1178

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B2: Number of cases by primary site and five-year age group for females, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	4	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0	1	0
Tongue	C01-C02	75	0	0	0	2	0	0	2	1	3	5	8	8	4	14	6	9	7	6
Major salivary gland (incl. parotid gland)	C07-C08	66	0	0	2	1	2	6	4	9	5	5	8	11	3	2	2	5	4	1
Mouth	C03-C06	61	0	0	0	0	0	0	1	3	1	6	3	5	5	8	5	5	6	13
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	39	0	0	0	0	0	1	1	0	2	5	7	2	3	1	4	5	3	5
Nasopharynx	C11	407	0	0	0	1	4	8	25	32	48	64	67	58	27	21	19	20	8	5
Oesophagus	C15	87	0	0	0	0	0	0	0	2	4	4	0	4	5	5	7	15	18	23
Stomach	C16	891	0	0	0	0	1	4	9	22	33	50	64	58	60	112	115	161	98	104
Small intestines	C17	72	0	0	1	0	0	2	3	1	5	5	4	10	4	11	8	9	6	3
Colon	C18	2251	0	0	0	1	9	8	12	23	66	109	211	234	212	234	316	312	252	252
Rectosigmoid & rectum	C19-C20	1099	0	0	0	0	1	1	5	25	37	71	110	140	112	154	136	131	95	81
Anus	C21	44	0	0	0	0	0	0	2	0	1	5	3	3	2	8	1	9	5	5
Liver & intrahepatic bile ducts	C22	588	5	1	0	2	1	0	2	7	12	17	23	39	45	71	99	126	73	65
Gallbladder & extrahepatic bile ducts	C23-C24	222	0	0	0	1	0	2	1	7	10	10	18	21	15	34	29	36	26	22
Pancreas	C25	484	0	0	0	0	1	0	4	4	10	19	29	45	50	63	68	74	52	62
Retropertoneum & peritoneum	C48	53	2	1	1	1	1	1	3	4	4	4	4	5	4	5	8	3	2	3
Nasal cavity, middle ear & accessory sinuses	C30-C31	55	0	0	0	0	0	1	2	5	11	6	3	6	1	4	7	4	2	3
Larynx	C32	33	0	0	0	0	0	1	0	0	1	3	2	2	1	2	7	6	5	3
Lung (incl. trachea & bronchus)	C33-C34	1905	0	0	1	1	3	3	7	22	57	102	133	190	183	230	278	258	221	216
Pleura	C38.4	7	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	1	0	1
Thymus, heart & mediastinum	C37-C38.3	63	1	0	0	0	2	0	4	2	6	7	11	10	3	6	5	3	3	0
Bone	C40-C41	59	0	4	10	5	2	2	4	4	4	3	6	6	3	2	1	3	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	142	9	1	4	4	2	3	14	9	12	12	17	13	9	6	9	3	8	7
Melanoma of skin	C43	59	0	0	0	0	1	1	4	3	3	6	3	8	4	4	6	5	5	6
Non-melanoma skin	C44	800	0	1	0	2	0	7	11	20	20	36	47	54	55	102	110	86	89	160
Breast	C50	6856	0	0	1	3	6	50	184	426	899	1199	1161	953	612	501	325	255	156	125
Cervix uteri	C53	1015	0	0	0	0	5	9	35	72	108	147	123	98	92	110	94	52	41	29
Placenta	C58	13	0	0	0	0	1	1	2	2	3	1	3	0	0	0	0	0	0	0
Corpus uteri	C54	1356	0	0	0	0	4	17	34	55	111	204	264	237	133	122	81	46	29	19
Ovary & fallopian tube	C56-C57.0	1347	1	1	8	24	47	44	55	88	123	182	228	173	108	86	65	41	38	35
Vulva & vagina	C51-C52	110	0	1	0	0	0	0	3	2	3	12	8	17	12	14	8	18	7	5
Urinary bladder	C67	223	0	0	0	0	0	1	1	3	6	6	6	19	23	31	35	34	26	32
Kidney & other urinary organs	C64-C66 & C68	339	3	1	0	2	1	1	2	8	18	27	29	31	41	54	45	39	17	20
Eye	C69	16	5	2	0	0	1	0	0	0	0	0	2	1	2	1	1	0	0	1
Brain & CNS	C70-C72	249	10	15	11	11	10	12	11	10	15	26	15	28	18	16	11	17	5	8
Thyroid	C73	661	0	0	3	10	21	45	73	69	68	82	85	60	44	31	27	29	9	5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	34	3	0	2	1	2	1	0	1	3	1	7	3	2	3	3	0	1	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1009	39	28	22	34	29	27	33	35	50	62	102	108	95	98	77	70	59	41
Myeloid neoplasms	C92-C93	454	8	6	8	10	11	17	22	16	20	34	40	44	30	46	49	50	24	19
Others & unspecified	OTH	367	1	0	0	1	1	1	3	8	6	17	37	37	32	34	44	53	44	48
All sites	ALL	23615	87	62	74	117	169	274	579	989	1789	2555	2893	2742	2055	2246	2112	1993	1445	1434

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B2: Number of cases by primary site and five-year age group for females, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	6	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	1
Tongue	C01-C02	102	0	0	1	0	1	2	5	6	9	14	9	10	14	2	16	5	3	5
Major salivary gland (incl. parotid gland)	C07-C08	96	0	0	1	0	2	3	6	8	12	8	11	12	8	4	7	4	6	4
Mouth	C03-C06	84	0	0	0	0	1	1	2	5	2	9	8	8	10	8	7	10	4	9
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	60	0	0	0	0	0	0	0	5	2	6	10	7	12	2	5	6	3	2
Nasopharynx	C11	369	2	0	0	1	3	9	15	27	37	43	74	67	37	20	19	2	8	5
Oesophagus	C15	97	0	0	0	0	0	0	1	0	0	3	5	2	9	9	13	12	23	20
Stomach	C16	1075	0	0	0	1	1	5	5	15	31	41	72	84	91	103	143	159	168	156
Small intestines	C17	97	0	0	0	0	0	0	0	2	2	10	8	12	12	12	9	11	10	9
Colon	C18	2676	0	0	1	3	5	13	16	29	76	127	197	286	321	284	349	370	334	265
Rectosigmoid & rectum	C19-C20	1244	0	0	0	0	2	3	9	26	38	59	131	155	171	119	161	129	121	120
Anus	C21	52	0	0	0	0	0	0	0	0	0	6	4	6	8	5	9	8	3	3
Liver & intrahepatic bile ducts	C22	736	6	0	1	0	2	0	8	3	8	13	29	42	71	80	107	146	106	114
Gallbladder & extrahepatic bile ducts	C23-C24	303	0	0	0	0	0	0	0	3	6	12	10	30	32	44	39	48	27	52
Pancreas	C25	676	0	0	0	1	0	1	2	5	16	35	35	65	78	81	96	115	63	83
Retropertoneum & peritoneum	C48	102	1	1	0	0	2	2	2	2	6	9	8	15	16	18	10	6	5	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	54	0	0	0	0	1	1	1	4	2	6	9	4	7	6	4	2	4	3
Larynx	C32	21	0	0	0	0	0	0	0	1	0	0	1	2	5	1	2	3	3	3
Lung (incl. trachea & bronchus)	C33-C34	2262	1	0	0	0	1	2	22	31	47	114	172	222	238	274	293	291	293	261
Pleura	C38.4	18	0	0	0	0	0	0	0	0	0	0	2	4	3	3	3	1	2	0
Thymus, heart & mediastinum	C37-C38.3	103	0	0	0	1	1	2	5	6	11	15	14	11	14	8	5	6	3	1
Bone	C40-C41	80	0	3	7	11	10	5	7	6	5	7	4	5	3	3	1	1	1	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	218	9	3	7	10	4	8	12	17	19	17	21	24	16	11	12	11	9	8
Melanoma of skin	C43	63	0	0	0	0	0	2	4	3	7	7	4	6	4	5	6	5	4	6
Non-melanoma skin	C44	1217	1	0	0	3	3	7	10	22	35	47	57	81	82	129	137	169	187	247
Breast	C50	8560	0	0	1	3	7	60	201	504	881	1389	1336	1291	1013	628	524	359	210	153
Cervix uteri	C53	926	0	0	0	0	4	15	32	78	85	116	108	106	90	85	72	53	43	39
Placenta	C58	22	0	0	0	0	3	2	3	1	7	4	2	0	0	0	0	0	0	0
Corpus uteri	C54	1787	0	0	0	2	2	10	35	82	143	211	349	338	241	140	106	70	39	19
Ovary & fallopian tube	C56-C57.0	1625	0	4	15	42	39	36	46	80	158	221	237	214	171	115	93	63	47	44
Vulva & vagina	C51-C52	133	3	0	0	0	0	0	2	5	5	7	9	19	12	15	12	19	8	17
Urinary bladder	C67	207	0	1	0	1	0	1	0	3	5	4	13	15	28	22	29	29	25	31
Kidney & other urinary organs	C64-C66 & C68	542	3	1	0	1	1	4	4	4	21	27	56	71	73	55	75	70	43	33
Eye	C69	23	16	0	0	0	0	0	1	0	1	1	1	0	2	0	1	0	0	0
Brain & CNS	C70-C72	334	16	17	12	8	7	9	12	21	21	27	27	23	30	19	27	21	24	13
Thyroid	C73	991	1	0	2	22	26	61	80	104	107	116	121	98	83	51	50	24	22	23
Adrenal gland, other endocrine glands & related structures	C74-C75.5	51	7	0	2	2	2	5	2	1	3	6	4	7	4	0	6	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1246	41	19	16	21	32	41	45	42	57	77	92	137	118	128	118	106	86	70
Myeloid neoplasms	C92-C93	673	3	7	3	12	8	14	18	28	42	38	47	79	58	67	68	78	50	53
Others & unspecified	OTH	375	1	0	0	0	1	2	4	5	8	14	22	15	27	33	57	58	64	64
All sites	ALL	29306	111	56	69	145	169	326	617	1184	1915	2866	3321	3573	3213	2590	2692	2470	2051	1938

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B2: Number of cases by primary site and five-year age group for females, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	155	0	0	0	0	1	8	3	3	12	10	18	33	18	11	12	11	6	9
Major salivary gland (incl. parotid gland)	C07-C08	93	0	1	1	0	1	3	4	8	9	9	15	8	7	9	5	4	3	6
Mouth	C03-C06	102	0	0	0	0	1	1	1	1	1	1	11	13	14	22	7	15	5	9
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	50	0	0	0	0	0	0	0	2	1	2	6	6	7	12	3	4	2	5
Nasopharynx	C11	378	0	0	4	0	1	8	7	20	39	52	56	65	46	34	19	14	6	7
Oesophagus	C15	96	0	0	0	0	1	1	1	3	1	3	5	5	5	6	13	18	17	18
Stomach	C16	1147	0	0	0	0	2	4	5	18	31	33	74	101	116	131	125	174	151	182
Small intestines	C17	130	0	0	0	0	1	2	0	5	4	7	11	16	15	18	16	18	13	4
Colon	C18	3300	0	1	0	7	4	7	20	28	72	127	233	351	385	448	381	423	381	432
Rectosigmoid & rectum	C19-C20	1535	0	0	0	1	0	2	11	23	47	72	146	177	218	197	172	193	121	155
Anus	C21	71	0	0	0	0	0	0	2	2	1	6	6	4	10	8	6	12	5	9
Liver & intrahepatic bile ducts	C22	992	5	0	0	0	1	2	2	5	9	16	61	56	72	144	128	190	166	135
Gallbladder & extrahepatic bile ducts	C23-C24	377	0	0	0	0	0	0	2	3	5	6	19	34	46	56	55	55	39	57
Pancreas	C25	943	0	0	1	3	3	1	3	10	16	32	49	100	132	133	124	117	96	123
Retropertoneum & peritoneum	C48	139	2	0	0	0	1	1	3	4	4	7	11	24	23	18	19	12	6	4
Nasal cavity, middle ear & accessory sinuses	C30-C31	77	0	0	0	1	1	1	0	4	7	10	6	15	9	4	3	8	3	5
Larynx	C32	33	0	0	0	0	0	0	0	0	0	0	3	3	3	6	5	3	3	7
Lung (incl. trachea & bronchus)	C33-C34	2788	0	0	0	0	1	2	11	24	54	124	185	266	355	379	323	380	350	334
Pleura	C38.4	15	0	0	0	0	0	0	0	1	0	0	0	1	4	3	2	1	1	2
Thymus, heart & mediastinum	C37-C38.3	156	0	0	0	0	0	2	2	7	16	10	17	23	16	26	17	8	6	6
Bone	C40-C41	88	0	2	13	7	7	5	6	7	8	5	6	3	5	6	2	3	1	2
Connective & soft tissues (incl peripheral nerves)	C47 & C49	283	3	5	5	6	7	7	15	22	27	17	21	30	22	32	24	21	15	4
Melanoma of skin	C43	59	0	0	0	1	0	2	4	3	4	4	10	4	5	4	8	4	3	3
Non-melanoma skin	C44	1507	0	2	2	4	4	12	8	20	24	51	60	83	122	166	179	223	208	339
Breast	C50	10824	0	0	0	0	5	65	208	464	1021	1415	1482	1579	1550	1127	715	578	330	285
Cervix uteri	C53	1077	0	0	1	1	2	14	57	67	121	120	144	144	102	98	74	62	33	37
Placenta	C58	19	0	0	0	0	0	6	7	3	2	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	2610	0	0	0	0	1	5	28	67	107	203	288	432	465	382	263	153	109	63
Ovary & fallopian tube	C56-C57.0	1874	1	3	11	21	44	70	61	80	148	232	284	274	233	161	77	70	54	50
Vulva & vagina	C51-C52	179	0	0	0	0	0	0	0	3	4	9	15	18	22	25	29	13	24	17
Urinary bladder	C67	213	0	0	0	0	0	0	0	1	1	5	10	26	18	25	28	34	28	37
Kidney & other urinary organs	C64-C66 & C68	734	7	1	0	1	5	1	5	12	34	47	66	86	96	104	86	81	52	50
Eye	C69	25	8	0	0	0	2	2	2	1	2	1	0	2	0	2	3	1	0	1
Brain & CNS	C70-C72	374	19	17	10	7	8	15	11	19	17	28	32	33	46	34	24	28	17	9
Thyroid	C73	1426	0	2	2	19	45	54	93	132	164	176	174	148	125	127	56	59	27	23
Adrenal gland, other endocrine glands & related structures	C74-C75.5	53	5	2	2	5	4	3	3	2	3	3	3	3	3	3	1	3	3	2
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1725	34	20	16	39	41	58	44	49	66	85	133	165	193	207	177	185	117	96
Myeloid neoplasms	C92-C93	818	9	0	9	6	12	19	19	32	31	49	57	66	80	86	84	87	70	102
Others & unspecified	OTH	338	0	0	0	0	0	0	2	3	8	12	12	11	25	25	32	56	54	98
All sites	ALL	36804	93	56	77	130	207	406	689	1198	2218	3075	3873	4441	4530	4160	3187	3277	2479	2708

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	48	0	0	1	1	1	0	2	4	1	2	4	8	7	8	2	5	2
Major salivary gland (incl. parotid gland)	C07-C08	12	0	0	1	0	1	0	1	0	3	1	1	2	0	1	1	0	0
Mouth	C03-C06	47	0	0	2	0	1	1	1	1	0	0	5	10	9	8	6	1	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	55	0	0	0	0	0	0	0	0	2	6	3	12	14	7	4	5	2
Nasopharynx	C11	538	1	0	2	14	14	20	46	61	76	76	82	61	36	25	19	3	2
Oesophagus	C15	425	0	0	0	0	0	0	0	4	9	19	42	75	97	83	56	23	17
Stomach	C16	1002	0	0	0	0	2	8	10	23	52	65	109	160	211	174	119	51	18
Small intestines	C17	6	0	0	0	0	0	0	0	1	0	0	1	1	0	0	3	0	0
Colon	C18	261	0	0	0	2	4	3	5	11	13	22	28	39	33	45	32	16	8
Rectosigmoid & rectum	C19-C20	231	0	0	1	1	0	2	5	4	6	15	21	49	43	40	25	12	7
Anus	C21	6	0	0	0	0	0	0	1	0	0	2	0	0	0	2	1	0	0
Liver & intrahepatic bile ducts	C22	792	1	0	1	2	2	9	4	27	58	60	96	154	150	118	71	29	10
Gallbladder & extrahepatic bile ducts	C23-C24	25	0	0	0	0	0	0	1	0	0	2	4	1	5	9	2	0	1
Pancreas	C25	81	0	0	1	0	0	1	1	3	2	8	7	13	21	12	6	5	1
Retropertoneum & peritoneum	C48	9	0	1	0	0	0	0	1	0	1	0	1	1	2	1	0	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	29	0	0	1	0	0	0	1	0	3	2	4	4	4	7	1	2	0
Larynx	C32	174	0	0	0	0	0	0	0	2	6	6	20	30	34	40	25	7	4
Lung (incl. trachea & bronchus)	C33-C34	1273	0	1	0	0	3	4	4	17	35	67	124	219	309	250	157	60	23
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	9	0	0	1	2	2	2	0	0	0	0	0	1	0	0	0	0	0
Bone	C40-C41	29	0	1	5	8	6	2	0	1	0	1	0	2	2	0	1	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	35	3	1	2	3	3	2	3	4	1	1	1	3	0	3	4	0	1
Melanoma of skin	C43	15	0	0	1	1	1	1	0	0	1	1	2	3	2	0	1	0	1
Non-melanoma skin	C44	135	0	0	0	1	3	2	4	4	6	10	13	16	26	18	10	9	13
Breast	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Prostate	C61	74	0	0	0	0	0	0	0	2	1	0	4	9	14	14	13	12	5
Testis	C62	34	4	0	1	5	4	0	4	5	4	2	2	2	0	0	1	0	0
Penis & other male genital organs	C60, C63	34	0	0	0	1	1	1	2	2	3	7	1	6	5	1	1	3	1
Urinary bladder	C67	130	0	0	0	0	0	1	2	2	3	4	11	16	30	31	19	9	2
Kidney & other urinary organs	C64 - C66 & C68	64	5	1	0	0	0	1	1	1	3	5	9	9	9	15	3	2	0
Eye	C69	7	3	0	0	1	0	0	0	1	0	0	0	1	0	1	0	0	0
Brain & CNS	C70-C72	64	4	8	10	9	5	1	2	5	4	2	5	8	1	0	0	0	0
Thyroid	C73	31	0	0	2	2	2	2	0	4	1	3	1	3	6	3	1	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	5	3	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	182	20	18	18	12	9	8	5	8	7	6	8	13	21	13	11	4	1
Myeloid neoplasms	C92-C93	108	10	9	10	11	10	6	4	7	8	4	8	5	4	7	2	2	1
Others & unspecified	OTH	192	4	1	1	3	3	3	6	4	9	10	22	33	39	31	15	7	1
All sites	ALL	6165	58	41	60	80	76	80	116	208	318	409	640	970	1136	967	613	269	124

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Tongue	C01-C02	51	0	0	0	0	0	0	2	1	2	7	6	7	9	7	5	3	2
Major salivary gland (incl. parotid gland)	C07-C08	19	0	0	0	1	2	1	0	0	0	2	5	3	0	1	0	2	1
Mouth	C03-C06	39	0	0	0	0	1	0	0	0	0	3	6	3	8	8	4	4	2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	66	0	0	0	0	0	1	1	3	4	4	9	6	12	9	7	7	3
Nasopharynx	C11	641	0	0	2	5	21	39	49	97	100	88	88	53	58	19	13	8	1
Oesophagus	C15	436	0	0	0	0	0	1	0	0	2	20	25	54	98	99	63	53	21
Stomach	C16	1105	0	1	0	0	6	6	8	27	67	58	98	130	190	251	151	72	40
Small intestines	C17	11	0	0	0	0	0	0	0	1	0	1	1	2	2	1	1	1	1
Colon	C18	373	0	0	1	4	4	6	9	9	17	29	34	31	71	64	52	22	20
Rectosigmoid & rectum	C19-C20	349	0	1	0	2	4	5	11	9	14	18	28	43	67	62	51	21	13
Anus	C21	10	0	0	0	0	0	0	1	0	0	2	0	1	1	1	1	1	2
Liver & intrahepatic bile ducts	C22	840	4	0	0	3	6	10	18	20	57	73	91	126	151	133	79	43	26
Gallbladder & extrahepatic bile ducts	C23-C24	42	0	0	0	0	0	1	0	0	2	3	1	10	9	6	8	2	0
Pancreas	C25	99	0	0	0	0	1	1	1	2	2	5	9	17	19	18	16	5	3
Retropertoneum & peritoneum	C48	4	0	0	0	0	1	0	0	0	0	1	0	1	0	0	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	43	0	0	1	1	0	0	0	3	5	5	7	7	3	4	4	3	0
Larynx	C32	188	0	0	0	0	0	0	0	2	5	8	15	28	49	42	24	10	5
Lung (incl. trachea & bronchus)	C33-C34	1728	0	0	1	0	1	1	2	19	45	82	133	259	394	375	265	107	44
Pleura	C38.4	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	5	0	0	1	1	0	0	0	0	0	0	0	0	1	0	1	0	0
Bone	C40-C41	33	0	2	5	7	4	2	1	3	3	0	0	2	2	1	1	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	57	10	1	2	4	3	1	3	3	7	1	3	5	7	3	1	3	0
Melanoma of skin	C43	16	0	0	0	1	0	2	2	1	0	1	1	0	2	1	3	1	1
Non-melanoma skin	C44	205	0	1	0	1	3	3	3	4	13	6	23	29	21	35	27	21	15
Breast	C50	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Prostate	C61	104	0	0	0	0	0	0	0	0	2	0	3	6	14	23	25	21	10
Testis	C62	33	3	0	0	5	6	4	3	4	3	0	1	1	1	1	0	0	1
Penis & other male genital organs	C60, C63	34	0	0	0	0	0	0	0	2	0	1	7	7	5	3	7	0	2
Urinary bladder	C67	172	0	0	0	0	0	0	0	2	7	6	19	21	39	24	30	13	11
Kidney & other urinary organs	C64 - C66 & C68	84	5	1	0	1	0	1	1	3	3	6	9	12	11	20	7	3	1
Eye	C69	9	2	1	1	0	0	2	0	0	0	0	0	2	0	1	0	0	0
Brain & CNS	C70-C72	46	5	4	5	3	4	4	1	3	4	4	2	2	3	2	0	0	0
Thyroid	C73	43	0	0	2	1	3	6	2	3	4	2	5	0	4	8	2	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	7	2	1	0	2	0	0	0	0	1	0	0	0	0	0	0	1	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	213	22	21	7	10	11	10	6	8	5	8	14	22	20	22	12	12	3
Myeloid neoplasms	C92-C93	129	8	12	4	17	11	9	10	8	5	6	6	4	6	11	6	4	2
Others & unspecified	OTH	225	2	3	1	2	0	2	4	4	15	23	18	31	30	46	29	9	6
All sites	ALL	7463	63	49	33	71	91	119	139	241	396	473	667	926	1308	1302	896	453	236

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	3	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
Tongue	C01-C02	48	0	0	0	0	0	1	0	0	6	5	2	8	4	9	4	4	5
Major salivary gland (incl. parotid gland)	C07-C08	20	0	0	0	0	1	2	0	1	2	2	0	4	1	3	2	2	0
Mouth	C03-C06	73	0	0	0	0	0	0	1	1	6	7	8	5	9	10	11	10	5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	82	0	0	0	1	0	1	1	2	2	6	7	11	7	14	19	8	3
Nasopharynx	C11	679	1	0	4	8	19	26	62	82	110	114	95	54	35	38	17	8	6
Oesophagus	C15	404	0	0	0	0	0	0	2	0	4	11	23	49	72	73	84	55	31
Stomach	C16	1129	0	0	0	1	2	5	12	11	31	69	110	142	183	217	179	114	53
Small intestines	C17	16	0	0	0	0	0	0	0	0	1	3	1	4	3	1	3	0	0
Colon	C18	513	0	0	0	4	0	4	13	12	23	31	44	61	81	99	81	39	21
Rectosigmoid & rectum	C19-C20	433	0	0	0	0	2	0	12	7	9	31	49	55	64	93	52	33	26
Anus	C21	8	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	1	2
Liver & intrahepatic bile ducts	C22	988	5	1	0	1	1	6	19	32	51	86	103	132	151	174	125	72	29
Gallbladder & extrahepatic bile ducts	C23-C24	64	0	0	0	0	0	0	0	0	1	4	4	6	11	12	13	10	3
Pancreas	C25	141	0	0	0	0	0	0	0	2	6	12	10	17	19	27	26	17	5
Retropertoneum & peritoneum	C48	6	0	0	0	0	0	0	1	0	0	1	1	0	0	2	0	0	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	32	0	0	0	0	0	1	0	1	1	3	7	5	2	3	2	7	0
Larynx	C32	255	0	0	0	0	0	1	0	4	17	14	26	28	35	48	48	25	9
Lung (incl. trachea & bronchus)	C33-C34	2226	0	0	0	0	2	4	7	15	56	93	182	268	380	509	413	212	85
Pleura	C38.4	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	9	0	0	0	1	1	1	0	1	0	1	1	0	3	0	0	0	0
Bone	C40-C41	41	0	1	8	10	6	4	5	2	1	0	0	1	1	1	1	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	48	4	1	1	2	5	4	3	5	3	2	2	6	4	4	1	1	0
Melanoma of skin	C43	21	0	0	0	0	0	0	2	0	3	1	2	4	1	4	1	2	1
Non-melanoma skin	C44	276	0	0	1	3	5	3	8	7	12	20	25	25	31	45	37	34	20
Breast	C50	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2
Prostate	C61	180	0	0	0	0	0	0	0	0	0	1	8	11	23	45	31	39	22
Testis	C62	43	3	0	0	3	4	10	8	2	4	3	2	0	1	1	1	0	1
Penis & other male genital organs	C60, C63	28	0	0	0	0	0	0	0	0	2	2	5	5	4	2	2	1	1
Urinary bladder	C67	229	0	0	0	0	1	2	4	3	5	7	15	22	41	42	42	26	19
Kidney & other urinary organs	C64-C66 & C68	94	4	0	0	0	1	2	1	3	2	7	10	15	15	16	11	5	2
Eye	C69	9	3	0	0	0	0	1	0	0	0	0	1	1	2	1	0	0	0
Brain & CNS	C70-C72	74	1	10	3	4	4	6	8	4	7	4	7	5	2	3	3	3	0
Thyroid	C73	58	0	0	1	1	3	3	7	5	5	1	9	5	5	2	4	4	3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	8	4	0	0	2	0	0	0	0	1	0	0	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	263	16	12	10	14	12	10	19	10	8	11	14	19	38	25	23	14	8
Myeloid neoplasms	C92-C93	131	7	4	5	15	6	15	7	6	11	12	5	6	8	13	4	3	4
Others & unspecified	OTH	239	0	1	2	0	2	4	4	5	16	18	27	18	37	47	30	17	11
All sites	ALL	8879	48	30	35	70	77	116	206	223	408	582	806	993	1277	1589	1272	769	378

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1
Tongue	C01-C02	63	0	0	0	1	1	2	2	2	1	3	7	11	8	11	4	6	6
Major salivary gland (incl. parotid gland)	C07-C08	34	0	0	1	2	2	4	4	2	1	3	5	3	3	1	3	1	1
Mouth	C03-C06	69	0	0	0	0	0	0	1	1	0	6	6	9	12	12	6	14	2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	89	0	0	0	0	0	1	2	5	2	3	8	12	11	17	14	11	3
Nasopharynx	C11	827	0	0	2	3	11	35	74	114	131	136	126	82	43	31	20	14	5
Oesophagus	C15	377	0	0	0	0	0	0	2	1	5	17	26	54	47	64	68	57	36
Stomach	C16	1220	0	0	0	0	3	3	7	20	19	48	103	148	156	222	217	153	121
Small intestines	C17	14	0	1	0	0	0	0	1	2	1	1	2	2	2	1	1	0	0
Colon	C18	735	0	1	1	1	4	5	18	20	31	32	61	87	90	123	116	96	49
Rectosigmoid & rectum	C19-C20	545	0	0	0	0	1	1	11	10	19	44	70	53	90	92	65	56	33
Anus	C21	16	0	0	0	0	0	1	1	0	0	1	3	3	2	0	3	1	1
Liver & intrahepatic bile ducts	C22	974	0	2	0	1	2	3	16	23	49	78	90	131	156	147	133	99	44
Gallbladder & extrahepatic bile ducts	C23-C24	64	0	0	0	0	0	0	2	1	1	4	5	3	10	16	14	3	5
Pancreas	C25	182	0	0	0	0	0	0	2	4	5	12	19	22	19	25	28	26	20
Retropertoneum & peritoneum	C48	14	0	0	0	0	0	0	0	0	2	0	1	3	2	1	1	2	2
Nasal cavity, middle ear & accessory sinuses	C30-C31	36	1	0	0	1	0	2	0	2	2	3	2	9	3	3	3	3	2
Larynx	C32	215	0	0	0	0	0	0	0	2	2	13	21	31	36	40	39	20	11
Lung (incl. trachea & bronchus)	C33-C34	2475	0	0	0	1	4	0	12	28	45	101	224	341	343	438	427	326	185
Pleura	C38.4	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
Thymus, heart & mediastinum	C37-C38.3	21	0	0	0	0	1	0	0	5	1	1	4	3	4	2	0	0	0
Bone	C40-C41	45	0	1	4	8	5	9	6	3	5	1	1	0	0	1	1	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	84	1	3	2	2	7	7	5	9	13	3	3	7	2	6	7	2	5
Melanoma of skin	C43	15	0	0	0	1	0	2	0	0	0	0	0	4	3	2	3	0	0
Non-melanoma skin	C44	317	0	0	1	0	4	2	5	8	9	21	19	39	38	31	57	44	39
Breast	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Prostate	C61	257	0	0	0	0	0	0	0	0	0	1	9	17	22	30	58	54	66
Testis	C62	48	3	0	0	4	5	12	4	1	4	1	4	7	1	2	1	0	0
Penis & other male genital organs	C60, C63	28	0	1	0	1	0	0	0	1	2	2	2	4	3	4	2	1	5
Urinary bladder	C67	262	0	0	0	0	1	1	1	6	8	11	13	18	29	39	68	32	35
Kidney & other urinary organs	C64 - C66 & C68	135	5	0	0	1	0	0	3	4	4	10	16	10	20	21	24	12	5
Eye	C69	9	6	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
Brain & CNS	C70-C72	97	6	10	6	7	8	6	9	6	9	3	1	13	5	2	3	2	1
Thyroid	C73	90	0	2	1	5	6	10	7	9	8	8	8	8	6	5	4	1	2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	18	6	1	2	4	2	1	1	0	0	0	0	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	385	30	15	13	16	10	11	13	18	12	30	31	32	35	44	33	27	15
Myeloid neoplasms	C92-C93	156	9	2	8	5	9	7	11	10	10	8	16	10	13	13	12	7	6
Others & unspecified	OTH	226	0	0	0	1	1	3	0	3	10	10	16	31	34	31	34	34	18
All sites	ALL	10151	67	40	41	64	86	118	228	323	408	619	926	1202	1251	1478	1470	1105	725

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Tongue	C01-C02	62	0	0	0	0	1	1	1	4	8	2	7	1	11	5	7	5	9
Major salivary gland (incl. parotid gland)	C07-C08	35	0	0	1	2	1	6	1	3	2	2	7	2	0	1	4	3	0
Mouth	C03-C06	67	0	0	0	0	1	0	1	0	1	5	9	6	10	14	11	5	4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	116	0	0	0	1	0	0	0	1	3	1	11	23	25	17	14	12	8
Nasopharynx	C11	1042	0	0	2	5	8	35	82	128	179	153	135	100	77	50	30	17	11
Oesophagus	C15	366	0	0	0	0	0	0	0	1	2	9	24	52	54	55	60	54	54
Stomach	C16	1251	0	0	0	0	1	6	9	20	40	39	82	129	199	214	190	168	154
Small intestines	C17	26	0	0	0	0	0	0	1	1	3	2	0	3	2	4	6	1	1
Colon	C18	1066	0	0	1	1	5	8	15	25	43	47	98	113	126	154	162	149	119
Rectosigmoid & rectum	C19-C20	766	0	0	0	0	2	2	13	15	38	38	71	113	124	108	97	77	68
Anus	C21	26	0	0	0	0	0	0	2	0	1	0	2	2	3	7	4	5	0
Liver & intrahepatic bile ducts	C22	960	2	2	1	0	1	5	17	32	45	51	76	135	168	132	128	92	73
Gallbladder & extrahepatic bile ducts	C23-C24	76	0	0	0	0	0	0	0	3	4	3	4	9	9	6	13	11	14
Pancreas	C25	215	0	0	0	0	0	0	4	4	8	8	22	28	37	30	27	28	19
Retropertoneum & peritoneum	C48	8	0	0	0	0	0	0	1	0	0	0	1	0	4	0	0	2	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	43	0	0	0	2	0	1	3	2	5	6	8	5	5	1	4	0	1
Larynx	C32	236	0	0	0	0	0	0	2	3	9	7	12	39	49	33	34	30	18
Lung (incl. trachea & bronchus)	C33-C34	2617	0	0	0	1	0	2	8	18	47	94	167	325	451	446	419	327	312
Pleura	C38.4	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
Thymus, heart & mediastinum	C37-C38.3	36	0	0	0	3	4	2	4	4	4	1	2	4	6	1	1	0	0
Bone	C40-C41	44	0	0	1	6	4	6	6	3	3	3	3	1	2	1	3	1	1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	76	1	2	2	4	6	4	3	8	6	4	9	7	7	4	4	2	3
Melanoma of skin	C43	27	0	0	0	1	0	0	0	1	1	3	1	0	0	7	4	5	4
Non-melanoma skin	C44	424	0	0	1	3	2	6	6	14	19	21	51	49	52	50	45	52	53
Breast	C50	5	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	1
Prostate	C61	413	0	0	0	0	0	0	0	0	1	0	7	18	39	61	90	92	105
Testis	C62	49	10	1	1	3	2	7	4	9	6	2	1	1	1	1	0	0	0
Penis & other male genital organs	C60, C63	45	0	0	0	0	0	0	0	1	4	2	3	8	7	4	5	3	5
Urinary bladder	C67	339	0	0	0	0	1	3	6	5	5	10	23	24	52	55	49	57	49
Kidney & other urinary organs	C64-C66 & C68	186	2	2	1	1	2	2	3	2	11	13	16	16	25	33	25	18	14
Eye	C69	18	12	0	0	0	0	0	0	1	1	1	1	0	0	0	2	0	0
Brain & CNS	C70-C72	119	8	9	9	4	5	13	10	6	10	9	6	8	6	6	4	4	2
Thyroid	C73	97	0	0	0	3	6	7	3	9	10	11	7	10	12	8	2	5	4
Adrenal gland, other endocrine glands & related structures	C74-C75.5	22	4	2	2	1	3	0	2	1	0	0	1	2	1	2	1	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	458	26	19	21	21	13	16	19	20	29	29	37	31	48	37	27	32	33
Myeloid neoplasms	C92-C93	183	11	3	5	9	7	18	13	13	15	11	12	13	13	15	17	12	4
Others & unspecified	OTH	314	1	1	2	0	2	3	1	7	12	20	27	26	50	59	47	32	24
All sites	ALL	11807	77	41	50	71	75	145	245	364	575	608	943	1305	1677	1621	1530	1312	1168

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	70	0	0	0	0	1	1	1	2	9	7	6	9	12	8	6	5	2	1
Major salivary gland (incl. parotid gland)	C07-C08	52	0	0	0	0	2	1	2	4	10	8	4	4	3	6	2	2	4	0
Mouth	C03-C06	84	0	0	0	0	1	0	1	2	2	4	10	7	17	11	11	8	3	7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	145	0	0	0	0	0	0	1	3	4	13	16	16	26	27	16	12	8	3
Nasopharynx	C11	1054	0	0	0	3	5	25	57	160	179	178	126	120	92	53	27	18	7	4
Oesophagus	C15	356	0	0	0	0	0	0	0	0	10	16	23	46	41	62	63	39	30	26
Stomach	C16	1325	0	0	0	1	2	2	10	19	30	52	71	154	181	227	196	161	139	80
Small intestines	C17	40	0	0	0	0	1	0	2	4	1	4	1	6	2	10	3	3	1	2
Colon	C18	1295	0	0	0	1	1	5	16	23	54	81	70	139	184	212	195	152	103	59
Rectosigmoid & rectum	C19-C20	996	0	0	0	0	1	5	9	25	52	71	80	141	146	138	137	77	68	46
Anus	C21	18	0	0	0	0	0	0	0	0	1	1	0	1	3	2	4	2	1	3
Liver & intrahepatic bile ducts	C22	1121	3	2	2	2	1	5	10	31	66	75	90	133	164	175	133	126	78	25
Gallbladder & extrahepatic bile ducts	C23-C24	121	0	0	0	0	0	0	2	3	4	10	11	12	10	21	19	12	10	7
Pancreas	C25	268	1	0	0	0	0	0	1	2	10	24	17	21	45	42	47	35	8	15
Retropertoneum & peritoneum	C48	17	1	0	0	0	0	0	0	0	1	2	3	3	4	0	1	1	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	57	0	0	0	0	0	0	1	4	3	7	3	8	12	9	4	3	1	2
Larynx	C32	298	0	0	0	0	0	0	1	1	2	13	25	38	48	58	45	32	30	5
Lung (incl. trachea & bronchus)	C33-C34	2818	0	0	0	0	0	4	6	38	59	87	159	273	419	564	473	354	253	129
Pleura	C38.4	19	0	0	0	0	0	0	1	0	0	2	2	3	5	3	2	1	0	0
Thymus, heart & mediastinum	C37-C38.3	33	1	0	1	3	6	1	1	4	1	4	2	2	6	0	0	0	1	0
Bone	C40-C41	40	0	0	1	3	5	4	5	5	5	2	3	3	0	2	2	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	92	3	2	1	4	6	4	6	9	8	7	6	11	10	5	7	0	2	1
Melanoma of skin	C43	27	0	0	0	0	0	1	3	1	3	2	1	1	1	4	2	2	4	2
Non-melanoma skin	C44	569	0	0	1	1	1	4	9	16	24	39	43	66	52	74	71	62	67	39
Breast	C50	7	0	0	0	0	0	0	0	0	1	1	1	0	0	2	1	1	0	0
Prostate	C61	716	0	0	0	0	0	0	0	2	0	1	9	30	65	126	153	145	130	55
Testis	C62	65	5	0	0	1	3	8	13	11	10	3	3	3	3	1	1	0	0	0
Penis & other male genital organs	C60, C63	58	0	0	0	0	0	0	1	0	3	4	8	5	8	14	4	4	4	3
Urinary bladder	C67	400	0	0	0	0	0	1	2	6	17	16	27	42	50	64	53	58	45	19
Kidney & other urinary organs	C64 - C66 & C68	321	3	1	1	0	0	0	6	5	22	33	31	40	42	47	41	20	15	14
Eye	C69	7	4	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0
Brain & CNS	C70-C72	140	7	15	6	5	7	7	12	11	9	7	9	9	10	10	8	4	3	1
Thyroid	C73	120	0	1	0	3	3	7	10	16	10	11	8	14	14	8	6	4	4	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	26	8	2	2	1	2	0	1	1	2	0	1	2	0	1	1	1	0	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	625	33	14	13	14	14	18	30	33	42	50	47	50	62	51	58	33	44	19
Myeloid neoplasms	C92-C93	292	8	6	1	11	8	13	19	21	19	18	19	24	25	31	28	19	13	9
Others & unspecified	OTH	377	1	0	0	1	2	2	9	3	15	15	25	24	55	66	45	50	41	23
All sites	ALL	14070	78	43	29	54	72	118	248	465	689	868	960	1461	1817	2134	1866	1447	1120	601

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	116	0	0	0	0	1	4	5	6	5	6	16	18	18	15	10	6	5	1
Major salivary gland (incl. parotid gland)	C07-C08	53	0	1	0	1	0	1	3	5	4	8	4	3	4	5	7	4	2	1
Mouth	C03-C06	92	0	0	0	0	1	2	0	3	3	5	7	18	18	17	9	3	1	5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	138	0	0	0	0	0	0	2	0	3	10	9	13	23	22	27	16	6	7
Nasopharynx	C11	1018	0	0	0	0	2	18	54	125	177	190	156	100	83	60	32	11	6	4
Oesophagus	C15	354	0	0	0	0	1	0	0	1	3	18	26	42	59	57	58	41	26	22
Stomach	C16	1319	0	0	0	0	3	6	5	19	26	46	83	102	190	225	212	195	112	95
Small intestines	C17	61	0	0	1	0	0	1	0	1	1	5	8	10	9	10	8	1	4	2
Colon	C18	1675	0	1	1	1	1	9	16	31	42	95	154	142	220	268	248	217	139	90
Rectosigmoid & rectum	C19-C20	1222	0	0	0	0	2	3	10	17	49	75	134	157	187	181	159	119	73	56
Anus	C21	27	0	0	0	0	0	0	2	2	1	1	1	1	1	8	6	2	2	0
Liver & intrahepatic bile ducts	C22	1372	5	1	1	1	4	2	9	32	61	90	138	152	182	226	195	143	67	63
Gallbladder & extrahepatic bile ducts	C23-C24	127	0	0	0	0	0	0	0	2	7	8	11	10	20	26	16	11	7	9
Pancreas	C25	344	0	0	0	0	0	1	4	4	16	17	27	35	43	66	43	44	24	20
Retropertoneum & peritoneum	C48	27	2	0	0	1	0	0	1	0	1	3	3	4	5	3	1	3	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	60	1	0	0	0	2	1	1	0	6	5	4	8	10	4	8	1	5	4
Larynx	C32	299	0	0	0	0	0	0	0	4	5	12	18	34	52	73	45	26	18	12
Lung (incl. trachea & bronchus)	C33-C34	3150	0	0	0	0	1	4	11	21	61	101	184	284	418	571	595	427	280	192
Pleura	C38.4	21	0	0	0	0	0	0	0	0	1	3	3	1	6	4	3	0	0	0
Thymus, heart & mediastinum	C37-C38.3	41	0	0	1	2	4	2	2	2	6	2	5	5	4	1	2	1	2	0
Bone	C40-C41	48	0	2	6	3	6	3	3	3	6	2	4	3	2	0	4	0	1	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	102	4	1	2	3	8	5	2	9	13	11	12	2	6	7	8	5	2	2
Melanoma of skin	C43	26	0	0	0	0	0	0	0	1	1	3	2	5	3	1	2	2	2	4
Non-melanoma skin	C44	671	0	0	0	1	1	3	9	12	35	49	58	57	82	86	90	64	59	65
Breast	C50	18	0	0	0	0	0	1	0	0	1	0	0	4	0	2	2	3	3	2
Prostate	C61	1097	2	0	0	0	1	2	0	1	2	10	22	69	149	200	230	190	135	84
Testis	C62	66	4	0	0	3	2	11	13	9	6	6	3	2	4	1	0	1	0	1
Penis & other male genital organs	C60, C63	56	0	0	0	2	0	0	0	2	7	3	7	5	7	5	5	5	3	5
Urinary bladder	C67	493	0	0	0	0	1	1	3	6	8	19	33	43	67	77	67	71	55	42
Kidney & other urinary organs	C64-C66 & C68	413	5	2	0	0	1	2	2	8	32	35	48	41	36	67	57	44	18	15
Eye	C69	13	5	0	0	0	0	0	1	1	0	0	3	0	2	0	0	1	0	0
Brain & CNS	C70-C72	158	16	7	7	5	3	6	6	12	17	13	13	6	10	13	10	6	5	3
Thyroid	C73	148	0	1	0	0	1	11	18	9	22	16	14	12	14	9	9	4	5	3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	37	4	7	6	5	1	1	0	3	0	2	3	1	0	1	1	2	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	796	38	24	21	20	21	25	25	40	48	69	67	75	80	80	67	55	22	19
Myeloid neoplasms	C92-C93	341	9	1	7	8	7	13	15	18	20	25	41	30	43	28	17	27	19	13
Others & unspecified	OTH	340	0	0	0	1	0	0	4	3	5	16	19	31	43	63	53	44	33	25
All sites	ALL	16339	95	48	53	57	75	138	226	412	701	979	1340	1525	2100	2482	2306	1795	1141	866

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	5	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1	0	0
Tongue	C01-C02	122	0	0	0	0	1	0	3	1	12	18	9	15	11	28	9	5	7	3
Major salivary gland (incl. parotid gland)	C07-C08	58	0	0	0	0	1	2	4	3	2	2	9	10	3	6	3	7	5	3
Mouth	C03-C06	101	0	0	0	0	0	1	0	3	9	9	13	14	13	16	17	7	5	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	190	0	0	0	0	0	0	0	1	4	6	27	24	29	33	30	18	11	7
Nasopharynx	C11	1113	0	0	0	1	6	12	45	78	162	201	189	156	101	78	45	27	6	6
Oesophagus	C15	306	0	0	0	0	0	0	0	4	4	14	20	40	53	45	52	32	25	17
Stomach	C16	1241	0	0	0	0	1	5	1	8	40	37	69	102	126	185	215	237	114	101
Small intestines	C17	70	0	0	0	0	0	2	0	2	3	7	6	9	6	13	11	5	4	2
Colon	C18	1963	0	0	0	1	3	6	10	19	42	81	165	237	225	336	307	256	161	114
Rectosigmoid & rectum	C19-C20	1450	0	0	0	0	1	3	11	23	51	85	178	199	195	212	186	154	88	64
Anus	C21	51	0	0	0	0	0	0	0	2	1	5	7	8	4	6	5	6	2	5
Liver & intrahepatic bile ducts	C22	1559	3	1	1	1	3	2	10	19	42	75	153	193	236	251	221	171	108	69
Gallbladder & extrahepatic bile ducts	C23-C24	140	0	0	0	0	0	0	0	1	1	3	13	16	17	20	33	17	7	12
Pancreas	C25	497	0	0	0	0	0	0	3	3	13	26	56	61	45	84	81	58	41	26
Retropertoneum & peritoneum	C48	17	0	0	0	0	0	0	0	0	0	0	3	2	4	2	5	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	74	1	0	0	0	0	2	2	5	3	6	8	10	11	15	6	2	3	0
Larynx	C32	303	0	0	0	0	0	0	0	2	8	13	25	45	45	43	45	38	17	22
Lung (incl. trachea & bronchus)	C33-C34	3346	0	1	0	2	1	2	11	19	59	113	184	289	408	581	640	550	278	208
Pleura	C38.4	36	0	0	0	0	0	1	0	0	1	0	5	2	4	3	11	6	2	1
Thymus, heart & mediastinum	C37-C38.3	79	1	1	1	6	6	5	3	6	5	6	4	10	8	9	3	3	0	2
Bone	C40-C41	56	0	5	4	6	6	3	0	4	7	5	2	2	1	3	1	3	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	163	6	4	1	3	1	3	6	8	16	24	17	18	17	13	8	11	4	3
Melanoma of skin	C43	37	0	0	0	0	1	3	1	2	1	5	2	5	4	9	1	2	1	0
Non-melanoma skin	C44	774	0	1	0	0	3	3	12	12	25	38	54	65	89	106	103	107	75	81
Breast	C50	14	0	0	0	0	0	0	0	0	0	0	1	1	5	2	1	3	1	0
Prostate	C61	1869	0	0	0	1	0	0	0	2	2	18	49	188	283	394	379	301	137	115
Testis	C62	93	5	0	0	7	7	15	17	10	14	6	4	5	1	0	0	1	0	1
Penis & other male genital organs	C60, C63	84	0	0	0	0	0	0	0	1	4	3	11	9	10	14	13	12	5	2
Urinary bladder	C67	558	0	0	0	0	0	4	4	8	8	26	43	53	60	79	84	81	50	58
Kidney & other urinary organs	C64 - C66 & C68	537	2	0	0	0	0	3	7	19	28	40	79	80	66	72	67	43	18	13
Eye	C69	17	8	0	0	0	1	0	0	0	1	0	2	3	0	1	0	0	0	1
Brain & CNS	C70-C72	225	9	5	17	6	12	7	11	17	11	20	21	26	17	18	12	8	5	3
Thyroid	C73	174	0	0	1	1	2	10	17	10	10	19	29	21	15	17	11	6	4	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	32	4	3	4	3	1	1	0	1	2	3	1	1	4	1	3	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1054	35	30	25	29	21	23	28	34	65	76	97	110	99	112	120	80	40	30
Myeloid neoplasms	C92-C93	449	7	3	3	5	5	11	13	15	23	28	52	52	42	55	51	44	17	23
Others & unspecified	OTH	317	0	0	0	0	0	0	2	7	9	17	27	38	26	49	43	37	35	27
All sites	ALL	19174	81	54	57	72	82	130	223	343	680	1038	1638	2120	2284	2911	2822	2340	1276	1023

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Tongue	C01-C02	161	1	0	0	0	0	2	3	7	10	14	16	23	24	20	18	13	3	7
Major salivary gland (incl. parotid gland)	C07-C08	85	0	0	1	1	4	2	3	3	6	10	13	20	6	4	5	5	1	1
Mouth	C03-C06	103	0	0	0	1	0	1	0	1	2	8	13	15	14	16	8	7	10	7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	229	0	0	0	0	0	0	0	0	3	13	22	36	24	38	32	36	16	9
Nasopharynx	C11	1037	0	0	1	2	6	8	20	79	117	175	171	181	113	67	55	28	10	4
Oesophagus	C15	369	0	0	0	0	0	0	0	3	3	21	28	45	64	49	41	32	22	2
Stomach	C16	1299	0	0	0	1	2	4	9	16	22	39	84	106	142	162	230	213	157	112
Small intestines	C17	112	0	0	0	0	1	1	1	3	5	7	9	20	16	14	15	11	4	5
Colon	C18	2506	0	0	0	2	3	6	12	26	49	92	210	284	370	341	368	317	251	175
Rectosigmoid & rectum	C19-C20	1682	0	0	0	0	4	0	10	24	33	98	197	248	261	248	223	172	102	62
Anus	C21	62	0	0	0	0	0	0	0	3	3	4	8	7	5	12	10	7	3	0
Liver & intrahepatic bile ducts	C22	1834	3	1	0	0	0	3	8	11	29	65	176	252	302	272	264	221	141	86
Gallbladder & extrahepatic bile ducts	C23-C24	225	0	0	0	0	0	1	2	5	10	27	23	34	34	38	34	27	17	7
Pancreas	C25	652	0	0	0	1	0	2	2	10	15	22	52	92	81	119	99	75	53	29
Retropertoneum & peritoneum	C48	31	0	0	0	0	1	3	0	0	0	3	3	5	3	5	3	3	0	2
Nasal cavity, middle ear & accessory sinuses	C30-C31	96	0	0	0	0	1	2	4	0	2	10	17	16	12	14	9	4	3	2
Larynx	C32	301	0	0	0	0	0	0	0	1	2	16	25	38	40	47	39	45	29	19
Lung (incl. trachea & bronchus)	C33-C34	3648	0	0	0	1	1	2	8	20	55	114	204	345	452	545	643	640	371	247
Pleura	C38.4	54	0	0	0	0	0	0	0	0	1	3	2	3	4	9	13	14	4	1
Thymus, heart & mediastinum	C37-C38.3	110	0	1	3	3	8	3	4	13	6	11	11	15	6	11	8	4	3	0
Bone	C40-C41	78	0	2	10	14	8	3	5	7	3	6	5	3	1	3	3	4	0	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	202	8	1	5	9	6	8	8	12	8	15	12	26	25	11	15	15	5	13
Melanoma of skin	C43	47	0	0	0	1	1	0	0	3	0	2	4	2	9	3	10	6	3	3
Non-melanoma skin	C44	1151	0	0	2	1	3	2	11	23	19	47	73	101	142	127	173	170	130	127
Breast	C50	24	0	0	0	0	0	0	0	1	3	2	2	1	3	1	3	4	3	1
Prostate	C61	2867	0	0	0	0	0	0	0	2	8	32	91	255	470	567	615	432	257	138
Testis	C62	108	2	0	0	7	13	9	13	24	13	7	8	5	2	1	0	3	1	0
Penis & other male genital organs	C60, C63	101	0	0	0	0	0	0	0	2	1	1	4	13	17	25	16	8	9	5
Urinary bladder	C67	552	1	0	0	0	1	1	2	8	11	24	43	50	82	65	82	74	64	44
Kidney & other urinary organs	C64-C66 & C68	868	2	0	1	1	2	3	13	13	41	63	100	120	130	123	94	91	49	22
Eye	C69	13	5	1	0	0	0	0	1	0	0	1	0	2	0	0	3	0	0	0
Brain & CNS	C70-C72	281	17	5	10	14	7	11	13	19	19	20	20	25	22	34	18	10	15	2
Thyroid	C73	230	0	0	1	2	1	11	12	12	18	30	24	34	27	24	16	11	5	2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	50	10	5	2	4	4	1	1	3	2	3	3	1	3	1	2	3	1	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1344	36	17	25	25	26	35	35	37	55	80	120	163	170	154	136	119	75	36
Mycoid neoplasms	C92-C93	702	8	4	13	8	5	14	11	22	26	46	72	63	75	57	95	97	56	30
Others & unspecified	OTH	306	0	0	0	0	0	0	1	4	5	9	26	27	28	41	48	55	38	24
All sites	ALL	23522	93	37	74	98	107	135	214	414	600	1123	1895	2666	3177	3283	3454	2985	1921	1246

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B3: Number of cases by primary site and five-year age group for Chinese males, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	4	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	1
Tongue	C01-C02	212	0	0	0	0	1	4	4	10	13	9	24	39	31	24	24	15	6	8
Major salivary gland (incl. parotid gland)	C07-C08	94	0	0	0	2	3	1	3	1	7	6	10	10	14	15	7	7	4	4
Mouth	C03-C06	131	0	0	0	1	0	0	1	1	3	5	10	20	22	14	23	16	10	5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	223	0	0	0	1	0	0	1	3	2	7	24	30	42	38	23	21	18	13
Nasopharynx	C11	965	0	0	0	0	4	6	23	51	89	139	143	145	151	95	56	39	21	3
Oesophagus	C15	419	0	0	0	0	0	0	3	0	3	7	37	52	70	77	66	44	33	27
Stomach	C16	1367	0	0	0	0	1	3	2	6	16	34	88	134	172	210	202	228	137	134
Small intestines	C17	152	0	0	0	0	0	1	2	4	1	9	18	13	21	31	15	15	13	9
Colon	C18	3005	0	0	0	1	3	5	13	23	55	82	187	302	477	524	450	369	294	220
Rectosigmoid & rectum	C19-C20	1974	0	0	0	0	4	3	8	26	50	87	165	275	348	351	261	191	122	83
Anus	C21	85	0	0	0	0	0	0	1	2	0	4	7	8	14	22	16	7	4	0
Liver & intrahepatic bile ducts	C22	2286	4	0	1	0	1	1	7	8	23	74	135	265	414	361	336	305	200	151
Gallbladder & extrahepatic bile ducts	C23-C24	299	0	0	0	0	0	1	1	1	5	2	16	35	45	59	47	36	32	19
Pancreas	C25	906	0	0	0	0	1	1	4	2	13	27	66	96	136	159	133	146	85	37
Retropertoneum & peritoneum	C48	44	1	0	0	0	0	1	0	1	1	5	6	2	7	7	4	4	3	2
Nasal cavity, middle ear & accessory sinuses	C30-C31	118	0	0	1	0	1	1	6	6	5	10	11	17	15	19	9	7	6	4
Larynx	C32	334	0	0	0	0	0	0	0	1	3	4	23	48	64	49	56	36	30	20
Lung (incl. trachea & bronchus)	C33-C34	4157	1	0	0	0	0	2	6	16	42	90	197	354	550	645	712	713	501	328
Pleura	C38.4	82	0	0	0	0	1	0	0	0	0	1	1	5	7	14	20	16	9	8
Thymus, heart & mediastinum	C37-C38.3	166	1	0	0	7	7	5	3	7	13	12	19	26	23	22	12	6	3	0
Bone	C40-C41	75	0	1	6	9	7	8	3	4	4	4	3	5	5	10	5	1	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	247	5	1	4	6	5	11	8	14	17	13	27	31	28	29	23	14	9	2
Melanoma of skin	C43	57	0	0	0	0	1	1	1	3	2	2	8	7	8	3	4	12	4	2
Non-melanoma skin	C44	1508	0	0	0	0	0	7	11	14	22	34	67	105	173	198	211	229	221	216
Breast	C50	27	0	0	0	0	0	1	0	0	1	1	1	2	5	3	5	1	4	3
Prostate	C61	4183	0	1	0	0	0	0	0	1	4	18	86	301	665	962	887	691	354	213
Testis	C62	130	5	0	0	5	18	16	18	27	14	10	7	3	2	2	1	0	1	1
Penis & other male genital organs	C60, C63	119	0	0	0	0	0	0	1	2	0	5	10	17	18	20	21	11	7	7
Urinary bladder	C67	514	0	0	0	0	0	0	2	6	1	13	26	49	58	87	73	79	65	55
Kidney & other urinary organs	C64-C66 & C68	1183	5	1	0	0	1	8	9	18	54	66	114	148	187	201	142	111	82	36
Eye	C69	20	4	1	0	0	0	0	3	0	0	0	0	0	5	2	0	2	3	0
Brain & CNS	C70-C72	313	9	5	8	9	7	6	15	8	16	16	27	32	36	45	28	23	15	8
Thyroid	C73	392	0	0	0	0	0	13	14	15	19	40	26	69	53	52	37	28	17	2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	47	4	1	2	3	5	2	2	1	2	3	1	4	5	3	4	4	1	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1651	29	22	19	28	35	31	38	41	54	68	108	170	217	252	200	162	102	75
Myeloid neoplasms	C92-C93	877	9	3	6	6	14	10	21	13	26	43	71	81	90	131	109	113	73	58
Others & unspecified	OTH	334	0	0	0	1	1	1	1	6	5	5	10	33	49	42	41	51	31	57
All sites	ALL	28700	77	36	47	79	133	151	236	346	608	941	1822	2917	4226	4764	4254	3742	2510	1811

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Tongue	C01-C02	17	0	0	0	0	0	0	0	0	1	3	5	0	2	3	2	0	1
Major salivary gland (incl. parotid gland)	C07-C08	18	0	0	1	0	1	2	1	0	1	2	0	2	3	2	1	2	0
Mouth	C03-C06	14	0	0	0	0	2	0	0	1	0	0	1	1	1	2	2	3	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	11	0	0	0	0	0	0	0	1	0	1	3	1	1	1	0	3	0
Nasopharynx	C11	218	1	0	1	4	4	11	18	28	35	25	25	28	16	12	7	2	1
Oesophagus	C15	170	0	0	0	0	0	0	2	3	6	5	17	20	29	37	28	13	10
Stomach	C16	492	0	0	0	0	2	9	15	18	28	27	39	66	76	82	68	41	21
Small intestines	C17	6	0	0	0	0	0	1	0	0	0	1	1	0	0	2	1	0	0
Colon	C18	254	0	0	0	1	3	1	5	8	13	18	27	30	49	32	26	17	24
Rectosigmoid & rectum	C19-C20	183	0	0	0	0	0	0	4	9	10	12	26	25	33	19	20	16	9
Anus	C21	8	0	0	0	0	0	0	0	0	1	0	0	2	1	2	0	0	2
Liver & intrahepatic bile ducts	C22	214	1	0	0	0	0	3	2	5	5	17	32	20	36	34	22	25	12
Gallbladder & extrahepatic bile ducts	C23-C24	25	0	0	0	0	0	0	0	3	1	2	1	7	5	0	3	2	1
Pancreas	C25	40	0	0	0	1	0	1	0	0	2	2	8	4	4	9	6	3	0
Retropertoneum & peritoneum	C48	10	0	0	0	0	1	0	0	0	0	3	0	2	4	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	13	0	1	0	1	0	0	0	0	1	3	0	1	0	2	2	2	0
Larynx	C32	18	0	0	0	0	0	0	0	0	0	1	3	0	9	2	2	0	1
Lung (incl. trachea & bronchus)	C33-C34	461	0	0	0	0	0	3	7	8	13	24	53	60	99	77	65	34	18
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	4	0	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0
Bone	C40-C41	22	1	0	6	6	3	1	1	0	2	0	0	0	0	1	0	1	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	32	3	1	0	1	2	0	1	1	1	3	4	3	3	6	1	1	1
Melanoma of skin	C43	8	0	0	0	0	0	0	2	0	1	0	0	0	1	1	1	1	1
Non-melanoma skin	C44	135	0	0	0	0	2	2	3	6	3	4	9	12	16	17	26	16	19
Breast	C50	554	0	0	0	1	1	8	26	46	65	70	84	86	62	52	28	13	12
Cervix uteri	C53	527	0	0	0	0	3	11	20	35	54	75	66	99	61	54	23	18	8
Placenta	C58	31	0	0	0	2	4	13	5	3	2	2	0	0	0	0	0	0	0
Corpus uteri	C54	136	0	0	0	0	0	0	3	5	7	9	29	31	22	15	6	4	5
Ovary & fallopian tube	C56-C57.0	184	0	2	9	5	8	7	16	17	16	18	21	23	24	9	6	1	2
Vulva & vagina	C51-C52	20	0	0	0	0	0	1	0	0	2	0	0	4	1	3	2	5	2
Urinary bladder	C67	52	0	0	0	0	0	0	0	0	1	1	1	8	12	15	6	6	2
Kidney & other urinary organs	C64-C66 & C68	47	4	1	0	0	1	0	0	1	1	3	8	6	7	8	2	4	1
Eye	C69	9	7	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
Brain & CNS	C70-C72	39	2	5	2	3	4	4	0	3	3	2	5	4	2	0	0	0	0
Thyroid	C73	135	0	0	2	7	11	11	19	9	5	8	9	20	16	7	7	3	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	119	17	11	9	8	5	3	6	7	3	2	4	12	12	9	9	1	1
Myeloid neoplasms	C92-C93	92	12	5	3	2	5	6	7	6	3	4	5	4	10	8	11	1	0
Others & unspecified	OTH	136	3	0	1	1	1	1	3	3	4	9	16	15	34	23	9	9	4
All sites	All	4460	52	27	95	43	62	101	166	226	291	357	504	597	654	546	392	247	160

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	10	0	0	0	0	0	0	2	1	1	1	1	1	1	0	1	1	0
Major salivary gland (incl. parotid gland)	C07-C08	23	0	0	0	0	2	2	2	5	3	1	1	2	1	2	1	0	1
Mouth	C03-C06	26	0	0	0	1	0	0	0	1	1	2	3	6	2	2	3	4	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	16	0	0	0	1	1	0	0	0	0	0	2	0	1	5	4	0	2
Nasopharynx	C11	267	0	0	1	6	6	24	31	40	33	26	31	22	20	14	5	2	6
Oesophagus	C15	127	0	0	0	0	0	0	0	0	2	3	5	10	25	26	22	20	14
Stomach	C16	568	0	0	0	0	3	8	12	18	28	29	43	61	84	90	78	63	51
Small intestines	C17	9	0	0	0	0	0	0	0	2	1	1	1	0	1	2	1	0	0
Colon	C18	409	0	1	1	2	5	4	5	9	18	21	46	41	65	67	61	33	30
Rectosigmoid & rectum	C19-C20	252	0	0	0	0	1	2	4	4	10	10	22	28	40	45	39	20	27
Anus	C21	11	0	0	0	0	0	0	0	0	0	0	0	4	1	1	1	3	1
Liver & intrahepatic bile ducts	C22	231	1	0	1	3	2	4	5	3	6	12	13	34	39	43	39	16	10
Gallbladder & extrahepatic bile ducts	C23-C24	55	0	0	0	0	0	0	0	0	4	1	6	3	6	11	10	11	3
Pancreas	C25	65	0	0	0	0	1	1	2	2	2	2	4	12	9	10	10	7	3
Retropertoneum & peritoneum	C48	4	0	1	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	25	0	1	0	0	0	1	0	1	2	1	1	2	2	6	4	1	3
Larynx	C32	20	0	0	0	0	0	0	0	0	0	0	3	7	4	2	3	0	1
Lung (incl. trachea & bronchus)	C33-C34	622	0	0	0	0	0	0	4	6	17	30	51	70	105	131	96	69	43
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
Bone	C40-C41	28	1	2	5	6	2	2	1	1	0	2	2	0	1	0	0	2	1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	43	5	2	1	3	2	6	1	3	0	2	5	3	3	4	2	1	0
Melanoma of skin	C43	15	0	0	0	0	1	0	1	1	2	1	1	4	2	0	1	1	0
Non-melanoma skin	C44	181	0	1	0	2	3	1	2	3	6	7	9	21	25	18	19	31	33
Breast	C50	738	0	0	0	2	3	20	35	71	77	102	82	90	95	62	50	30	19
Cervix uteri	C53	587	0	0	0	0	0	12	20	47	65	82	68	96	87	55	29	13	13
Placenta	C58	23	0	0	0	0	6	5	9	2	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	123	0	0	0	0	0	0	5	4	9	14	19	20	21	10	14	4	3
Ovary & fallopian tube	C56-C57.0	201	0	0	3	7	8	13	12	19	23	18	21	26	14	15	12	7	3
Vulva & vagina	C51-C52	20	0	0	0	0	1	1	1	0	1	1	1	1	5	3	3	1	1
Urinary bladder	C67	61	0	0	0	0	0	0	0	0	0	0	5	5	13	11	8	11	8
Kidney & other urinary organs	C64-C66 & C68	54	4	0	0	0	0	2	0	2	1	2	9	8	9	6	6	1	4
Eye	C69	10	7	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0
Brain & CNS	C70-C72	52	5	10	10	2	5	2	2	1	4	2	2	2	1	2	1	0	1
Thyroid	C73	140	0	0	3	9	16	13	9	12	14	9	12	8	17	5	9	4	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	6	0	2	2	0	0	0	1	0	0	0	0	1	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	146	15	8	11	7	8	6	4	2	3	5	10	5	17	17	17	6	5
Myeloid neoplasms	C92-C93	112	9	5	7	10	8	7	4	1	10	7	5	7	7	16	5	3	1
Others & unspecified	OTH	185	2	0	0	2	0	3	3	9	6	8	19	26	32	27	24	15	9
All sites	All	5467	49	33	45	63	84	140	177	271	350	402	505	627	756	710	578	380	297

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	25	0	0	0	0	1	2	1	2	2	4	1	2	2	2	4	2	0
Major salivary gland (incl. parotid gland)	C07-C08	30	0	0	1	0	2	3	0	2	3	4	2	2	4	3	3	0	1
Mouth	C03-C06	23	0	0	0	0	0	1	1	0	0	3	3	1	2	3	5	1	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	23	0	0	0	1	1	0	1	1	3	0	0	2	4	2	3	4	1
Nasopharynx	C11	314	0	0	1	3	7	23	39	32	35	47	46	28	19	18	8	5	3
Oesophagus	C15	140	0	0	0	0	0	0	0	0	4	4	11	16	18	24	17	26	20
Stomach	C16	583	0	0	0	1	4	6	10	14	24	33	44	63	59	104	95	68	58
Small intestines	C17	17	0	0	0	0	0	0	1	0	0	3	2	3	2	3	1	1	1
Colon	C18	599	0	0	1	1	1	0	12	20	26	39	52	69	87	92	79	64	56
Rectosigmoid & rectum	C19-C20	388	0	0	0	1	1	5	10	9	12	22	26	46	58	54	68	48	28
Anus	C21	13	0	0	0	0	0	0	0	0	0	0	2	3	2	1	2	2	1
Liver & intrahepatic bile ducts	C22	273	3	0	0	0	0	3	2	3	8	11	20	30	24	51	50	44	24
Gallbladder & extrahepatic bile ducts	C23-C24	61	0	0	0	0	0	2	3	1	1	1	3	4	12	13	8	10	4
Pancreas	C25	103	0	0	0	0	0	0	0	0	4	5	3	10	13	18	26	15	9
Retropertoneum & peritoneum	C48	12	0	0	1	0	1	1	0	1	1	1	2	0	1	2	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	24	0	0	0	0	1	1	0	0	0	2	3	4	4	4	3	1	1
Larynx	C32	30	0	0	0	0	0	0	0	0	1	1	2	7	6	5	2	4	2
Lung (incl. trachea & bronchus)	C33-C34	849	0	0	0	2	1	4	2	10	15	30	63	83	143	158	153	98	87
Pleura	C38.4	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	6	0	1	1	1	0	0	0	0	0	1	1	0	0	0	1	0	0
Bone	C40-C41	33	1	3	4	3	5	1	4	1	3	0	1	2	1	0	2	0	2
Connective & soft tissues (incl peripheral nerves)	C47 & C49	40	4	4	0	5	0	2	4	1	1	1	1	5	2	3	1	0	2
Melanoma of skin	C43	14	0	0	0	0	1	0	0	0	1	1	2	0	3	2	1	1	2
Non-melanoma skin	C44	301	0	1	2	2	2	4	9	2	12	15	17	22	21	37	49	44	62
Breast	C50	1048	0	0	0	0	5	27	52	99	161	149	110	101	114	83	69	42	36
Cervix uteri	C53	639	0	0	0	0	2	15	31	51	85	85	95	75	82	49	37	20	12
Placenta	C58	29	0	0	0	3	8	10	5	2	0	0	1	0	0	0	0	0	0
Corpus uteri	C54	190	0	0	0	0	1	4	4	8	19	19	35	22	25	30	10	10	3
Ovary & fallopian tube	C56-C57.0	342	0	0	3	10	17	18	12	24	38	34	49	33	37	32	14	10	11
Vulva & vagina	C51-C52	24	0	0	0	1	0	2	0	0	2	0	1	2	2	4	3	3	4
Urinary bladder	C67	84	0	0	0	0	0	0	0	1	3	1	4	7	9	15	14	17	13
Kidney & other urinary organs	C64-C66 & C68	55	2	0	0	0	0	3	4	3	0	3	3	5	8	6	7	7	4
Eye	C69	11	7	0	0	0	0	0	1	0	0	0	1	0	1	1	0	0	0
Brain & CNS	C70-C72	50	5	7	4	3	8	3	2	3	4	2	1	1	0	3	3	1	0
Thyroid	C73	187	0	0	3	16	14	19	22	19	14	12	10	11	11	17	7	5	7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	7	2	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	183	12	10	4	10	8	9	7	6	6	13	15	17	16	25	17	4	4
Myeloid neoplasms	C92-C93	119	2	2	3	8	11	7	5	6	11	6	8	7	12	6	18	4	3
Others & unspecified	OTH	159	0	0	1	0	2	1	5	3	5	4	10	19	22	24	25	18	20
All sites	All	7030	38	29	29	71	109	172	247	329	505	557	653	702	826	894	806	579	484

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	25	0	0	0	0	0	1	2	2	0	3	0	2	3	2	2	4	4
Major salivary gland (incl. parotid gland)	C07-C08	27	0	0	0	1	0	0	3	2	2	1	3	2	1	3	3	4	2
Mouth	C03-C06	22	0	1	0	0	0	1	0	0	0	1	3	2	6	3	1	1	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	14	0	0	0	0	0	1	1	2	0	1	0	2	0	3	2	1	1
Nasopharynx	C11	360	0	0	0	1	7	26	39	46	63	52	36	26	23	18	15	6	2
Oesophagus	C15	129	0	0	0	0	0	0	1	0	0	2	6	6	15	17	34	29	19
Stomach	C16	719	0	0	0	0	0	12	18	15	23	44	46	61	82	102	120	102	94
Small intestines	C17	16	0	0	0	0	0	0	0	0	2	3	4	2	0	1	2	2	0
Colon	C18	834	0	0	1	2	3	8	16	24	36	49	66	95	98	118	129	101	88
Rectosigmoid & rectum	C19-C20	462	0	0	0	0	1	5	4	15	19	35	26	50	69	46	72	63	57
Anus	C21	16	0	0	0	0	0	0	1	0	1	0	0	3	0	1	4	3	3
Liver & intrahepatic bile ducts	C22	314	1	0	1	1	1	0	5	7	4	7	24	38	40	50	50	43	42
Gallbladder & extrahepatic bile ducts	C23-C24	79	0	0	0	0	0	0	2	1	2	5	3	13	14	13	6	13	7
Pancreas	C25	156	0	0	1	0	1	1	3	3	4	12	13	21	13	18	18	24	24
Retropertoneum & peritoneum	C48	8	0	0	0	0	0	0	0	0	1	0	1	1	2	1	1	0	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	24	0	1	0	1	0	1	1	0	0	2	4	3	2	2	2	3	2
Larynx	C32	32	0	0	0	0	0	0	0	0	1	1	1	3	6	5	7	4	4
Lung (incl. trachea & bronchus)	C33-C34	992	0	0	0	1	1	3	5	18	19	33	63	89	135	167	186	149	123
Pleura	C38.4	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Thymus, heart & mediastinum	C37-C38.3	9	0	0	0	0	0	0	1	1	0	2	0	0	2	2	1	0	0
Bone	C40-C41	34	1	3	7	2	2	4	4	4	3	1	2	1	0	2	0	1	1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	66	5	2	2	2	7	4	6	6	3	8	4	5	5	3	3	3	2
Melanoma of skin	C43	12	0	0	0	0	0	0	0	0	0	1	1	0	0	3	2	3	2
Non-melanoma skin	C44	351	0	1	1	0	3	2	8	9	14	14	17	30	34	48	56	50	64
Breast	C50	1461	0	0	0	3	9	32	78	167	198	235	168	144	111	119	88	56	53
Cervix uteri	C53	802	0	0	0	1	1	14	45	106	92	98	123	99	71	60	36	35	21
Placenta	C58	14	0	0	0	0	1	2	2	4	3	1	1	0	0	0	0	0	0
Corpus uteri	C54	276	0	0	0	1	0	4	5	20	22	44	39	37	47	19	18	10	10
Ovary & fallopian tube	C56-C57.0	404	0	1	4	11	14	25	26	35	39	49	44	46	31	31	28	9	11
Vulva & vagina	C51-C52	34	0	0	0	0	1	0	0	1	2	1	0	5	2	9	5	7	1
Urinary bladder	C67	114	0	0	0	0	0	1	2	4	3	3	3	11	14	16	20	16	21
Kidney & other urinary organs	C64-C66 & C68	92	3	0	0	0	2	2	3	1	3	0	12	10	10	15	15	8	8
Eye	C69	8	5	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	1
Brain & CNS	C70-C72	79	9	6	11	5	8	5	4	5	1	5	2	4	7	1	3	2	1
Thyroid	C73	305	0	0	4	9	20	31	44	40	28	36	28	11	10	19	11	7	7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	8	3	0	0	0	0	0	0	1	1	1	0	1	0	1	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	284	26	8	14	9	6	14	10	10	10	13	24	20	24	25	35	24	12
Myeloid neoplasms	C92-C93	102	3	3	5	7	6	6	8	11	5	8	4	4	6	8	9	3	6
Others & unspecified	OTH	196	3	0	0	1	0	2	5	7	5	6	16	18	21	35	31	25	21
All sites	ALL	8882	59	26	51	58	89	210	350	566	609	777	787	865	904	986	1015	811	719

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	38	0	0	0	0	0	1	1	4	5	4	2	5	3	3	3	4	3
Major salivary gland (incl. parotid gland)	C07-C08	33	0	0	2	1	1	3	4	4	3	2	2	1	2	4	4	2	1
Mouth	C03-C06	33	0	0	0	0	0	1	1	1	2	1	2	6	3	4	6	1	6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	19	0	0	0	0	0	0	0	1	2	1	0	2	2	3	1	5	2
Nasopharynx	C11	423	0	0	1	0	4	14	51	64	61	51	54	38	33	21	14	12	5
Oesophagus	C15	133	0	0	0	0	0	0	0	1	1	2	3	7	11	14	23	32	39
Stomach	C16	766	0	0	0	1	1	2	14	32	28	28	40	76	102	121	106	139	
Small intestines	C17	25	0	0	0	0	0	0	0	1	1	1	2	5	3	2	1	3	6
Colon	C18	1162	0	0	2	4	4	8	16	37	34	47	86	109	136	153	172	172	182
Rectosigmoid & rectum	C19-C20	539	0	0	0	0	0	4	7	13	17	26	48	47	60	79	88	69	81
Anus	C21	18	0	0	1	0	0	0	1	0	0	1	0	0	1	3	4	4	3
Liver & intrahepatic bile ducts	C22	321	5	2	0	1	0	2	0	4	11	12	17	23	34	54	39	55	62
Gallbladder & extrahepatic bile ducts	C23-C24	104	0	0	0	0	0	1	0	4	0	7	8	9	13	12	21	9	20
Pancreas	C25	181	0	0	2	0	1	0	1	7	4	10	13	15	19	24	35	23	27
Retropertoneum & peritoneum	C48	12	2	0	0	0	0	2	0	0	0	2	0	1	2	1	1	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	21	0	0	0	1	1	0	1	1	2	0	4	1	6	1	1	1	1
Larynx	C32	33	0	0	0	0	0	0	0	0	0	2	1	3	4	11	6	4	2
Lung (incl. trachea & bronchus)	C33-C34	1096	0	0	0	0	1	6	10	20	24	33	70	76	131	168	183	177	197
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	26	0	0	0	0	0	2	2	2	2	4	6	2	2	1	0	2	1
Bone	C40-C41	47	2	1	3	6	2	10	7	1	5	1	1	1	1	2	3	0	1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	52	1	2	2	1	4	2	0	4	5	3	7	2	3	2	10	2	2
Melanoma of skin	C43	33	0	0	0	0	1	2	2	2	1	2	3	1	4	2	2	3	8
Non-melanoma skin	C44	479	0	0	2	0	4	11	17	17	21	23	19	29	42	42	74	64	127
Breast	C50	2208	0	0	0	0	3	31	106	242	383	333	259	202	182	156	112	103	96
Cervix uteri	C53	882	0	0	0	2	1	6	31	83	132	124	118	99	83	76	50	48	29
Placenta	C58	7	0	0	0	0	1	1	4	1	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	370	0	0	0	0	1	0	9	34	42	49	43	71	48	35	16	13	9
Ovary & fallopian tube	C56-C57.0	588	1	4	3	8	23	34	48	45	56	74	80	52	47	44	26	32	11
Vulva & vagina	C51-C52	57	0	0	0	0	1	1	1	2	2	4	3	4	5	8	8	9	9
Urinary bladder	C67	107	0	0	0	0	0	1	0	1	1	3	7	8	9	16	19	23	19
Kidney & other urinary organs	C64-C66 & C68	114	6	0	0	1	0	2	3	0	4	8	8	11	16	15	11	14	15
Eye	C69	10	7	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0	0
Brain & CNS	C70-C72	99	4	6	7	4	4	6	8	10	2	4	4	2	11	10	7	4	6
Thyroid	C73	357	0	1	4	7	26	32	47	39	32	40	24	25	19	17	16	15	13
Adrenal gland, other endocrine glands & related structures	C74-C75.5	15	4	2	2	0	0	0	1	1	0	0	1	1	0	0	3	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	367	23	18	10	7	10	11	13	16	17	25	12	24	45	39	35	33	29
Myeloid neoplasms	C92-C93	130	7	4	1	10	10	11	7	7	11	9	2	12	7	3	11	12	6
Others & unspecified	OTH	293	3	0	0	0	1	3	0	14	12	10	21	35	24	36	46	42	46
All sites	All	11200	65	40	42	54	105	200	408	715	923	946	971	1006	1088	1163	1172	1099	1203

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	44	0	0	0	0	0	0	3	6	2	4	2	4	3	2	3	7	5	3
Major salivary gland (incl. parotid gland)	C07-C08	42	0	0	1	1	2	3	3	5	3	3	5	4	3	3	3	1	2	0
Mouth	C03-C06	32	0	0	0	0	0	0	0	4	1	0	0	4	7	4	3	3	4	2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	15	0	0	0	0	0	0	0	2	1	0	0	0	3	1	3	2	1	2
Nasopharynx	C11	385	0	0	0	1	6	10	32	55	68	54	44	45	23	18	7	14	5	3
Oesophagus	C15	104	0	0	0	0	0	0	0	0	0	1	5	7	5	12	25	23	11	15
Stomach	C16	850	0	0	0	1	3	7	9	22	31	48	43	69	79	108	129	132	105	64
Small intestines	C17	44	0	0	0	1	0	0	1	4	3	3	7	2	1	8	6	2	5	1
Colon	C18	1300	0	0	0	1	2	8	10	36	47	65	82	121	131	188	183	147	147	96
Rectosigmoid & rectum	C19-C20	790	0	0	0	0	3	1	15	18	36	38	56	75	102	129	93	113	59	52
Anus	C21	28	0	0	0	0	0	0	0	0	0	2	0	3	3	3	0	3	10	4
Liver & intrahepatic bile ducts	C22	342	1	0	0	0	0	3	3	11	4	10	12	19	42	56	59	50	36	36
Gallbladder & extrahepatic bile ducts	C23-C24	144	0	0	0	0	0	1	0	5	4	8	11	8	20	19	19	18	17	14
Pancreas	C25	214	0	0	0	1	0	1	1	1	6	3	11	23	26	35	31	35	23	17
Retropertoneum & peritoneum	C48	25	2	0	2	0	0	0	0	2	2	4	0	4	2	5	1	0	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	23	0	0	0	0	0	0	0	2	2	2	3	3	3	3	2	2	1	0
Larynx	C32	27	0	0	0	0	0	0	0	0	2	1	1	3	3	7	5	3	2	0
Lung (incl. trachea & bronchus)	C33-C34	1336	0	0	0	0	1	3	6	20	41	62	69	112	121	217	204	204	160	116
Pleura	C38.4	6	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	1	0	1
Thymus, heart & mediastinum	C37-C38.3	22	0	0	0	0	1	3	4	2	2	3	3	2	3	0	1	0	0	0
Bone	C40-C41	28	0	2	3	3	1	2	1	5	1	1	1	3	1	1	1	0	1	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	72	2	1	2	4	3	3	9	2	8	5	2	6	3	7	2	5	6	2
Melanoma of skin	C43	30	0	0	0	1	0	3	1	4	1	0	3	1	4	3	0	6	2	1
Non-melanoma skin	C44	592	0	0	0	2	2	6	12	13	17	28	30	40	48	62	66	84	73	109
Breast	C50	2994	0	0	0	1	4	17	125	281	469	561	389	344	248	192	141	101	74	47
Cervix uteri	C53	992	0	0	0	0	1	10	41	102	133	132	132	125	85	75	60	47	30	19
Placenta	C58	9	0	0	0	0	0	1	5	0	2	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	497	0	0	0	0	1	2	12	34	49	82	83	75	55	42	27	25	6	4
Ovary & fallopian tube	C56-C57.0	711	0	3	7	16	31	33	49	58	70	110	76	60	52	50	39	28	17	12
Vulva & vagina	C51-C52	68	0	0	0	0	0	0	1	1	5	5	5	7	4	9	12	10	4	5
Urinary bladder	C67	123	0	0	0	0	2	2	0	2	2	6	5	8	8	14	18	21	21	14
Kidney & other urinary organs	C64-C66 & C68	140	1	1	0	1	0	1	2	10	6	6	12	15	28	13	15	13	7	9
Eye	C69	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	116	11	5	6	1	5	5	11	5	11	8	3	5	10	6	14	5	4	1
Thyroid	C73	406	0	1	6	8	17	33	50	42	62	41	29	31	19	26	17	9	7	8
Adrenal gland, other endocrine glands & related structures	C74-C75.5	23	5	3	0	0	1	0	1	1	2	3	2	1	1	0	1	2	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	450	14	13	5	9	12	11	25	29	28	27	38	36	33	41	48	34	23	24
Myeloid neoplasms	C92-C93	236	12	3	3	7	9	8	14	14	13	10	6	11	20	25	22	27	19	13
Others & unspecified	OTH	354	3	0	0	0	1	2	5	8	13	21	18	22	36	43	51	56	41	34
All sites	ALL	13617	51	33	95	59	107	177	450	809	1148	1360	1188	1299	1235	1427	1311	1269	930	729

APPENDIX B: NUMBER OF CASES BY SITE AND FIVE-YEAR AGE GROUP, 1968-2017

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	56	0	0	0	0	0	1	1	1	6	5	10	4	3	4	5	7	4	5
Major salivary gland (incl. parotid gland)	C07-C08	47	0	0	2	0	0	1	3	1	5	4	5	5	6	8	2	2	2	1
Mouth	C03-C06	46	0	1	0	1	1	1	1	2	2	5	4	3	4	3	4	6	5	3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	26	1	0	0	0	0	0	0	1	3	2	1	3	3	4	3	2	2	1
Nasopharynx	C11	353	0	0	0	0	1	7	21	48	59	75	51	28	18	15	12	11	6	1
Oesophagus	C15	95	0	0	0	0	0	0	0	1	1	1	2	7	10	15	11	16	16	16
Stomach	C16	886	0	0	0	0	2	6	8	28	30	48	53	55	76	118	128	101	105	128
Small intestines	C17	49	0	0	0	0	0	0	0	2	0	6	4	9	2	7	6	6	0	6
Colon	C18	1691	0	0	0	1	3	8	14	23	56	109	144	136	147	207	247	249	200	147
Rectosigmoid & rectum	C19-C20	837	0	0	1	0	4	1	7	17	31	62	71	69	101	98	131	91	81	72
Anus	C21	40	0	0	0	0	0	0	0	1	2	3	5	3	4	1	4	9	3	5
Liver & intrahepatic bile ducts	C22	414	2	0	1	0	0	3	3	2	11	19	18	26	35	54	64	63	54	59
Gallbladder & extrahepatic bile ducts	C23-C24	192	0	0	0	0	0	0	2	1	7	12	11	18	19	25	23	29	25	20
Pancreas	C25	301	0	0	0	0	1	2	1	4	11	10	15	29	29	39	43	37	49	31
Retropertoneum & peritoneum	C48	41	0	0	0	1	0	3	2	0	5	6	7	3	2	6	3	1	1	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	24	1	0	0	0	0	1	0	3	3	1	2	4	0	1	2	4	1	1
Larynx	C32	23	0	0	0	0	0	0	0	0	0	1	1	0	2	5	2	2	4	6
Lung (incl. trachea & bronchus)	C33-C34	1442	1	0	0	0	1	2	14	13	35	68	101	96	122	182	207	224	191	185
Pleura	C38.4	7	0	0	0	0	0	0	0	0	1	1	1	0	0	1	1	0	1	1
Thymus, heart & mediastinum	C37-C38.3	35	0	0	0	0	2	1	1	5	6	7	2	6	1	2	3	0	0	0
Bone	C40-C41	48	0	5	7	0	1	6	3	7	4	2	5	2	1	0	1	0	2	2
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	83	2	2	2	2	5	10	9	10	7	7	7	5	3	5	4	3	2	3
Melanoma of skin	C43	31	0	0	0	0	0	0	1	2	1	1	6	3	2	3	3	3	2	4
Non-melanoma skin	C44	716	0	0	0	1	1	5	7	20	20	27	37	38	61	67	95	94	103	140
Breast	C50	4675	0	0	0	2	9	31	138	346	666	913	769	550	379	316	226	148	111	71
Cervix uteri	C53	913	0	0	0	1	1	11	28	70	99	152	134	110	88	81	54	33	26	25
Placenta	C58	5	0	0	0	0	0	1	2	1	0	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	758	0	0	0	1	1	5	13	46	66	130	160	95	71	74	47	27	11	11
Ovary & fallopian tube	C56-C57.0	842	1	1	1	14	27	37	37	52	91	136	128	83	68	62	42	30	23	9
Vulva & vagina	C51-C52	88	0	0	0	0	1	1	1	1	2	6	4	8	14	12	13	5	9	11
Urinary bladder	C67	159	0	0	0	0	1	2	1	3	3	5	9	12	13	8	25	27	24	26
Kidney & other urinary organs	C64-C66 & C68	243	3	1	0	0	1	11	6	11	20	19	13	21	31	34	29	22	21	21
Eye	C69	5	2	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
Brain & CNS	C70-C72	130	7	13	5	1	3	3	7	10	6	10	14	7	10	8	9	7	6	4
Thyroid	C73	520	0	0	4	11	29	36	48	72	60	65	57	28	26	26	29	19	4	6
Adrenal gland, other endocrine glands & related structures	C74-C75.5	25	4	2	0	1	2	3	0	0	2	2	5	1	0	2	0	0	0	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	548	20	9	6	11	17	19	21	20	33	43	58	32	40	63	56	45	30	25
Myeloid neoplasms	C92-C93	307	9	1	3	6	10	12	17	23	21	27	22	25	30	28	24	25	21	21
Others & unspecified	OTH	310	2	0	0	0	0	1	6	8	12	12	19	20	25	35	32	48	47	43
All sites	ALL	17012	55	36	32	51	114	216	424	844	1383	1998	1966	1533	1431	1618	1604	1397	1198	1112

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	3	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	0
Tongue	C01-C02	52	0	0	0	2	0	0	1	1	2	2	5	6	4	11	4	5	4	5
Major salivary gland (incl. parotid gland)	C07-C08	55	0	0	1	0	0	2	6	4	7	3	6	10	3	2	2	4	4	1
Mouth	C03-C06	45	0	0	0	0	0	0	1	2	1	5	3	4	2	4	2	4	4	12
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	35	0	0	0	0	0	0	1	0	2	5	7	2	2	1	3	4	3	5
Nasopharynx	C11	385	0	0	0	1	4	7	25	30	44	63	62	54	25	20	18	19	8	5
Oesophagus	C15	77	0	0	0	0	0	0	0	1	1	3	0	4	4	5	6	14	16	23
Stomach	C16	817	0	0	0	0	0	1	8	18	28	43	58	52	57	104	103	151	93	101
Small intestines	C17	56	0	0	0	0	0	2	2	0	4	3	3	9	4	8	6	8	4	3
Colon	C18	2047	0	0	0	1	5	4	11	18	52	95	192	203	193	212	287	291	238	245
Rectosigmoid & rectum	C19-C20	992	0	0	0	0	1	1	5	18	31	68	103	123	97	135	122	124	88	76
Anus	C21	38	0	0	0	0	0	0	2	0	0	5	2	2	2	5	1	9	5	5
Liver & intrahepatic bile ducts	C22	515	2	1	0	0	1	0	2	4	12	16	19	35	36	62	85	112	68	60
Gallbladder & extrahepatic bile ducts	C23-C24	195	0	0	0	0	0	0	2	0	6	8	17	21	14	29	24	31	23	20
Pancreas	C25	419	0	0	0	0	1	0	3	4	6	15	26	30	45	51	63	67	46	59
Retropertoneum & peritoneum	C48	43	2	1	1	1	0	1	2	4	2	4	4	4	4	4	5	3	2	2
Nasal cavity, middle ear & accessory sinuses	C30-C31	44	0	0	0	0	0	1	2	3	9	5	3	5	1	4	4	2	2	3
Larynx	C32	24	0	0	0	0	0	0	0	0	1	2	1	1	1	2	5	5	4	2
Lung (incl. trachea & bronchus)	C33-C34	1719	0	0	1	1	2	2	6	15	47	82	115	161	166	207	256	242	207	209
Pleura	C38.4	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
Thymus, heart & mediastinum	C37-C38.3	58	1	0	0	0	2	0	4	2	4	7	10	9	3	6	5	2	3	0
Bone	C40-C41	45	0	3	7	4	1	1	3	4	3	3	5	3	3	1	1	3	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	124	7	1	2	3	2	3	13	8	9	12	15	11	9	5	9	2	7	6
Melanoma of skin	C43	52	0	0	0	0	1	1	3	2	3	4	3	8	4	4	5	5	4	5
Non-melanoma skin	C44	711	0	0	0	0	0	6	9	13	14	23	40	45	48	89	103	80	83	157
Breast	C50	5633	0	0	0	2	5	34	146	338	694	972	963	809	517	428	259	217	135	114
Cervix uteri	C53	867	0	0	0	0	3	7	30	57	89	125	108	86	80	93	78	48	37	26
Placenta	C58	9	0	0	0	0	0	1	2	1	2	1	2	0	0	0	0	0	0	0
Corpus uteri	C54	1120	0	0	0	0	2	17	27	47	85	168	231	198	112	95	62	34	25	17
Ovary & fallopian tube	C56-C57.0	1085	1	1	5	18	32	37	42	73	80	151	194	137	91	73	47	38	33	32
Vulva & vagina	C51-C52	95	0	1	0	0	0	0	1	2	2	12	7	13	12	12	8	14	6	5
Urinary bladder	C67	196	0	0	0	0	0	1	1	3	5	5	6	14	21	27	28	32	23	30
Kidney & other urinary organs	C64-C66 & C68	284	3	0	0	1	1	1	1	7	15	22	23	27	35	48	33	32	15	20
Eye	C69	15	5	2	0	0	1	0	0	0	0	0	2	1	1	1	1	0	0	1
Brain & CNS	C70-C72	209	9	11	8	9	10	11	9	8	12	18	11	26	15	16	11	13	4	8
Thyroid	C73	509	0	0	2	5	15	35	53	49	64	71	48	32	25	23	26	7	5	5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	26	1	0	2	1	1	1	0	1	3	1	5	3	1	3	1	0	1	1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	773	28	18	19	23	19	24	21	27	39	44	82	77	79	64	59	57	54	39
Myeloid neoplasms	C92-C93	368	6	4	7	8	9	14	19	12	17	26	30	32	28	39	42	38	19	18
Others & unspecified	OTH	317	1	0	0	1	1	1	2	6	3	15	32	32	31	30	33	48	36	45
All sites	ALL	20061	66	43	55	83	119	219	464	781	1385	2099	2466	2306	1783	1925	1805	1785	1312	1365

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	5	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	1
Tongue	C01-C02	75	0	0	0	0	1	1	4	5	4	11	5	9	11	1	11	4	3	5
Major salivary gland (incl. parotid gland)	C07-C08	84	0	0	1	0	1	3	4	8	11	5	9	11	6	4	7	4	6	4
Mouth	C03-C06	59	0	0	0	0	1	1	1	3	1	9	6	6	4	7	4	6	3	7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	52	0	0	0	0	0	0	0	4	2	5	10	7	12	1	3	6	1	1
Nasopharynx	C11	337	2	0	0	1	1	8	15	25	35	37	68	57	35	19	19	2	8	5
Oesophagus	C15	80	0	0	0	0	0	0	0	0	0	2	5	2	5	9	10	22	20	
Stomach	C16	971	0	0	0	0	1	3	3	11	23	35	67	74	84	93	130	145	154	148
Small intestines	C17	72	0	0	0	0	0	0	0	2	1	7	7	9	9	8	6	7	9	7
Colon	C18	2354	0	0	1	2	4	9	13	22	61	104	169	246	281	245	310	329	308	250
Rectosigmoid & rectum	C19-C20	1080	0	0	0	0	1	3	9	22	34	50	104	133	142	104	143	110	114	111
Anus	C21	47	0	0	0	0	0	0	0	0	0	5	3	6	8	5	8	8	2	2
Liver & intrahepatic bile ducts	C22	639	5	0	1	0	1	0	6	3	6	8	23	40	53	75	93	126	93	106
Gallbladder & extrahepatic bile ducts	C23-C24	259	0	0	0	0	0	0	0	3	5	11	9	23	27	34	31	43	23	50
Pancreas	C25	593	0	0	0	1	0	1	2	4	13	31	28	54	69	71	84	105	57	73
Retropertoneum & peritoneum	C48	80	1	1	0	0	0	1	2	1	5	8	6	12	14	13	8	4	3	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	48	0	0	0	0	1	0	1	4	1	4	9	4	7	5	3	2	4	3
Larynx	C32	20	0	0	0	0	0	0	0	1	0	0	1	2	5	1	2	3	3	2
Lung (incl. trachea & bronchus)	C33-C34	2005	0	0	0	0	0	0	15	25	38	92	142	184	210	249	263	268	272	247
Pleura	C38.4	15	0	0	0	0	0	0	0	0	0	0	2	3	3	2	3	0	2	0
Thymus, heart & mediastinum	C37-C38.3	88	0	0	0	1	1	2	5	2	8	13	13	10	12	7	5	6	3	0
Bone	C40-C41	65	0	3	6	7	9	4	6	5	5	6	3	4	3	1	1	0	1	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	176	6	3	5	7	2	6	9	11	12	16	21	21	13	9	12	9	7	7
Melanoma of skin	C43	50	0	0	0	0	0	2	3	2	6	5	1	5	4	4	5	5	2	6
Non-melanoma skin	C44	1066	1	0	0	3	2	5	7	15	21	34	45	72	65	117	120	150	173	236
Breast	C50	6893	0	0	1	3	6	44	161	393	676	1088	1052	1047	833	537	450	289	176	137
Cervix uteri	C53	775	0	0	0	0	4	10	25	62	73	85	91	93	71	75	63	48	39	36
Placenta	C58	15	0	0	0	0	2	2	1	1	5	3	1	0	0	0	0	0	0	0
Corpus uteri	C54	1417	0	0	0	2	2	8	21	60	120	160	276	288	191	107	92	42	33	15
Ovary & fallopian tube	C56-C57.0	1283	0	3	11	27	28	29	36	61	117	169	183	181	147	90	77	47	36	41
Vulva & vagina	C51-C52	109	2	0	0	0	0	0	1	4	4	5	7	15	8	15	12	14	7	15
Urinary bladder	C67	179	0	1	0	0	0	1	0	2	3	2	12	11	25	21	22	26	23	30
Kidney & other urinary organs	C64-C66 & C68	460	2	1	0	1	1	4	4	4	20	20	42	58	60	49	64	64	36	30
Eye	C69	18	11	0	0	0	0	0	1	0	1	1	1	0	2	0	1	0	0	0
Brain & CNS	C70-C72	258	10	14	7	7	7	6	12	12	15	22	23	17	25	14	21	18	16	12
Thyroid	C73	779	1	0	2	19	14	46	57	85	76	88	98	82	67	45	44	20	17	18
Adrenal gland, other endocrine glands & related structures	C74-C75.5	41	5	0	2	2	2	4	1	0	1	6	3	7	4	0	4	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	924	26	12	10	16	18	36	34	30	35	41	60	102	86	103	96	78	76	65
Myeloid neoplasms	C92-C93	522	2	4	2	9	6	11	11	21	29	29	36	56	47	54	54	62	41	48
Others & unspecified	OTH	307	0	0	0	0	0	0	3	3	5	9	15	8	22	27	49	51	55	60
All sites	ALL	24300	74	42	49	108	116	250	473	916	1472	2226	2658	2959	2670	2218	2330	2111	1828	1800

Appendix B4: Number of cases by primary site and five-year age group for Chinese females, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	106	0	0	0	0	1	6	2	2	10	5	11	17	15	7	10	9	4	7
Major salivary gland (incl. parotid gland)	C07-C08	73	0	1	0	0	1	3	1	5	8	7	11	7	5	9	4	3	3	5
Mouth	C03-C06	69	0	0	0	0	1	0	1	0	1	1	6	4	11	17	6	10	2	9
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	40	0	0	0	0	0	0	0	1	0	2	5	5	6	10	2	3	2	4
Nasopharynx	C11	341	0	0	2	0	1	6	6	18	33	49	51	60	38	33	18	13	6	7
Oesophagus	C15	85	0	0	0	0	0	1	1	3	1	2	2	5	4	5	12	17	16	16
Stomach	C16	1026	0	0	0	0	1	3	5	14	24	28	60	77	98	120	114	169	137	176
Small intestines	C17	95	0	0	0	0	1	1	0	2	1	4	8	14	7	16	11	15	12	3
Colon	C18	2858	0	1	0	6	1	5	10	21	60	103	189	282	323	392	338	377	344	406
Rectosigmoid & rectum	C19-C20	1260	0	0	0	0	1	10	17	43	55	106	138	185	166	137	159	102	141	141
Anus	C21	59	0	0	0	0	0	0	2	2	1	4	4	4	7	5	5	12	5	8
Liver & intrahepatic bile ducts	C22	846	2	0	0	0	1	2	1	5	8	12	42	47	59	121	111	160	149	126
Gallbladder & extrahepatic bile ducts	C23-C24	312	0	0	0	0	0	0	2	2	4	6	13	29	33	48	44	46	35	50
Pancreas	C25	810	0	0	0	3	2	0	2	10	13	28	39	85	107	112	111	105	85	108
Retropertoneum & peritoneum	C48	110	2	0	0	0	1	0	3	2	3	6	8	20	17	15	13	11	5	4
Nasal cavity, middle ear & accessory sinuses	C30-C31	69	0	0	0	1	1	1	0	3	7	8	4	14	9	4	3	7	3	4
Larynx	C32	29	0	0	0	0	0	0	0	0	0	0	2	2	3	5	5	3	2	7
Lung (incl. trachea & bronchus)	C33-C34	2444	0	0	0	0	1	1	9	22	47	103	157	206	310	336	293	343	311	305
Pleura	C38.4	12	0	0	0	0	0	0	0	0	0	0	0	1	3	3	1	1	1	2
Thymus, heart & mediastinum	C37-C38.3	133	0	0	0	0	0	1	2	5	14	7	14	20	14	23	17	6	6	4
Bone	C40-C41	66	0	2	9	6	7	3	3	5	7	4	3	2	3	6	1	2	1	2
Connective & soft tissues (incl peripheral nerves)	C47 & C49	221	2	4	4	1	5	5	9	19	17	12	18	25	19	28	18	19	12	4
Melanoma of skin	C43	49	0	0	0	1	0	2	4	1	3	2	8	3	4	3	8	4	3	3
Non-melanoma skin	C44	1333	0	2	2	3	3	11	7	14	14	32	36	68	106	154	161	207	186	327
Breast	C50	8668	0	0	0	0	4	42	167	360	805	1096	1137	1245	1262	920	609	487	278	256
Cervix uteri	C53	845	0	0	1	1	1	9	37	46	86	89	114	117	84	85	63	56	26	30
Placenta	C58	13	0	0	0	0	0	3	6	3	1	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	2077	0	0	0	0	4	19	49	80	161	222	349	357	302	222	123	95	54	40
Ovary & fallopian tube	C56-C57.0	1414	1	2	8	15	26	43	49	62	112	164	210	215	183	123	57	59	40	45
Vulva & vagina	C51-C52	158	0	0	0	0	0	0	0	2	3	9	12	18	15	20	27	11	24	17
Urinary bladder	C67	179	0	0	0	0	0	0	0	1	1	4	10	19	14	20	22	31	23	34
Kidney & other urinary organs	C64-C66 & C68	614	7	1	0	0	3	1	4	11	26	43	49	70	76	86	73	70	47	47
Eye	C69	20	5	0	0	0	0	1	2	1	2	0	0	2	0	2	3	1	0	1
Brain & CNS	C70-C72	294	10	9	7	4	5	12	9	15	12	24	26	29	42	29	21	19	15	6
Thyroid	C73	1118	0	2	0	10	26	37	62	105	121	145	144	120	112	105	46	42	22	19
Adrenal gland, other endocrine glands & related structures	C74-C75.5	43	2	2	1	3	4	3	2	2	3	2	3	2	3	3	1	2	3	2
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1276	17	11	11	20	30	38	33	33	48	66	95	123	134	152	142	140	99	84
Myeloid neoplasms	C92-C93	652	6	0	8	3	8	13	14	18	21	35	44	50	64	69	72	71	61	95
Others & unspecified	OTH	287	0	0	0	0	0	0	0	3	7	10	8	9	20	17	25	49	50	89
All sites	ALL	30104	54	37	53	77	139	273	514	915	1728	2389	2998	3511	3697	3491	2727	2834	2174	2493

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Tongue	C01-C02	6	0	0	0	0	0	0	0	0	1	1	1	0	0	1	2	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
Mouth	C03-C06	8	0	0	0	0	0	0	0	0	2	1	1	0	1	2	0	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Nasopharynx	C11	25	0	1	1	2	0	1	1	2	1	6	4	4	1	1	0	0	0
Oesophagus	C15	6	0	0	0	0	0	0	0	0	0	1	0	2	2	0	0	0	1
Stomach	C16	33	0	0	0	0	0	0	1	2	4	2	6	8	0	4	3	2	1
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	12	0	0	0	0	1	0	0	1	1	0	2	4	1	0	1	0	1
Rectosigmoid & rectum	C19-C20	14	0	0	0	0	1	1	1	0	0	2	2	3	2	0	1	0	1
Anus	C21	3	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0
Liver & intrahepatic bile ducts	C22	58	0	0	0	0	0	1	1	2	11	5	10	11	10	2	4	0	1
Gallbladder & extrahepatic bile ducts	C23-C24	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
Pancreas	C25	5	0	0	0	0	0	0	0	0	0	0	2	0	1	2	0	0	0
Retropertoneum & peritoneum	C48	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
Larynx	C32	5	0	0	0	0	0	0	0	0	1	1	2	0	0	1	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	47	0	0	0	0	0	0	1	2	2	4	9	8	10	2	7	1	1
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	4	0	0	0	1	1	0	0	0	0	1	0	0	0	0	1	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Non-melanoma skin	C44	15	0	0	0	0	0	0	0	0	1	2	2	4	2	1	2	1	0
Breast	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prostate	C61	9	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	1	1
Testis	C62	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Urinary bladder	C67	9	0	0	0	0	0	0	0	0	0	0	0	3	2	2	1	1	0
Kidney & other urinary organs	C64-C66 & C68	3	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0
Eye	C69	2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Brain & CNS	C70-C72	7	2	0	2	0	0	0	0	1	1	0	1	0	0	0	0	0	0
Thyroid	C73	4	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	36	9	3	3	1	4	0	1	1	3	3	4	1	1	1	0	1	0
Myeloid neoplasms	C92-C93	16	2	0	3	1	1	0	1	0	1	2	0	2	1	1	0	1	0
Others & unspecified	OTH	13	1	0	0	0	0	0	0	1	2	0	2	2	2	2	1	0	0
All sites	ALL	357	17	4	9	5	9	3	8	13	35	35	53	53	43	26	26	10	8

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Tongue	C01-C02	6	0	0	0	0	0	0	0	0	1	2	0	1	1	0	1	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Mouth	C03-C06	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	5	0	0	0	0	0	0	0	0	0	1	0	1	0	2	1	0	0
Nasopharynx	C11	26	0	0	0	0	1	1	0	1	3	3	5	6	2	2	2	0	0
Oesophagus	C15	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1	0
Stomach	C16	36	0	0	0	0	0	1	1	0	0	4	5	3	9	6	2	5	0
Small intestines	C17	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Colon	C18	20	0	0	0	0	0	0	0	0	1	3	6	3	3	1	1	1	1
Rectosigmoid & rectum	C19-C20	24	0	0	0	0	0	0	0	3	1	3	2	4	2	3	4	2	0
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Liver & intrahepatic bile ducts	C22	75	0	0	0	1	0	2	5	1	5	8	13	12	9	8	11	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0
Pancreas	C25	6	0	0	0	0	0	0	0	1	0	1	3	0	0	0	0	0	1
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0
Larynx	C32	11	0	0	0	0	0	0	0	0	0	2	1	2	2	0	4	0	0
Lung (incl. trachea & bronchus)	C33-C34	111	0	0	0	0	0	0	1	2	6	13	20	21	24	13	5	5	1
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	7	0	0	3	1	1	0	0	0	0	1	0	0	0	1	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	8	0	0	0	0	0	1	1	1	1	2	2	1	0	0	0	0	0
Melanoma of skin	C43	3	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0
Non-melanoma skin	C44	12	0	0	0	0	0	0	0	0	1	3	2	2	2	1	1	0	0
Breast	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prostate	C61	20	1	0	0	0	0	0	0	0	0	0	2	3	2	2	4	3	3
Testis	C62	8	0	0	0	0	1	1	2	1	2	0	0	1	0	0	0	0	0
Penis & other male genital organs	C60, C63	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Urinary bladder	C67	12	0	0	0	0	0	0	0	0	1	0	2	3	3	1	1	0	1
Kidney & other urinary organs	C64 - C66 & C68	6	0	0	1	1	0	0	0	0	0	2	0	0	1	1	0	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	7	0	0	1	1	0	0	0	0	0	2	1	1	1	0	0	0	0
Thyroid	C73	7	0	0	0	0	0	1	0	0	0	1	2	2	0	0	0	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	30	1	6	5	0	1	1	1	1	1	2	4	2	3	1	1	0	0
Myeloid neoplasms	C92-C93	21	2	4	1	1	2	1	1	2	0	3	2	1	0	1	0	0	0
Others & unspecified	OTH	22	1	0	0	0	2	1	0	1	1	2	4	4	3	0	3	0	0
All sites	ALL	507	5	10	11	7	8	10	12	14	25	58	77	77	73	47	47	18	8

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	5	0	0	0	0	0	0	0	0	0	1	2	0	0	2	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	3	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Mouth	C03-C06	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	6	0	0	0	0	0	0	0	1	0	0	1	0	2	1	1	0	0
Nasopharynx	C11	23	0	0	1	1	0	1	1	1	1	4	3	3	5	1	1	0	0
Oesophagus	C15	6	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	0
Stomach	C16	41	0	0	0	0	0	0	0	1	0	8	3	3	5	8	8	4	1
Small intestines	C17	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Colon	C18	26	0	0	0	0	1	0	0	0	0	1	4	5	5	6	2	2	0
Rectosigmoid & rectum	C19-C20	26	0	0	0	1	0	1	0	0	0	4	4	3	7	4	2	0	0
Anus	C21	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Liver & intrahepatic bile ducts	C22	78	0	0	0	1	0	0	0	4	4	8	13	16	8	9	5	9	1
Gallbladder & extrahepatic bile ducts	C23-C24	5	0	0	0	0	0	0	0	0	0	1	0	1	0	1	2	0	0
Pancreas	C25	9	0	0	0	0	1	0	1	0	1	0	0	0	1	3	2	0	0
Retropertoneum & peritoneum	C48	2	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	8	0	0	0	0	1	0	1	0	0	0	0	4	2	0	0	0	0
Larynx	C32	6	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	1	0
Lung (incl. trachea & bronchus)	C33-C34	122	0	0	0	0	1	0	0	1	6	8	18	23	19	18	13	9	6
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	10	1	0	0	5	1	0	0	0	0	0	2	1	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	15	0	0	1	0	2	1	1	0	1	3	2	0	2	1	1	0	0
Melanoma of skin	C43	5	0	0	1	0	0	0	0	0	0	0	1	0	1	1	0	0	1
Non-melanoma skin	C44	19	0	0	0	1	0	0	0	1	4	1	2	4	3	0	1	2	0
Breast	C50	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Prostate	C61	25	0	0	0	0	0	0	0	0	0	1	0	1	5	4	6	5	3
Testis	C62	4	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
Urinary bladder	C67	17	0	0	0	0	0	0	1	1	0	1	2	3	3	2	3	1	0
Kidney & other urinary organs	C64-C66 & C68	16	3	0	0	0	0	0	0	0	1	1	1	2	5	2	1	0	0
Eye	C69	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	13	0	0	2	3	0	1	1	0	1	3	1	0	0	1	0	0	0
Thyroid	C73	11	0	0	0	1	0	0	2	0	1	0	3	0	1	0	1	1	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	47	2	5	2	1	4	2	2	0	2	4	6	7	5	3	1	0	1
Myeloid neoplasms	C92-C93	22	0	4	0	3	1	1	1	1	2	0	1	0	0	6	2	0	0
Others & unspecified	OTH	25	0	0	0	1	0	2	1	0	2	2	3	6	4	1	1	1	1
All sites	ALL	606	7	10	7	18	12	14	12	11	28	51	75	85	88	79	55	38	16

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
Tongue	C01-C02	5	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	1
Major salivary gland (incl. parotid gland)	C07-C08	4	0	0	0	1	0	0	0	0	0	1	0	0	2	0	0	0	0
Mouth	C03-C06	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	3	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0
Nasopharynx	C11	30	0	0	0	0	2	3	2	3	4	1	3	2	4	5	0	1	0
Oesophagus	C15	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	1
Stomach	C16	33	0	0	0	0	0	0	0	0	0	2	3	5	7	4	5	6	1
Small intestines	C17	7	0	0	0	0	0	1	0	0	0	0	0	0	4	0	1	0	1
Colon	C18	37	0	0	0	0	0	2	1	1	2	0	4	6	8	3	7	2	2
Rectosigmoid & rectum	C19-C20	36	0	0	0	0	0	0	0	2	0	5	2	7	0	6	6	6	2
Anus	C21	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1
Liver & intrahepatic bile ducts	C22	78	1	0	0	0	1	3	2	2	1	2	5	14	20	12	13	4	0
Gallbladder & extrahepatic bile ducts	C23-C24	7	0	0	0	0	0	0	0	0	0	0	0	2	0	3	1	0	1
Pancreas	C25	23	0	0	0	1	0	1	1	0	0	1	5	2	2	3	2	2	3
Retropertitoneum & peritoneum	C48	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	4	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	0
Larynx	C32	6	0	0	0	0	0	0	0	0	1	0	2	0	1	0	2	0	0
Lung (incl. trachea & bronchus)	C33-C34	191	0	0	0	0	1	0	2	6	3	3	17	44	35	38	17	20	5
Pleura	C38.4	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0
Bone	C40-C41	7	0	0	1	4	0	0	2	0	0	0	0	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	13	1	0	0	2	0	4	0	0	2	1	1	1	0	0	1	0	0
Melanoma of skin	C43	4	0	0	0	0	0	0	0	1	0	0	0	2	1	0	0	0	0
Non-melanoma skin	C44	25	0	0	0	0	0	0	0	0	0	3	2	4	4	5	6	1	0
Breast	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prostate	C61	45	0	0	0	0	0	0	0	0	0	0	1	2	7	11	9	4	4
Testis	C62	10	3	0	0	0	1	1	0	0	1	0	0	2	1	0	0	0	0
Penis & other male genital organs	C60, C63	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Urinary bladder	C67	28	0	0	0	0	0	0	0	0	0	1	2	5	8	4	3	2	3
Kidney & other urinary organs	C64-C66 & C68	13	1	0	0	0	0	1	0	0	0	1	4	0	1	3	1	1	0
Eye	C69	2	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
Brain & CNS	C70-C72	16	2	1	2	0	3	0	1	2	1	1	0	1	0	2	0	0	0
Thyroid	C73	16	0	0	1	0	1	2	0	1	1	2	0	1	3	1	1	1	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	75	7	2	1	4	2	6	5	1	3	4	7	11	6	8	5	2	1
Myeloid neoplasms	C92-C93	21	0	3	0	3	1	0	2	2	0	1	3	1	1	1	3	0	0
Others & unspecified	OTH	25	0	0	0	0	0	1	0	2	1	3	3	2	3	5	4	1	0
All sites	ALL	786	18	6	5	16	12	22	22	23	22	34	68	119	119	119	93	60	28

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	4	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	4	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0
Mouth	C03-C06	6	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	1	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	7	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2	2	0
Nasopharynx	C11	51	0	0	0	2	1	0	8	2	4	4	10	7	7	4	2	0	0
Oesophagus	C15	6	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	2	1
Stomach	C16	56	0	0	0	0	0	1	1	1	3	3	5	6	12	12	8	3	2
Small intestines	C17	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
Colon	C18	72	0	0	0	1	0	2	1	0	1	5	3	6	17	14	14	5	3
Rectosigmoid & rectum	C19-C20	49	0	0	0	0	0	0	0	2	2	4	6	5	10	9	5	6	0
Anus	C21	3	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	82	0	0	0	0	1	1	5	6	6	4	4	3	12	20	8	8	4
Gallbladder & extrahepatic bile ducts	C23-C24	12	0	0	0	0	0	0	1	0	2	0	1	0	1	3	2	1	1
Pancreas	C25	13	1	0	0	0	0	0	0	0	0	2	1	1	2	3	2	1	0
Retropertoneum & peritoneum	C48	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	4	0	0	0	0	1	0	0	0	0	0	1	1	0	1	0	0	0
Larynx	C32	13	0	0	0	0	0	0	0	0	0	1	0	2	0	2	6	1	1
Lung (incl. trachea & bronchus)	C33-C34	241	0	0	0	1	0	2	2	3	10	10	16	25	43	42	44	23	20
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	5	0	0	0	1	0	1	0	0	0	0	0	2	0	1	0	0	0
Bone	C40-C41	6	0	0	1	1	2	0	0	0	0	0	0	1	0	1	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	11	1	0	0	0	0	1	0	0	1	1	1	0	0	4	2	0	0
Melanoma of skin	C43	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	29	0	0	0	0	0	2	0	1	2	2	4	2	6	7	3	0	0
Breast	C50	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0
Prostate	C61	54	0	0	0	0	0	0	0	0	0	1	0	4	10	9	16	6	8
Testis	C62	8	3	0	0	1	1	0	0	0	0	0	2	0	0	1	0	0	0
Penis & other male genital organs	C60, C63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Urinary bladder	C67	45	0	0	0	0	2	0	1	0	1	1	1	5	5	10	5	9	5
Kidney & other urinary organs	C64 - C66 & C68	17	1	0	0	0	0	0	0	2	0	0	2	5	5	0	1	1	0
Eye	C69	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Brain & CNS	C70-C72	17	2	1	0	1	0	2	6	1	0	0	2	1	1	0	0	0	0
Thyroid	C73	11	0	0	0	0	3	0	1	1	0	0	2	2	1	0	1	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	4	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	97	6	6	2	4	4	2	2	7	4	3	10	13	11	8	9	5	1
Myeloid neoplasms	C92-C93	34	2	2	0	2	0	6	1	3	2	1	5	0	4	1	1	3	1
Others & unspecified	OTH	42	0	0	0	0	1	1	1	3	1	1	5	3	7	8	5	4	2
All sites	ALL	1012	18	10	3	15	17	21	31	33	40	44	87	97	161	164	137	83	51

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	7	0	0	0	0	0	0	0	1	0	0	2	0	0	0	3	0	0	1
Major salivary gland (incl. parotid gland)	C07-C08	3	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0
Mouth	C03-C06	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	0	1	0
Nasopharynx	C11	60	0	1	0	0	1	3	4	7	10	6	3	10	5	2	5	2	0	1
Oesophagus	C15	9	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	3	1	0
Stomach	C16	52	0	0	1	0	0	1	0	2	0	2	4	1	10	7	15	6	3	0
Small intestines	C17	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
Colon	C18	81	0	0	0	0	2	2	3	6	4	4	4	11	12	12	13	6	0	2
Rectosigmoid & rectum	C19-C20	81	0	0	0	0	0	0	1	2	3	7	4	14	6	16	14	6	4	4
Anus	C21	2	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
Liver & intrahepatic bile ducts	C22	122	0	0	0	0	1	1	2	6	4	8	13	12	13	29	17	4	11	1
Gallbladder & extrahepatic bile ducts	C23-C24	14	0	0	0	0	0	0	0	0	0	1	3	2	0	3	3	0	2	0
Pancreas	C25	23	0	0	0	0	0	2	1	0	1	2	3	3	2	3	1	1	2	2
Retropertoneum & peritoneum	C48	4	1	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
Larynx	C32	21	0	0	0	0	0	0	0	1	1	1	0	3	3	3	4	3	1	1
Lung (incl. trachea & bronchus)	C33-C34	241	0	0	0	0	0	1	2	3	11	8	17	26	28	46	53	33	12	1
Pleura	C38.4	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
Thymus, heart & mediastinum	C37-C38.3	6	0	0	0	2	0	0	1	0	1	1	0	0	1	0	0	0	0	0
Bone	C40-C41	7	0	1	1	1	1	0	0	0	1	1	0	0	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	12	0	0	1	1	0	1	0	0	1	0	1	0	1	2	2	2	0	0
Melanoma of skin	C43	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0
Non-melanoma skin	C44	35	0	0	0	0	0	2	0	5	4	1	1	1	5	3	3	4	3	3
Breast	C50	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Prostate	C61	89	0	0	0	0	0	0	0	0	0	0	3	7	6	17	14	18	16	8
Testis	C62	15	5	0	0	0	0	1	3	2	1	1	0	1	1	0	0	0	0	0
Penis & other male genital organs	C60, C63	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Urinary bladder	C67	45	0	0	0	0	0	0	0	2	3	0	2	5	6	5	8	8	5	1
Kidney & other urinary organs	C64 - C66 & C68	25	0	1	0	0	1	0	0	1	2	5	0	0	3	5	4	1	2	0
Eye	C69	3	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Brain & CNS	C70-C72	25	2	6	2	0	2	1	1	1	1	2	1	0	2	2	1	1	0	0
Thyroid	C73	15	0	0	0	1	0	0	1	0	0	0	1	4	1	2	2	1	2	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	125	7	10	4	2	5	5	7	6	9	4	12	12	13	11	12	5	1	0
Myeloid neoplasms	C92-C93	56	3	0	2	0	2	0	3	3	5	3	1	4	10	7	6	7	0	0
Others & unspecified	OTH	42	1	0	1	1	0	0	0	4	1	2	3	5	4	7	6	4	2	1
All sites	ALL	1241	21	19	12	9	15	22	30	53	64	60	81	126	134	188	192	118	70	27

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	15	0	0	0	0	0	1	0	2	1	5	0	1	1	2	0	1	1	0
Major salivary gland (incl. parotid gland)	C07-C08	5	0	0	0	0	0	1	2	0	1	0	0	0	0	1	0	0	1	0
Mouth	C03-C06	5	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	11	0	0	0	0	0	0	0	0	0	1	1	1	1	3	1	1	1	2
Nasopharynx	C11	63	0	0	1	0	1	1	6	12	8	9	9	4	5	4	1	2	0	0
Oesophagus	C15	13	0	0	0	0	0	0	0	0	0	0	0	0	2	7	2	0	2	0
Stomach	C16	63	0	0	0	0	1	0	2	2	6	5	3	6	3	8	10	11	4	2
Small intestines	C17	4	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0
Colon	C18	102	0	0	0	1	0	1	1	7	2	6	6	6	18	13	14	19	6	2
Rectosigmoid & rectum	C19-C20	106	0	0	0	0	1	0	1	1	6	6	12	6	11	20	17	10	12	3
Anus	C21	3	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	0
Liver & intrahepatic bile ducts	C22	114	1	0	0	0	0	0	2	3	4	11	19	8	18	14	12	11	9	2
Gallbladder & extrahepatic bile ducts	C23-C24	16	0	0	0	0	0	0	0	2	0	4	2	0	0	2	2	4	0	0
Pancreas	C25	36	0	0	0	0	0	0	0	1	2	3	4	3	3	4	8	3	2	3
Retropertoneum & peritoneum	C48	4	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	8	0	0	2	0	0	0	1	0	0	1	0	1	1	0	0	0	1	1
Larynx	C32	27	0	0	0	0	0	0	0	0	1	1	4	4	2	2	6	5	0	2
Lung (incl. trachea & bronchus)	C33-C34	318	0	0	0	0	0	0	2	5	5	18	18	21	38	55	59	62	25	10
Pleura	C38.4	4	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0
Thymus, heart & mediastinum	C37-C38.3	6	1	0	0	1	0	1	0	1	0	0	1	0	1	0	0	0	0	0
Bone	C40-C41	4	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	19	3	0	1	0	0	0	1	2	4	0	1	1	0	0	3	1	1	1
Melanoma of skin	C43	6	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	2
Non-melanoma skin	C44	40	0	0	0	0	0	0	1	2	3	2	1	4	5	9	5	4	1	3
Breast	C50	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
Prostate	C61	140	0	0	0	0	0	0	0	0	0	0	3	11	20	16	39	23	19	9
Testis	C62	15	1	0	1	1	3	3	2	3	1	0	0	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Urinary bladder	C67	72	0	0	0	0	0	0	0	1	0	7	4	7	9	6	11	18	7	2
Kidney & other urinary organs	C64 - C66 & C68	32	0	0	1	0	0	0	1	3	2	2	4	2	3	5	3	5	1	0
Eye	C69	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Brain & CNS	C70-C72	18	2	1	1	2	0	0	2	2	2	2	2	1	0	0	0	1	0	0
Thyroid	C73	23	0	0	0	0	1	1	0	2	3	2	3	2	3	4	2	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	8	3	0	2	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	178	6	5	10	4	2	7	4	11	9	11	15	16	12	22	20	19	4	1
Myeloid neoplasms	C92-C93	64	3	0	1	3	2	2	5	4	3	5	5	5	8	5	8	4	2	1
Others & unspecified	OTH	42	0	0	0	0	0	0	1	2	2	2	3	2	6	1	10	6	5	2
All sites	ALL	1589	21	6	20	15	12	18	33	71	68	104	122	118	173	204	238	214	106	46

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Tongue	C01-C02	5	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	1
Major salivary gland (incl. parotid gland)	C07-C08	6	0	0	0	0	1	0	0	0	1	0	0	1	0	1	0	2	0	0
Mouth	C03-C06	7	0	0	0	1	1	0	0	0	0	0	0	0	0	1	3	1	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	3	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0
Nasopharynx	C11	84	0	0	2	0	0	0	2	4	15	15	19	7	7	7	4	1	0	1
Oesophagus	C15	11	0	0	0	0	0	0	0	1	1	0	0	2	2	1	1	2	1	0
Stomach	C16	53	0	0	0	0	2	0	0	1	2	5	4	6	5	9	7	5	7	0
Small intestines	C17	8	0	0	0	0	0	0	0	0	0	1	1	0	2	3	1	0	0	0
Colon	C18	145	0	0	0	0	1	1	1	4	10	8	12	12	20	19	16	20	12	9
Rectosigmoid & rectum	C19-C20	114	0	0	0	0	0	1	1	6	5	9	16	10	11	16	18	13	6	2
Anus	C21	7	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	2	0	1
Liver & intrahepatic bile ducts	C22	142	0	0	0	0	0	0	1	2	3	10	19	26	14	15	18	22	7	5
Gallbladder & extrahepatic bile ducts	C23-C24	15	0	0	0	0	0	0	0	0	1	2	1	1	1	1	1	4	1	2
Pancreas	C25	47	0	0	0	0	1	0	0	1	3	1	5	5	6	8	5	7	3	2
Retropertoneum & peritoneum	C48	6	0	0	0	0	1	0	0	0	0	0	0	1	1	1	1	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	4	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0
Larynx	C32	24	0	0	0	0	0	0	0	0	0	2	3	3	1	2	1	4	7	1
Lung (incl. trachea & bronchus)	C33-C34	357	0	0	0	1	1	0	2	1	14	24	34	39	32	51	58	56	38	6
Pleura	C38.4	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	11	0	0	2	1	1	1	0	0	2	2	0	1	0	0	0	0	0	1
Bone	C40-C41	8	0	0	0	2	1	0	0	0	0	0	2	1	0	0	1	0	0	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	17	1	1	1	1	1	2	1	1	3	2	0	1	0	1	0	0	1	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Non-melanoma skin	C44	36	0	0	0	0	0	0	0	0	4	3	3	1	4	5	7	3	4	2
Breast	C50	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Prostate	C61	173	0	0	0	0	0	0	0	0	0	0	10	14	21	31	26	38	22	11
Testis	C62	15	1	0	0	1	3	2	2	2	2	1	1	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0
Urinary bladder	C67	62	0	0	0	0	0	0	0	1	2	9	7	5	6	6	9	7	6	4
Kidney & other urinary organs	C64 - C66 & C68	55	1	0	1	0	0	0	0	2	4	7	5	7	6	9	3	7	3	0
Eye	C69	2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Brain & CNS	C70-C72	32	3	2	0	5	0	1	1	1	4	2	3	3	2	1	1	3	0	0
Thyroid	C73	28	0	0	0	2	2	2	2	2	5	4	2	1	1	3	1	1	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	6	1	0	1	1	1	0	1	0	1	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	184	9	3	5	4	7	6	1	8	12	14	23	9	15	26	19	14	7	2
Myeloid neoplasms	C92-C93	68	2	0	1	1	1	3	2	4	6	5	8	8	5	6	5	8	1	2
Others & unspecified	OTH	38	0	0	0	0	0	0	1	1	0	2	4	2	9	8	4	4	1	2
All sites	ALL	1783	19	6	13	18	26	19	19	42	104	134	187	169	172	233	217	222	129	54

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	6	0	0	0	0	0	0	0	0	0	0	4	0	0	0	1	0	1	0
Major salivary gland (incl. parotid gland)	C07-C08	10	0	0	0	0	0	1	2	0	0	0	0	2	0	1	2	1	1	0
Mouth	C03-C06	4	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0
Nasopharynx	C11	86	0	0	1	0	0	1	2	4	7	16	22	9	12	6	3	3	0	0
Oesophagus	C15	23	0	0	0	0	0	0	0	0	0	1	3	2	4	3	4	1	5	0
Stomach	C16	56	0	0	0	0	0	0	1	0	0	4	10	6	7	7	8	6	5	2
Small intestines	C17	9	0	0	0	0	0	0	0	2	0	1	0	2	3	1	0	0	0	0
Colon	C18	184	0	0	1	0	0	2	1	3	6	15	18	26	26	22	15	21	14	14
Rectosigmoid & rectum	C19-C20	164	0	0	0	0	1	1	1	2	6	14	21	21	28	17	26	14	7	5
Anus	C21	10	0	0	0	0	0	0	0	0	0	0	1	3	4	0	1	0	1	0
Liver & intrahepatic bile ducts	C22	187	1	0	0	0	0	0	0	2	8	13	23	26	32	22	21	27	8	4
Gallbladder & extrahepatic bile ducts	C23-C24	22	0	0	0	0	0	0	0	0	1	3	2	3	3	2	4	1	3	0
Pancreas	C25	54	0	0	0	0	0	0	0	1	7	1	5	10	9	5	6	5	0	5
Retropertoneum & peritoneum	C48	5	0	0	0	1	0	0	1	0	0	0	0	1	0	0	0	1	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	7	0	0	0	0	0	0	1	0	2	1	1	2	0	0	0	0	0	0
Larynx	C32	21	0	0	0	0	0	0	0	0	0	2	2	1	5	3	4	2	1	1
Lung (incl. trachea & bronchus)	C33-C34	439	1	0	0	0	0	2	1	7	14	34	45	45	55	48	60	58	47	22
Pleura	C38.4	4	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0
Thymus, heart & mediastinum	C37-C38.3	21	0	0	1	2	3	3	1	3	1	3	2	1	0	0	0	0	1	0
Bone	C40-C41	9	0	1	2	1	0	0	1	1	0	1	0	1	1	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	31	3	0	2	2	0	3	2	0	0	3	2	2	5	1	2	2	2	0
Melanoma of skin	C43	6	0	0	0	0	0	0	0	1	0	0	0	2	1	0	0	0	1	1
Non-melanoma skin	C44	59	0	0	0	0	0	1	0	0	2	3	5	8	12	0	5	9	11	3
Breast	C50	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Prostate	C61	218	0	0	0	0	0	0	0	0	0	2	2	14	39	35	49	25	13	0
Testis	C62	36	2	0	0	6	8	2	6	2	1	0	0	0	0	0	0	0	1	0
Penis & other male genital organs	C60, C63	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
Urinary bladder	C67	80	0	0	0	0	0	1	1	1	3	4	8	5	6	12	13	12	11	3
Kidney & other urinary organs	C64-C66 & C68	68	0	0	0	0	0	0	3	0	4	7	14	4	11	9	9	4	3	0
Eye	C69	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Brain & CNS	C70-C72	43	1	5	2	4	1	0	3	2	0	5	5	4	2	2	0	3	3	1
Thyroid	C73	49	0	0	0	2	0	0	5	0	3	5	2	7	4	6	5	5	4	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	7	1	0	1	1	2	0	0	0	0	1	0	1	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	294	4	8	3	11	14	7	14	8	12	25	24	32	33	23	32	23	12	9
Myeloid neoplasms	C92-C93	112	4	1	0	3	1	4	4	0	11	15	13	6	9	11	10	6	6	8
Others & unspecified	OTH	36	0	0	0	1	0	0	1	0	2	2	4	4	5	0	5	4	5	3
All sites	ALL	2369	17	15	13	34	30	34	48	44	92	185	240	252	319	236	278	258	179	95

Appendix B5: Number of cases by primary site and five-year age group for Malay males, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Tongue	C01-C02	13	0	0	0	0	0	0	0	1	1	0	5	1	2	2	1	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	11	0	0	0	0	1	0	1	0	0	1	1	2	0	2	0	1	1	1
Mouth	C03-C06	8	0	0	0	0	0	0	0	1	0	0	1	1	0	1	3	1	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	10	0	0	0	0	0	0	0	0	0	0	1	1	2	1	3	1	0	1
Nasopharynx	C11	90	0	0	0	0	1	1	4	1	6	10	26	13	12	10	2	2	0	2
Oesophagus	C15	26	0	0	0	0	0	0	0	0	0	1	3	5	4	4	3	3	1	2
Stomach	C16	89	0	0	0	0	1	1	0	3	3	8	7	15	13	8	8	13	6	3
Small intestines	C17	16	0	0	0	1	0	0	0	0	0	0	2	1	2	7	0	2	0	0
Colon	C18	278	0	0	0	0	2	2	3	4	8	13	31	43	42	37	26	36	23	8
Rectosigmoid & rectum	C19-C20	219	0	0	0	0	1	1	0	8	5	18	26	42	31	35	13	23	12	4
Anus	C21	15	0	0	0	0	0	0	0	0	1	1	3	2	1	5	1	1	0	0
Liver & intrahepatic bile ducts	C22	248	0	0	0	0	0	0	1	2	7	14	33	50	43	37	16	23	13	9
Gallbladder & extrahepatic bile ducts	C23-C24	35	0	0	0	0	0	0	0	0	1	0	1	5	8	9	2	6	2	1
Pancreas	C25	69	0	0	0	0	0	0	0	1	1	3	4	13	11	11	9	9	5	2
Retropertoneum & peritoneum	C48	4	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	9	0	0	0	0	0	1	1	0	0	1	3	0	1	2	0	0	0	0
Larynx	C32	34	0	0	0	0	0	0	0	0	0	3	2	5	6	4	5	4	5	0
Lung (incl. trachea & bronchus)	C33-C34	555	0	0	0	0	0	0	3	5	12	19	57	70	75	102	70	61	48	33
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	24	1	0	1	2	1	2	0	1	1	3	5	1	2	1	1	1	1	0
Bone	C40-C41	9	0	0	0	4	1	0	0	1	1	0	0	1	0	1	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	42	0	0	1	1	0	3	2	1	6	6	7	2	5	3	0	4	0	1
Melanoma of skin	C43	4	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1
Non-melanoma skin	C44	66	0	0	0	0	0	0	2	2	3	3	7	5	7	6	13	8	5	5
Breast	C50	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Prostate	C61	322	0	0	0	0	0	0	0	1	0	2	13	30	34	50	61	62	44	25
Testis	C62	40	1	0	0	2	7	10	12	4	3	1	0	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	9	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	1	3	1
Urinary bladder	C67	81	0	0	0	0	0	1	0	0	3	0	3	12	9	18	7	13	10	5
Kidney & other urinary organs	C64 - C66 & C68	103	0	0	0	0	0	1	1	2	2	13	16	17	15	16	11	5	2	2
Eye	C69	4	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0
Brain & CNS	C70-C72	46	3	0	4	1	1	3	2	1	4	0	4	6	5	3	3	4	1	1
Thyroid	C73	68	0	0	0	2	3	4	5	2	4	6	11	7	10	3	4	5	1	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	6	2	0	1	0	1	0	0	0	0	0	0	0	1	0	0	1	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	380	10	8	3	12	11	20	10	12	13	22	38	49	42	53	31	29	11	6
Myeloid neoplasms	C92-C93	165	2	0	2	4	2	5	4	3	9	10	21	15	22	21	12	16	5	12
Others & unspecified	OTH	36	0	0	0	0	0	0	0	0	2	1	1	4	6	3	3	3	3	10
All sites	ALL	3139	20	8	12	29	34	57	51	57	96	161	335	422	416	456	308	359	202	136

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Mouth	C03-C06	5	0	0	0	0	0	0	0	1	1	1	2	0	0	0	0	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Nasopharynx	C11	3	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
Oesophagus	C15	11	0	0	0	0	0	0	0	0	0	4	2	2	1	2	0	0	0
Stomach	C16	31	0	0	0	0	1	1	0	6	2	2	5	7	4	1	1	1	0
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	11	0	0	0	0	0	0	1	0	1	1	2	2	1	1	0	2	0
Rectosigmoid & rectum	C19-C20	7	0	0	0	0	0	1	0	0	1	0	1	2	2	0	0	0	0
Anus	C21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	19	1	1	0	0	0	0	0	0	1	2	3	4	2	3	1	1	0
Gallbladder & extrahepatic bile ducts	C23-C24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pancreas	C25	6	0	0	0	0	0	0	0	0	0	1	2	1	1	0	0	1	0
Retropertoneum & peritoneum	C48	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Larynx	C32	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	20	0	0	0	0	0	1	0	0	1	0	7	3	3	3	1	1	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	4	1	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	5	0	0	1	0	1	0	0	1	2	0	0	0	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	7	0	0	0	0	0	0	0	0	1	0	0	1	2	1	1	1	0
Breast	C50	64	0	0	0	0	0	2	5	12	7	11	9	7	5	4	1	1	0
Cervix uteri	C53	45	0	0	0	0	0	0	8	2	13	9	4	1	4	2	1	0	1
Placenta	C58	6	0	0	0	0	0	1	2	2	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	13	0	0	0	0	0	0	0	0	4	0	1	5	1	0	2	0	0
Ovary & fallopian tube	C56-C57.0	29	0	0	1	3	1	2	3	2	2	6	3	4	2	0	0	0	0
Vulva & vagina	C51-C52	4	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0
Urinary bladder	C67	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Kidney & other urinary organs	C64-C66 & C68	6	2	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	0
Eye	C69	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	4	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
Thyroid	C73	15	0	0	0	0	5	0	2	0	0	0	1	1	5	1	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	25	1	2	3	3	2	1	0	2	1	2	5	2	0	0	0	0	1
Myeloid neoplasms	C92-C93	11	2	0	4	0	1	2	0	1	1	0	1	0	1	0	0	0	0
Others & unspecified	OTH	8	2	0	0	0	0	1	1	1	0	1	1	0	1	1	0	0	0
All sites	ALL	368	11	3	9	7	13	9	28	32	41	48	51	44	35	19	8	8	2

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	4	0	0	0	0	1	0	0	1	0	0	0	0	2	0	0	0	0	0
Mouth	C03-C06	4	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	0	1	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4	0	0	1	0	0	0	1	0	0	0	0	0	0	0	1	1	0	0
Nasopharynx	C11	7	0	0	0	0	0	1	0	1	0	0	3	1	1	0	0	0	0	0
Oesophagus	C15	8	0	0	0	0	0	0	0	0	0	0	0	4	0	1	1	2	0	0
Stomach	C16	24	0	0	0	0	0	0	0	1	3	2	4	3	3	4	1	2	1	2
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	12	0	0	1	0	1	0	0	1	0	1	0	0	4	3	1	0	0	0
Rectosigmoid & rectum	C19-C20	16	0	0	0	0	0	1	1	0	0	3	3	1	2	2	2	0	1	1
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	10	0	0	0	0	0	0	0	0	0	1	4	1	2	1	0	1	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Pancreas	C25	4	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	0	0
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Larynx	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	22	0	0	0	0	0	1	1	1	2	0	2	4	4	5	2	0	0	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	3	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	8	4	0	0	0	0	1	1	0	0	0	1	0	0	0	1	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	0	0
Breast	C50	69	0	0	0	0	1	1	3	8	12	12	17	5	6	1	2	0	1	1
Cervix uteri	C53	43	0	0	0	0	0	2	1	7	7	9	8	6	1	1	0	0	1	1
Placenta	C58	6	0	0	0	1	1	2	1	0	1	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	17	0	0	0	0	0	0	2	0	1	0	6	2	3	2	0	1	0	0
Ovary & fallopian tube	C56-C57.0	49	1	1	0	0	4	2	3	3	8	4	7	7	4	3	0	2	0	0
Vulva & vagina	C51-C52	3	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
Urinary bladder	C67	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Kidney & other urinary organs	C64-C66 & C68	3	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
Eye	C69	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Brain & CNS	C70-C72	9	2	2	0	0	0	0	1	1	1	1	2	0	0	0	0	0	0	0
Thyroid	C73	17	0	0	0	0	0	3	1	2	3	1	3	0	3	1	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	21	2	3	1	3	0	1	1	0	1	1	3	3	2	0	0	0	0	0
Myeloid neoplasms	C92-C93	16	3	1	0	2	0	1	0	2	0	2	1	1	2	1	0	0	0	0
Others & unspecified	OTH	22	0	1	0	0	0	1	0	1	1	1	5	3	3	2	3	0	1	1
All sites	ALL	410	13	8	5	6	8	18	18	30	41	40	71	45	46	31	15	10	5	

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	3	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	4	0	0	1	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0
Mouth	C03-C06	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Nasopharynx	C11	8	0	0	0	0	1	0	0	1	2	0	2	0	1	0	1	0	0	0
Oesophagus	C15	4	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0
Stomach	C16	28	0	0	0	0	1	1	0	2	4	1	1	3	8	5	1	0	0	1
Small intestines	C17	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Colon	C18	31	0	0	0	0	1	0	2	1	1	3	1	3	5	5	3	5	1	1
Rectosigmoid & rectum	C19-C20	23	0	0	0	1	1	1	1	1	3	2	3	3	3	2	2	0	0	0
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Liver & intrahepatic bile ducts	C22	23	0	0	0	0	1	0	0	0	1	8	0	3	2	3	3	1	1	1
Gallbladder & extrahepatic bile ducts	C23-C24	6	0	0	0	0	0	0	0	0	0	1	2	2	0	0	1	0	0	0
Pancreas	C25	8	0	0	0	0	0	0	0	0	1	0	0	0	4	2	1	0	0	0
Retropertoneum & peritoneum	C48	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	7	0	0	0	0	0	0	0	0	2	0	1	1	2	1	0	0	0	0
Larynx	C32	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	29	0	0	0	0	0	0	0	0	1	6	4	3	3	4	2	2	4	4
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Bone	C40-C41	7	0	0	2	0	0	3	0	1	0	0	0	0	0	0	1	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	11	1	0	1	1	1	0	1	1	1	2	1	1	0	0	0	0	0	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Non-melanoma skin	C44	12	0	0	0	0	0	1	0	0	1	0	1	2	3	1	1	1	1	1
Breast	C50	111	0	0	0	1	1	6	7	12	16	16	13	12	14	8	3	1	1	1
Cervix uteri	C53	49	0	0	0	0	0	0	3	5	4	10	14	3	2	7	1	0	0	0
Placenta	C58	9	0	0	0	2	2	0	3	0	1	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	19	0	0	0	0	0	1	0	0	1	2	3	7	3	2	0	0	0	0
Ovary & fallopian tube	C56-C57.0	57	0	0	3	1	4	4	2	6	5	11	6	5	6	2	1	0	0	1
Vulva & vagina	C51-C52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Urinary bladder	C67	6	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	0	0
Kidney & other urinary organs	C64-C66 & C68	7	0	1	0	0	0	0	0	1	1	3	0	0	0	1	0	0	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	6	0	3	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Thyroid	C73	33	0	0	0	4	7	1	2	3	2	5	2	4	1	1	1	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	25	1	1	1	1	0	0	1	0	3	0	2	8	1	2	3	1	0	0
Myeloid neoplasms	C92-C93	20	0	2	0	2	2	1	4	0	4	0	1	2	1	0	0	1	0	0
Others & unspecified	OTH	16	0	0	0	0	1	1	1	0	1	0	4	1	2	0	4	1	1	1
All sites	ALL	574	3	7	9	14	22	21	27	34	58	72	66	68	66	51	31	14	14	11

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1
Major salivary gland (incl. parotid gland)	C07-C08	3	0	0	0	2	0	0	0	0	0	1	0	0	0	0	0	0	0
Mouth	C03-C06	6	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
Nasopharynx	C11	12	0	0	0	1	0	3	1	1	0	1	2	2	1	0	0	0	0
Oesophagus	C15	4	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0
Stomach	C16	29	0	0	0	0	0	1	0	2	2	0	4	5	5	2	3	0	0
Small intestines	C17	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Colon	C18	31	0	0	0	2	1	2	2	0	2	4	3	4	1	7	1	1	1
Rectosigmoid & rectum	C19-C20	28	0	0	0	0	0	0	1	1	0	3	4	3	7	1	3	3	2
Anus	C21	4	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0	0	0
Liver & intrahepatic bile ducts	C22	33	0	0	0	0	1	0	2	2	0	0	5	5	8	4	0	3	3
Gallbladder & extrahepatic bile ducts	C23-C24	6	0	0	0	0	0	1	1	0	0	1	1	1	0	1	0	0	0
Pancreas	C25	10	0	0	0	0	0	0	0	0	0	1	2	2	1	1	3	0	0
Retropertitoneum & peritoneum	C48	2	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	4	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0
Larynx	C32	4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0
Lung (incl. trachea & bronchus)	C33-C34	61	0	0	0	0	0	1	3	1	2	5	8	3	11	13	10	4	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	8	0	0	4	2	1	0	0	0	0	0	1	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	12	0	1	1	0	0	0	0	1	1	1	3	1	2	1	0	0	0
Melanoma of skin	C43	4	0	0	0	0	1	0	1	0	0	2	0	0	0	0	0	0	0
Non-melanoma skin	C44	12	0	0	1	0	1	1	0	0	2	2	1	0	2	0	2	1	1
Breast	C50	154	0	0	0	2	1	8	11	27	15	22	20	23	9	11	2	2	1
Cervix uteri	C53	56	0	0	0	0	0	2	2	5	9	10	14	7	5	2	1	1	0
Placenta	C58	4	0	0	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	25	0	0	0	0	1	0	2	0	3	2	5	5	6	0	0	1	0
Ovary & fallopian tube	C56-C57.0	65	0	0	0	2	8	6	2	4	7	7	11	6	8	2	1	1	0
Vulva & vagina	C51-C52	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
Urinary bladder	C67	6	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	1	0
Kidney & other urinary organs	C64-C66 & C68	5	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	0	0
Eye	C69	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	13	1	2	1	1	0	1	1	1	1	1	1	1	0	0	1	1	0
Thyroid	C73	43	0	1	0	3	5	10	6	4	1	1	4	4	1	3	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	43	4	4	0	1	3	0	2	3	2	1	4	3	6	5	2	2	1
Myeloid neoplasms	C92-C93	19	1	0	2	1	1	1	2	4	0	2	1	3	0	1	0	0	0
Others & unspecified	OTH	15	0	0	0	0	1	0	0	0	0	4	1	3	1	3	1	1	0
All sites	ALL	734	8	9	5	19	30	37	41	57	45	72	96	90	82	73	31	27	12

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	4	0	0	0	0	1	0	0	0	0	1	0	1	1	0	0	0	0
Mouth	C03-C06	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0
Nasopharynx	C11	19	0	0	0	0	2	0	3	3	6	0	2	1	0	2	0	0	0
Oesophagus	C15	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1
Stomach	C16	35	0	0	0	1	0	2	0	0	2	1	3	6	4	9	2	3	2
Small intestines	C17	3	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0
Colon	C18	46	0	0	0	0	0	1	2	3	9	1	7	4	8	5	2	3	1
Rectosigmoid & rectum	C19-C20	47	0	0	0	0	0	1	0	2	3	1	10	3	13	3	5	2	4
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Liver & intrahepatic bile ducts	C22	25	0	0	0	0	0	0	2	0	1	2	4	1	4	6	2	3	0
Gallbladder & extrahepatic bile ducts	C23-C24	13	0	0	0	0	0	0	0	1	3	4	1	0	1	1	2	0	0
Pancreas	C25	8	0	0	0	0	0	0	0	0	1	0	2	1	2	1	1	0	0
Retropertoneum & peritoneum	C48	4	1	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	7	0	0	0	0	0	1	0	0	1	0	0	1	0	2	2	0	0
Larynx	C32	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1
Lung (incl. trachea & bronchus)	C33-C34	60	0	0	0	0	0	0	3	1	2	3	6	6	7	12	10	9	1
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	5	0	0	0	0	1	0	1	2	0	1	0	0	0	0	0	0	0
Bone	C40-C41	5	1	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	10	0	0	0	0	1	3	1	1	0	1	0	0	1	1	1	0	0
Melanoma of skin	C43	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	24	0	0	0	0	2	1	0	0	2	1	2	3	4	3	2	3	1
Breast	C50	260	0	0	0	0	0	2	27	37	50	25	29	26	21	26	8	4	5
Cervix uteri	C53	81	0	0	0	0	0	1	1	10	6	12	14	15	13	6	1	2	0
Placenta	C58	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	38	0	0	0	0	0	1	0	7	5	3	5	6	3	3	5	0	0
Ovary & fallopian tube	C56-C57.0	81	0	0	1	6	8	8	5	4	10	8	8	10	6	2	2	2	1
Vulva & vagina	C51-C52	4	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	1	0
Urinary bladder	C67	5	0	0	0	0	0	0	0	0	0	1	0	1	0	3	0	0	0
Kidney & other urinary organs	C64-C66 & C68	7	0	0	0	0	1	0	0	0	1	0	1	1	3	0	0	0	0
Eye	C69	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	9	0	2	1	0	2	0	1	0	0	0	0	1	0	0	1	1	0
Thyroid	C73	59	1	0	1	3	10	10	6	5	7	4	5	2	1	2	2	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	68	3	5	0	3	1	2	4	6	5	4	5	11	6	7	6	0	0
Myeloid neoplasms	C92-C93	28	1	2	1	2	2	4	0	4	0	2	2	1	3	1	2	0	1
Other & unspecified	OTH	28	0	0	0	0	0	0	3	2	0	3	3	3	5	1	4	3	1
All sites	ALL	1010	10	10	5	17	32	38	60	89	116	80	111	107	112	102	63	39	19

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	6	0	0	0	0	1	1	1	1	1	0	1	0	0	1	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Mouth	C03-C06	3	0	0	0	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	0
Nasopharynx	C11	19	0	0	0	0	0	0	2	3	2	2	3	1	3	2	1	0	0	0
Oesophagus	C15	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	2	0	1
Stomach	C16	34	0	0	0	0	1	0	1	5	1	1	4	3	3	6	5	2	2	0
Small intestines	C17	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Colon	C18	75	0	0	0	1	1	0	1	5	3	10	4	11	11	14	12	1	1	0
Rectosigmoid & rectum	C19-C20	56	0	0	0	0	0	0	1	3	4	6	5	5	12	7	5	5	3	0
Anus	C21	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Liver & intrahepatic bile ducts	C22	27	0	0	0	0	1	0	1	0	2	3	0	3	5	6	4	1	1	0
Gallbladder & extrahepatic bile ducts	C23-C24	20	0	0	0	0	0	1	0	1	1	3	1	2	2	5	2	2	0	0
Pancreas	C25	18	0	0	0	0	0	0	0	1	0	2	2	2	1	4	3	2	1	0
Retropertoneum & peritoneum	C48	5	0	0	1	0	0	0	0	0	1	0	0	0	1	1	1	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	86	0	0	1	0	1	1	2	6	8	6	5	11	6	15	13	5	5	1
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Bone	C40-C41	6	0	0	0	0	1	2	1	1	0	1	0	0	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	8	0	1	0	0	0	1	1	1	0	1	0	0	1	0	1	0	0	1
Melanoma of skin	C43	8	0	0	0	0	1	0	0	0	0	0	0	1	0	4	1	0	1	0
Non-melanoma skin	C44	35	0	0	1	2	0	2	0	3	2	1	4	3	4	2	4	5	1	1
Breast	C50	356	0	0	1	0	1	9	31	46	62	62	37	31	31	21	10	9	2	3
Cervix uteri	C53	90	0	0	0	0	0	0	6	11	10	14	14	14	7	6	5	2	1	0
Placenta	C58	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	69	0	0	0	0	0	1	6	6	7	5	5	10	11	9	6	2	1	0
Ovary & fallopian tube	C56-C57.0	112	1	2	1	0	4	6	7	11	20	15	10	10	10	7	6	1	1	0
Vulva & vagina	C51-C52	4	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	0
Urinary bladder	C67	11	0	0	0	0	0	0	0	0	0	0	0	4	0	4	0	2	1	0
Kidney & other urinary organs	C64-C66 & C68	24	2	0	0	0	0	2	2	2	1	2	2	1	5	3	2	1	1	0
Eye	C69	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	25	4	8	4	2	0	0	2	2	0	0	0	1	2	0	0	0	0	0
Thyroid	C73	54	0	0	1	1	3	4	9	5	5	9	0	2	3	2	3	6	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	74	5	4	1	3	4	3	3	3	4	7	2	7	8	8	4	6	1	1
Myeloid neoplasms	C92-C93	42	3	0	0	1	1	2	0	4	5	1	2	5	7	3	2	2	2	0
Others & unspecified	OTH	47	1	0	0	0	0	1	1	1	6	5	2	1	5	7	4	5	1	1
All sites	ALL	1338	19	16	11	11	19	35	78	126	145	159	103	131	141	146	97	64	28	9

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	5	0	0	0	0	1	1	0	0	2	1	0	0	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
Mouth	C03-C06	6	0	0	0	0	1	1	1	1	0	0	0	0	1	1	0	0	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4	0	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	0	0
Nasopharynx	C11	25	0	0	1	0	0	1	3	1	4	7	2	3	1	0	0	2	0	0
Oesophagus	C15	5	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	2
Stomach	C16	42	0	0	0	0	1	1	1	2	6	7	4	1	3	1	5	7	3	0
Small intestines	C17	6	0	0	0	0	0	1	0	1	1	0	0	1	0	0	2	0	0	0
Colon	C18	100	0	1	0	0	1	1	2	5	6	9	8	8	10	13	16	11	5	4
Rectosigmoid & rectum	C19-C20	73	0	0	0	0	0	0	0	4	0	7	6	10	12	10	12	8	0	4
Anus	C21	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0
Liver & intrahepatic bile ducts	C22	36	1	0	0	0	1	0	2	0	1	3	1	1	5	6	5	10	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	24	0	0	0	0	0	0	0	0	1	1	5	2	2	3	6	2	1	1
Pancreas	C25	31	0	0	0	0	0	0	1	2	2	1	2	1	4	6	4	6	1	1
Retropertoneum & peritoneum	C48	3	0	0	0	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Lung (incl. trachea & bronchus)	C33-C34	115	0	0	0	0	1	0	4	3	8	9	11	8	12	18	17	14	6	4
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	4	0	0	0	0	0	0	0	0	1	2	0	0	0	1	0	0	0	0
Bone	C40-C41	6	0	1	0	1	0	3	0	0	0	0	0	0	0	0	0	0	0	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	13	0	0	0	1	1	0	0	1	2	2	3	1	1	1	0	0	0	0
Melanoma of skin	C43	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0
Non-melanoma skin	C44	34	0	0	0	1	0	1	0	1	1	1	0	6	6	4	7	4	1	1
Breast	C50	524	0	0	0	1	1	8	29	68	91	124	67	40	40	20	13	13	4	5
Cervix uteri	C53	79	0	0	0	0	0	3	4	8	14	10	7	6	12	6	5	1	2	1
Placenta	C58	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	91	0	0	0	0	1	2	4	5	8	19	10	10	18	8	1	4	1	0
Ovary & fallopian tube	C56-C57.0	146	0	2	1	4	2	6	12	7	19	26	18	12	12	10	8	5	1	1
Vulva & vagina	C51-C52	6	0	0	0	0	0	0	0	0	1	1	0	1	0	0	2	0	1	0
Urinary bladder	C67	19	0	0	0	0	0	0	0	0	2	1	1	1	3	5	1	3	2	0
Kidney & other urinary organs	C64-C66 & C68	28	1	1	0	0	1	1	1	3	4	1	2	2	2	4	3	1	1	1
Eye	C69	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	23	3	3	1	0	1	2	1	3	1	1	2	1	0	2	2	0	0	0
Thyroid	C73	79	0	0	0	2	6	6	8	13	9	7	6	5	7	1	6	3	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	6	3	0	0	0	0	1	0	0	0	1	0	0	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	108	3	4	5	2	4	5	6	5	6	10	7	10	12	10	12	4	1	2
Myeloid neoplasms	C92-C93	51	1	1	3	1	0	0	4	4	2	4	6	5	7	4	5	3	0	1
Others & unspecified	OTH	38	0	1	0	0	1	2	1	1	0	1	0	3	4	6	8	6	3	1
All sites	ALL	1745	13	15	11	14	22	46	85	137	195	258	172	141	178	147	139	108	33	31

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	13	0	0	0	0	0	0	0	0	1	3	0	2	0	1	0	3	2	1
Major salivary gland (incl. parotid gland)	C07-C08	8	0	0	1	0	0	0	0	0	2	1	2	1	0	0	0	1	0	0
Mouth	C03-C06	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
Nasopharynx	C11	17	0	0	0	0	0	1	0	2	3	1	4	3	2	1	0	0	0	0
Oesophagus	C15	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0
Stomach	C16	35	0	0	0	0	1	1	0	1	3	3	5	3	0	2	8	5	2	1
Small intestines	C17	2	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Colon	C18	139	0	0	0	0	4	2	1	3	9	7	10	23	17	18	19	8	13	5
Rectosigmoid & rectum	C19-C20	77	0	0	0	0	0	0	0	5	4	2	6	13	11	13	9	4	5	5
Anus	C21	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
Liver & intrahepatic bile ducts	C22	48	0	0	0	2	0	0	0	3	0	1	4	2	6	4	10	10	3	3
Gallbladder & extrahepatic bile ducts	C23-C24	17	0	0	0	0	1	0	0	1	1	1	1	0	1	3	5	2	1	0
Pancreas	C25	46	0	0	0	0	0	0	0	0	2	4	3	13	3	10	1	4	4	2
Retropertoneum & peritoneum	C48	7	0	0	0	0	0	0	0	1	0	0	0	1	0	1	3	0	0	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	9	0	0	0	0	0	0	0	0	2	1	0	1	0	0	3	2	0	0
Larynx	C32	6	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	1	1	1
Lung (incl. trachea & bronchus)	C33-C34	143	0	0	0	0	1	0	1	5	8	17	11	23	13	19	16	15	9	5
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	3	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0
Bone	C40-C41	8	0	0	3	0	1	1	0	0	1	0	0	2	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	10	0	0	2	0	0	0	0	1	2	0	1	2	0	1	0	0	0	1
Melanoma of skin	C43	5	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	1	1
Non-melanoma skin	C44	39	0	1	0	1	0	1	0	1	1	6	1	5	3	6	2	6	4	1
Breast	C50	729	0	0	0	1	0	11	23	57	132	136	117	79	60	35	43	17	14	4
Cervix uteri	C53	104	0	0	0	0	1	1	4	10	10	17	10	9	8	14	13	4	1	2
Placenta	C58	4	0	0	0	0	1	0	0	1	1	0	1	0	0	0	0	0	0	0
Corpus uteri	C54	140	0	0	0	0	1	0	5	4	13	25	23	20	11	19	10	6	3	0
Ovary & fallopian tube	C56-C57.0	165	0	0	0	6	14	3	6	8	29	22	20	22	12	7	12	0	3	1
Vulva & vagina	C51-C52	9	0	0	0	0	0	0	1	0	1	0	1	1	0	1	0	3	1	0
Urinary bladder	C67	14	0	0	0	0	0	0	0	0	1	1	0	3	1	3	3	1	1	0
Kidney & other urinary organs	C64-C66 & C68	28	0	0	0	1	0	0	0	1	1	1	4	2	1	5	7	3	2	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	22	0	3	2	1	0	0	2	2	1	3	2	1	0	0	0	4	1	0
Thyroid	C73	96	0	0	1	5	5	10	10	10	11	12	10	10	8	2	3	3	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	5	1	0	0	0	1	0	0	0	0	0	1	0	1	0	1	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	160	7	6	2	6	7	2	6	7	9	13	15	22	11	21	13	8	3	2
Myeloid neoplasms	C92-C93	58	1	1	1	2	2	0	2	4	1	6	6	8	1	6	4	8	5	0
Others & unspecified	OTH	26	0	0	0	0	0	0	0	0	2	1	2	3	1	3	5	2	6	1
All sites	ALL	2205	9	11	13	25	40	30	61	128	253	286	263	276	172	198	191	122	89	38

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	15	0	0	1	0	0	1	0	1	2	1	4	0	2	0	2	1	0	0
Major salivary gland (incl. parotid gland)	C07-C08	5	0	0	0	0	1	0	0	0	1	0	2	0	1	0	0	0	0	0
Mouth	C03-C06	7	0	0	0	0	0	0	1	1	0	0	2	1	0	0	0	2	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
Nasopharynx	C11	25	0	0	0	0	1	1	0	2	0	6	4	9	1	1	0	0	0	0
Oesophagus	C15	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
Stomach	C16	58	0	0	0	1	0	1	2	1	2	4	2	8	4	6	8	7	7	5
Small intestines	C17	11	0	0	0	0	0	0	0	0	3	0	0	0	1	2	2	2	0	1
Colon	C18	206	0	0	0	0	1	1	2	1	8	12	22	29	25	24	26	30	17	8
Rectosigmoid & rectum	C19-C20	98	0	0	0	0	1	0	0	1	2	5	20	10	17	8	15	13	3	3
Anus	C21	5	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	1
Liver & intrahepatic bile ducts	C22	62	0	0	0	0	0	0	2	0	2	2	4	0	12	5	10	13	8	4
Gallbladder & extrahepatic bile ducts	C23-C24	29	0	0	0	0	0	0	0	0	1	1	1	4	3	9	2	4	2	2
Pancreas	C25	48	0	0	0	0	0	0	0	1	3	1	6	8	6	7	5	6	2	3
Retropertoneum & peritoneum	C48	7	0	0	0	0	0	0	0	0	0	0	1	1	1	3	1	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	5	0	0	0	0	0	1	0	0	1	2	0	0	0	1	0	0	0	0
Larynx	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	179	0	0	0	0	1	2	2	2	5	18	22	29	19	18	20	16	15	10
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	10	0	0	0	0	0	0	0	3	1	2	0	1	2	0	0	0	0	1
Bone	C40-C41	9	0	0	1	3	1	0	1	0	0	0	1	0	0	2	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	25	0	0	2	3	2	2	3	3	5	0	0	1	1	0	0	1	1	1
Melanoma of skin	C43	5	0	0	0	0	0	0	0	0	0	1	2	0	0	1	0	0	1	0
Non-melanoma skin	C44	51	0	0	0	0	0	1	0	1	2	3	2	1	8	5	6	9	8	5
Breast	C50	910	0	0	0	0	1	8	21	56	102	193	158	144	91	48	33	34	12	9
Cervix uteri	C53	100	0	0	0	0	4	3	11	9	19	19	11	9	14	6	8	3	3	0
Placenta	C58	5	0	0	0	0	0	0	2	0	2	0	1	0	0	0	0	0	0	0
Corpus uteri	C54	202	0	0	0	0	0	0	8	15	15	27	47	30	25	11	4	13	5	2
Ovary & fallopian tube	C56-C57.0	212	0	0	4	9	10	4	7	10	19	41	35	21	13	13	9	9	6	2
Vulva & vagina	C51-C52	15	0	0	0	0	0	0	1	1	1	2	0	2	1	0	0	4	1	2
Urinary bladder	C67	12	0	0	0	0	0	0	0	0	2	0	1	1	0	1	4	1	1	1
Kidney & other urinary organs	C64-C66 & C68	43	0	0	0	0	0	0	0	0	1	5	10	5	6	1	7	3	4	1
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	39	4	2	4	1	0	0	0	2	6	2	2	2	4	2	2	2	3	1
Thyroid	C73	116	0	0	0	2	9	12	4	9	19	20	11	10	7	4	3	1	2	3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	7	2	0	0	0	0	0	0	1	1	0	1	0	0	0	2	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	214	7	6	5	4	7	1	3	7	12	27	18	29	25	14	15	24	7	3
Myeloid neoplasms	C92-C93	89	0	2	1	1	2	1	1	3	6	4	6	16	8	8	8	10	7	5
Others & unspecified	OTH	43	1	0	0	0	1	2	1	2	0	3	4	5	1	5	3	6	7	2
All sites	ALL	2872	14	10	18	24	38	42	64	135	230	405	401	376	298	206	197	214	125	75

Appendix B6: Number of cases by primary site and five-year age group for Malay females, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	21	0	0	0	0	1	1	0	0	1	2	5	7	1	2	0	0	0	1
Major salivary gland (incl. parotid gland)	C07-C08	11	0	0	1	0	0	2	1	1	0	0	3	0	2	0	1	0	0	0
Mouth	C03-C06	4	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	0	0
Nasopharynx	C11	31	0	0	2	0	0	2	1	1	3	2	5	5	7	1	1	1	0	0
Oesophagus	C15	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1
Stomach	C16	56	0	0	0	0	1	1	0	0	0	1	8	13	9	5	6	3	6	3
Small intestines	C17	12	0	0	0	0	0	0	0	1	1	2	2	0	2	0	2	0	1	1
Colon	C18	289	0	0	0	0	3	2	5	2	7	16	28	48	43	32	31	32	23	17
Rectosigmoid & rectum	C19-C20	160	0	0	0	0	0	0	1	0	0	7	22	23	23	21	23	24	11	5
Anus	C21	10	0	0	0	0	0	0	0	0	0	2	2	0	2	3	0	0	0	1
Liver & intrahepatic bile ducts	C22	95	3	0	0	0	0	0	1	0	0	1	14	7	9	17	12	17	10	4
Gallbladder & extrahepatic bile ducts	C23-C24	31	0	0	0	0	0	0	0	0	0	0	2	3	6	3	6	5	2	4
Pancreas	C25	72	0	0	0	0	1	0	0	0	1	2	10	11	8	14	7	6	5	7
Retropertoneum & peritoneum	C48	15	0	0	0	0	0	0	0	1	0	1	2	3	2	2	2	1	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0
Larynx	C32	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	231	0	0	0	0	0	0	1	1	6	13	22	38	38	23	17	31	26	15
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Thymus, heart & mediastinum	C37-C38.3	19	0	0	0	0	1	0	0	1	2	3	2	3	1	2	0	2	0	2
Bone	C40-C41	14	0	0	1	1	0	2	1	0	0	1	3	1	2	0	1	1	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	29	1	0	0	4	2	0	1	2	2	1	1	4	2	1	5	1	2	0
Melanoma of skin	C43	4	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0
Non-melanoma skin	C44	66	0	0	0	0	0	1	1	0	1	3	5	2	8	6	10	12	11	6
Breast	C50	1137	0	0	0	0	1	9	28	47	95	165	204	191	156	116	47	47	22	9
Cervix uteri	C53	142	0	0	0	0	1	3	15	14	19	14	19	19	13	8	6	5	4	2
Placenta	C58	6	0	0	0	0	0	3	1	0	1	1	0	0	0	0	0	0	0	0
Corpus uteri	C54	302	0	0	0	1	1	6	11	19	22	49	49	55	41	22	12	9	3	2
Ovary & fallopian tube	C56-C57.0	303	0	1	2	4	12	20	8	9	18	45	54	48	36	23	10	5	5	3
Vulva & vagina	C51-C52	14	0	0	0	0	0	0	0	1	1	0	2	0	4	4	1	1	0	0
Urinary bladder	C67	16	0	0	0	0	0	0	0	0	0	1	0	5	2	2	2	2	1	1
Kidney & other urinary organs	C64-C66 & C68	71	0	0	0	1	2	0	1	0	5	3	8	10	12	11	7	7	2	2
Eye	C69	3	1	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	39	3	2	1	3	2	0	1	2	3	3	3	2	2	3	1	4	2	2
Thyroid	C73	152	0	0	1	6	13	10	17	10	13	10	14	14	7	11	4	14	5	3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	6	2	0	0	1	0	0	0	0	0	1	0	1	0	0	0	1	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	300	9	5	2	13	8	14	9	7	12	11	23	33	39	39	24	30	14	8
Myeloid neoplasms	C92-C93	106	2	0	1	0	2	4	1	10	6	8	9	12	9	11	9	9	7	6
Others & unspecified	OTH	34	0	0	0	0	0	0	1	0	1	2	3	0	3	6	5	5	4	4
All sites	ALL	3816	21	8	11	34	49	80	108	129	223	373	527	562	493	391	253	278	168	108

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	12	0	0	0	0	1	0	1	0	0	0	5	2	1	1	1	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Mouth	C03-C06	22	0	0	0	0	0	1	1	1	2	1	4	4	4	1	3	1	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	20	0	0	0	0	0	0	0	0	0	3	2	6	3	3	2	1	0
Nasopharynx	C11	3	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0
Oesophagus	C15	18	0	0	0	0	0	0	0	0	2	2	5	3	2	3	1	0	0
Stomach	C16	54	0	0	0	0	0	0	0	3	2	4	12	13	8	7	1	3	1
Small intestines	C17	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Colon	C18	19	0	0	0	0	0	0	0	2	0	3	5	3	5	1	0	0	0
Rectosigmoid & rectum	C19-C20	18	0	0	0	0	0	0	0	2	0	3	6	1	4	2	0	0	0
Anus	C21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	42	0	0	0	0	0	0	0	2	4	13	7	5	8	2	1	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	4	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0
Pancreas	C25	6	0	0	0	0	0	0	0	0	0	1	3	0	1	1	0	0	0
Retropertoneum & peritoneum	C48	3	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Larynx	C32	12	0	0	0	0	0	0	0	0	0	0	3	4	2	2	1	0	0
Lung (incl. trachea & bronchus)	C33-C34	34	0	0	0	0	1	1	1	2	2	4	8	2	9	4	1	0	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	6	0	0	2	0	1	0	0	0	2	0	0	0	1	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	6	0	0	0	0	1	0	1	0	0	2	2	0	0	0	0	0	0
Melanoma of skin	C43	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
Non-melanoma skin	C44	7	0	0	0	0	0	0	0	0	1	0	1	0	2	2	1	0	0
Breast	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Prostate	C61	8	0	0	0	0	0	0	0	0	0	0	3	0	1	2	2	0	0
Testis	C62	3	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	9	0	0	0	0	0	1	0	1	1	2	2	2	0	0	0	0	0
Urinary bladder	C67	10	0	0	0	0	0	0	0	0	2	2	2	0	1	1	1	0	1
Kidney & other urinary organs	C64-C66 & C68	7	0	0	0	0	0	0	0	0	1	1	1	0	2	0	1	1	0
Eye	C69	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Brain & CNS	C70-C72	4	0	0	1	0	1	0	0	0	1	0	0	1	0	0	0	0	0
Thyroid	C73	5	0	0	0	0	0	1	0	0	2	1	0	1	0	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	32	2	3	6	1	2	0	0	1	0	3	6	2	4	1	1	0	0
Myeloid neoplasms	C92-C93	14	0	1	1	1	0	0	0	0	3	0	4	0	2	2	0	0	0
Others & unspecified	OTH	10	0	0	0	0	1	0	0	1	0	1	3	2	1	1	0	0	0
All sites	ALL	398	3	4	10	2	6	5	4	18	26	49	86	57	62	39	17	8	2

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	20	0	0	0	0	0	0	0	0	1	0	6	3	6	4	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	3	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
Mouth	C03-C06	26	0	0	0	0	0	0	0	0	0	1	5	3	8	4	0	4	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	18	0	0	0	0	0	1	0	0	0	2	4	4	3	2	1	0	1
Nasopharynx	C11	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
Oesophagus	C15	23	0	0	0	0	0	0	0	1	1	0	4	6	7	0	3	1	0
Stomach	C16	73	0	0	0	0	1	1	5	15	3	7	5	15	14	15	5	2	0
Small intestines	C17	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Colon	C18	23	0	0	1	0	1	0	0	1	1	2	4	3	2	3	3	0	2
Rectosigmoid & rectum	C19-C20	20	0	0	0	0	0	1	0	0	1	1	2	3	6	4	2	0	0
Anus	C21	5	0	0	0	0	0	0	0	0	0	0	3	0	1	1	0	0	0
Liver & intrahepatic bile ducts	C22	44	0	2	0	0	1	0	1	1	5	7	7	7	7	5	6	2	0
Gallbladder & extrahepatic bile ducts	C23-C24	6	0	0	0	0	0	0	0	0	0	1	0	0	2	3	0	0	0
Pancreas	C25	7	0	0	0	0	0	0	0	0	0	0	2	3	1	0	0	1	0
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0
Larynx	C32	21	0	0	0	0	0	0	0	0	0	3	4	4	6	0	3	0	1
Lung (incl. trachea & bronchus)	C33-C34	65	0	0	0	0	0	0	0	0	2	11	14	7	10	14	6	1	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Bone	C40-C41	2	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	15	0	0	0	0	0	0	0	0	0	1	6	5	1	1	0	0	1
Breast	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prostate	C61	16	0	0	0	0	0	0	0	0	0	0	2	2	5	3	2	1	1
Testis	C62	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Penis & other male genital organs	C60, C63	5	0	0	0	0	0	0	0	0	1	1	2	1	0	0	0	0	0
Urinary bladder	C67	11	0	0	0	0	0	0	0	0	1	0	4	1	2	1	1	1	0
Kidney & other urinary organs	C64-C66 & C68	9	0	0	0	0	0	1	0	0	0	0	3	2	0	1	2	0	0
Eye	C69	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	6	0	1	0	0	0	0	0	0	0	1	2	0	1	1	0	0	0
Thyroid	C73	9	0	0	0	0	1	0	1	1	0	2	1	1	1	0	1	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	20	2	0	1	0	2	1	2	1	2	1	2	1	1	1	2	1	1
Myeloid neoplasms	C92-C93	13	0	1	0	1	1	1	0	0	0	4	4	1	0	0	0	0	0
Others & unspecified	OTH	22	0	1	1	0	0	0	0	1	0	0	5	2	5	5	2	0	0
All sites	ALL	498	4	7	3	4	4	5	7	11	14	45	93	79	91	69	40	15	7

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	18	0	0	0	0	0	0	0	0	1	1	2	5	2	3	3	0	1
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0
Mouth	C03-C06	16	0	0	0	0	0	0	0	0	1	0	1	4	4	2	2	2	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	24	0	0	0	0	0	0	0	0	2	1	2	3	4	5	1	4	2
Nasopharynx	C11	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Oesophagus	C15	30	0	0	0	0	0	0	0	0	0	0	5	6	4	11	3	1	0
Stomach	C16	56	0	0	0	0	1	1	1	1	3	2	4	10	14	9	6	3	1
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	24	0	0	1	0	1	0	0	1	0	1	1	4	2	5	7	1	0
Rectosigmoid & rectum	C19-C20	18	0	0	0	0	0	0	0	3	1	0	1	1	7	0	3	2	0
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Liver & intrahepatic bile ducts	C22	54	0	0	0	0	0	0	0	1	1	3	10	9	15	10	2	2	1
Gallbladder & extrahepatic bile ducts	C23-C24	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1
Pancreas	C25	11	0	0	0	0	0	1	0	0	1	1	2	2	2	1	1	0	0
Retropertoneum & peritoneum	C48	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
Larynx	C32	28	0	0	0	0	0	0	0	0	0	4	4	5	3	5	5	2	0
Lung (incl. trachea & bronchus)	C33-C34	74	0	0	0	0	0	0	1	0	1	4	8	20	14	6	14	2	4
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	7	0	0	1	0	1	1	1	1	0	0	1	0	1	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	3	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	4	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	0
Non-melanoma skin	C44	7	0	1	0	0	0	0	0	0	0	2	0	0	2	2	0	0	0
Breast	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prostate	C61	26	0	0	0	0	0	0	0	0	0	0	0	3	7	6	4	5	1
Testis	C62	3	0	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	5	0	0	0	0	0	0	0	0	0	1	1	2	1	0	0	0	0
Urinary bladder	C67	20	1	0	0	0	1	0	1	0	0	0	3	2	3	4	5	0	0
Kidney & other urinary organs	C64-C66 & C68	8	0	0	0	0	0	0	0	0	0	0	3	1	3	0	0	1	0
Eye	C69	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	5	0	1	0	0	0	2	0	0	0	1	0	0	0	1	0	0	0
Thyroid	C73	5	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	35	0	0	0	1	2	0	2	2	1	3	1	3	10	4	1	5	0
Myeloid neoplasms	C92-C93	22	1	1	0	0	1	1	1	0	3	2	1	7	1	2	0	1	1
Others & unspecified	OTH	17	0	0	0	0	0	0	1	0	1	1	2	5	2	3	0	1	1
All sites	ALL	537	4	4	3	2	8	6	11	9	19	28	54	94	105	84	60	32	14

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	23	0	0	0	0	0	1	0	0	0	1	2	8	3	6	2	0	0
Major salivary gland (incl. parotid gland)	C07-C08	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Mouth	C03-C06	26	0	0	0	0	0	0	0	0	0	0	6	4	9	4	2	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	13	0	0	0	0	0	0	0	0	0	2	3	2	2	1	1	2	0
Nasopharynx	C11	5	0	0	0	0	0	1	1	0	0	1	0	0	2	0	0	0	0
Oesophagus	C15	16	0	0	0	0	0	0	0	0	0	0	2	3	6	3	1	0	1
Stomach	C16	70	0	0	0	0	0	0	0	2	3	3	5	11	14	20	7	2	3
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	36	0	0	0	0	1	0	1	0	0	1	0	10	7	7	4	4	1
Rectosigmoid & rectum	C19-C20	36	0	0	0	0	1	0	1	0	0	0	5	7	10	4	5	1	2
Anus	C21	4	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	0	0
Liver & intrahepatic bile ducts	C22	40	0	0	0	0	0	0	0	1	1	1	4	7	5	9	6	5	1
Gallbladder & extrahepatic bile ducts	C23-C24	6	0	0	0	0	0	0	0	1	1	0	1	2	0	1	0	0	0
Pancreas	C25	17	0	0	0	0	0	0	1	0	0	0	4	4	2	3	3	0	0
Retropertoneum & peritoneum	C48	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
Larynx	C32	39	0	0	0	0	0	0	0	1	0	1	2	9	10	3	6	5	2
Lung (incl. trachea & bronchus)	C33-C34	92	0	0	0	0	0	0	0	1	3	4	6	14	22	20	9	9	4
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Bone	C40-C41	2	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Non-melanoma skin	C44	9	0	0	0	0	0	1	0	1	0	1	1	1	1	1	2	0	0
Breast	C50	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Prostate	C61	41	0	0	0	0	0	0	0	0	0	1	1	5	6	11	8	8	1
Testis	C62	5	1	0	0	0	1	1	0	0	1	0	0	0	0	1	0	0	0
Penis & other male genital organs	C60, C63	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0
Urinary bladder	C67	21	0	0	0	0	1	0	0	0	1	0	2	5	1	5	3	1	2
Kidney & other urinary organs	C64 - C66 & C68	11	0	0	0	0	0	0	0	0	0	2	0	2	2	1	2	2	0
Eye	C69	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Brain & CNS	C70-C72	10	0	0	0	0	1	1	0	0	0	0	0	1	4	1	1	1	0
Thyroid	C73	7	0	0	0	0	1	0	0	0	0	1	0	1	2	1	1	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	45	3	1	1	1	3	2	1	1	2	1	2	6	2	9	5	3	2
Myeloid neoplasms	C92-C93	14	1	0	0	1	3	1	1	0	0	0	1	2	1	1	1	1	0
Others & unspecified	OTH	19	0	0	0	0	0	0	0	0	0	0	1	6	4	3	4	0	1
All sites	ALL	622	5	1	1	2	11	8	7	9	14	24	49	115	118	117	74	46	21

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	16	0	0	0	0	0	0	0	0	0	0	5	6	1	3	0	0	1
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Mouth	C03-C06	22	0	0	0	0	0	0	0	0	0	1	0	3	5	7	5	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	16	0	0	0	1	0	0	1	0	1	0	3	1	0	5	3	1	0
Nasopharynx	C11	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Oesophagus	C15	31	0	0	0	0	0	0	0	0	1	0	2	4	6	10	3	2	3
Stomach	C16	57	0	0	0	0	0	2	0	0	2	1	4	8	15	6	11	5	3
Small intestines	C17	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
Colon	C18	41	0	0	0	0	0	1	2	1	2	2	3	3	6	6	7	3	5
Rectosigmoid & rectum	C19-C20	31	0	0	0	0	0	0	0	1	2	1	4	4	8	4	3	2	2
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	39	0	0	0	0	0	0	0	0	1	0	1	5	7	12	9	4	0
Gallbladder & extrahepatic bile ducts	C23-C24	8	0	0	0	0	0	0	0	0	0	0	0	0	3	4	1	0	0
Pancreas	C25	9	0	0	0	0	0	0	0	0	0	1	2	0	2	1	2	1	0
Retropertoneum & peritoneum	C48	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	4	0	0	0	1	0	0	0	0	1	0	0	0	0	1	0	1	0
Larynx	C32	29	0	0	0	0	0	0	0	1	1	2	0	2	4	10	7	1	1
Lung (incl. trachea & bronchus)	C33-C34	83	0	0	0	0	0	0	1	1	2	4	6	8	16	25	8	9	3
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	8	0	0	1	1	1	0	0	0	0	0	1	0	1	1	0	0	1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	4	1	0	0	0	1	0	0	0	0	0	1	1	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	17	0	0	0	0	0	0	0	0	1	1	3	0	2	2	2	3	3
Breast	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Prostate	C61	43	0	0	0	0	0	0	0	0	0	0	0	5	7	9	8	9	5
Testis	C62	13	0	0	0	0	4	2	0	4	1	1	0	0	0	1	0	0	0
Penis & other male genital organs	C60, C63	6	0	0	0	0	0	0	0	0	0	0	1	0	0	4	0	1	0
Urinary bladder	C67	23	0	0	0	0	1	0	1	2	1	1	1	2	2	5	3	1	3
Kidney & other urinary organs	C64 - C66 & C68	17	0	0	0	0	0	0	0	0	0	3	1	2	4	2	2	3	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	9	0	3	0	0	0	0	0	0	1	1	1	1	1	1	0	0	0
Thyroid	C73	6	0	0	0	0	1	0	0	1	0	0	1	1	1	0	1	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	49	1	0	2	4	1	2	1	7	3	2	5	8	4	8	0	0	1
Myeloid neoplasms	C92-C93	10	0	0	0	0	0	0	1	0	1	0	1	0	4	1	0	2	0
Others & unspecified	OTH	24	0	0	0	0	0	0	2	1	0	1	0	4	3	6	4	2	1
All sites	ALL	625	2	3	3	7	9	8	9	19	21	22	48	69	105	135	82	50	33

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	17	0	0	0	0	0	0	0	1	1	1	1	1	4	2	4	2	0	0
Major salivary gland (incl. parotid gland)	C07-C08	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0
Mouth	C03-C06	24	0	0	0	0	0	0	0	1	1	1	2	3	2	3	4	4	2	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	15	0	0	0	0	0	0	0	0	0	1	2	2	2	2	5	1	0	0
Nasopharynx	C11	9	0	0	0	0	0	0	2	0	1	0	2	0	2	1	0	0	0	0
Oesophagus	C15	20	0	0	0	0	0	0	1	0	0	0	2	0	5	4	3	2	2	1
Stomach	C16	57	0	0	0	0	0	1	2	0	2	3	5	4	7	8	9	9	6	1
Small intestines	C17	6	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	0	2
Colon	C18	35	0	0	0	0	0	0	0	1	4	1	4	4	4	6	6	4	0	1
Rectosigmoid & rectum	C19-C20	33	0	0	0	0	0	1	2	4	1	1	1	1	4	6	5	5	3	0
Anus	C21	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	49	1	0	0	0	0	1	0	1	3	2	3	3	6	8	8	9	4	2
Gallbladder & extrahepatic bile ducts	C23-C24	9	0	0	0	0	0	0	0	1	0	1	0	0	1	3	3	0	0	0
Pancreas	C25	16	0	0	0	0	0	0	0	1	0	0	3	1	3	3	3	2	0	0
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	1	0	0
Larynx	C32	37	0	0	0	0	1	0	0	0	2	2	2	3	5	5	11	4	1	1
Lung (incl. trachea & bronchus)	C33-C34	74	0	0	0	0	0	0	0	2	4	3	7	3	10	18	14	10	2	1
Pleura	C38.4	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Bone	C40-C41	3	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	7	1	0	0	0	0	0	0	1	3	1	0	0	1	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	23	0	0	0	0	0	0	1	0	1	1	2	0	4	3	5	3	3	0
Breast	C50	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
Prostate	C61	69	0	0	0	0	0	0	0	0	0	0	0	3	10	16	16	15	7	2
Testis	C62	6	0	0	0	2	1	1	1	0	0	1	0	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	5	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0	0	0
Urinary bladder	C67	33	0	0	0	0	0	0	1	0	4	3	0	2	6	8	4	0	3	2
Kidney & other urinary organs	C64 - C66 & C68	16	1	0	0	0	0	0	0	0	3	1	5	1	0	2	3	0	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	14	1	3	0	1	0	0	1	0	0	1	2	2	0	1	0	0	1	1
Thyroid	C73	9	0	0	0	0	1	0	2	0	2	1	2	0	0	0	0	1	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	56	1	3	3	4	3	3	5	3	5	3	3	3	3	7	2	4	1	0
Myeloid neoplasms	C92-C93	21	1	0	1	0	1	3	1	1	0	0	2	1	1	2	4	0	1	2
Others & unspecified	OTH	16	0	0	0	0	0	0	0	0	0	1	1	2	0	4	6	2	0	0
All sites	ALL	694	6	7	5	7	7	9	18	17	41	31	51	42	85	115	118	79	39	17

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	12	0	0	0	0	0	0	0	0	0	0	5	1	2	1	0	2	0	1
Major salivary gland (incl. parotid gland)	C07-C08	4	0	0	0	0	1	1	1	0	0	0	0	0	0	0	1	0	0	0
Mouth	C03-C06	21	0	0	0	0	1	0	1	1	1	2	4	5	0	1	1	4	1	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	18	0	0	0	0	0	0	0	0	0	2	3	2	3	4	2	2	0	0
Nasopharynx	C11	14	0	0	0	0	0	0	0	2	2	4	2	1	1	0	0	1	0	1
Oesophagus	C15	25	0	0	0	0	0	0	0	0	0	0	2	3	2	7	7	1	2	1
Stomach	C16	62	0	0	0	0	1	0	0	3	0	2	6	3	6	12	14	6	5	4
Small intestines	C17	4	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0
Colon	C18	61	0	0	0	0	1	0	4	1	3	4	3	5	9	5	15	6	3	2
Rectosigmoid & rectum	C19-C20	56	0	0	0	1	0	0	0	0	3	5	7	8	7	8	8	2	2	5
Anus	C21	4	0	0	0	0	0	0	0	0	0	2	1	0	0	0	1	0	0	0
Liver & intrahepatic bile ducts	C22	60	0	0	0	2	0	0	0	0	1	3	2	7	6	12	7	10	8	2
Gallbladder & extrahepatic bile ducts	C23-C24	17	0	0	0	0	0	0	0	1	2	0	2	3	2	3	3	0	1	0
Pancreas	C25	21	0	0	0	0	0	0	0	0	1	0	3	2	3	4	0	3	3	2
Retropertoneum & peritoneum	C48	4	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Larynx	C32	19	0	0	0	0	0	0	0	0	1	3	0	0	2	5	3	3	1	1
Lung (incl. trachea & bronchus)	C33-C34	94	0	0	0	0	0	0	0	5	2	2	11	13	12	16	10	13	7	3
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	5	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1	1	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	12	2	0	0	2	1	2	0	0	2	2	0	0	0	0	1	0	0	0
Melanoma of skin	C43	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
Non-melanoma skin	C44	16	0	0	0	0	0	0	2	2	2	1	0	1	2	0	1	4	0	1
Breast	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Prostate	C61	86	0	0	0	0	0	0	0	0	0	0	3	4	14	14	19	10	8	0
Testis	C62	7	2	0	0	0	2	0	1	1	0	1	0	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	0	0
Urinary bladder	C67	35	0	0	0	0	0	0	0	1	2	3	4	4	2	8	4	4	3	0
Kidney & other urinary organs	C64-C66 & C68	15	1	0	0	0	0	1	0	0	1	1	1	0	2	4	1	2	1	0
Eye	C69	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	17	1	1	0	0	0	3	0	1	1	0	4	4	0	2	0	0	0	0
Thyroid	C73	13	0	0	0	0	0	1	0	3	3	1	1	0	2	1	1	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	59	5	3	5	2	2	2	1	2	3	3	2	4	5	3	9	4	2	2
Myeloid neoplasms	C92-C93	23	1	0	1	1	1	0	1	3	2	2	3	0	3	2	1	0	2	0
Others & unspecified	OTH	28	0	0	0	0	0	0	0	0	1	1	3	4	5	5	1	5	2	1
All sites	ALL	826	14	4	7	8	8	11	11	26	34	46	75	77	94	118	110	95	53	35

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	23	0	0	0	0	0	0	0	0	0	1	3	2	2	3	3	3	2	4
Major salivary gland (incl. parotid gland)	C07-C08	5	0	1	1	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0
Mouth	C03-C06	17	0	0	0	0	0	0	0	0	0	0	4	4	3	1	4	1	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	17	0	0	0	0	0	0	0	0	1	4	1	1	3	3	2	1	1	0
Nasopharynx	C11	8	0	0	2	0	0	0	0	1	0	0	3	1	1	0	0	0	0	0
Oesophagus	C15	16	0	0	0	0	0	0	0	0	0	0	5	1	2	0	3	2	3	0
Stomach	C16	70	0	0	0	0	0	0	0	1	2	6	6	7	3	14	11	12	4	4
Small intestines	C17	4	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0
Colon	C18	58	0	0	0	0	0	0	2	1	4	1	3	5	9	6	11	6	5	5
Rectosigmoid & rectum	C19-C20	71	0	0	0	0	0	1	1	3	6	6	8	11	9	7	12	7	2	4
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Liver & intrahepatic bile ducts	C22	69	0	0	0	0	0	0	0	0	0	3	4	13	7	12	6	17	7	0
Gallbladder & extrahepatic bile ducts	C23-C24	16	0	0	0	0	0	0	0	0	0	2	0	3	2	0	4	2	1	2
Pancreas	C25	31	0	0	0	0	0	1	0	3	0	4	4	6	4	2	5	3	3	0
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0
Larynx	C32	22	0	0	0	0	0	0	0	0	0	3	2	4	2	5	1	4	0	1
Lung (incl. trachea & bronchus)	C33-C34	125	0	0	0	0	1	0	0	5	6	6	13	15	16	17	20	15	10	7
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
Bone	C40-C41	8	0	0	2	0	1	0	0	0	2	0	0	1	1	0	0	0	1	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	5	0	0	1	0	0	0	0	0	1	0	1	1	0	0	0	0	1	0
Melanoma of skin	C43	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
Non-melanoma skin	C44	26	0	0	0	0	1	0	0	1	1	1	1	7	3	6	0	1	2	2
Breast	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Prostate	C61	117	0	0	0	0	0	0	0	0	0	1	3	11	10	16	30	28	11	7
Testis	C62	8	0	0	0	1	1	2	0	0	1	1	0	1	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0
Urinary bladder	C67	41	0	0	0	0	0	1	0	2	4	2	4	4	2	8	5	7	4	2
Kidney & other urinary organs	C64 - C66 & C68	37	0	0	0	1	0	0	0	0	4	3	2	7	4	8	2	6	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	21	1	1	0	1	0	0	1	1	3	1	3	1	5	2	0	1	0	0
Thyroid	C73	11	0	0	0	1	0	0	1	1	0	1	1	1	1	4	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	4	0	0	0	0	0	0	1	2	0	0	0	1	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	86	8	4	3	2	3	5	2	3	2	9	9	9	5	6	7	6	2	1
Myeloid neoplasms	C92-C93	35	1	1	0	0	0	5	0	5	3	4	5	1	2	2	3	2	0	1
Others & unspecified	OTH	30	1	0	0	0	1	0	1	0	1	0	1	3	3	6	6	2	3	2
All sites	ALL	994	11	7	9	5	7	14	12	19	38	57	89	124	100	130	137	131	62	42

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	19	0	0	0	0	0	0	1	0	2	1	3	2	4	1	2	0	2	1
Major salivary gland (incl. parotid gland)	C07-C08	4	0	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1
Mouth	C03-C06	20	0	0	0	0	1	0	0	1	3	2	4	2	3	1	0	1	1	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	20	0	0	0	0	0	0	0	0	1	0	3	3	5	1	3	1	3	0
Nasopharynx	C11	12	0	0	0	0	0	0	0	1	2	2	3	3	0	1	0	0	0	0
Oesophagus	C15	23	0	0	0	0	0	0	0	0	0	2	3	6	3	3	1	2	1	2
Stomach	C16	78	0	0	0	0	1	0	0	1	5	3	8	14	8	6	10	9	9	4
Small intestines	C17	12	0	0	0	0	0	0	0	2	3	1	1	0	2	1	2	0	0	0
Colon	C18	103	0	0	0	0	0	1	2	3	2	9	13	12	16	12	11	8	8	6
Rectosigmoid & rectum	C19-C20	74	0	0	0	0	0	0	0	1	8	3	8	18	12	5	5	10	2	2
Anus	C21	12	0	0	0	0	0	0	1	0	0	0	3	1	1	2	3	0	1	0
Liver & intrahepatic bile ducts	C22	82	1	0	1	0	0	0	0	1	2	2	13	13	12	7	9	12	7	2
Gallbladder & extrahepatic bile ducts	C23-C24	10	0	0	0	0	0	0	0	0	0	0	3	2	0	0	1	1	1	2
Pancreas	C25	33	0	0	0	0	0	0	0	1	1	1	3	9	6	2	1	5	3	1
Retropertoneum & peritoneum	C48	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	6	0	0	0	0	0	0	0	1	1	3	0	0	1	0	0	0	0	0
Larynx	C32	29	0	0	0	0	0	0	0	0	1	0	2	4	10	3	3	2	3	1
Lung (incl. trachea & bronchus)	C33-C34	151	0	0	0	0	0	0	2	0	5	8	9	20	18	15	28	21	17	8
Pleura	C38.4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0
Thymus, heart & mediastinum	C37-C38.3	9	0	0	0	0	0	0	2	1	0	1	1	1	0	1	1	1	0	0
Bone	C40-C41	8	1	0	0	2	0	0	0	1	2	1	1	0	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	18	1	0	1	0	0	0	0	2	1	1	3	0	1	2	3	2	0	1
Melanoma of skin	C43	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
Non-melanoma skin	C44	20	0	0	0	0	0	0	1	0	2	1	1	2	3	2	3	5	0	0
Breast	C50	3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1
Prostate	C61	158	0	0	0	1	0	0	0	0	1	2	5	11	24	23	35	29	12	15
Testis	C62	13	0	0	0	0	6	1	2	1	0	2	1	0	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	5	0	0	0	0	0	0	0	1	1	1	0	0	1	1	0	0	0	0
Urinary bladder	C67	42	0	0	0	0	0	0	0	1	1	5	3	4	7	8	6	5	2	0
Kidney & other urinary organs	C64-C66 & C68	47	1	0	0	0	0	0	0	0	1	5	5	8	5	8	2	7	5	0
Eye	C69	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	27	3	3	2	0	0	0	1	3	1	4	3	2	1	2	1	1	0	0
Thyroid	C73	21	0	0	0	0	0	0	4	3	2	4	3	1	1	2	1	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	5	1	1	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	151	7	6	5	3	5	7	7	10	12	6	14	17	16	6	11	12	4	3
Myeloid neoplasms	C92-C93	47	1	0	0	0	1	0	1	2	4	5	2	5	6	2	7	4	4	3
Others & unspecified	OTH	14	0	0	0	0	0	0	0	1	0	2	0	0	2	1	1	3	2	2
All sites	ALL	1284	16	10	9	7	14	10	25	39	67	79	123	161	168	119	150	143	88	56

Appendix B7: Number of cases by primary site and five-year age group for Indian males, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	20	0	0	0	0	0	1	1	0	0	0	3	2	6	1	3	2	1	0
Major salivary gland (incl. parotid gland)	C07-C08	3	0	0	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0
Mouth	C03-C06	22	0	0	0	0	0	0	0	0	2	1	1	4	2	6	1	3	2	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	28	0	0	0	0	0	0	0	1	1	1	3	5	5	4	1	2	3	2
Nasopharynx	C11	14	0	0	0	0	0	0	0	0	1	3	1	3	3	2	1	0	0	0
Oesophagus	C15	25	0	0	0	0	0	0	0	0	0	1	3	5	4	6	2	1	1	2
Stomach	C16	77	0	0	1	0	0	2	4	4	12	7	9	7	10	6	4	7	4	4
Small intestines	C17	20	0	0	0	0	0	0	0	1	2	1	4	4	2	3	0	1	1	1
Colon	C18	124	0	0	1	1	0	3	0	2	7	6	13	22	11	17	17	6	8	10
Rectosigmoid & rectum	C19-C20	98	0	0	0	0	2	0	2	2	10	14	14	13	16	13	10	6	8	2
Anus	C21	5	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0	0	0
Liver & intrahepatic bile ducts	C22	124	0	0	0	0	0	0	1	2	5	17	14	25	21	12	12	7	8	8
Gallbladder & extrahepatic bile ducts	C23-C24	21	0	0	0	0	0	0	0	0	0	0	1	1	6	2	3	3	1	4
Pancreas	C25	47	0	0	0	1	0	0	0	1	2	7	7	7	8	2	5	3	3	3
Retropertoneum & peritoneum	C48	3	0	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	9	1	0	0	0	0	1	1	1	2	0	0	2	0	1	0	0	1	0
Larynx	C32	32	0	0	0	0	0	0	0	0	1	3	4	3	10	4	2	5	0	0
Lung (incl. trachea & bronchus)	C33-C34	194	0	0	0	0	1	1	1	1	8	10	30	29	32	30	17	16	18	18
Pleura	C38.4	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	8	0	0	1	0	0	0	0	1	0	1	0	4	0	1	0	0	0	0
Bone	C40-C41	7	0	0	1	0	3	0	0	1	1	0	0	1	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	26	1	0	1	2	0	1	1	1	1	1	4	2	3	4	2	1	1	0
Melanoma of skin	C43	4	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	0	0
Non-melanoma skin	C44	28	0	0	1	0	0	0	0	0	2	1	2	4	1	3	4	2	3	5
Breast	C50	6	0	0	0	0	0	0	0	0	0	3	0	1	1	0	0	1	0	0
Prostate	C61	201	0	0	0	0	0	0	0	0	2	4	10	18	29	41	35	23	26	13
Testis	C62	25	0	0	0	3	6	5	5	1	2	1	1	1	0	0	0	0	0	0
Penis & other male genital organs	C60, C63	6	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	0	1	0
Urinary bladder	C67	39	0	0	0	0	0	0	0	1	1	4	3	3	6	4	4	5	2	6
Kidney & other urinary organs	C64 - C66 & C68	73	0	1	0	0	0	1	1	1	9	10	7	12	6	12	4	4	2	4
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	37	2	1	0	1	2	1	1	1	5	4	5	6	3	1	2	0	1	1
Thyroid	C73	28	0	0	0	2	0	0	3	2	3	2	2	5	2	5	1	0	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	158	7	5	5	1	3	1	8	2	11	17	17	14	18	13	11	7	13	5
Myeloid neoplasms	C92-C93	60	0	0	1	0	2	2	5	6	3	7	7	5	6	3	4	6	10	0
Others & unspecified	OTH	27	0	0	0	0	0	0	0	0	1	3	3	4	4	3	0	3	4	2
All sites	ALL	1603	11	7	12	11	14	16	28	32	67	107	151	211	209	230	162	116	128	91

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 1968-1972

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	3	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	C03-C06	12	0	0	0	0	0	0	0	1	1	2	2	1	4	0	0	0	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Nasopharynx	C11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	C15	6	0	0	0	0	0	0	0	0	2	1	2	0	0	0	1	0	0	0
Stomach	C16	16	0	0	0	0	0	0	0	2	2	1	4	1	1	3	1	1	0	0
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	10	0	0	1	0	0	0	0	0	1	3	0	1	2	1	0	0	0	1
Rectosigmoid & rectum	C19-C20	7	0	0	0	0	0	0	0	0	2	2	0	3	0	0	0	0	0	0
Anus	C21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	6	0	0	0	0	1	0	0	0	0	1	2	0	0	2	0	0	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Pancreas	C25	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	C32	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	5	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	0	0	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Non-melanoma skin	C44	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
Breast	C50	25	0	0	0	0	0	1	3	3	5	3	2	3	1	1	2	0	0	1
Cervix uteri	C53	26	0	0	0	0	0	0	1	1	3	6	4	4	3	2	0	2	0	0
Placenta	C58	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	5	0	0	0	0	0	0	1	2	0	0	1	1	0	0	0	0	0	0
Ovary & fallopian tube	C56-C57.0	6	0	0	0	0	0	0	0	0	2	1	0	2	0	1	0	0	0	0
Vulva & vagina	C51-C52	3	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0
Urinary bladder	C67	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Kidney & other urinary organs	C64-C66 & C68	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Thyroid	C73	9	0	0	0	0	1	1	1	0	1	1	1	0	1	1	0	0	0	1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	6	1	2	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0
Myeloid neoplasms	C92-C93	3	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0
Others & unspecified	OTH	4	0	0	1	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0
All sites	ALL	168	2	2	3	1	4	2	8	12	21	23	21	23	15	11	11	5	4	0

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 1973-1977

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	C03-C06	8	0	0	0	0	0	1	0	1	0	1	0	2	2	0	1	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	0	0
Nasopharynx	C11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	C15	9	0	0	0	0	0	1	1	1	1	1	1	0	3	1	0	0	0
Stomach	C16	12	0	0	0	0	0	0	1	2	3	3	1	1	3	0	0	1	0
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	4	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0
Rectosigmoid & rectum	C19-C20	8	0	0	0	0	1	0	1	1	0	0	2	1	1	1	0	0	0
Anus	C21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	9	0	0	0	0	0	0	1	0	0	5	1	2	0	0	0	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Pancreas	C25	5	0	0	0	0	0	0	0	0	1	0	2	1	1	0	0	0	0
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Larynx	C32	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	9	0	0	0	0	0	1	0	1	1	3	1	0	0	0	1	0	1
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	3	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	4	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	6	0	0	0	0	0	1	0	1	1	1	0	1	0	0	0	1	0
Breast	C50	41	0	0	0	0	1	0	2	5	5	11	4	5	4	2	1	1	0
Cervix uteri	C53	37	0	0	0	0	0	1	3	3	8	8	8	7	4	1	2	0	0
Placenta	C58	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	11	0	0	0	0	1	0	2	0	0	0	3	4	0	1	0	0	0
Ovary & fallopian tube	C56-C57.0	12	0	1	0	0	0	1	0	1	1	0	2	4	2	0	0	0	0
Vulva & vagina	C51-C52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Urinary bladder	C67	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Kidney & other urinary organs	C64-C66 & C68	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Thyroid	C73	10	0	0	0	1	2	1	0	2	0	3	0	0	1	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8	2	1	1	0	0	0	0	0	1	1	1	1	0	0	0	1	0
Myeloid neoplasms	C92-C93	4	0	0	0	1	0	0	1	1	0	0	0	0	0	1	0	0	0
Others & unspecified	OTH	9	0	0	0	0	1	0	2	2	2	0	0	2	0	1	0	1	0
All sites	ALL	222	4	2	1	4	6	7	10	22	19	39	28	33	24	9	6	6	2

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 1978-1982

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	6	0	0	0	0	1	0	0	0	0	0	2	1	2	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
Mouth	C03-C06	13	0	0	0	0	0	0	0	1	0	4	1	2	2	0	2	0	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	7	0	0	0	0	0	0	0	0	1	0	2	1	1	2	0	0	0
Nasopharynx	C11	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Oesophagus	C15	6	0	0	0	0	0	0	0	0	1	1	1	1	0	1	0	1	0
Stomach	C16	21	0	0	0	0	0	1	0	1	3	1	0	2	4	5	1	3	0
Small intestines	C17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colon	C18	21	0	0	0	1	2	0	1	0	1	1	0	5	4	2	1	0	3
Rectosigmoid & rectum	C19-C20	15	0	0	0	0	0	0	1	0	2	2	2	3	1	2	1	0	1
Anus	C21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	4	0	0	0	0	0	0	0	0	0	1	0	2	1	0	0	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	4	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0
Pancreas	C25	4	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0
Retropertoneum & peritoneum	C48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	C32	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
Lung (incl. trachea & bronchus)	C33-C34	8	0	0	0	0	0	0	0	0	0	1	1	2	2	0	2	0	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Bone	C40-C41	4	0	0	0	1	1	0	0	0	1	0	0	0	0	0	1	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	3	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	8	0	0	0	0	0	0	1	0	1	2	1	0	1	2	0	0	0
Breast	C50	53	0	0	0	1	0	2	2	3	6	12	6	8	7	4	0	0	2
Cervix uteri	C53	54	0	0	0	0	0	1	1	4	6	10	10	10	5	4	1	2	0
Placenta	C58	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	6	0	0	0	0	0	0	0	0	0	1	1	2	0	2	0	0	0
Ovary & fallopian tube	C56-C57.0	12	0	0	1	0	0	1	1	1	3	0	4	1	0	0	0	0	0
Vulva & vagina	C51-C52	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Urinary bladder	C67	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
Kidney & other urinary organs	C64-C66 & C68	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	5	0	0	0	2	0	0	0	2	0	0	0	0	0	0	1	0	0
Thyroid	C73	5	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8	0	0	0	0	0	0	1	0	3	2	0	2	0	0	0	0	0
Myeloid neoplasms	C92-C93	6	0	0	1	1	0	0	0	0	0	0	0	0	0	2	0	0	0
Others & unspecified	OTH	11	0	0	0	0	0	2	0	0	0	0	3	1	4	0	1	0	0
All sites	ALL	298	1	0	3	8	5	10	9	17	29	39	39	47	36	30	11	7	7

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 1983-1987

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	6	0	0	0	0	0	0	0	0	0	0	3	0	1	1	1	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Mouth	C03-C06	10	0	0	0	0	0	0	0	0	0	0	1	1	3	2	3	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Nasopharynx	C11	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	C15	8	0	0	0	0	0	0	0	0	1	1	2	2	1	0	1	0	0
Stomach	C16	17	0	0	0	0	1	0	0	0	0	3	0	3	4	4	1	0	1
Small intestines	C17	4	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0
Colon	C18	17	0	0	0	0	0	0	0	4	0	1	0	2	4	2	0	2	2
Rectosigmoid & rectum	C19-C20	10	0	0	0	0	0	0	0	1	0	2	1	0	1	2	1	1	1
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	6	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	1	2
Gallbladder & extrahepatic bile ducts	C23-C24	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0
Pancreas	C25	3	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	0	0
Retropertoneum & peritoneum	C48	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Larynx	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Lung (incl. trachea & bronchus)	C33-C34	10	0	0	0	0	0	0	0	0	1	1	0	1	3	0	3	1	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	4	1	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Non-melanoma skin	C44	5	0	0	0	0	0	0	1	0	0	1	1	0	0	1	1	0	0
Breast	C50	88	0	0	0	0	1	2	5	13	6	13	15	11	11	6	4	0	1
Cervix uteri	C53	36	0	0	0	0	2	1	1	5	5	11	4	4	1	1	2	0	0
Placenta	C58	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Corpus uteri	C54	9	0	0	0	0	0	1	1	1	1	0	1	2	3	0	0	0	0
Ovary & fallopian tube	C56-C57.0	29	1	0	0	0	1	2	0	8	2	5	3	3	2	0	0	2	0
Vulva & vagina	C51-C52	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0
Urinary bladder	C67	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0
Kidney & other urinary organs	C64-C66 & C68	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	7	0	1	1	0	1	1	1	0	0	0	0	1	0	1	0	0	0
Thyroid	C73	17	0	0	0	1	0	2	2	5	2	1	0	1	1	0	0	0	2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	20	3	2	2	0	1	1	2	1	1	0	1	1	2	1	0	1	2
Myeloid neoplasms	C92-C93	5	0	0	0	0	0	0	0	0	0	0	0	0	3	2	0	0	0
Others & unspecified	OTH	9	0	0	0	1	0	1	0	0	1	0	1	0	3	0	1	1	0
All sites	ALL	345	5	3	3	4	9	12	13	39	22	43	38	39	47	24	23	11	10

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 1988-1992

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-
Lip	C00	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Tongue	C01-C02	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	3	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	1
Mouth	C03-C06	13	0	0	0	0	1	1	0	0	0	1	2	0	3	4	0	1	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	5	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	1	0
Nasopharynx	C11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Oesophagus	C15	12	0	0	0	0	0	0	0	0	1	0	1	4	3	2	1	0	0
Stomach	C16	23	0	0	0	0	0	0	0	3	2	2	2	5	1	4	1	2	1
Small intestines	C17	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Colon	C18	18	0	0	0	0	0	0	1	1	1	3	3	2	3	2	2	0	0
Rectosigmoid & rectum	C19-C20	15	0	0	0	0	0	1	0	1	0	1	0	1	1	4	6	0	0
Anus	C21	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
Liver & intrahepatic bile ducts	C22	6	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	1
Gallbladder & extrahepatic bile ducts	C23-C24	5	0	0	0	0	0	0	0	0	1	1	2	0	1	0	0	0	0
Pancreas	C25	4	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0
Retropertoneum & peritoneum	C48	2	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
Larynx	C32	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
Lung (incl. trachea & bronchus)	C33-C34	12	0	0	0	0	0	0	0	0	2	2	1	2	1	1	3	0	0
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	3	0	1	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	12	0	0	0	0	0	0	0	1	0	1	0	1	5	1	2	1	0
Breast	C50	118	0	0	0	0	0	2	4	12	21	13	15	16	13	10	8	2	2
Cervix uteri	C53	32	0	0	0	0	0	0	1	4	7	4	6	4	1	1	2	2	0
Placenta	C58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	20	0	0	0	0	0	0	1	2	1	1	2	4	5	0	3	0	1
Ovary & fallopian tube	C56-C57.0	28	0	0	0	0	1	2	2	1	2	2	6	6	2	2	2	0	0
Vulva & vagina	C51-C52	2	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
Urinary bladder	C67	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0
Kidney & other urinary organs	C64-C66 & C68	9	0	0	0	0	1	0	0	0	1	1	0	1	2	1	1	1	0
Eye	C69	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Brain & CNS	C70-C72	7	1	0	0	0	0	0	0	0	0	1	2	0	1	1	1	0	0
Thyroid	C73	17	0	0	1	0	0	1	1	3	5	1	2	2	1	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	20	1	1	0	0	0	1	0	2	1	1	1	3	2	2	3	0	2
Myeloid neoplasms	C92-C93	12	1	1	0	1	0	0	0	1	1	1	2	1	2	1	0	0	0
Others & unspecified	OTH	10	0	0	0	0	0	0	1	1	0	1	0	2	1	2	1	0	1
All sites	ALL	427	3	3	1	2	4	10	15	33	46	38	50	60	55	42	39	17	9

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 1993-1997

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	4	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	3	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0
Mouth	C03-C06	19	0	0	0	0	0	0	0	0	0	1	1	7	2	2	4	1	0	1	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	5	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0	1	0	0	0
Nasopharynx	C11	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	C15	7	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2	0	0	0	0
Stomach	C16	25	0	0	0	0	0	1	1	2	1	3	2	1	1	5	4	1	1	1	2
Small intestines	C17	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Colon	C18	35	0	0	0	0	0	1	0	2	0	6	0	6	3	7	6	0	0	4	0
Rectosigmoid & rectum	C19-C20	23	0	0	0	0	0	0	0	0	2	3	2	2	5	4	2	2	1	0	0
Anus	C21	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	7	0	0	0	0	0	1	0	0	1	0	0	1	1	1	1	1	0	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	11	0	0	0	0	0	0	1	0	0	1	1	0	3	4	0	1	0	0	0
Pancreas	C25	10	0	0	0	0	0	0	0	0	0	0	2	0	3	1	2	0	1	1	1
Retropertoneum & peritoneum	C48	4	0	0	1	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0
Larynx	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	17	0	0	0	0	0	0	0	0	1	1	1	3	2	1	2	3	1	2	2
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	5	0	0	0	0	0	0	1	0	1	0	1	0	1	1	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	17	0	0	0	1	0	0	0	1	2	2	1	2	2	1	1	2	1	1	1
Breast	C50	187	0	0	0	0	1	0	11	14	29	30	16	25	25	14	13	6	3	0	0
Cervix uteri	C53	38	0	0	0	0	0	0	0	6	3	2	2	10	5	4	4	1	1	0	0
Placenta	C58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	35	0	0	0	0	0	0	3	5	1	3	4	6	3	5	3	2	0	0	0
Ovary & fallopian tube	C56-C57.0	51	1	0	0	0	1	3	5	5	0	10	10	4	5	4	3	0	0	0	0
Vulva & vagina	C51-C52	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Urinary bladder	C67	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	1	1
Kidney & other urinary organs	C64-C66 & C68	9	0	0	0	0	0	0	0	0	0	0	2	0	3	2	1	1	0	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	6	1	1	0	0	1	1	0	0	0	0	1	0	0	1	0	0	0	0	0
Thyroid	C73	22	0	0	0	0	1	5	1	5	4	3	2	0	0	1	0	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	24	2	0	0	0	0	1	2	2	3	1	1	3	4	2	2	1	0	0	0
Myeloid neoplasms	C92-C93	13	0	0	0	0	1	0	0	1	3	1	1	1	1	0	0	2	1	1	1
Others & unspecified	OTH	11	0	0	0	0	0	0	0	2	0	1	0	1	2	2	3	0	0	0	0
All sites	ALL	604	4	1	2	1	5	14	26	47	54	70	55	76	75	68	56	27	14	9	0

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 1998-2002

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	9	0	0	0	0	1	1	1	3	1	0	0	0	0	0	0	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
Mouth	C03-C06	13	0	0	0	0	0	0	0	1	1	0	0	1	3	4	1	0	1	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	5	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	0	0
Nasopharynx	C11	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Oesophagus	C15	11	0	0	0	0	0	0	0	0	1	0	0	1	2	1	0	4	1	1
Stomach	C16	34	0	0	0	0	0	0	2	3	0	4	1	5	5	8	5	1	0	0
Small intestines	C17	4	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	0	0
Colon	C18	43	0	0	0	0	0	1	0	2	1	3	2	5	4	9	9	4	0	3
Rectosigmoid & rectum	C19-C20	29	0	0	0	0	1	2	4	1	2	2	3	2	4	2	4	2	2	0
Anus	C21	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Liver & intrahepatic bile ducts	C22	14	0	0	0	0	0	1	0	0	0	0	0	0	3	1	2	4	1	2
Gallbladder & extrahepatic bile ducts	C23-C24	10	0	0	0	0	0	0	0	0	0	0	1	0	2	1	4	0	0	2
Pancreas	C25	11	0	0	0	0	0	0	0	0	0	0	1	1	0	4	2	2	1	0
Retropertoneum & peritoneum	C48	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	34	0	0	0	0	0	0	0	2	2	2	3	2	1	3	4	9	4	2
Pleura	C38.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Bone	C40-C41	4	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	4	1	0	1	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	15	0	0	0	0	1	0	2	0	1	2	2	1	1	0	1	2	2	0
Breast	C50	290	0	0	0	0	1	4	5	18	31	57	42	32	38	23	20	12	2	5
Cervix uteri	C53	38	0	0	0	0	1	0	1	2	3	4	4	6	8	2	3	3	1	0
Placenta	C58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	49	0	0	0	0	0	1	0	2	3	10	7	6	7	5	7	0	1	0
Ovary & fallopian tube	C56-C57.0	59	0	0	0	0	0	3	5	5	6	10	9	5	4	6	2	3	1	0
Vulva & vagina	C51-C52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Urinary bladder	C67	4	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	1
Kidney & other urinary organs	C64-C66 & C68	8	0	0	0	0	0	0	0	1	1	0	0	0	4	0	0	1	1	0
Eye	C69	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	14	2	1	0	1	0	0	3	2	0	1	0	3	0	1	0	0	0	0
Thyroid	C73	46	0	0	0	0	1	5	0	7	8	4	5	5	8	0	1	2	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	4	1	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	45	4	0	2	2	1	0	3	4	0	1	3	9	2	7	3	2	1	1
Myeloid neoplasms	C92-C93	21	0	2	0	2	0	0	0	4	2	1	1	2	4	2	0	1	0	0
Others & unspecified	OTH	16	0	0	0	0	0	0	0	0	0	2	1	1	2	2	5	1	0	2
All sites	ALL	847	9	3	4	5	5	16	24	59	66	106	89	94	106	89	77	55	20	20

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 2003-2007

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	9	0	0	0	0	0	1	0	0	0	0	2	0	0	2	2	1	1	0
Major salivary gland (incl. parotid gland)	C07-C08	2	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0
Mouth	C03-C06	14	0	0	0	0	0	0	0	1	0	1	0	1	3	4	3	1	0	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Nasopharynx	C11	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
Oesophagus	C15	7	0	0	0	0	0	0	0	1	3	0	0	0	0	0	1	1	1	0
Stomach	C16	32	0	0	0	0	0	2	1	2	1	4	1	2	3	5	3	5	1	2
Small intestines	C17	13	0	0	0	0	0	1	1	1	1	2	1	0	0	3	2	1	1	0
Colon	C18	50	0	0	0	0	0	2	2	2	2	6	7	6	1	3	8	11	1	1
Rectosigmoid & rectum	C19-C20	25	0	0	0	0	0	0	1	2	1	1	1	4	4	5	5	2	0	0
Anus	C21	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	20	2	0	0	0	0	0	0	0	0	0	0	2	2	4	4	2	0	0
Gallbladder & extrahepatic bile ducts	C23-C24	8	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	3	2	0
Pancreas	C25	16	0	0	0	0	0	0	1	0	1	0	0	2	2	2	3	3	2	0
Retropertitoneum & peritoneum	C48	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
Larynx	C32	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Lung (incl. trachea & bronchus)	C33-C34	29	0	0	0	0	0	0	0	2	2	2	5	2	2	4	4	0	5	1
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Thymus, heart & mediastinum	C37-C38.3	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Bone	C40-C41	5	0	1	0	1	0	0	0	0	0	0	1	1	0	1	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	5	2	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0
Melanoma of skin	C43	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	14	0	0	0	0	0	0	0	3	0	3	1	1	2	1	2	0	1	0
Breast	C50	376	0	0	1	0	1	2	5	20	53	70	63	55	30	33	19	14	4	6
Cervix uteri	C53	24	0	0	0	0	1	0	0	0	3	3	4	2	4	2	3	0	2	0
Placenta	C58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	83	0	0	0	0	1	0	2	3	10	10	8	14	10	8	9	5	1	2
Ovary & fallopian tube	C56-C57.0	77	0	0	3	0	1	4	7	4	9	7	13	11	2	6	6	1	1	2
Vulva & vagina	C51-C52	4	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0
Urinary bladder	C67	11	0	0	0	0	0	0	0	0	0	0	0	2	1	1	4	1	1	1
Kidney & other urinary organs	C64-C66 & C68	22	0	1	0	0	0	1	0	0	1	4	2	2	4	1	5	1	0	0
Eye	C69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	15	1	0	1	1	0	1	0	0	2	3	2	1	3	0	0	0	0	0
Thyroid	C73	39	0	0	0	0	0	3	3	7	7	5	4	2	3	3	1	0	1	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	3	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	60	2	3	1	4	2	1	4	0	2	3	3	8	4	12	5	4	2	0
Myeloid neoplasms	C92-C93	17	1	0	0	0	0	3	0	0	1	1	4	1	1	0	3	1	0	1
Others & unspecified	OTH	17	0	0	0	0	0	1	0	1	1	1	3	1	0	1	4	3	1	1
All sites	ALL	1013	9	5	6	7	7	18	27	49	102	132	128	125	82	104	100	64	30	18

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 2008-2012

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Tongue	C01-C02	10	0	0	0	0	0	0	0	0	3	2	0	0	1	1	3	0	0	0
Major salivary gland (incl. parotid gland)	C07-C08	5	0	0	0	0	0	0	0	0	0	3	0	1	1	0	0	0	0	0
Mouth	C03-C06	16	0	0	0	0	0	0	0	1	0	0	0	1	6	1	3	2	1	1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	6	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	1	1
Nasopharynx	C11	3	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0
Oesophagus	C15	13	0	0	0	0	0	0	0	0	0	1	0	0	4	3	3	2	0	0
Stomach	C16	35	0	0	0	0	0	0	2	3	2	2	2	1	2	3	5	5	7	3
Small intestines	C17	13	0	0	0	0	0	0	0	0	1	0	1	3	2	2	1	2	1	0
Colon	C18	72	0	0	0	1	0	1	1	3	5	5	4	9	11	10	8	7	5	2
Rectosigmoid & rectum	C19-C20	44	0	0	0	0	0	0	2	1	4	4	4	10	7	5	3	4	1	3
Anus	C21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & intrahepatic bile ducts	C22	25	0	0	0	0	1	0	0	0	1	0	0	1	5	0	4	7	4	2
Gallbladder & extrahepatic bile ducts	C23-C24	11	0	0	0	0	0	0	0	0	0	0	0	3	1	1	5	0	1	0
Pancreas	C25	29	0	0	0	0	0	0	0	0	0	3	1	3	3	1	7	3	3	5
Retropertoneum & peritoneum	C48	12	0	0	0	0	0	1	0	1	1	0	1	1	1	2	1	1	2	0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Larynx	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Lung (incl. trachea & bronchus)	C33-C34	49	1	0	0	0	0	0	5	1	1	2	4	4	5	5	10	5	3	3
Pleura	C38.4	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0
Thymus, heart & mediastinum	C37-C38.3	3	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0
Bone	C40-C41	4	0	0	0	1	0	1	0	0	1	0	1	0	1	0	0	0	0	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	13	2	0	0	0	0	0	3	0	1	0	2	2	1	2	0	1	1	0
Melanoma of skin	C43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	23	0	0	0	0	1	1	0	1	2	1	2	0	1	2	5	4	2	1
Breast	C50	542	0	0	0	0	3	14	24	58	66	95	86	74	36	34	29	17	6	6
Cervix uteri	C53	22	0	0	0	0	0	0	0	1	4	2	2	2	4	4	0	2	1	2
Placenta	C58	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	132	0	0	0	0	2	5	2	5	16	19	18	23	21	7	13	1	0	0
Ovary & fallopian tube	C56-C57.0	96	0	1	0	5	1	3	1	4	12	9	13	11	10	10	6	4	5	1
Vulva & vagina	C51-C52	7	0	0	0	0	0	0	0	0	0	0	2	1	3	0	0	1	0	0
Urinary bladder	C67	10	0	0	0	1	0	0	0	0	1	0	0	2	2	0	2	1	1	0
Kidney & other urinary organs	C64-C66 & C68	27	1	0	0	0	0	0	0	0	2	1	6	5	3	2	2	3	2	2
Eye	C69	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain & CNS	C70-C72	22	1	1	0	0	0	1	0	3	0	1	2	3	1	1	3	1	4	0
Thyroid	C73	60	0	0	0	1	1	2	8	7	6	5	9	6	4	2	2	2	3	2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	79	3	1	1	1	7	2	6	2	6	7	13	4	6	7	6	3	2	2
Myeloid neoplasms	C92-C93	46	1	0	0	2	0	1	5	3	5	4	5	4	3	3	5	3	2	0
Others & unspecified	OTH	20	0	0	0	0	0	0	0	0	3	2	3	2	4	0	4	1	0	1
All sites	ALL	1462	13	3	1	12	12	18	45	59	116	146	184	187	192	127	132	106	71	38

Appendix B8: Number of cases by primary site and five-year age group for Indian females, 2013-2017

Site	ICD 10	All	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
Lip	C00	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	C01-C02	6	0	0	0	0	0	0	0	1	0	2	2	9	2	2	2	2	0	1
Major salivary gland (incl. parotid gland)	C07-C08	27	0	0	0	0	0	0	0	2	0	1	1	1	0	0	0	1	0	0
Mouth	C03-C06	4	0	0	0	0	0	1	0	1	0	0	4	7	1	4	1	5	3	0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	0	0	0
Nasopharynx	C11	5	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
Oesophagus	C15	44	0	0	0	0	0	0	0	0	0	1	2	5	8	5	3	1	2	2
Stomach	C16	21	0	0	0	0	0	0	0	2	2	1	1	1	5	2	3	3	0	0
Small intestines	C17	102	0	0	0	0	0	0	2	2	2	3	10	14	11	16	11	11	11	9
Colon	C18	72	0	0	0	1	0	1	0	4	3	5	4	11	10	8	7	8	6	4
Rectosigmoid & rectum	C19-C20	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Anus	C21	34	0	0	0	0	0	0	0	0	0	2	1	2	4	3	4	10	5	3
Liver & intrahepatic bile ducts	C22	30	0	0	0	0	0	0	0	1	1	0	4	1	6	5	5	4	1	2
Gallbladder & extrahepatic bile ducts	C23-C24	52	0	0	1	0	0	1	1	0	1	0	0	3	14	7	6	6	5	6
Pancreas	C25	9	0	0	0	0	0	0	0	0	1	0	1	1	2	1	3	0	0	0
Retropertoneum & peritoneum	C48	4	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	1
Nasal cavity, middle ear & accessory sinuses	C30-C31	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Larynx	C32	67	0	0	0	0	0	0	0	1	1	6	2	10	4	15	9	4	8	7
Lung (incl. trachea & bronchus)	C33-C34	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Pleura	C38.4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thymus, heart & mediastinum	C37-C38.3	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	C40-C41	21	0	0	1	1	0	1	5	1	3	2	2	1	1	1	1	0	1	0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma of skin	C43	29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-melanoma skin	C44	718	0	0	0	0	0	11	8	30	65	82	101	113	109	79	47	35	22	16
Breast	C50	45	0	0	0	0	0	1	2	0	4	11	5	3	4	3	4	1	3	4
Cervix uteri	C53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Placenta	C58	193	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Corpus uteri	C54	111	0	0	0	0	0	1	7	6	12	10	26	50	35	18	16	5	5	2
Ovary & fallopian tube	C56-C57.0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Vulva & vagina	C51-C52	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Urinary bladder	C67	38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kidney & other urinary organs	C64-C66 & C68	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Eye	C69	31	5	3	2	0	1	2	1	1	2	1	1	1	2	2	1	5	0	1
Brain & CNS	C70-C72	102	0	0	1	3	5	3	9	7	21	9	9	9	6	10	6	3	0	1
Thyroid	C73	4	1	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	102	7	4	2	4	3	5	0	4	1	5	11	6	14	10	7	11	4	4
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	41	0	0	0	3	2	0	4	3	2	4	2	4	4	5	1	5	2	0
Myeloid neoplasms	C92-C93	11	0	0	0	0	0	0	1	0	0	0	0	2	1	2	0	2	0	3
Others & unspecified	OTH	1980	14	7	11	15	15	32	44	81	142	167	224	278	267	219	161	134	98	71
All sites	ALL																			

APPENDIX C:
INCIDENCE RATES BY SITE AND
FIVE-YEAR AGE GROUP, 1968 - 2017

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C1: Incidence rates by primary site and five-year age group for males, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.3	2.3	0.0	0.0	0.1	0.2	0.2	0.3	0.6	1.8	0.8	1.4	5.5	6.0	6.5	13.6	14.8	26.5	20.7
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.6	0.0	0.0	0.1	0.0	0.2	0.0	0.3	0.0	1.2	0.9	0.5	1.2	0.0	2.5	2.5	10.6	10.3
Mouth	C03-C06	1.5	2.8	0.0	0.0	0.0	0.3	0.0	0.3	0.6	0.7	1.5	0.9	5.5	8.4	11.4	13.6	22.2	10.6	41.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.2	3.3	10.8	13.9	12.4	14.8	31.8	20.7
Nasopharynx	C11	11.1	15.0	0.2	0.1	0.4	2.6	2.9	7.0	14.4	22.9	30.0	39.0	47.5	39.1	31.0	32.2	46.9	15.9	20.7
Oesophagus	C15	8.8	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.2	10.3	25.7	48.1	82.5	106.4	143.1	122.0	186.3
Stomach	C16	21.3	37.7	0.0	0.0	0.0	0.0	0.4	2.5	3.4	10.0	22.3	33.4	69.4	110.1	178.9	230.2	306.0	297.0	217.3
Small intestines	C17	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.5	0.6	0.8	0.0	7.4	0.0	0.0
Colon	C18	5.8	10.3	0.0	0.0	0.0	0.3	1.0	1.0	1.5	5.0	5.4	12.2	19.1	27.7	32.7	56.9	86.4	90.1	93.1
Rectosigmoid & rectum	C19-C20	5.2	9.1	0.0	0.0	0.1	0.2	0.2	1.0	1.8	2.1	2.3	9.4	15.8	31.9	40.0	53.2	64.2	74.2	82.8
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.4	0.5	0.0	0.8	2.5	2.5	0.0	0.0
Liver & intrahepatic bile ducts	C22	17.5	28.7	0.2	0.0	0.1	0.3	0.4	3.2	1.5	11.1	28.1	37.1	62.3	104.1	137.3	151.0	187.6	159.1	113.8
Gallbladder & extrahepatic bile ducts	C23-C24	0.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.9	3.3	2.4	4.9	11.1	4.9	0.0	10.3
Pancreas	C25	1.8	3.0	0.0	0.0	0.1	0.0	0.0	0.3	0.3	1.1	0.8	4.2	6.6	7.8	18.8	18.6	14.8	26.5	10.3
Retropertoneum & peritoneum	C48	0.3	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.5	0.6	1.6	1.2	0.0	10.6	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.6	1.0	0.0	0.0	0.1	0.0	0.2	0.0	0.3	0.0	1.2	0.9	2.2	3.0	3.3	9.9	4.9	10.6	0.0
Larynx	C32	3.8	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.7	3.3	13.7	21.1	29.4	53.2	64.2	37.1	51.7
Lung (incl. trachea & bronchus)	C33-C34	26.5	47.3	0.0	0.1	0.0	0.0	0.6	1.6	1.8	7.9	15.0	35.3	77.6	138.4	268.0	321.7	407.2	323.5	248.4
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.1	0.3	0.4	0.6	0.0	0.0	0.4	0.0	0.5	0.6	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.8	0.8	0.0	0.1	1.0	1.5	1.6	0.6	0.0	0.4	0.8	0.9	0.0	1.2	2.5	0.0	4.9	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.9	1.2	0.5	0.1	0.3	0.5	0.8	0.6	1.2	1.4	0.4	1.4	1.6	1.8	0.8	4.9	9.9	5.3	10.3
Melanoma of skin	C43	0.4	0.5	0.0	0.0	0.1	0.2	0.2	0.3	0.0	0.0	0.8	0.5	1.1	2.4	2.5	0.0	2.5	0.0	10.3
Non-melanoma skin	C44	3.3	6.3	0.0	0.0	0.0	0.2	0.6	1.0	1.2	1.4	4.2	6.6	8.7	12.6	25.3	26.0	34.6	53.0	144.9
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	2.5	0.0	0.0
Prostate	C61	1.8	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.0	3.8	6.0	13.9	23.5	44.4	68.9	72.4
Testis	C62	0.7	0.8	0.0	0.0	0.1	0.8	0.8	0.0	1.5	1.8	1.5	1.9	1.1	1.2	0.0	0.0	2.5	0.0	0.0
Penis & other male genital organs	C60, C63	0.9	1.3	0.0	0.0	0.0	0.0	0.2	0.6	0.6	1.1	1.9	4.7	1.6	4.8	4.1	1.2	2.5	15.9	10.3
Urinary bladder	C67	2.9	5.4	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.7	1.9	2.8	7.1	11.4	27.0	43.3	51.8	53.0	31.0
Kidney & other urinary organs	C64 - C66 & C68	1.5	2.4	0.8	0.1	0.0	0.0	0.0	0.3	0.3	0.4	1.5	4.2	6.0	5.4	9.8	18.6	12.3	15.9	0.0
Eye	C69	0.2	0.2	0.7	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0	0.0	0.5	1.2	0.0	1.2	0.0	0.0	0.0
Brain & CNS	C70-C72	1.5	1.4	1.0	1.1	1.8	1.6	1.2	0.3	0.6	2.1	2.3	0.9	3.3	5.4	0.8	0.0	0.0	0.0	0.0
Thyroid	C73	0.8	1.1	0.0	0.0	0.3	0.3	0.4	1.0	0.3	1.8	1.5	1.9	0.5	2.4	4.9	4.9	2.5	5.3	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.9	6.2	5.3	3.4	3.9	2.3	3.1	2.5	1.8	3.6	3.8	6.1	9.8	10.2	21.2	18.6	29.6	26.5	10.3
Myeloid neoplasms	C92-C93	2.8	3.4	2.0	1.4	1.9	2.1	2.4	1.9	1.5	2.5	5.0	3.3	6.6	4.2	6.5	13.6	7.4	15.9	10.3
Others & unspecified	OTH	4.2	6.7	0.8	0.1	0.1	0.5	0.8	1.0	1.8	2.1	4.2	6.1	14.7	22.3	34.3	42.1	39.5	37.1	10.3
All sites	ALL	136.0	228.2	13.2	7.0	11.0	14.3	18.7	28.3	39.3	85.8	147.7	236.5	427.6	655.4	1017.2	1289.4	1641.2	1543.1	1438.6

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C1: Incidence rates by primary site and five-year age group for males, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	1.8	0.0	0.0
Tongue	C01-C02	1.4	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	1.4	3.8	5.8	6.4	12.0	11.3	10.8	11.0	21.2
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.6	0.0	0.2	0.0	0.2	0.2	0.5	0.3	0.0	0.0	0.9	2.4	2.3	0.8	1.0	1.8	7.4	14.1
Mouth	C03-C06	1.3	2.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	2.1	5.3	4.1	12.0	14.4	10.8	29.4	21.2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.6	2.6	0.0	0.0	0.0	0.0	0.0	0.5	0.3	1.0	1.4	3.0	6.3	6.4	11.3	13.3	16.2	25.8	28.3
Nasopharynx	C11	12.4	15.5	0.0	0.0	0.3	0.8	3.8	9.3	12.3	33.3	37.1	39.3	45.4	34.9	45.0	21.6	28.7	29.4	7.1
Oesophagus	C15	8.6	15.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	1.1	8.6	14.5	34.9	80.3	102.6	120.3	202.4	148.3
Stomach	C16	22.5	36.5	0.0	0.2	0.0	0.0	1.0	1.9	2.8	10.9	24.9	29.5	52.2	86.1	160.5	279.1	283.6	290.8	282.5
Small intestines	C17	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.9	0.5	1.2	3.0	1.0	3.6	3.7	7.1
Colon	C18	7.9	12.9	0.0	0.0	0.3	0.6	0.9	1.4	2.3	3.4	7.8	15.4	21.3	22.1	57.0	71.8	104.1	84.7	162.5
Rectosigmoid & rectum	C19-C20	7.4	11.8	0.0	0.2	0.0	0.3	0.7	1.2	3.0	4.1	5.7	9.8	15.5	29.1	56.3	72.9	104.1	84.7	98.9
Anus	C21	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.9	1.5	0.6	2.3	3.1	1.8	3.7	14.1
Liver & intrahepatic bile ducts	C22	17.9	27.4	0.7	0.3	0.0	0.6	1.0	3.0	5.8	7.5	22.4	37.6	53.7	84.9	126.0	150.9	174.1	165.6	183.7
Gallbladder & extrahepatic bile ducts	C23-C24	0.9	1.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	1.7	0.5	7.0	8.3	10.3	14.4	7.4	0.0
Pancreas	C25	2.1	3.3	0.0	0.0	0.0	0.0	0.2	0.2	0.3	1.0	0.7	2.6	6.8	11.6	15.0	18.5	28.7	22.1	28.3
Retropertoneum & peritoneum	C48	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.0	0.0	1.8	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.9	1.3	0.0	0.0	0.2	0.2	0.2	0.0	0.0	1.0	2.1	2.1	3.9	5.2	3.0	4.1	9.0	11.0	0.0
Larynx	C32	4.1	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	5.6	9.7	20.4	42.8	43.1	55.6	36.8	42.4
Lung (incl. trachea & bronchus)	C33-C34	35.5	57.9	0.0	0.0	0.2	0.0	0.2	0.2	0.8	7.1	18.9	46.2	82.2	167.5	323.3	414.6	497.2	415.9	346.1
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5	0.0	1.8	0.0	0.0
Bone	C40-C41	0.8	0.8	0.0	0.3	1.2	1.4	0.9	0.5	1.3	1.0	1.1	0.4	0.5	1.2	1.5	2.1	1.8	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.3	1.5	2.1	0.2	0.5	0.8	0.5	0.2	1.0	1.4	2.9	1.3	2.4	3.5	5.3	3.1	1.8	11.0	0.0
Melanoma of skin	C43	0.4	0.5	0.0	0.0	0.0	0.2	0.0	0.7	0.5	0.3	0.0	0.4	0.5	0.6	1.5	1.0	7.2	3.7	7.1
Non-melanoma skin	C44	4.6	7.6	0.0	0.2	0.0	0.2	0.5	0.7	0.8	2.0	5.3	4.7	16.0	22.1	18.8	40.0	52.1	84.7	120.1
Breast	C50	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0
Prostate	C61	2.7	5.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	3.4	7.0	15.8	29.8	55.6	95.7	106.0
Testis	C62	0.8	0.8	0.6	0.0	0.0	0.8	1.2	1.2	1.3	1.7	1.8	0.0	0.5	1.2	0.8	1.0	0.0	3.7	7.1
Penis & other male genital organs	C60, C63	0.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.9	4.7	3.8	4.1	14.4	0.0	14.1	
Urinary bladder	C67	3.6	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.2	2.6	12.6	14.5	33.0	26.7	57.4	51.5	91.8
Kidney & other urinary organs	C64-C66 & C68	1.9	2.7	0.9	0.2	0.2	0.3	0.0	0.2	0.5	1.0	1.1	3.8	5.8	8.1	9.0	22.6	16.2	11.0	7.1
Eye	C69	0.2	0.2	0.6	0.3	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.1	1.3	0.9	1.0	0.9	0.8	0.7	0.9	0.3	1.0	1.4	3.0	2.4	2.3	3.8	3.1	0.0	0.0	0.0
Thyroid	C73	1.1	1.5	0.0	0.0	0.3	0.2	0.9	1.6	0.8	1.4	1.4	2.1	3.9	1.7	3.8	8.2	5.4	11.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.4	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.9	6.3	4.7	4.6	2.0	1.5	2.4	2.8	2.3	3.4	3.2	4.7	9.7	14.5	18.0	25.7	26.9	47.8	21.2
Myeloid neoplasms	C92-C93	3.1	3.6	1.9	2.9	0.8	2.9	2.2	2.5	3.0	3.4	1.8	6.0	5.8	3.5	4.5	13.3	10.8	14.7	14.1
Others & unspecified	OTH	5.0	7.7	0.6	0.6	0.3	0.3	0.3	0.7	1.0	2.0	5.7	10.7	13.1	21.5	28.5	54.4	61.0	33.1	42.4
All sites	ALL	158.4	246.3	13.5	11.2	7.4	12.7	17.7	31.0	39.8	91.2	157.1	250.9	408.1	634.1	1108.6	1470.6	1780.6	1803.5	1836.5

Appendix C1: Incidence rates by primary site and five-year age group for males, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.0	2.6	0.0	0.0	0.0
Tongue	C01-C02	1.2	1.8	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	2.2	2.7	2.6	7.2	4.8	12.3	9.1	10.4	28.9
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.5	0.0	0.2	0.0	0.0	0.1	0.5	0.0	0.3	1.0	1.2	0.4	2.2	0.7	2.6	2.6	5.2	0.0
Mouth	C03-C06	1.6	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	2.2	2.7	3.9	5.0	10.2	10.5	18.3	31.2	28.9
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.9	2.8	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.9	1.3	2.7	4.3	7.7	8.9	17.5	27.4	31.2	24.1
Nasopharynx	C11	12.2	14.5	0.2	0.0	0.9	1.3	2.7	4.6	12.7	26.0	36.0	45.7	42.0	31.4	27.3	34.2	23.5	20.8	28.9
Oesophagus	C15	7.6	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.3	4.2	12.0	30.8	52.5	74.5	114.9	150.6	149.3
Stomach	C16	21.3	31.8	0.0	0.0	0.0	0.1	0.4	1.0	2.6	4.1	10.8	30.7	50.2	85.9	138.4	206.8	254.6	314.1	264.9
Small intestines	C17	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.4	2.2	2.0	1.8	3.9	0.0	0.0
Colon	C18	9.9	14.4	0.0	0.0	0.2	0.6	0.3	0.7	2.6	4.1	7.7	12.7	21.5	40.2	60.7	97.2	121.4	111.6	105.9
Rectosigmoid & rectum	C19-C20	8.3	12.3	0.0	0.0	0.0	0.1	0.3	0.2	2.6	3.1	3.2	13.5	23.2	33.0	54.5	85.9	74.4	90.9	125.2
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.6	0.7	1.8	1.3	5.2	14.4
Liver & intrahepatic bile ducts	C22	19.4	27.8	1.0	0.2	0.0	0.3	0.1	1.0	3.8	11.6	17.9	37.3	54.1	88.1	119.3	170.0	172.4	218.1	149.3
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.9	1.7	3.9	7.5	13.1	22.2	26.0	19.3
Pancreas	C25	2.8	4.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.6	2.6	5.0	5.1	10.5	15.0	27.2	37.9	44.1	24.1
Retropertoneum & peritoneum	C48	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.4	0.0	0.7	2.6	0.0	0.0	4.8
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	1.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.3	0.3	1.2	3.0	5.0	2.7	3.5	3.9	18.2	0.0
Larynx	C32	5.0	7.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.3	5.4	6.9	13.3	19.3	27.3	47.3	69.2	72.7	43.3
Lung (incl. trachea & bronchus)	C33-C34	42.1	63.0	0.0	0.0	0.0	0.0	0.4	0.7	1.6	5.0	20.4	40.4	90.1	174.0	282.9	466.9	581.1	584.1	462.3
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.3	0.0	0.4	0.4	0.0	2.0	0.0	0.0	0.0	0.0
Bone	C40-C41	1.0	0.9	0.2	0.2	1.5	2.2	1.2	0.8	1.2	0.9	0.3	0.0	1.3	1.7	1.4	0.9	1.3	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.1	1.3	0.8	0.4	0.5	0.3	1.2	0.8	0.8	1.6	1.3	1.9	1.7	3.3	4.1	4.4	2.6	2.6	0.0
Melanoma of skin	C43	0.5	0.7	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0	1.3	0.4	1.3	2.2	2.7	4.4	2.6	5.2	9.6
Non-melanoma skin	C44	5.5	8.1	0.0	0.2	0.2	0.6	0.7	0.5	1.6	3.1	5.4	8.8	12.4	17.1	26.6	42.9	49.6	101.2	105.9
Breast	C50	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	0.9	1.3	5.2	9.6
Prostate	C61	4.1	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.4	8.8	25.2	49.1	54.8	132.4	134.8
Testis	C62	0.9	0.9	0.6	0.0	0.0	0.4	0.9	2.4	1.8	0.6	1.3	1.2	1.3	0.0	0.7	0.9	1.3	0.0	4.8
Penis & other male genital organs	C60, C63	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	2.6	3.9	4.8	3.5	2.6	5.2	4.8
Urinary bladder	C67	4.7	7.1	0.2	0.0	0.0	0.0	0.3	0.3	1.2	1.3	1.6	3.1	9.0	15.4	32.0	42.9	67.9	70.1	91.5
Kidney & other urinary organs	C64-C66 & C68	2.0	2.9	1.4	0.0	0.0	0.0	0.1	0.3	0.2	0.9	1.0	3.1	6.0	9.9	15.7	15.8	15.7	15.6	9.6
Eye	C69	0.2	0.3	1.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.6	1.4	0.9	0.0	0.0	0.0
Brain & CNS	C70-C72	1.6	1.7	0.2	2.0	0.9	1.0	0.6	1.2	2.2	1.3	2.6	3.1	3.4	3.9	1.4	4.4	3.9	7.8	0.0
Thyroid	C73	1.3	1.6	0.0	0.0	0.2	0.3	0.4	0.5	1.8	1.6	1.9	0.4	5.6	3.9	4.8	2.6	6.5	13.0	19.3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	6.1	7.8	3.8	3.0	2.1	2.3	2.6	2.0	4.8	3.8	3.5	6.9	9.0	16.0	37.5	28.9	32.6	51.9	48.2
Myeloid neoplasms	C92-C93	3.1	3.7	1.6	1.6	0.9	2.8	1.0	2.9	1.8	2.2	5.1	5.4	3.4	7.2	6.1	20.1	7.8	10.4	24.1
Others & unspecified	OTH	4.9	7.1	0.0	0.2	0.3	0.1	0.3	1.0	1.2	1.6	6.1	8.1	14.2	16.0	30.7	44.7	40.5	49.3	62.6
All sites	ALL	174.5	250.8	12.1	7.9	7.7	13.4	14.2	23.1	46.5	76.8	146.0	254.8	404.6	656.8	1014.3	1545.4	1829.4	2203.9	1998.5

Appendix C1: Incidence rates by primary site and five-year age group for males, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	1.5	1.9	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.9	3.0
Tongue	C01-C02	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.5	0.4	0.3	1.3	3.9	9.6	7.2	15.2	6.5	11.3	21.0
Major salivary gland (incl. parotid gland)	C07-C08	0.6	1.7	0.0	0.0	0.2	0.5	0.3	0.3	0.6	0.4	0.3	1.3	2.0	1.4	3.6	0.8	3.3	1.9	3.0
Mouth	C03-C06	1.6	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	2.0	4.7	6.4	12.6	13.6	8.7	30.2	12.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.7	2.2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.0	0.6	1.6	5.1	6.4	8.4	15.2	16.3	26.4	9.0
Nasopharynx	C11	13.8	15.1	0.0	0.0	0.4	0.5	1.9	5.4	12.4	24.0	41.0	45.6	50.4	38.8	29.5	29.5	21.7	28.3	15.0
Oesophagus	C15	6.3	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.5	5.6	11.0	26.0	31.9	55.0	77.1	107.5	114.2
Stomach	C16	21.2	29.3	0.0	0.0	0.0	0.0	0.4	0.4	1.1	4.5	6.9	17.4	43.4	74.9	106.6	199.4	251.9	309.3	375.6
Small intestines	C17	0.3	0.4	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.4	0.3	0.3	0.8	0.9	3.6	0.8	2.2	0.0	3.0
Colon	C18	13.0	17.0	0.0	0.2	0.4	0.2	0.7	0.7	3.4	4.3	9.9	10.8	25.4	47.0	63.8	106.9	140.1	192.4	162.3
Rectosigmoid & rectum	C19-C20	9.9	13.2	0.0	0.0	0.0	0.0	0.3	0.3	1.8	2.6	5.7	16.1	30.5	30.6	60.2	82.1	82.5	118.8	111.2
Anus	C21	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.7	1.2	2.7	1.2	0.8	5.4	1.9	6.0
Liver & intrahepatic bile ducts	C22	17.4	23.2	0.2	0.4	0.0	0.2	0.3	0.6	3.1	5.3	15.3	26.6	38.7	69.4	109.0	135.6	165.0	203.7	138.2
Gallbladder & extrahepatic bile ducts	C23-C24	1.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.6	1.3	2.3	3.2	6.0	15.9	16.3	5.7	18.0
Pancreas	C25	3.6	4.8	0.0	0.0	0.0	0.2	0.0	0.1	0.6	0.8	1.5	4.3	11.3	12.8	13.8	24.7	35.8	54.7	69.1
Retropertoneum & peritoneum	C48	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	0.3	0.4	1.4	1.8	0.8	1.1	5.7	6.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.8	0.2	0.0	0.0	0.2	0.1	0.3	0.0	0.4	1.2	1.0	1.2	5.0	2.4	2.4	3.3	5.7	6.0
Larynx	C32	4.2	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	4.6	9.8	18.3	28.3	35.1	51.0	47.1	42.1
Lung (incl. trachea & bronchus)	C33-C34	44.0	60.1	0.0	0.0	0.0	0.2	0.7	0.0	2.2	7.1	15.3	35.4	97.0	183.6	242.0	396.3	496.2	671.4	583.0
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.6	0.0	1.1	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.0	0.0	1.0	0.3	0.7	2.0	1.4	2.4	1.6	0.0	0.0	0.0
Bone	C40-C41	0.9	0.8	0.0	0.2	0.9	2.2	0.9	1.2	1.4	0.6	1.5	0.3	0.8	0.0	0.0	1.6	1.1	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.6	1.7	0.4	0.6	0.4	0.7	1.0	1.5	0.8	1.8	4.5	1.6	1.6	3.7	1.2	4.8	8.7	3.8	15.0
Melanoma of skin	C43	0.4	0.4	0.0	0.0	0.0	0.2	0.1	0.3	0.0	0.2	0.0	0.3	0.0	3.7	2.4	1.6	3.3	0.0	0.0
Non-melanoma skin	C44	5.9	8.0	0.0	0.0	0.2	0.0	0.6	0.4	0.8	2.0	2.7	8.5	9.0	20.5	27.7	30.3	73.8	90.5	135.2
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.6	0.0	0.0	3.0
Prostate	C61	5.7	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.3	11.4	23.5	43.9	84.7	137.7	219.4
Testis	C62	1.0	1.0	1.3	0.0	0.0	0.7	0.9	1.0	2.1	0.8	0.9	1.6	2.7	1.4	1.8	1.6	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.5	0.7	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.6	1.3	0.8	1.8	1.8	3.2	4.3	3.8	15.0
Urinary bladder	C67	5.0	7.0	0.0	0.0	0.0	0.0	0.3	0.1	0.2	1.2	2.7	3.9	6.6	13.7	23.5	39.1	81.4	66.0	120.2
Kidney & other urinary organs	C64 - C66 & C68	2.6	3.4	1.2	0.0	0.0	0.2	0.0	0.1	0.5	0.8	1.2	4.3	7.8	5.5	13.8	19.9	30.4	28.3	18.0
Eye	C69	0.2	0.2	1.2	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.4	0.9	0.0	0.0	0.0	1.9	0.0
Brain & CNS	C70-C72	2.0	2.2	1.5	2.4	1.4	1.2	1.7	1.0	1.6	1.8	3.0	1.3	0.4	7.3	5.4	4.0	4.3	5.7	3.0
Thyroid	C73	1.8	2.0	0.0	0.4	0.4	0.8	1.2	1.7	1.1	2.0	2.7	3.9	3.1	4.6	6.6	5.6	6.5	3.8	12.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.3	0.4	1.7	0.2	0.4	0.7	0.3	0.1	0.2	0.0	0.3	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.1	10.0	7.7	3.6	2.9	3.5	2.2	2.6	3.1	4.1	5.1	11.5	16.0	23.3	25.9	49.4	47.8	60.4	54.1
Myeloid neoplasms	C92-C93	3.1	3.5	1.9	1.0	1.4	1.5	1.9	1.1	2.2	2.4	3.0	3.0	7.8	6.4	9.0	12.0	17.4	15.1	18.0
Others & unspecified	OTH	4.4	5.8	0.0	0.0	0.0	0.2	0.1	0.6	0.0	1.2	3.3	4.3	7.8	17.8	25.9	31.1	45.6	69.8	57.1
All sites	ALL	185.7	244.0	17.3	9.5	8.7	14.0	16.4	20.7	41.3	73.0	133.8	223.7	410.2	662.1	904.3	1382.0	1795.9	2310.3	2368.0

Appendix C1: Incidence rates by primary site and five-year age group for males, 1988-1992

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	1.4	0.0	0.0	0.0	0.0	0.3	0.1	0.3	0.6	1.8	0.9	4.7	2.8	6.4	5.4	6.9	7.4	19.4
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.6	0.0	0.0	0.2	0.4	0.2	0.8	0.1	0.5	0.4	0.6	2.3	0.8	1.0	2.7	4.9	4.4	0.0
Mouth	C03-C06	1.4	1.8	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.2	1.8	3.7	3.7	7.9	15.0	16.6	10.3	11.6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.0	2.5	0.0	0.0	0.0	0.4	0.0	0.0	0.1	0.2	0.8	0.3	5.0	9.7	13.3	15.0	18.6	22.1	15.5
Nasopharynx	C11	15.5	15.7	0.0	0.0	0.4	1.2	1.5	4.8	12.0	20.1	36.1	46.7	49.6	43.5	41.4	36.7	32.3	25.1	21.3
Oesophagus	C15	5.9	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	3.0	9.0	23.6	30.1	44.2	58.8	95.8	112.5
Stomach	C16	19.9	24.8	0.0	0.0	0.0	0.0	0.2	1.1	1.3	3.2	9.1	12.7	30.5	58.5	112.8	159.1	206.6	260.9	308.4
Small intestines	C17	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.6	0.7	1.2	1.5	1.4	4.9	10.3	1.9
Colon	C18	17.3	21.0	0.0	0.0	0.2	0.4	0.8	1.5	2.4	4.0	9.1	16.0	34.8	50.4	74.9	120.3	181.2	237.3	250.2
Rectosigmoid & rectum	C19-C20	12.4	15.1	0.0	0.0	0.0	0.0	0.3	0.3	1.7	2.8	8.3	12.7	27.1	50.4	70.0	85.7	104.8	125.3	139.7
Anus	C21	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	1.3	2.0	1.5	4.8	3.9	7.4	0.0
Liver & intrahepatic bile ducts	C22	15.8	19.0	0.3	0.4	0.2	0.0	0.3	0.8	2.9	5.8	10.2	16.3	27.5	58.1	93.1	113.5	143.0	154.7	149.4
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.2	0.9	1.7	3.7	6.4	8.8	15.7	17.7	29.1
Pancreas	C25	3.5	4.2	0.2	0.0	0.0	0.0	0.0	0.0	0.5	0.6	1.6	3.3	8.7	11.8	20.2	23.1	31.3	44.2	36.9
Retropertoneum & peritoneum	C48	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.4	2.5	0.7	0.0	2.9	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.8	0.0	0.0	0.0	0.5	0.2	0.1	0.4	0.3	1.2	1.8	3.0	2.4	2.5	2.0	3.9	1.5	1.9
Larynx	C32	4.1	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	2.0	3.3	4.4	17.9	26.6	32.0	46.0	47.2	38.8
Lung (incl. trachea & bronchus)	C33-C34	43.1	54.1	0.0	0.0	0.0	0.4	0.0	0.5	1.5	3.7	11.8	31.9	64.3	147.0	254.2	351.5	467.1	530.6	655.7
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.7	0.0	0.0	1.9
Thymus, heart & mediastinum	C37-C38.3	0.6	0.6	0.0	0.0	0.0	0.7	0.7	0.4	0.5	0.6	0.8	0.3	0.7	2.4	3.0	1.4	1.0	0.0	0.0
Bone	C40-C41	0.9	0.9	0.0	0.0	0.6	1.4	1.2	1.1	0.8	0.5	0.6	0.9	1.7	0.8	1.5	2.0	2.9	1.5	3.9
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.3	1.4	0.5	0.4	0.4	0.7	1.2	0.7	0.4	1.2	1.4	1.5	3.7	3.2	3.4	5.4	5.9	2.9	5.8
Melanoma of skin	C43	0.4	0.5	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.2	0.2	0.9	0.3	0.0	0.0	4.8	3.9	7.4	7.8
Non-melanoma skin	C44	7.3	8.6	0.0	0.0	0.2	0.5	0.5	1.1	0.8	2.6	4.9	7.7	21.8	20.7	33.0	41.5	50.9	84.0	114.5
Breast	C50	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.0	1.4	2.9	1.5	1.9
Prostate	C61	7.7	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	2.3	11.4	29.1	55.7	115.6	163.6	236.7
Testis	C62	1.0	1.0	2.2	0.2	0.2	0.7	1.2	1.2	0.7	2.0	1.4	0.9	1.0	0.4	0.5	2.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	0.8	0.6	1.3	3.2	3.4	5.4	4.9	5.9	9.7
Urinary bladder	C67	6.0	7.4	0.0	0.0	0.0	0.0	0.7	0.4	1.1	1.1	1.6	3.5	8.7	13.0	29.1	47.6	56.8	100.2	114.5
Kidney & other urinary organs	C64-C66 & C68	3.2	3.9	0.7	0.4	0.2	0.2	0.3	0.3	0.4	0.6	2.4	4.7	6.4	9.3	16.7	24.5	27.4	32.4	27.2
Eye	C69	0.3	0.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.0	0.0	0.0	2.0	0.0	1.9
Brain & CNS	C70-C72	2.2	2.3	1.7	2.5	1.7	0.9	0.8	2.1	2.1	1.2	2.4	3.3	3.0	4.5	4.4	4.8	3.9	5.9	3.9
Thyroid	C73	1.7	1.8	0.0	0.0	0.0	0.5	1.6	1.0	0.5	1.7	2.0	3.3	3.3	5.3	6.9	5.4	3.9	7.4	9.7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.4	1.0	0.6	0.4	0.4	0.5	0.0	0.3	0.2	0.0	0.0	0.3	0.8	0.5	1.4	1.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.9	10.2	5.7	5.1	4.8	5.1	3.0	2.7	2.9	5.2	7.3	10.0	17.4	21.9	31.5	36.7	37.2	54.5	67.9
Myeloid neoplasms	C92-C93	3.3	3.6	2.2	0.9	1.0	1.9	0.8	1.8	2.8	2.6	3.5	3.5	6.0	5.3	10.3	12.2	17.6	25.1	9.7
Others & unspecified	OTH	5.6	6.8	0.2	0.2	0.4	0.0	0.5	0.5	0.5	1.8	2.6	6.5	11.1	13.4	30.1	51.0	54.8	56.0	54.3
All sites	ALL	197.7	237.1	17.0	10.6	10.8	16.4	16.8	24.0	38.3	65.2	127.1	201.0	368.1	604.8	971.0	1325.7	1739.2	2153.2	2463.6

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C1: Incidence rates by primary site and five-year age group for males, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	1.3	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.5	1.5	1.6	2.7	3.5	6.9	5.5	10.8	9.6	4.7	8.0
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.7	0.0	0.0	0.0	0.0	0.3	0.2	0.4	0.6	1.5	1.6	1.2	1.4	1.7	3.9	1.7	2.7	14.1	0.0
Mouth	C03-C06	1.5	1.7	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	0.6	1.0	3.6	3.5	8.2	7.7	13.3	16.4	11.7	31.9
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.2	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.6	2.7	5.7	6.6	13.0	16.5	19.1	17.8	21.1	12.0
Nasopharynx	C11	14.9	13.6	0.0	0.2	0.0	0.6	1.0	4.2	8.1	21.6	28.9	35.9	39.3	45.3	43.0	32.0	26.5	30.1	18.7	19.9
Oesophagus	C15	5.1	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.5	3.1	7.4	16.3	20.8	37.5	57.2	61.5	77.3	107.6
Stomach	C16	19.0	21.7	0.0	0.0	0.2	0.2	0.3	0.6	1.6	2.7	5.0	11.1	24.1	55.4	86.3	135.1	182.4	240.4	346.6	326.7
Small intestines	C17	0.6	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.5	0.2	1.2	0.6	2.4	1.3	6.6	2.5	4.1	2.3	15.9
Colon	C18	18.9	21.2	0.0	0.0	0.0	0.2	0.5	1.1	2.5	3.9	9.3	17.0	24.4	54.7	88.1	127.4	181.6	222.7	245.9	247.0
Rectosigmoid & rectum	C19-C20	14.8	16.5	0.0	0.0	0.0	0.0	0.2	0.8	1.4	3.8	8.9	15.4	25.6	54.3	68.1	88.3	131.8	120.2	178.0	203.2
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.7	1.7	1.7	3.3	4.1	2.3	12.0
Liver & intrahepatic bile ducts	C22	17.2	18.9	0.6	0.3	0.4	0.4	0.3	1.1	1.6	4.9	10.7	16.8	31.3	51.2	79.8	118.0	134.3	192.6	217.8	115.5
Gallbladder & extrahepatic bile ducts	C23-C24	1.9	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.6	2.3	4.5	4.8	4.8	15.4	21.6	16.4	28.1	27.9
Pancreas	C25	4.1	4.7	0.2	0.0	0.0	0.0	0.0	0.3	0.3	0.4	1.7	5.1	7.1	8.7	21.7	27.0	42.3	51.9	25.8	67.7
Retropertoneum & peritoneum	C48	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.5	1.0	1.7	0.6	0.8	1.4	2.3	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.6	1.4	0.9	3.1	5.2	5.0	5.0	5.5	4.7	12.0
Larynx	C32	4.8	5.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.8	3.1	8.0	15.9	24.3	36.4	51.4	53.3	74.9	27.9
Lung (incl. trachea & bronchus)	C33-C34	41.8	48.1	0.0	0.0	0.0	0.0	0.0	0.8	1.2	5.7	11.1	19.3	55.1	104.8	200.4	353.0	451.1	547.8	630.0	529.9
Pleura	C38.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.4	0.6	1.0	2.2	1.7	1.7	2.7	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.6	0.6	0.2	0.0	0.2	1.0	1.0	0.2	0.3	0.5	0.3	1.0	0.6	0.7	4.3	0.0	0.0	0.0	2.3	0.0
Bone	C40-C41	0.7	0.6	0.0	0.2	0.6	0.8	1.0	0.8	0.6	0.8	0.9	0.8	0.9	1.0	0.0	1.1	1.7	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.5	1.5	0.6	0.5	0.4	1.0	1.0	0.8	0.9	1.3	1.8	1.6	2.1	3.8	5.2	3.9	7.5	2.7	4.7	4.0
Melanoma of skin	C43	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.1	0.5	0.4	0.3	0.3	0.9	3.3	1.7	4.1	9.4	8.0
Non-melanoma skin	C44	8.8	9.5	0.0	0.0	0.2	0.2	0.3	0.9	1.3	2.7	5.4	9.4	14.9	23.9	29.1	46.9	66.3	97.0	175.6	179.3
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.3	0.0	1.1	0.8	2.7	0.0	0.0
Prostate	C61	11.9	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	3.6	14.5	36.4	90.5	156.7	255.5	363.0	259.0
Testis	C62	1.1	1.0	1.6	0.0	0.0	0.6	0.7	1.5	2.2	1.7	1.8	1.0	0.9	1.4	1.7	0.6	0.8	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.8	2.4	2.1	4.3	8.8	4.1	6.8	11.7	12.0
Urinary bladder	C67	6.4	7.2	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.0	3.6	3.7	8.6	17.3	26.9	43.6	54.7	95.6	124.1	87.6
Kidney & other urinary organs	C64-C66 & C68	4.8	5.3	0.6	0.3	0.2	0.0	0.2	0.0	0.8	0.8	4.1	7.6	11.0	14.2	20.4	29.8	39.8	28.7	42.2	55.8
Eye	C69	0.1	0.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.0	0.0	0.8	0.0	0.0	0.0
Brain & CNS	C70-C72	2.4	2.6	1.7	4.0	1.7	1.2	1.5	1.2	1.8	1.6	1.5	1.9	3.6	3.8	5.2	7.7	7.5	6.8	9.4	8.0
Thyroid	C73	1.9	1.9	0.0	0.2	0.0	0.8	0.7	1.1	1.7	2.1	2.0	2.3	3.3	6.2	6.5	5.5	6.6	8.2	14.1	4.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.4	1.3	0.5	0.4	0.4	0.3	0.0	0.1	0.1	0.5	0.0	0.3	0.7	0.0	0.6	0.8	1.4	0.0	4.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	10.9	11.6	6.4	4.5	3.7	3.8	3.7	3.9	5.4	5.4	8.6	11.3	19.0	22.8	33.8	40.8	62.2	62.8	107.7	79.7
Myeloid neoplasms	C92-C93	5.0	5.2	1.9	1.0	0.9	2.1	1.9	2.4	3.0	3.2	3.6	4.3	6.5	10.0	15.6	22.6	32.3	35.5	37.5	43.8
Others & unspecified	OTH	5.8	6.5	0.3	0.0	0.2	0.4	0.3	0.3	1.2	0.9	2.4	3.5	9.2	10.7	26.0	42.5	47.3	76.5	100.7	95.6
All sites	ALL	214.3	236.4	16.7	11.7	8.9	13.4	16.2	22.4	38.6	69.3	121.5	189.2	331.0	569.2	895.9	1368.5	1830.0	2286.9	2908.7	2605.6

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C1: Incidence rates by primary site and five-year age group for males, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.8	1.7	0.0	0.0	0.0	0.0	0.2	0.8	0.7	1.0	0.8	1.7	4.1	6.2	7.7	8.7	6.5	11.2	13.2	6.3
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.7	0.0	0.2	0.0	0.2	0.2	0.5	0.8	0.6	0.6	1.2	0.8	0.9	1.5	3.4	5.2	5.6	4.4	3.2
Mouth	C03-C06	1.5	1.5	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.5	0.6	1.4	2.2	7.4	6.6	8.7	8.5	10.1	4.4	15.9
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	2.0	2.8	4.9	9.9	14.0	21.5	21.3	19.8	22.2
Nasopharynx	C11	13.5	11.1	0.0	0.0	0.2	0.0	0.6	3.0	8.4	17.4	23.9	30.8	33.6	32.3	33.5	31.3	21.5	15.7	13.2	15.9
Oesophagus	C15	4.9	5.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.4	2.9	5.7	14.2	23.2	34.6	43.7	48.1	65.9	73.0
Stomach	C16	17.7	18.5	0.0	0.0	0.0	0.0	0.7	1.1	1.0	3.0	4.1	8.3	18.2	34.5	73.6	118.4	153.8	237.1	270.3	323.8
Small intestines	C17	0.9	0.8	0.0	0.0	0.2	0.0	0.0	0.2	0.1	0.1	0.3	1.1	2.2	3.4	3.7	4.8	5.2	1.1	8.8	6.3
Colon	C18	22.7	23.0	0.0	0.2	0.2	0.4	0.6	1.6	3.1	4.8	6.0	16.1	32.2	48.4	92.0	139.1	183.2	271.8	329.7	304.8
Rectosigmoid & rectum	C19-C20	17.0	17.1	0.0	0.0	0.0	0.2	0.6	0.5	1.5	2.2	7.4	12.9	30.4	53.3	75.5	100.6	120.6	148.8	193.4	203.2
Anus	C21	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.1	0.5	0.4	0.6	0.4	3.8	5.2	2.2	4.4	0.0
Liver & intrahepatic bile ducts	C22	19.0	19.1	1.0	0.2	0.2	0.6	0.7	0.3	1.5	4.3	8.4	15.6	31.4	51.8	75.8	122.2	141.5	184.6	186.8	212.7
Gallbladder & extrahepatic bile ducts	C23-C24	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	1.8	3.0	4.0	8.1	14.9	14.3	16.8	17.6	28.6	28.6
Pancreas	C25	5.0	5.1	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.6	2.6	3.0	7.3	12.3	18.0	36.1	33.9	58.2	65.9	79.4
Retropertoneum & peritoneum	C48	0.4	0.4	0.5	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.1	0.6	0.8	1.2	2.6	2.4	0.7	4.5	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.9	0.9	0.2	0.0	0.3	0.0	0.4	0.2	0.3	0.0	0.9	1.1	0.8	2.8	4.1	1.9	5.9	1.1	13.2	19.0
Larynx	C32	4.3	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	2.4	4.3	12.3	20.6	39.0	35.2	40.3	41.8	50.8
Lung (incl. trachea & bronchus)	C33-C34	44.0	45.8	0.0	0.0	0.0	0.0	0.2	0.6	1.8	4.1	8.8	18.2	42.6	99.2	173.8	311.4	436.8	570.5	692.3	650.8
Pleura	C38.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.8	0.3	2.6	1.9	2.6	1.1	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.6	0.6	0.2	0.0	0.2	0.6	0.7	0.5	0.3	0.4	0.8	0.3	1.2	1.5	1.8	0.5	2.0	1.1	4.4	0.0
Bone	C40-C41	0.7	0.7	0.0	0.3	1.1	0.6	1.1	0.5	0.6	0.5	0.9	0.3	0.8	1.5	1.1	0.5	3.3	1.1	2.2	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.6	1.6	1.7	0.2	0.5	0.9	1.7	1.1	0.6	1.4	2.4	2.0	2.6	0.9	2.2	3.4	7.8	6.7	6.6	9.5
Melanoma of skin	C43	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.6	3.1	1.1	0.5	3.3	3.4	6.6	22.2
Non-melanoma skin	C44	9.6	9.6	0.0	0.0	0.0	0.2	0.2	0.6	1.8	2.7	5.7	8.3	13.0	22.8	35.0	48.1	67.8	86.1	134.1	225.4
Breast	C50	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	1.5	0.4	1.0	2.0	4.5	6.6	6.3
Prostate	C61	16.6	17.6	0.3	0.0	0.0	0.0	0.2	0.3	0.0	0.1	0.3	1.7	5.9	27.1	68.9	113.1	189.7	267.3	364.8	330.2
Testis	C62	1.1	1.1	1.4	0.0	0.2	0.7	1.3	2.3	2.2	1.6	0.9	1.1	1.0	0.6	1.5	0.5	0.0	1.1	0.0	3.2
Penis & other male genital organs	C60, C63	0.8	0.8	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.9	0.5	1.4	1.5	2.9	2.4	4.6	7.8	8.8	15.9
Urinary bladder	C67	7.5	7.7	0.0	0.0	0.0	0.0	0.2	0.2	0.4	1.0	1.4	4.7	8.1	17.3	29.1	45.2	54.8	106.3	145.1	139.7
Kidney & other urinary organs	C64-C66 & C68	5.7	5.6	1.0	0.3	0.2	0.0	0.2	0.5	0.6	1.4	4.5	5.9	10.5	13.2	15.1	37.5	41.1	57.0	48.4	47.6
Eye	C69	0.2	0.2	1.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.6	0.0	0.7	0.0	0.0	1.1	2.2	0.0
Brain & CNS	C70-C72	2.4	2.4	3.2	1.4	1.3	1.3	0.6	1.4	1.1	1.9	2.6	2.3	3.9	3.4	3.7	7.2	6.5	7.8	11.0	9.5
Thyroid	C73	2.3	2.0	0.0	0.2	0.0	0.0	0.4	1.9	2.6	1.7	3.6	3.0	3.6	4.6	7.0	7.2	7.8	4.5	13.2	9.5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	1.2	1.1	1.3	1.3	0.2	0.2	0.0	0.4	0.1	0.3	0.6	0.3	0.0	0.5	0.7	2.2	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	12.8	13.0	8.3	5.0	5.9	5.0	4.8	5.3	4.3	6.7	7.9	12.5	16.6	29.6	35.7	51.0	64.5	88.4	61.5	73.0
Myeloid neoplasms	C92-C93	5.3	5.2	2.2	0.2	1.5	2.2	2.0	2.3	2.5	3.3	3.4	4.5	9.7	10.8	19.9	17.3	17.6	34.7	52.7	44.4
Others & unspecified	OTH	5.1	5.2	0.0	0.0	0.0	0.4	0.0	0.0	0.7	0.7	1.0	3.0	4.9	11.7	19.9	33.2	41.7	62.6	90.1	88.9
All sites	ALL	232.7	234.8	22.4	9.0	13.1	15.2	18.2	26.3	38.4	64.6	104.2	172.3	308.3	541.6	879.2	1366.2	1760.8	2393.7	2903.3	3041.3

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C1: Incidence rates by primary site and five-year age group for males, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.4	0.0	0.9	0.0	0.0
Tongue	C01-C02	1.8	1.5	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.3	1.7	2.6	2.2	3.5	5.0	12.8	7.0	7.4	16.2	21.4
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.7	0.0	0.2	0.2	0.0	0.2	0.2	0.3	0.5	0.6	0.3	1.6	2.3	1.0	2.9	1.7	9.3	9.0	8.0
Mouth	C03-C06	1.5	1.3	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.0	0.4	1.2	2.6	3.9	5.3	7.4	13.9	9.3	9.0	8.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	1.4	4.3	5.6	10.7	14.8	18.6	17.6	21.5	18.8
Nasopharynx	C11	14.1	10.9	0.0	0.0	0.6	0.2	1.3	2.0	6.7	11.3	22.0	28.1	32.8	34.1	36.3	35.0	30.2	26.0	10.8	18.8
Oesophagus	C15	3.9	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.8	3.9	8.9	19.0	19.0	33.1	33.4	53.9	45.6
Stomach	C16	16.0	14.6	0.0	0.0	0.0	0.0	0.5	0.8	0.1	1.3	5.6	6.2	12.4	24.1	45.3	86.5	136.5	239.3	228.0	284.2
Small intestines	C17	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.6	1.2	1.4	2.3	2.7	7.0	8.1	4.6	7.2	5.4
Colon	C18	25.5	23.0	0.0	0.0	0.0	0.2	0.7	1.2	1.9	3.2	7.4	11.9	28.1	53.6	84.9	150.4	194.5	266.2	325.0	348.5
Rectosigmoid & rectum	C19-C20	19.2	16.9	0.0	0.0	0.0	0.0	0.2	0.7	2.0	4.3	7.3	13.3	31.8	45.7	71.9	97.7	126.6	164.2	175.9	193.0
Anus	C21	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.8	1.2	1.7	1.7	2.5	4.1	7.4	3.6	16.1
Liver & intrahepatic bile ducts	C22	20.7	18.7	0.6	0.2	0.2	0.2	0.5	0.3	1.6	2.8	5.7	11.6	27.8	48.4	85.6	116.2	144.0	195.7	220.8	201.1
Gallbladder & extrahepatic bile ducts	C23-C24	2.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.9	2.2	4.4	6.7	8.7	23.8	18.6	21.5	40.2
Pancreas	C25	6.7	5.9	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.5	2.4	3.6	10.2	15.2	18.3	38.7	52.8	63.1	84.4	75.1
Retropertoneum & peritoneum	C48	0.3	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.5	0.6	1.7	1.2	3.5	0.9	1.8	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.0	0.8	0.2	0.0	0.0	0.0	0.3	0.3	0.3	0.7	0.5	0.9	1.2	2.5	3.7	6.6	5.2	1.9	5.4	0.0
Larynx	C32	4.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	2.3	4.7	11.0	16.0	20.6	28.5	42.7	46.7	64.3
Lung (incl. trachea & bronchus)	C33-C34	44.8	41.3	0.0	0.2	0.0	0.5	0.4	0.5	1.9	2.7	9.8	18.6	36.0	71.7	154.1	268.6	420.4	581.6	596.1	595.2
Pleura	C38.4	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.9	0.4	1.7	1.6	6.4	6.5	3.6	2.7
Thymus, heart & mediastinum	C37-C38.3	1.1	1.0	0.2	0.2	0.5	1.2	1.3	1.0	0.4	0.8	1.0	1.0	0.6	2.3	2.7	3.7	1.7	3.7	0.0	8.0
Bone	C40-C41	0.9	0.9	0.0	0.8	0.9	1.0	1.6	1.5	0.4	0.0	0.7	1.2	1.1	0.8	0.7	1.2	1.2	2.8	1.8	2.7
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.2	1.9	1.4	0.8	0.5	0.7	0.4	0.7	1.1	1.3	2.5	3.4	2.9	4.2	5.7	5.8	4.6	10.2	10.8	10.7
Melanoma of skin	C43	0.6	0.5	0.0	0.0	0.0	0.0	0.2	0.5	0.4	0.3	0.4	0.9	0.8	1.0	1.3	3.7	1.2	4.6	1.8	0.0
Non-melanoma skin	C44	11.1	10.0	0.0	0.2	0.0	0.0	0.7	0.5	1.9	3.2	5.3	7.2	10.7	18.9	38.3	53.2	68.5	106.7	154.4	233.2
Breast	C50	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	2.0	0.8	0.6	2.8	1.8	0.0
Prostate	C61	25.6	24.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.4	2.5	10.4	46.3	108.2	184.2	256.7	345.1	312.4	359.2
Testis	C62	1.4	1.3	1.2	0.0	0.0	1.5	2.0	3.0	3.3	1.7	2.2	1.0	0.8	1.2	0.3	0.0	0.0	0.9	0.0	2.7
Penis & other male genital organs	C60, C63	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.4	2.0	2.3	3.3	5.8	9.3	13.0	9.0	5.4
Urinary bladder	C67	7.9	7.2	0.0	0.0	0.0	0.0	0.0	0.8	0.6	1.6	1.2	5.2	8.8	13.1	23.0	40.8	57.5	91.8	109.5	174.3
Kidney & other urinary organs	C64-C66 & C68	7.5	6.4	0.6	0.0	0.2	0.0	0.2	0.5	1.0	2.8	4.9	6.6	13.8	19.7	25.3	36.7	43.6	54.7	41.3	37.5
Eye	C69	0.2	0.3	1.7	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.5	0.6	0.0	0.4	0.0	0.0	1.8	2.7
Brain & CNS	C70-C72	3.4	3.2	2.9	1.3	2.7	2.0	2.2	1.3	2.0	2.8	2.4	3.2	4.2	6.6	8.3	9.1	7.5	11.1	9.0	8.0
Thyroid	C73	2.5	2.1	0.0	0.0	0.3	0.7	0.7	2.0	2.8	1.7	1.9	3.1	5.0	5.0	5.7	9.9	7.5	6.5	7.2	2.7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	1.2	0.5	0.8	0.7	0.4	0.2	0.3	0.4	0.4	0.4	0.2	0.6	1.3	0.4	1.7	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	15.7	14.9	10.5	6.0	5.0	6.1	5.7	5.9	4.4	6.6	9.8	13.3	20.0	27.0	40.3	61.0	85.4	93.7	88.0	93.8
Myeloid neoplasms	C92-C93	6.6	6.0	2.1	0.7	0.8	1.0	1.1	3.2	2.8	3.2	4.0	4.8	10.4	12.9	16.6	26.8	36.0	51.9	34.1	69.7
Others & unspecified	OTH	4.5	4.1	0.2	0.0	0.0	0.0	0.2	0.2	0.6	1.2	1.2	2.5	5.1	8.9	12.6	26.4	31.4	39.9	71.8	83.1
All sites	ALL	260.1	235.2	22.7	10.9	12.4	16.0	21.3	27.9	37.9	57.6	105.8	163.9	303.6	511.8	867.2	1368.4	1873.4	2536.2	2694.8	3040.2

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C1: Incidence rates by primary site and five-year age group for males, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	2.1	1.6	0.2	0.0	0.0	0.0	0.0	0.3	0.7	0.9	1.6	1.8	3.2	4.0	6.3	8.2	9.8	10.0	7.8	16.4
Major salivary gland (incl. parotid gland)	C07-C08	1.1	0.8	0.0	0.0	0.2	0.3	0.8	0.5	0.7	0.5	0.8	1.4	1.7	3.5	1.3	2.1	3.7	4.3	2.6	4.1
Mouth	C03-C06	1.4	1.0	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.4	0.8	1.2	2.2	2.7	3.7	6.1	3.7	6.5	14.2	16.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.8	3.4	6.9	13.9	16.3	26.6	25.9	18.5	8.2
Nasopharynx	C11	12.4	8.9	0.0	0.0	0.3	0.3	1.0	1.6	3.3	11.1	16.5	24.2	26.1	31.1	27.0	26.5	27.0	23.0	12.9	8.2
Oesophagus	C15	4.5	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	3.0	4.5	8.6	14.9	25.0	25.6	31.6	49.2	49.3
Stomach	C16	15.7	12.0	0.0	0.0	0.0	0.2	0.5	0.6	1.4	2.3	3.6	5.8	13.7	21.1	34.4	62.6	116.5	163.7	222.7	244.2
Small intestines	C17	1.5	1.1	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.9	1.0	1.1	1.4	3.7	4.5	5.7	7.9	7.9	6.5	12.3
Colon	C18	30.6	23.3	0.0	0.0	0.2	0.3	0.5	1.4	2.1	4.2	7.7	14.3	32.4	52.2	90.0	135.2	187.3	251.9	361.2	400.2
Rectosigmoid & rectum	C19-C20	21.1	15.9	0.0	0.0	0.0	0.0	0.8	0.2	1.7	3.6	6.1	14.4	30.8	46.1	66.8	97.3	121.2	141.4	147.6	145.7
Anus	C21	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.4	0.5	1.6	1.8	2.4	5.0	6.5	5.0	6.5	0.0
Liver & intrahepatic bile ducts	C22	23.1	17.6	1.2	0.2	0.2	0.0	0.0	0.5	1.3	2.0	5.1	10.1	28.6	47.4	75.7	108.7	138.9	188.1	203.3	190.9
Gallbladder & extrahepatic bile ducts	C23-C24	2.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9	1.7	4.2	4.5	8.0	14.3	18.6	20.8	27.2	18.5
Pancreas	C25	8.0	6.1	0.0	0.0	0.0	0.2	0.0	0.3	0.3	1.6	3.0	3.1	7.9	17.7	21.0	45.1	50.8	61.0	72.5	71.8
Retropertoneum & peritoneum	C48	0.4	0.3	0.0	0.0	0.0	0.2	0.0	0.2	0.6	0.0	0.0	0.5	0.4	1.0	0.6	1.8	1.4	2.9	1.3	4.1
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.2	0.9	0.0	0.0	0.0	0.0	0.2	0.3	0.7	0.1	0.6	1.7	2.4	2.9	2.8	5.0	4.2	2.9	3.9	4.1
Larynx	C32	3.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.2	3.8	6.9	12.8	19.3	21.9	35.9	45.3	43.1
Lung (incl. trachea & bronchus)	C33-C34	46.4	35.7	0.2	0.0	0.0	0.2	0.2	0.6	1.6	3.5	9.9	19.4	34.7	65.9	115.7	219.9	344.8	520.4	564.5	585.0
Pleura	C38.4	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.6	1.5	3.9	6.5	11.5	6.5	2.1
Thymus, heart & mediastinum	C37-C38.3	1.6	1.3	0.0	0.2	0.6	0.8	1.8	0.9	1.3	2.3	0.9	1.8	2.0	2.7	1.5	4.3	4.2	3.6	5.2	0.0
Bone	C40-C41	1.1	1.0	0.2	0.5	1.9	2.6	1.3	0.6	0.8	1.2	0.6	1.0	0.9	0.6	0.4	1.4	1.4	2.9	0.0	2.1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.8	2.5	2.5	0.2	1.3	1.8	1.1	1.7	1.4	1.8	1.2	2.3	2.4	4.6	6.7	5.0	9.3	13.6	9.1	30.8
Melanoma of skin	C43	0.8	0.6	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.7	0.4	0.5	1.2	1.0	2.4	2.9	5.1	4.3	5.2	8.2
Non-melanoma skin	C44	15.9	12.0	0.0	0.0	0.3	0.2	0.5	0.5	2.8	4.7	6.9	11.0	14.9	21.7	41.3	54.0	90.4	140.0	190.3	277.1
Breast	C50	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.4	0.4	0.2	0.6	0.4	1.9	2.9	3.9	4.1
Prostate	C61	36.0	28.6	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	1.3	4.6	13.7	46.7	119.6	228.5	328.1	376.1	387.1	348.9
Testis	C62	1.8	1.7	1.2	0.0	0.0	2.0	4.4	2.8	3.0	4.2	2.5	1.6	1.2	0.8	0.4	0.4	0.0	2.2	2.6	0.0
Penis & other male genital organs	C60, C63	1.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.4	0.7	2.1	3.9	9.3	7.5	5.7	11.7	10.3
Urinary bladder	C67	7.5	5.8	0.2	0.0	0.0	0.0	0.2	0.3	0.4	1.3	1.9	4.6	7.8	9.6	21.2	31.1	48.0	66.0	103.6	96.5
Kidney & other urinary organs	C64-C66 & C68	10.9	8.2	0.6	0.0	0.2	0.2	0.3	0.5	2.3	2.0	6.5	9.9	15.9	21.4	32.2	50.8	49.9	73.9	73.8	45.2
Eye	C69	0.2	0.2	1.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.3	0.0	0.0	1.9	0.0	0.0	0.0
Brain & CNS	C70-C72	3.9	3.7	4.3	2.4	2.4	2.9	1.5	1.7	2.4	3.1	3.1	3.8	3.8	5.3	5.6	13.6	8.9	10.0	23.3	6.2
Thyroid	C73	3.4	2.6	0.0	0.0	0.2	0.6	0.2	1.9	3.1	2.2	3.4	4.9	4.1	6.9	6.9	11.8	10.3	11.5	12.9	6.2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.7	0.9	2.7	1.1	0.5	0.8	1.0	0.3	0.3	0.4	0.3	0.5	0.4	0.5	0.6	0.4	0.9	2.2	1.3	2.1
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	19.9	16.9	10.0	6.0	5.9	5.9	7.6	7.8	7.9	7.4	10.5	14.2	21.3	34.8	49.5	66.5	86.7	112.0	120.4	98.5
Myeloid neoplasms	C92-C93	9.5	7.6	2.9	0.9	2.1	1.7	1.1	3.0	2.7	3.3	5.5	8.3	11.4	12.3	19.7	26.1	53.1	77.5	89.3	86.2
Others & unspecified	OTH	3.9	3.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.7	1.0	1.6	4.2	4.9	8.0	15.0	25.6	44.5	58.3	61.6
All sites	ALL	301.8	234.8	27.2	11.6	16.1	21.2	25.2	28.7	43.7	68.2	106.4	180.1	309.3	504.6	817.3	1327.2	1845.9	2464.2	2879.6	2918.6

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C1: Incidence rates by primary site and five-year age group for males, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.4
Tongue	C01-C02	2.7	1.7	0.0	0.0	0.0	0.0	0.2	0.6	0.7	1.8	2.0	1.3	4.2	5.9	6.8	6.5	12.0	9.4	6.8	12.9
Major salivary gland (incl. parotid gland)	C07-C08	1.2	0.8	0.0	0.0	0.0	0.3	0.6	0.2	0.7	0.4	1.0	1.1	1.4	1.9	2.3	3.9	3.2	4.4	4.8	7.2
Mouth	C03-C06	1.7	1.1	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.3	0.5	0.9	1.5	3.5	4.0	4.8	11.2	11.1	11.6	8.6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.8	1.8	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.6	0.4	1.2	3.7	5.2	8.3	10.2	11.6	13.3	20.3	22.9
Nasopharynx	C11	11.3	7.5	0.0	0.0	0.0	0.0	0.9	1.1	3.9	7.2	12.6	20.4	21.7	22.1	28.5	24.7	23.5	22.7	20.3	7.2
Oesophagus	C15	4.9	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	1.2	5.6	8.6	13.0	20.5	28.3	26.6	33.9	44.5
Stomach	C16	16.2	10.2	0.0	0.0	0.2	0.0	0.3	0.6	0.6	1.8	3.1	7.8	12.9	22.2	32.0	53.1	86.5	136.3	146.3	205.1
Small intestines	C17	2.0	1.3	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.7	0.4	1.3	3.0	2.5	4.2	9.5	6.0	10.0	13.6	14.3
Colon	C18	36.1	22.7	0.0	0.0	0.2	0.3	0.8	1.7	2.3	4.4	9.4	13.7	29.8	50.6	89.5	134.8	199.2	230.5	318.7	342.8
Rectosigmoid & rectum	C19-C20	24.4	15.5	0.0	0.0	0.0	0.0	0.8	0.9	1.2	5.1	8.1	15.9	26.7	45.6	67.2	94.6	115.2	123.6	138.5	129.1
Anus	C21	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.7	1.3	1.5	3.0	6.5	7.2	4.4	3.9	0.0
Liver & intrahepatic bile ducts	C22	28.2	17.7	0.8	0.0	0.2	0.0	0.2	0.2	1.2	1.5	4.4	12.6	24.1	45.7	80.9	98.8	147.8	190.0	217.0	246.7
Gallbladder & extrahepatic bile ducts	C23-C24	3.8	2.4	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.8	0.4	2.4	5.7	9.8	16.4	21.1	24.9	34.9	35.9
Pancreas	C25	11.0	6.8	0.0	0.0	0.0	0.2	0.2	0.2	0.6	0.6	2.0	4.6	9.9	16.5	26.0	42.0	59.4	90.9	92.0	63.1
Retropertoneum & peritoneum	C48	0.5	0.4	0.2	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.1	0.7	1.0	0.3	1.5	1.6	1.6	2.8	2.9	2.9
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.5	1.0	0.2	0.0	0.2	0.0	0.2	0.3	1.2	1.0	0.9	1.5	1.8	2.7	2.7	5.5	3.6	3.9	6.8	5.7
Larynx	C32	4.2	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.1	3.5	7.9	12.3	14.8	26.3	23.8	38.7	28.7
Lung (incl. trachea & bronchus)	C33-C34	52.1	32.6	0.2	0.0	0.0	0.0	0.0	0.5	1.5	3.6	7.3	16.5	34.5	63.0	110.7	183.5	327.1	443.3	552.2	552.2
Pleura	C38.4	0.9	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.8	1.5	3.5	8.0	8.9	8.7	11.5
Thymus, heart & mediastinum	C37-C38.3	2.1	1.6	0.4	0.0	0.4	1.6	1.2	1.2	0.4	1.2	1.8	2.2	3.2	4.2	4.2	5.5	5.2	3.9	3.9	0.0
Bone	C40-C41	1.0	1.0	0.0	0.2	1.5	2.1	1.8	1.2	0.4	0.8	0.8	0.7	0.4	1.0	0.8	2.8	2.0	1.1	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	3.4	2.6	1.5	0.2	1.1	1.4	0.8	2.3	1.7	2.5	3.4	2.6	4.8	5.2	6.2	8.8	10.4	11.1	9.7	4.3
Melanoma of skin	C43	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.8	0.7	1.5	2.0	2.5	2.3	2.8	8.3	4.8	7.2
Non-melanoma skin	C44	19.5	12.3	0.0	0.0	0.2	0.0	0.2	1.1	1.9	3.6	6.7	11.8	15.1	21.1	36.1	53.8	99.2	135.2	225.7	327.0
Breast	C50	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.5	0.3	0.4	1.0	0.7	2.0	1.1	4.8	4.3
Prostate	C61	50.6	31.8	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.8	3.8	15.2	49.6	126.0	250.6	401.2	438.3	422.4	364.3
Testis	C62	2.2	2.1	1.3	0.0	0.0	1.6	4.7	4.7	5.2	5.3	2.9	1.6	1.4	0.5	0.3	0.5	0.4	0.0	1.0	1.4
Penis & other male genital organs	C60, C63	1.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.9	1.8	2.7	3.3	5.1	8.8	6.6	11.6	11.5
Urinary bladder	C67	6.9	4.3	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.0	0.7	2.2	4.6	8.7	13.1	25.4	34.3	56.5	78.5	96.1
Kidney & other urinary organs	C64-C66 & C68	14.4	9.4	1.1	0.4	0.0	0.0	0.2	1.4	1.7	3.0	8.6	11.9	17.6	24.6	35.4	53.3	64.2	66.5	84.3	60.2
Eye	C69	0.3	0.3	1.5	0.2	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.1	0.0	0.1	0.8	0.5	0.0	1.1	2.9	0.0
Brain & CNS	C70-C72	4.3	3.5	3.2	1.2	2.4	1.8	1.5	1.5	2.9	1.5	3.3	2.9	5.1	6.1	7.3	12.0	13.1	15.0	17.4	14.3
Thyroid	C73	5.2	3.7	0.0	0.0	0.0	0.6	2.4	3.0	3.4	3.7	6.7	4.6	10.5	9.0	10.8	10.4	13.1	12.2	8.7	4.3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.7	1.7	0.2	0.5	0.5	0.9	0.3	0.4	0.1	0.4	0.4	0.3	0.5	1.0	0.7	1.6	2.8	1.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	23.6	17.8	10.4	7.0	5.3	6.6	7.8	8.3	8.5	8.0	10.9	15.2	21.0	32.3	47.3	75.5	98.8	113.0	123.0	129.1
Myeloid neoplasms	C92-C93	11.8	8.1	2.3	0.6	1.6	1.6	2.4	2.6	3.9	3.0	5.8	7.8	12.5	14.3	20.3	37.4	50.6	75.9	87.2	106.1
Others & unspecified	OTH	4.2	2.6	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.8	1.0	1.2	1.9	5.6	9.8	11.1	17.5	32.1	38.7	100.4
All sites	ALL	359.6	234.0	24.8	10.0	13.7	19.3	28.1	34.7	47.4	66.0	108.8	174.2	306.0	500.1	830.4	1291.5	1923.7	2361.5	2797.6	2973.3

Appendix C2: Incidence rates by primary site and five-year age group for females, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.6	3.1	0.7	1.7	3.6	5.8	0.0	4.2
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.6	0.0	0.0	0.1	0.0	0.2	0.6	0.3	0.4	0.4	1.1	0.0	1.3	2.6	2.4	1.9	6.4	0.0
Mouth	C03-C06	0.7	1.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.1	0.9	1.6	3.1	1.3	4.3	3.6	3.9	9.7	8.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	1.8	1.3	0.9	1.2	1.9	12.9	0.0
Nasopharynx	C11	4.5	6.1	0.2	0.0	0.1	0.7	0.8	3.6	5.6	11.0	16.3	14.2	15.3	18.4	13.8	14.5	13.6	6.4	4.2
Oesophagus	C15	3.8	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	3.5	5.5	12.9	14.4	25.8	47.1	58.1	41.9	41.8
Stomach	C16	11.1	17.4	0.0	0.0	0.0	0.0	0.6	3.2	4.6	9.9	14.1	16.4	29.4	49.2	70.5	103.8	135.5	141.7	87.8
Small intestines	C17	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.5	0.6	0.0	0.0	2.4	1.9	0.0	0.0
Colon	C18	5.7	9.0	0.0	0.0	0.1	0.2	0.6	0.3	1.9	3.0	6.6	12.0	18.4	22.3	45.6	41.0	50.3	61.2	104.5
Rectosigmoid & rectum	C19-C20	4.1	6.4	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.4	6.2	7.7	16.5	19.7	30.9	24.1	38.7	51.5	37.6
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.3	0.9	2.4	0.0	0.0	8.4
Liver & intrahepatic bile ducts	C22	5.0	7.9	0.4	0.2	0.0	0.0	0.2	1.0	0.6	1.9	2.6	10.9	22.7	16.4	32.7	49.5	46.5	83.7	50.2
Gallbladder & extrahepatic bile ducts	C23-C24	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	1.1	0.6	5.2	4.3	0.0	5.8	9.7	4.2
Pancreas	C25	1.0	1.6	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.9	2.2	6.1	3.3	4.3	10.9	15.5	16.1	0.0
Retropertoneum & peritoneum	C48	0.2	0.3	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.6	0.0	1.3	3.4	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.4	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.4	1.6	0.6	0.7	0.0	2.4	3.9	6.4	0.0
Larynx	C32	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.1	2.4	0.0	8.6	2.4	3.9	0.0	4.2
Lung (incl. trachea & bronchus)	C33-C34	10.0	16.2	0.0	0.0	0.0	0.0	0.0	1.3	2.2	3.0	6.2	13.1	37.4	42.6	90.2	96.5	131.7	112.7	75.2
Pleura	C38.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.5	0.6	0.0	0.9	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.5	0.4	0.0	0.9	1.2	0.8	0.3	0.3	0.0	0.9	0.5	0.0	0.0	0.0	1.2	0.0	3.2	0.0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	0.8	1.1	0.7	0.2	0.3	0.2	0.6	0.0	0.3	0.8	1.3	1.6	2.4	2.0	2.6	7.2	1.9	3.2	4.2
Melanoma of skin	C43	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.4	0.0	0.6	0.0	0.9	1.2	1.9	3.2	4.2
Non-melanoma skin	C44	3.1	5.2	0.0	0.0	0.0	0.0	0.4	0.6	0.9	2.3	1.8	2.2	6.1	8.5	16.3	21.7	60.0	67.6	83.6
Breast	C50	13.7	20.1	0.0	0.0	0.0	0.2	0.2	3.9	10.8	23.2	34.3	46.5	61.9	63.6	63.6	73.6	67.8	51.5	62.7
Cervix uteri	C53	12.3	18.0	0.0	0.0	0.0	0.0	0.6	3.6	9.0	14.5	31.6	49.2	45.3	68.8	58.4	70.0	48.4	67.6	37.6
Placenta	C58	0.8	0.9	0.0	0.0	0.0	0.3	0.8	4.5	2.5	1.9	1.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	3.2	4.9	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	4.8	4.9	19.6	24.9	19.8	19.3	17.4	16.1	20.9
Ovary & fallopian tube	C56-C57.0	4.5	6.0	0.0	0.3	1.5	1.4	1.9	2.9	5.9	7.2	8.8	13.7	15.3	19.7	23.2	12.1	11.6	3.2	8.4
Vulva & vagina	C51-C52	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.9	1.6	0.6	3.9	2.6	3.6	3.9	16.1	12.5
Urinary bladder	C67	1.1	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.2	5.9	10.3	18.1	13.6	19.3	8.4
Kidney & other urinary organs	C64-C66 & C68	1.2	1.7	1.1	0.2	0.0	0.0	0.2	0.3	0.6	0.8	0.4	2.2	4.9	4.6	6.0	9.7	5.8	16.1	4.2
Eye	C69	0.2	0.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.9	1.0	0.7	0.8	0.3	0.5	1.1	1.3	0.6	1.1	1.3	1.1	3.1	2.6	1.7	0.0	0.0	0.0	0.0
Thyroid	C73	3.3	4.4	0.0	0.0	0.3	1.2	3.6	3.9	6.8	3.4	2.6	4.9	6.7	13.8	19.8	12.1	17.4	9.7	8.4
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.1	3.7	3.4	2.3	1.7	2.2	1.5	1.3	1.9	3.4	2.6	2.7	5.5	9.2	10.3	10.9	19.4	3.2	8.4
Myeloid neoplasms	C92-C93	2.2	2.8	2.5	0.8	1.0	0.3	1.1	2.3	3.1	2.7	2.2	2.2	3.7	3.3	9.5	9.7	21.3	3.2	0.0
Others & unspecified	OTH	3.0	4.7	0.9	0.0	0.3	0.2	0.4	0.3	1.2	1.5	1.8	6.0	10.4	10.5	30.1	29.0	19.4	29.0	16.7
ALL sites	ALL	103.9	155.0	11.7	4.8	6.8	8.9	16.6	36.6	63.1	102.8	158.2	235.2	359.5	441.1	618.8	707.0	828.7	872.6	710.5

Appendix C2: Incidence rates by primary site and five-year age group for females, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tongue	C01-C02	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.4	0.5	0.5	0.6	0.8	0.0	1.5	2.5	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.6	0.0	0.0	0.0	0.0	0.5	0.5	0.5	2.1	1.5	0.5	0.5	1.2	2.3	2.0	1.5	0.0	3.1	
Mouth	C03-C06	0.7	1.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.7	0.8	0.9	1.6	6.2	3.1	2.0	5.9	12.3	6.3	
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.5	0.6	0.0	0.0	0.2	0.2	0.2	0.0	0.3	0.0	0.0	0.5	1.6	0.0	2.3	5.9	7.4	0.0	6.3	
Nasopharynx	C11	5.3	6.4	0.0	0.0	0.2	1.0	1.1	5.9	7.8	14.3	12.4	12.0	18.0	14.4	16.1	13.7	7.4	4.9	18.9	
Oesophagus	C15	2.8	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.1	1.8	3.2	8.7	21.4	27.4	34.0	54.1	44.1	
Stomach	C16	11.7	16.6	0.0	0.0	0.0	0.0	0.5	1.9	3.0	7.0	12.4	15.7	25.9	40.6	68.9	93.0	118.3	169.6	163.8	
Small intestines	C17	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.5	0.5	0.0	0.8	2.0	1.5	0.0	0.0	
Colon	C18	8.3	11.8	0.0	0.2	0.3	0.3	1.1	0.9	1.3	3.5	6.8	10.6	24.3	26.9	55.1	68.5	93.2	83.6	103.9	
Rectosigmoid & rectum	C19-C20	5.4	7.8	0.0	0.0	0.0	0.0	0.4	0.7	1.5	2.4	3.8	6.0	15.4	18.7	32.9	48.9	62.1	49.2	88.2	
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.5	1.0	1.5	7.4	3.1	
Liver & intrahepatic bile ducts	C22	4.9	6.9	0.2	0.0	0.2	0.5	0.4	0.9	1.5	1.0	2.3	8.3	9.5	23.1	32.1	44.0	59.2	46.7	31.5	
Gallbladder & extrahepatic bile ducts	C23-C24	1.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.5	3.2	2.5	4.6	12.7	14.8	32.0	9.4	
Pancreas	C25	1.5	2.1	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.7	1.5	1.4	3.2	8.7	8.4	11.7	16.3	17.2	12.6	
Retropertoneum & peritoneum	C48	0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	2.0	0.0	0.0	0.0	
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.7	0.0	0.2	0.0	0.0	0.0	0.2	0.3	0.3	0.8	0.5	0.5	1.9	1.5	5.9	5.9	4.9	9.4	
Larynx	C32	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.6	4.4	3.8	2.0	4.4	0.0	3.1	
Lung (incl. trachea & bronchus)	C33-C34	12.8	18.5	0.0	0.0	0.0	0.0	0.0	0.5	1.3	2.8	7.5	16.2	28.6	46.2	84.9	134.1	149.4	172.0	144.9	
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Thymus, heart & mediastinum	C37-C38.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	0.0	0.0	0.0	0.0	
Bone	C40-C41	0.7	0.6	0.2	0.3	1.1	1.3	0.5	0.7	0.3	0.3	0.0	0.9	1.1	0.0	0.8	0.0	0.0	4.9	3.1	
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1.1	1.3	2.2	0.3	0.2	0.5	0.5	1.7	0.5	1.4	0.0	0.9	3.2	1.9	2.3	3.9	4.4	2.5	0.0	
Melanoma of skin	C43	0.3	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.3	0.8	0.5	0.5	2.5	1.5	0.0	1.5	2.5	0.0	
Non-melanoma skin	C44	3.8	5.4	0.0	0.2	0.0	0.3	0.5	0.5	0.5	1.4	2.6	3.7	6.4	13.7	20.7	18.6	31.1	83.6	107.1	
Breast	C50	16.6	22.1	0.0	0.0	0.0	0.3	0.9	5.2	10.4	29.7	35.7	58.7	55.0	64.3	81.1	65.6	78.4	76.2	63.0	
Cervix uteri	C53	13.0	17.6	0.0	0.0	0.0	0.0	0.0	3.6	5.6	20.2	28.2	46.2	45.5	68.1	70.4	55.8	47.3	34.4	47.2	
Placenta	C58	0.6	0.5	0.0	0.0	0.0	0.2	1.2	1.7	2.8	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Corpus uteri	C54	3.0	4.1	0.0	0.0	0.0	0.0	0.0	0.2	1.8	2.1	3.8	6.5	15.4	16.2	18.4	12.7	22.2	14.7	9.4	
Ovary & fallopian tube	C56-C57.0	5.0	6.2	0.2	0.3	0.5	1.1	2.1	3.8	3.8	8.0	12.0	10.2	15.9	23.1	15.3	17.6	17.8	22.1	9.4	
Vulva & vagina	C51-C52	0.4	0.6	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.0	0.8	0.9	1.1	0.6	3.8	2.9	4.4	2.5	3.1	
Urinary bladder	C67	1.3	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.2	3.1	9.9	11.7	13.3	27.0	25.2	
Kidney & other urinary organs	C64-C66 & C68	1.1	1.6	1.0	0.0	0.0	0.0	0.0	0.5	0.3	0.7	0.4	1.4	4.8	5.0	6.9	6.9	8.9	2.5	12.6	
Eye	C69	0.2	0.3	1.4	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.5	0.0	0.0	0.0	0.0	2.5	0.0	
Brain & CNS	C70-C72	1.2	1.2	1.4	2.0	1.6	0.3	0.9	0.7	0.8	0.7	1.9	0.9	2.1	1.2	0.8	2.0	1.5	0.0	3.1	
Thyroid	C73	3.2	3.8	0.0	0.0	0.5	1.6	3.2	4.0	2.8	5.6	6.4	6.0	7.9	5.0	16.1	5.9	13.3	9.8	0.0	
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.0	0.3	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.5	4.2	3.8	2.0	2.3	1.6	1.4	1.7	1.5	0.7	1.5	3.2	8.5	5.6	14.5	16.6	26.6	17.2	15.7	
Myeloid neoplasms	C92-C93	2.6	3.0	2.4	1.0	1.1	2.1	1.4	1.9	1.3	1.4	3.8	4.2	3.2	5.0	7.7	17.6	7.4	7.4	3.1	
Others & unspecified	OTH	4.2	5.9	0.4	0.2	0.0	0.3	0.0	1.2	1.0	4.2	3.8	4.2	12.7	19.4	26.8	29.4	39.9	39.3	37.8	
All sites	ALL	119.0	161.2	13.2	7.3	8.4	11.8	17.4	39.5	52.8	114.1	155.4	224.7	325.5	442.9	638.1	743.8	902.3	1005.2	989.0	

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C2: Incidence rates by primary site and five-year age group for females, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.6	0.7	0.0	0.0	0.0	0.0	0.2	0.7	0.2	0.6	1.0	1.6	1.4	1.8	2.7	2.4	5.6	3.8	0.0	2.4
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.8	0.0	0.0	0.4	0.0	0.3	0.5	0.0	0.9	1.3	1.6	1.4	1.8	3.4	2.4	3.4	3.0	0.0	2.0
Mouth	C03-C06	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.0	2.8	1.8	1.8	4.1	3.2	9.0	1.9	9.5	2.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.6	0.7	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.3	1.3	0.0	1.4	1.8	3.4	3.2	3.4	7.6	2.4	7.1
Nasopharynx	C11	5.8	6.6	0.0	0.0	0.2	0.5	1.2	4.0	8.2	10.7	11.9	18.6	21.9	16.4	14.3	15.4	10.2	9.5	7.1	47.5
Oesophagus	C15	2.7	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.0	5.5	11.1	13.0	21.1	19.2	51.1	136.2	144.9
Stomach	C16	11.4	14.6	0.0	0.0	0.0	0.2	0.8	1.4	2.0	5.4	10.6	14.2	20.9	41.0	49.2	92.6	110.7	136.2	144.9	2.4
Small intestines	C17	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	1.8	1.4	2.4	1.1	1.9	2.4	2.4
Colon	C18	11.6	14.9	0.0	0.0	0.2	0.3	0.6	0.0	3.1	6.6	9.0	17.4	24.1	45.1	66.2	81.2	93.8	130.5	144.9	71.3
Rectosigmoid & rectum	C19-C20	7.6	9.7	0.0	0.0	0.0	0.3	0.3	1.0	2.4	3.2	5.4	10.3	14.1	30.5	43.0	47.1	80.2	92.7	71.3	2.4
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.8	1.4	1.6	2.3	3.8	2.4	59.4
Liver & intrahepatic bile ducts	C22	5.4	7.0	0.7	0.0	0.0	0.0	0.2	0.5	0.4	0.9	2.9	7.9	9.1	21.7	18.4	44.7	61.0	87.0	59.4	9.5
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.6	1.2	2.3	3.5	8.2	11.4	11.3	18.9	9.5	21.4
Pancreas	C25	2.1	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.0	2.3	6.4	12.3	16.2	31.6	28.4	21.4	0.0
Retropertoneum & peritoneum	C48	0.2	0.3	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.3	0.3	0.4	1.4	0.0	0.7	1.6	1.1	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.6	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.6	0.8	1.8	2.9	4.1	4.1	3.4	1.9	2.4	2.4
Larynx	C32	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	1.4	4.1	4.1	4.1	2.3	9.5	4.8	218.6
Lung (incl. trachea & bronchus)	C33-C34	15.9	20.8	0.0	0.0	0.0	0.3	0.3	0.7	0.4	3.2	5.1	14.6	31.4	52.2	101.7	131.6	178.5	191.1	218.6	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.3	0.0	0.8	0.5	0.0	0.0	0.0	1.1	0.0	0.0	0.0
Bone	C40-C41	0.8	0.8	0.2	0.6	1.1	0.6	0.9	0.7	0.8	0.6	1.3	0.0	0.5	1.2	0.7	1.6	2.3	0.0	4.8	4.8
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1.0	1.1	1.3	0.8	0.2	1.1	0.9	0.2	0.6	1.6	0.6	1.2	0.9	3.5	1.4	2.4	1.1	0.0	4.8	4.8
Melanoma of skin	C43	0.3	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.3	0.4	0.9	0.6	2.0	1.6	1.1	1.9	4.8	4.8
Non-melanoma skin	C44	5.8	7.3	0.0	0.2	0.4	0.3	0.3	0.9	2.0	0.9	4.5	7.1	8.7	14.1	17.7	34.9	56.5	85.1	152.1	104.6
Breast	C50	22.0	26.9	0.0	0.0	0.0	0.3	0.9	6.1	12.8	36.0	59.3	71.4	58.7	72.7	94.2	78.8	85.8	81.3	104.6	28.5
Cervix uteri	C53	13.4	16.6	0.0	0.0	0.0	0.0	0.3	3.0	7.1	19.6	31.1	42.2	54.2	51.6	60.8	48.7	45.2	43.5	28.5	0.0
Placenta	C58	0.7	0.5	0.0	0.0	0.0	0.8	1.7	1.7	1.6	0.6	0.3	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	3.9	4.9	0.0	0.0	0.0	0.0	0.2	0.9	0.8	2.5	6.4	8.7	18.2	18.2	19.8	27.6	11.3	18.9	7.1	28.5
Ovary & fallopian tube	C56-C57.0	7.4	8.7	0.0	0.0	1.3	1.7	3.2	4.2	3.1	10.1	14.7	17.8	27.3	22.9	29.4	27.6	16.9	18.9	28.5	0.0
Vulva & vagina	C51-C52	0.5	0.6	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.6	0.0	0.9	1.8	1.4	3.2	3.4	5.7	9.5	30.9
Urinary bladder	C67	1.6	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.4	2.3	4.7	7.5	12.2	19.2	34.1	11.9	0.0
Kidney & other urinary organs	C64-C66 & C68	1.1	1.4	0.4	0.2	0.0	0.0	0.0	0.5	0.8	1.3	0.3	2.4	1.8	2.9	5.5	5.7	7.9	13.2	11.9	0.0
Eye	C69	0.2	0.3	1.5	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.6	0.7	0.8	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.1	1.1	1.1	1.9	0.9	0.9	1.2	0.5	0.4	1.6	1.6	0.8	0.5	0.6	0.0	3.2	3.4	1.9	0.0	0.0
Thyroid	C73	4.0	4.2	0.0	0.0	0.7	3.3	3.4	3.8	5.1	6.9	5.1	6.7	5.5	8.8	8.2	14.6	9.0	9.5	16.6	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.2	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.9	4.6	2.8	2.3	0.9	1.7	1.2	1.6	1.8	1.9	3.8	5.9	7.7	15.8	11.6	21.9	22.6	11.4	9.5	7.1
Myeloid neoplasms	C92-C93	2.6	2.9	0.4	0.8	0.7	1.7	2.0	1.4	2.0	1.9	4.8	2.4	4.6	6.4	8.9	6.5	20.3	11.4	4.9	49.9
Others & unspecified	OTH	3.3	4.3	0.0	0.0	0.2	0.0	0.3	0.7	1.2	0.9	1.9	1.6	8.7	12.3	19.1	19.5	33.9	35.9	49.9	1221.3
ALL		142.1	175.8	9.2	7.1	7.4	14.4	20.9	36.0	58.5	121.3	191.6	267.2	348.3	484.1	640.4	797.7	969.1	1148.3	1221.3	1221.3

Appendix C2: Incidence rates by primary site and five-year age group for females, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.0	1.0	1.2	1.4	3.1	2.9	2.7	5.8	8.4
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.6	0.6	1.3	1.2	0.9	0.6	2.2	2.7	5.8	3.4
Mouth	C03-C06	0.6	0.8	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	1.6	2.4	6.1	5.1	4.6	2.9	5.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.0	0.7	0.4	0.9	0.0	2.9	1.8	1.4	1.7
Nasopharynx	C11	6.1	6.3	0.0	0.0	0.0	0.4	1.1	4.3	6.6	9.9	19.0	17.5	15.2	13.2	14.6	13.2	13.7	8.6	3.4
Oesophagus	C15	2.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	1.0	3.2	4.2	10.4	14.0	31.9	43.2	32.0
Stomach	C16	12.6	14.3	0.0	0.0	0.0	0.0	0.2	1.9	3.0	3.5	7.5	15.9	20.4	33.9	55.5	81.5	112.0	151.2	163.5
Small intestines	C17	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	1.6	1.4	0.6	0.7	2.7	2.9	0.0
Colon	C18	14.6	16.7	0.0	0.0	0.2	0.7	0.8	1.4	3.0	5.8	11.5	17.9	28.7	48.1	63.5	94.7	120.2	149.7	155.1
Rectosigmoid & rectum	C19-C20	8.2	9.4	0.0	0.0	0.0	0.0	0.2	0.7	0.8	3.5	5.7	13.2	12.4	25.0	47.0	36.0	69.2	96.5	101.1
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.3	0.0	0.4	1.9	0.6	0.7	3.6	4.3	5.1
Liver & intrahepatic bile ducts	C22	5.8	6.7	0.2	0.0	0.2	0.2	0.3	0.0	1.2	1.9	1.5	2.3	11.6	21.2	29.3	39.6	45.5	67.7	80.9
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	1.7	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.2	0.6	2.3	1.6	6.6	9.2	10.3	6.4	18.7	11.8
Pancreas	C25	2.8	3.2	0.0	0.0	0.2	0.0	0.3	0.1	0.5	0.6	1.2	4.3	6.0	11.3	9.8	16.2	20.0	34.5	40.4
Retropertoneum & peritoneum	C48	0.2	0.2	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.0	0.4	0.5	1.2	0.7	0.9	0.0	1.7
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.6	0.0	0.2	0.0	0.2	0.0	0.1	0.2	0.2	0.0	0.7	2.0	1.9	1.8	2.9	1.8	4.3	3.4
Larynx	C32	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.2	1.9	3.7	4.4	7.3	7.2	8.4
Lung (incl. trachea & bronchus)	C33-C34	17.5	20.4	0.0	0.0	0.0	0.2	0.2	0.6	1.3	3.9	6.6	12.9	28.3	44.3	91.5	132.9	184.9	223.1	209.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.7	0.0	0.0	1.2	1.5	0.9	0.0	0.0
Bone	C40-C41	0.7	0.7	0.2	0.6	1.3	1.2	0.6	0.7	0.7	0.0	0.9	0.3	1.2	0.5	0.6	1.5	0.0	1.4	1.7
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.3	1.4	1.2	0.6	0.6	0.5	0.6	1.0	0.7	1.4	1.2	3.0	2.8	2.8	4.3	2.9	2.7	4.3	3.4
Melanoma of skin	C43	0.3	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	1.0	0.4	0.0	0.6	2.2	1.8	4.3	3.4
Non-melanoma skin	C44	6.1	6.9	0.0	0.2	0.4	0.0	0.6	0.4	1.5	2.1	4.5	5.6	7.6	14.1	22.6	38.2	53.7	73.4	109.5
Breast	C50	28.4	31.1	0.0	0.0	0.0	0.9	1.7	6.1	15.8	43.0	67.3	90.6	83.4	86.7	82.4	102.1	85.6	87.8	94.4
Cervix uteri	C53	14.7	16.2	0.0	0.0	0.0	0.2	0.2	2.3	7.9	24.0	32.0	40.0	56.7	51.8	47.0	46.3	35.5	51.8	35.4
Placenta	C58	0.3	0.3	0.0	0.0	0.0	0.0	0.5	0.4	0.5	0.8	0.9	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	5.1	6.0	0.0	0.0	0.0	0.2	0.2	0.6	1.3	4.3	7.9	15.5	18.0	21.2	34.2	14.7	16.4	17.3	16.9
Ovary & fallopian tube	C56-C57.0	8.2	8.8	0.2	0.2	0.8	2.5	3.5	4.8	4.6	9.7	14.8	20.2	23.5	25.9	25.6	25.0	26.4	18.7	18.5
Vulva & vagina	C51-C52	0.7	0.8	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.6	0.3	0.0	2.4	1.8	8.8	4.6	11.5	5.1
Urinary bladder	C67	2.0	2.3	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.8	0.9	1.3	1.6	5.7	9.8	14.0	18.2	25.9	37.1
Kidney & other urinary organs	C64-C66 & C68	1.6	1.9	0.6	0.0	0.0	0.0	0.3	0.3	0.5	0.4	0.9	0.0	4.8	5.7	7.3	11.7	15.5	11.5	13.5
Eye	C69	0.1	0.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
Brain & CNS	C70-C72	1.6	1.7	2.1	1.9	2.5	1.1	1.4	1.0	1.0	1.2	0.6	1.7	1.2	2.8	4.3	1.5	3.6	4.3	1.7
Thyroid	C73	6.1	5.8	0.0	0.2	0.8	2.5	3.9	6.2	8.6	10.1	9.4	12.6	13.2	8.0	7.3	16.2	10.9	10.1	15.2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.0	0.5	0.0	0.7	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	5.7	6.5	6.9	3.0	3.1	1.8	1.5	2.2	2.5	2.9	3.9	4.6	11.6	11.8	18.9	22.0	35.5	40.3	21.9
Myeloid neoplasms	C92-C93	2.1	2.2	0.8	0.6	1.3	1.4	1.1	1.0	1.6	3.1	1.5	3.3	2.0	4.7	4.9	6.6	8.2	4.3	11.8
Others & unspecified	OTH	3.6	4.2	0.6	0.0	0.0	0.4	0.2	0.4	0.8	1.4	1.8	3.3	7.6	9.9	15.3	27.9	30.1	40.3	37.1
All sites	ALL	164.6	183.7	15.0	8.1	11.3	14.8	19.6	37.5	67.1	137.8	205.9	297.5	373.5	475.5	636.4	804.7	981.8	1235.1	1264.0

Appendix C2: Incidence rates by primary site and five-year age group for females, 1988-1992

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.8	1.0	1.5	1.3	2.0	1.5	1.9	2.5	4.4	3.5
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.6	0.0	0.0	0.4	0.2	0.3	0.1	0.6	0.8	0.6	0.9	0.7	0.8	1.9	3.2	3.3	2.2	2.3
Mouth	C03-C06	0.7	0.8	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.4	0.6	1.3	2.8	3.4	5.2	4.9	3.3	7.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.0	2.0	1.5	3.2	1.6	6.7	2.3
Nasopharynx	C11	6.6	6.2	0.0	0.0	0.2	0.0	1.0	2.0	7.5	10.7	13.5	15.6	18.9	15.9	16.0	14.9	12.3	13.3	5.9
Oesophagus	C15	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.6	1.3	4.9	7.3	11.0	19.7	35.5	47.0
Stomach	C16	12.3	12.5	0.0	0.0	0.0	0.4	0.2	0.6	1.9	5.6	6.5	9.6	15.2	35.4	39.3	74.4	102.0	124.3	166.7
Small intestines	C17	0.4	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.2	0.6	0.7	2.0	1.9	1.3	0.8	3.3	7.0
Colon	C18	18.4	18.8	0.0	0.0	0.4	0.8	0.8	1.3	2.6	6.7	9.1	15.6	32.7	47.2	71.2	104.2	145.6	196.4	218.4
Rectosigmoid & rectum	C19-C20	9.1	9.5	0.0	0.0	0.0	0.0	0.0	0.8	1.0	2.5	4.2	8.7	19.6	20.7	36.8	55.7	81.5	82.1	101.0
Anus	C21	0.3	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.0	0.0	0.5	1.9	4.1	6.7	3.5
Liver & intrahepatic bile ducts	C22	5.3	5.4	0.9	0.4	0.0	0.2	0.0	0.3	0.3	0.6	2.4	4.2	7.1	10.2	18.9	39.5	34.6	66.6	75.1
Gallbladder & extrahepatic bile ducts	C23-C24	1.8	1.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.8	0.8	3.6	3.7	7.3	8.4	18.9	10.0	23.5	
Pancreas	C25	2.9	3.0	0.0	0.0	0.4	0.0	0.2	0.0	0.1	1.1	1.0	3.0	5.4	6.5	10.7	16.8	29.6	26.6	31.7
Retropertoneum & peritoneum	C48	0.3	0.3	0.6	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.6	0.0	1.2	1.0	1.3	1.6	1.1	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.5	0.0	0.0	0.0	0.2	0.3	0.1	0.1	0.2	0.6	0.0	1.3	0.8	3.4	1.9	2.5	1.1	1.2
Larynx	C32	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.2	3.4	7.8	5.8	6.7	3.5
Lung (incl. trachea & bronchus)	C33-C34	17.4	18.0	0.0	0.0	0.0	0.0	0.2	0.8	1.8	3.3	5.7	11.4	26.0	34.2	67.9	118.4	162.1	207.5	233.7
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.5	0.4	0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.6	0.4	1.5	2.0	0.8	1.0	0.6	0.0	2.2	1.2
Bone	C40-C41	0.9	0.8	0.6	0.4	0.8	1.3	0.5	1.5	1.1	0.2	1.0	0.3	0.3	0.4	0.5	1.9	2.5	0.0	1.2
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.8	1.0	0.2	0.4	0.4	0.2	0.8	0.7	0.1	1.0	1.0	1.2	2.4	0.8	1.9	1.9	9.1	2.2	2.3
Melanoma of skin	C43	0.5	0.5	0.2	0.0	0.0	0.0	0.2	0.3	0.3	0.5	0.4	0.6	1.0	0.4	2.4	1.3	1.6	3.3	9.4
Non-melanoma skin	C44	7.8	7.6	0.0	0.0	0.4	0.0	1.0	0.8	1.5	3.2	4.8	7.5	7.1	13.4	26.2	31.1	64.2	75.4	152.6
Breast	C50	39.1	38.6	0.0	0.0	0.0	0.0	0.5	5.1	19.5	46.3	93.2	113.5	105.2	100.5	106.1	126.9	107.8	122.0	123.3
Cervix uteri	C53	14.9	15.3	0.0	0.0	0.0	0.4	0.2	1.0	4.6	15.6	29.5	42.3	46.9	48.4	47.5	54.4	43.6	57.7	34.1
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	6.5	6.8	0.0	0.0	0.0	0.0	0.2	0.1	1.5	6.8	10.1	16.2	16.9	33.3	27.6	24.6	19.7	14.4	12.9
Ovary & fallopian tube	C56-C57.0	10.4	10.4	0.2	0.8	1.0	2.6	5.4	6.2	7.6	7.9	13.7	25.5	31.7	27.7	27.6	32.4	24.7	37.7	14.1
Vulva & vagina	C51-C52	0.9	1.0	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.3	0.6	1.2	1.0	2.0	3.4	5.2	6.6	11.1	10.6
Urinary bladder	C67	1.7	1.8	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	1.2	2.7	3.7	5.3	12.3	16.5	26.6	22.3
Kidney & other urinary organs	C64-C66 & C68	1.9	2.1	1.1	0.0	0.0	0.2	0.0	0.6	0.4	0.0	1.2	2.7	3.0	5.3	10.2	10.4	9.9	16.6	17.6
Eye	C69	0.2	0.3	1.7	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.1	0.0
Brain & CNS	C70-C72	1.7	1.8	0.9	1.8	1.7	0.8	1.0	0.8	1.2	1.6	0.4	1.5	2.0	1.2	5.8	7.1	7.4	5.5	7.0
Thyroid	C73	6.5	6.0	0.2	0.2	1.2	1.9	6.1	6.1	7.5	7.6	9.1	13.5	10.4	11.8	10.2	12.3	15.6	16.6	15.3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.3	0.3	0.7	0.4	0.4	0.0	0.0	0.0	0.1	0.2	0.0	0.3	0.3	0.4	0.0	0.6	2.5	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	6.8	7.3	5.0	4.9	2.1	1.9	1.9	2.0	2.4	3.8	4.6	9.0	6.1	15.9	25.7	31.1	36.2	36.6	37.6
Myeloid neoplasms	C92-C93	2.5	2.6	1.7	1.4	0.4	2.5	2.2	2.1	1.0	1.7	2.4	3.6	2.0	5.7	5.8	3.2	10.7	14.4	8.2
Others & unspecified	OTH	4.9	5.0	0.6	0.0	0.0	0.0	0.2	0.4	0.6	2.7	2.4	4.2	8.1	16.3	15.0	25.2	42.8	49.9	56.4
All sites	ALL	189.6	191.7	14.4	11.0	10.2	13.8	24.0	35.2	67.5	134.2	222.0	323.6	385.3	479.9	616.5	854.3	1055.7	1291.4	1459.5

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C2: Incidence rates by primary site and five-year age group for females, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.9	0.5	0.8	1.5	1.4	1.7	2.1	2.2	2.2	7.2	7.7
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.6	0.0	0.0	0.2	0.2	0.3	0.4	0.4	0.7	0.6	0.8	1.8	2.0	1.3	1.5	2.2	2.0	3.1	0.0
Mouth	C03-C06	0.7	0.7	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.3	0.2	0.3	3.8	3.8	3.6	5.1	4.1	6.1	6.6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.0	0.3	0.3	1.3	2.1	2.2	4.1	1.5	4.4
Nasopharynx	C11	5.4	4.7	0.0	0.0	0.0	0.2	1.0	1.5	4.6	7.7	10.8	11.1	14.4	15.7	10.9	10.3	5.8	14.3	7.7	6.6
Oesophagus	C15	1.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.1	3.1	2.9	7.2	19.7	25.6	16.8	35.2
Stomach	C16	12.2	11.4	0.0	0.0	0.0	0.2	0.7	1.2	1.4	3.8	5.1	10.3	15.0	24.9	34.8	61.7	103.1	139.3	168.5	145.1
Small intestines	C17	0.6	0.6	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.5	0.5	0.6	2.1	0.7	0.8	4.6	5.1	3.1	7.7	2.2
Colon	C18	19.0	18.2	0.0	0.0	0.0	0.4	0.5	1.3	1.6	6.0	7.9	16.3	26.0	47.7	61.1	109.5	149.1	189.5	232.8	211.0
Rectosigmoid & rectum	C19-C20	11.6	11.3	0.0	0.0	0.0	0.0	0.5	0.1	2.1	2.8	6.5	9.3	18.8	28.0	49.8	72.5	73.1	125.0	98.0	114.3
Anus	C21	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.4	1.3	1.5	0.7	3.1	16.8	8.8
Liver & intrahepatic bile ducts	C22	5.1	4.9	0.2	0.0	0.2	0.0	0.2	0.6	0.5	1.5	1.1	2.6	3.6	7.8	20.1	32.4	47.5	54.3	56.7	79.1
Gallbladder & extrahepatic bile ducts	C23-C24	2.3	2.3	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.8	0.8	2.4	3.9	3.4	10.5	14.4	15.4	21.5	26.0	30.8
Pancreas	C25	3.3	3.2	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.3	0.9	1.2	4.5	8.5	12.6	20.6	27.0	37.9	38.3	39.6
Retropertoneum & peritoneum	C48	0.5	0.5	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3	0.5	0.8	0.3	1.4	1.3	3.6	1.5	1.0	1.5	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.5	0.4	0.9	1.0	1.3	1.5	1.5	2.0	1.5	0.0
Larynx	C32	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.3	1.0	1.7	4.1	3.7	3.1	3.1	0.0
Lung (incl. trachea & bronchus)	C33-C34	19.3	18.3	0.0	0.0	0.2	0.0	0.3	0.6	1.0	3.4	7.7	13.9	22.4	43.3	54.0	119.8	160.8	218.2	255.7	261.5
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.3	0.4	0.0	0.0	1.0	0.0	2.2
Thymus, heart & mediastinum	C37-C38.3	0.3	0.3	0.0	0.0	0.2	0.0	0.0	0.1	0.4	0.5	0.5	0.8	0.9	0.7	1.3	0.0	0.7	0.0	0.0	0.0
Bone	C40-C41	0.5	0.4	0.0	0.4	0.6	0.6	0.3	0.6	0.3	0.8	0.2	0.4	0.3	1.0	0.4	0.5	0.7	0.0	1.5	2.2
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1.1	1.1	0.3	0.4	0.4	0.8	0.5	0.6	1.4	0.4	1.4	1.2	0.9	2.0	2.1	4.1	2.2	5.1	9.2	6.6
Melanoma of skin	C43	0.5	0.5	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.5	0.2	0.2	0.9	0.7	1.7	3.6	0.7	6.1	4.6	2.2
Non-melanoma skin	C44	8.9	8.1	0.0	0.0	0.2	1.0	0.3	1.2	1.6	2.6	3.4	7.0	11.4	16.0	23.5	33.9	54.1	95.3	116.4	244.0
Breast	C50	48.0	43.5	0.0	0.0	0.2	0.2	1.2	4.1	22.0	45.7	87.5	131.3	133.7	139.4	130.7	118.3	125.0	118.9	125.6	116.5
Cervix uteri	C53	15.0	13.9	0.0	0.0	0.0	0.0	0.2	1.5	6.2	16.0	22.6	29.6	44.9	50.8	40.6	44.2	51.2	51.2	49.0	41.8
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	8.1	7.8	0.0	0.0	0.0	0.0	0.2	0.4	2.7	6.0	8.8	18.5	28.1	31.7	29.3	28.8	26.3	29.7	10.7	8.8
Ovary & fallopian tube	C56 - C57.0	11.8	11.0	0.3	0.9	1.6	3.3	6.3	6.1	8.2	10.1	14.1	27.0	28.7	25.6	28.1	32.9	35.1	29.7	27.6	28.6
Vulva & vagina	C51-C52	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.8	1.2	1.5	3.1	2.1	5.1	10.2	11.3	6.1	11.0
Urinary bladder	C67	1.9	1.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.3	1.4	1.5	4.1	3.4	9.3	15.4	23.6	33.7	33.0
Kidney & other urinary organs	C64 - C66 & C68	2.3	2.3	0.5	0.2	0.0	0.2	0.0	0.1	0.7	1.6	1.1	1.6	4.8	5.5	15.5	9.3	13.2	15.4	12.3	19.8
Eye	C69	0.1	0.1	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.0	2.1	2.7	2.5	2.0	0.6	1.0	0.9	1.7	0.9	1.7	1.6	1.2	2.0	5.0	3.6	10.2	5.1	6.1	2.2
Thyroid	C73	6.6	5.7	0.0	0.2	1.4	2.0	3.6	6.4	8.2	6.9	11.4	10.7	9.3	11.3	9.2	14.9	14.6	15.4	12.3	17.6
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.3	0.4	1.0	0.5	0.0	0.0	0.2	0.0	0.1	0.1	0.3	0.6	0.6	0.3	0.4	0.0	0.7	3.1	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.4	7.2	3.7	3.0	1.2	2.5	2.7	2.2	3.9	4.6	5.4	7.0	12.6	15.7	19.3	26.2	39.5	42.0	36.8	54.9
Myeloid neoplasms	C92-C93	4.0	3.8	2.5	0.5	0.6	1.6	2.0	1.5	1.8	2.6	3.6	3.2	2.4	5.1	10.9	16.5	18.3	31.8	33.7	30.8
Others & unspecified	OTH	5.5	5.2	0.7	0.0	0.0	0.0	0.2	0.4	0.8	2.1	2.8	4.8	5.7	9.9	18.8	26.7	43.1	63.5	64.3	79.1
All sites	ALL	210.0	196.0	13.1	8.9	9.8	14.7	22.9	33.6	73.5	132.0	210.5	320.1	407.3	520.6	613.5	850.9	1087.0	1403.7	1500.8	1652.7

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C2: Incidence rates by primary site and five-year age group for females, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.2	1.1	2.2	2.1	1.4	1.8	2.8	6.2	7.0	8.5
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.5	0.0	0.0	0.3	0.0	0.0	0.1	0.4	0.1	0.8	0.8	1.2	1.5	2.5	3.5	1.1	1.8	2.8	1.7
Mouth	C03-C06	0.8	0.7	0.0	0.2	0.0	0.2	0.2	0.3	0.3	0.5	0.4	0.8	0.8	1.2	2.8	3.5	2.8	5.3	8.4	8.5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.6	0.4	0.9	1.4	3.5	2.8	1.8	2.8	1.7
Nasopharynx	C11	4.6	3.7	0.0	0.0	0.2	0.0	0.2	1.2	3.2	6.1	8.3	12.6	10.5	9.4	6.7	7.1	6.8	11.5	9.8	1.7
Oesophagus	C15	1.4	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.4	2.4	4.2	7.5	8.5	14.2	23.9	32.5
Stomach	C16	11.8	10.0	0.0	0.0	0.0	0.0	0.6	1.0	1.5	4.1	4.7	9.2	11.7	18.5	30.1	56.1	78.8	97.3	151.9	220.5
Small intestines	C17	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.3	0.9	0.8	3.3	0.7	3.5	4.0	7.1	0.0	10.3
Colon	C18	22.5	19.1	0.0	0.2	0.0	0.2	0.7	1.5	2.3	3.7	8.2	18.7	30.8	45.4	56.4	102.9	154.7	236.3	291.1	266.7
Rectosigmoid & rectum	C19-C20	11.5	10.0	0.0	0.0	0.2	0.0	0.7	0.3	1.2	3.1	4.2	10.9	15.9	25.1	41.3	48.6	83.3	91.2	118.1	129.9
Anus	C21	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	1.2	1.2	1.8	1.3	2.8	8.0	5.6	8.5
Liver & intrahepatic bile ducts	C22	5.7	4.9	0.5	0.0	0.2	0.0	0.2	0.4	0.8	0.4	1.6	3.4	3.8	8.2	15.1	27.4	41.4	69.0	77.4	107.7
Gallbladder & extrahepatic bile ducts	C23-C24	2.8	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	1.0	2.0	3.4	6.1	8.1	12.8	19.3	29.2	36.6	39.3
Pancreas	C25	4.2	3.5	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.7	1.7	1.7	3.6	9.4	11.6	21.6	27.8	39.8	73.1	56.4
Retropertoneum & peritoneum	C48	0.6	0.5	0.0	0.0	0.0	0.4	0.0	0.4	0.3	0.0	0.6	1.1	1.4	1.5	0.7	2.7	2.3	1.8	1.4	1.7
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.5	0.2	0.4	1.2	0.0	0.4	1.1	3.5	1.4	1.7
Larynx	C32	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.7	3.1	1.7	2.7	5.6	10.3
Lung (incl. trachea & bronchus)	C33-C34	19.5	16.4	0.2	0.0	0.0	0.0	0.4	0.3	2.4	2.2	6.0	12.1	22.9	32.4	48.0	90.1	129.7	218.6	285.5	333.3
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.4	0.4	0.6	0.0	1.4	1.7
Thymus, heart & mediastinum	C37-C38.3	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.7	0.9	1.5	0.4	2.1	1.1	1.3	1.7	0.0	0.0	0.0
Bone	C40-C41	0.7	0.7	0.0	1.0	1.4	0.2	0.2	1.3	0.4	0.9	0.5	0.3	1.0	0.9	0.4	0.0	0.6	0.9	4.2	5.1
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1.2	1.1	0.5	0.3	0.5	0.6	0.6	0.7	1.3	1.4	1.6	1.4	2.2	1.8	1.8	2.7	2.3	2.7	2.8	5.1
Melanoma of skin	C43	0.4	0.4	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.2	0.4	0.2	1.2	0.9	0.7	1.3	2.3	2.7	2.8	6.8
Non-melanoma skin	C44	9.6	7.9	0.0	0.0	0.0	0.4	0.6	1.0	1.3	2.9	3.2	5.2	8.4	13.9	25.2	31.4	58.9	89.4	150.5	244.4
Breast	C50	67.9	55.6	0.0	0.0	0.0	0.6	2.0	6.3	23.9	54.6	103.9	169.6	177.7	191.4	162.1	161.7	149.0	158.4	166.0	143.6
Cervix uteri	C53	12.6	10.7	0.0	0.0	0.0	0.2	0.6	2.0	4.8	10.2	15.1	25.4	29.1	36.9	37.8	39.8	35.1	32.7	40.8	44.4
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	0.4	0.1	0.4	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	11.1	9.5	0.0	0.0	0.0	0.2	0.4	1.2	2.3	6.6	10.3	24.7	35.4	33.6	34.3	38.9	32.3	27.4	18.3	18.8
Ovary & fallopian tube	C56 - C57.0	12.9	11.1	0.2	0.5	0.3	3.5	5.6	6.7	7.3	8.2	15.6	26.5	30.8	30.6	29.8	34.9	30.0	34.5	35.2	17.1
Vulva & vagina	C51-C52	1.2	1.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.5	1.1	1.0	2.7	4.9	5.3	8.5	4.4	14.1	18.8
Urinary bladder	C67	2.3	1.9	0.0	0.0	0.0	0.0	0.2	0.3	0.1	0.4	0.6	0.9	2.2	3.9	6.7	6.6	14.7	26.5	36.6	46.2
Kidney & other urinary organs	C64 - C66 & C68	3.4	3.0	0.7	0.3	0.0	0.0	0.0	0.3	1.6	1.2	2.1	3.4	4.6	4.5	9.5	15.5	21.0	28.3	33.8	37.6
Eye	C69	0.1	0.1	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
Brain & CNS	C70-C72	2.1	2.1	2.2	2.7	1.0	0.6	0.7	0.7	1.5	1.9	1.0	2.1	3.2	3.3	3.5	4.9	6.2	6.2	11.3	6.8
Thyroid	C73	8.0	6.7	0.0	0.0	0.7	2.6	6.9	7.0	7.7	11.6	10.3	11.8	13.5	11.5	14.4	11.9	21.0	21.2	5.6	10.3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.5	1.5	0.3	0.0	0.2	0.4	0.6	0.0	0.0	0.4	0.5	1.2	0.3	0.0	1.8	0.0	0.0	0.0	1.7
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.7	8.1	4.9	2.4	2.3	3.0	4.3	3.9	4.1	3.6	5.2	8.3	13.9	15.4	18.9	35.8	40.8	46.0	45.0	47.9
Myeloid neoplasms	C92-C93	4.7	4.2	2.0	0.6	1.0	1.2	1.3	1.5	2.3	3.2	3.5	4.0	6.8	8.8	12.6	15.9	18.7	24.8	35.2	37.6
Others & unspecified	OTH	4.4	3.7	0.4	0.2	0.0	0.0	0.2	0.4	0.9	1.0	1.7	2.1	4.6	7.6	11.6	19.9	24.4	46.9	67.5	78.6
All sites	ALL	241.9	204.3	14.2	9.0	8.2	14.0	27.8	41.3	73.7	131.9	217.2	366.1	449.0	540.3	608.0	827.3	1040.2	1398.2	1776.4	2013.7

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C2: Incidence rates by primary site and five-year age group for females, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.5	0.0	1.2	0.0
Tongue	C01-C02	0.9	0.6	0.0	0.0	0.3	0.3	0.0	0.0	0.3	0.1	0.4	0.7	1.3	1.7	1.3	5.2	2.9	6.2	8.2	8.0
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.6	0.0	0.0	0.3	0.2	0.2	0.3	0.8	0.5	1.1	0.7	1.3	2.3	1.0	0.7	1.0	3.4	4.7	1.3
Mouth	C03-C06	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.1	0.8	0.5	1.0	1.6	3.0	2.5	3.4	7.0	17.3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.3	0.7	1.1	0.4	1.0	0.4	2.0	3.4	3.5	6.6
Nasopharynx	C11	4.7	3.5	0.0	0.0	0.0	0.2	0.7	1.2	3.3	4.2	6.0	8.5	10.6	12.0	8.6	7.9	9.3	13.7	9.3	6.6
Oesophagus	C15	1.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.5	0.0	0.8	1.6	1.9	3.4	10.3	21.0	30.5
Stomach	C16	10.2	7.4	0.0	0.0	0.0	0.0	0.2	0.6	1.2	2.9	4.1	6.6	10.1	12.0	19.0	42.0	56.5	110.5	114.2	138.1
Small intestines	C17	0.8	0.6	0.0	0.0	0.2	0.0	0.0	0.3	0.4	0.1	0.6	0.7	0.6	2.1	1.3	4.1	3.9	6.2	7.0	4.0
Colon	C18	25.7	19.2	0.0	0.0	0.0	0.2	1.7	1.2	1.6	3.0	8.3	14.4	33.3	48.3	67.3	87.7	155.2	214.1	293.7	334.7
Rectosigmoid & rectum	C19-C20	12.6	9.6	0.0	0.0	0.0	0.0	0.2	0.2	0.7	3.3	4.6	9.4	17.4	28.9	35.5	57.7	66.8	89.9	110.7	107.6
Anus	C21	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.7	0.5	0.6	3.0	0.5	6.2	5.8	6.6	6.6
Liver & intrahepatic bile ducts	C22	6.7	5.1	1.0	0.2	0.0	0.3	0.2	0.0	0.3	0.9	1.5	2.2	3.6	8.0	14.3	26.6	48.6	86.5	85.1	86.3
Gallbladder & extrahepatic bile ducts	C23-C24	2.5	1.9	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.1	0.9	1.3	2.8	4.3	4.8	12.7	14.2	24.7	30.3	29.2
Pancreas	C25	5.5	4.2	0.0	0.0	0.0	0.2	0.0	0.5	0.5	0.5	1.3	2.5	4.6	9.3	15.9	23.6	33.4	50.8	60.6	82.3
Retropertoneum & peritoneum	C48	0.6	0.5	0.4	0.2	0.2	0.2	0.2	0.2	0.1	0.4	0.5	0.5	0.6	1.0	1.3	1.9	3.9	2.1	2.3	4.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.7	1.4	0.8	0.5	1.2	0.3	1.5	3.4	2.7	2.3	4.0
Larynx	C32	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.4	0.3	0.4	0.3	0.7	3.4	4.1	5.8	4.0
Lung (incl. trachea & bronchus)	C33-C34	21.8	16.3	0.0	0.0	0.2	0.2	0.6	0.5	0.9	2.9	7.2	13.5	21.0	39.2	58.1	86.2	136.5	177.1	257.6	286.9
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.3	0.0	0.0	0.7	0.0	1.3
Thymus, heart & mediastinum	C37-C38.3	0.7	0.6	0.2	0.0	0.0	0.0	0.4	0.0	0.5	0.3	0.8	0.9	1.7	2.1	1.0	2.2	2.5	2.1	3.5	0.0
Bone	C40-C41	0.7	0.7	0.0	0.7	1.6	0.9	0.4	0.3	0.5	0.5	0.5	0.4	0.9	1.2	1.0	0.7	0.5	2.1	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.6	1.4	1.8	0.2	0.6	0.7	0.4	0.5	1.8	1.2	1.5	1.6	2.7	2.7	2.9	2.2	4.4	2.1	9.3	9.3
Melanoma of skin	C43	0.7	0.5	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.4	0.4	0.8	0.5	1.7	1.3	1.5	2.9	3.4	5.8	8.0
Non-melanoma skin	C44	9.2	6.7	0.0	0.2	0.0	0.3	0.0	1.1	1.5	2.6	2.5	4.8	7.4	11.1	17.5	38.2	54.0	59.0	103.7	212.5
Breast	C50	78.4	58.9	0.0	0.0	0.2	0.5	1.1	7.7	24.3	55.5	112.9	158.5	183.2	196.7	194.2	187.7	159.6	175.0	181.8	166.0
Cervix uteri	C53	11.6	8.9	0.0	0.0	0.0	0.0	0.9	1.4	4.6	9.4	13.6	19.4	19.4	20.2	29.2	41.2	46.2	35.7	47.8	38.5
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.4	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	15.5	11.9	0.0	0.0	0.0	0.0	0.7	2.6	4.5	7.2	13.9	27.0	41.7	48.9	42.2	45.7	39.8	31.6	33.8	25.2
Ovary & fallopian tube	C56-C57.0	15.4	12.2	0.2	0.2	1.3	4.2	8.7	6.7	7.3	11.5	15.4	24.1	36.0	35.7	34.3	32.2	31.9	28.1	44.3	46.5
Vulva & vagina	C51-C52	1.3	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.3	0.4	1.6	1.3	3.5	3.8	5.2	3.9	12.4	8.2	6.6
Urinary bladder	C67	2.6	1.9	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.4	0.8	0.8	0.9	3.9	7.3	11.6	17.2	23.3	30.3	42.5
Kidney & other urinary organs	C64-C66 & C68	3.9	3.2	0.6	0.2	0.0	0.3	0.2	0.2	0.3	1.0	2.3	3.6	4.6	6.4	13.0	20.2	22.1	26.8	19.8	26.6
Eye	C69	0.2	0.3	1.0	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.6	0.4	0.5	0.0	0.0	1.3
Brain & CNS	C70-C72	2.8	2.7	2.1	2.6	1.8	1.9	1.9	1.8	1.5	1.3	1.9	3.4	2.4	5.8	5.7	6.0	5.4	11.7	5.8	10.6
Thyroid	C73	7.6	6.0	0.0	0.0	0.5	1.7	3.9	6.9	9.6	9.0	8.5	10.8	13.4	12.4	14.0	11.6	13.3	19.9	10.5	6.6
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.4	0.6	0.0	0.3	0.2	0.4	0.2	0.0	0.1	0.4	0.1	1.1	0.6	0.6	1.1	1.5	0.0	1.2	1.3
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	11.5	10.3	8.0	4.9	3.5	5.9	5.4	4.1	4.4	4.6	6.3	8.2	16.1	22.3	30.1	36.7	37.8	48.0	68.8	54.4
Myeloid neoplasms	C92-C93	5.2	4.3	1.6	1.0	1.3	1.7	2.0	2.6	2.9	2.1	2.5	4.5	6.3	9.1	9.5	17.2	24.1	34.3	28.0	25.2
Others & unspecified	OTH	4.2	3.1	0.2	0.0	0.0	0.2	0.2	0.2	0.4	1.0	0.8	2.2	5.8	7.6	10.2	12.7	21.6	36.4	51.3	63.7
All sites	ALL	270.1	207.1	17.9	10.8	11.8	20.4	31.3	41.9	76.5	128.9	224.7	337.7	456.6	565.9	652.2	841.5	1037.3	1367.9	1684.1	1904.4

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C2: Incidence rates by primary site and five-year age group for females, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.0	0.0	1.0
Tongue	C01-C02	1.1	0.8	0.0	0.0	0.2	0.0	0.2	0.3	0.6	0.7	1.1	1.8	1.2	1.6	3.0	0.7	6.4	2.8	2.5	5.0
Major salivary gland (incl. parotid gland)	C07-C08	1.0	0.7	0.0	0.0	0.2	0.0	0.3	0.4	0.8	1.0	1.5	1.0	1.5	1.9	1.7	1.3	2.8	2.2	5.0	4.0
Mouth	C03-C06	0.9	0.6	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.6	0.3	1.1	1.1	1.3	2.1	2.6	2.8	5.5	3.3	9.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.3	1.1	2.5	0.7	2.0	3.3	2.5	2.0
Nasopharynx	C11	3.9	2.8	0.4	0.0	0.0	0.2	0.5	1.3	1.9	3.3	4.7	5.4	9.9	10.7	7.8	6.6	7.6	1.1	6.7	5.0
Oesophagus	C15	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	0.7	0.3	1.9	3.0	5.2	6.6	19.2	20.2
Stomach	C16	11.3	7.1	0.0	0.0	0.0	0.2	0.2	0.7	0.6	1.9	3.9	5.1	9.6	13.5	19.2	33.8	56.9	87.9	140.1	157.2
Small intestines	C17	1.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.3	1.1	1.9	2.5	3.9	3.6	6.1	8.3	9.1
Colon	C18	28.2	18.4	0.0	0.0	0.2	0.5	0.8	1.9	2.1	3.6	9.7	15.9	26.3	45.9	67.7	93.3	139.0	204.6	278.5	267.1
Rectosigmoid & rectum	C19-C20	13.1	8.7	0.0	0.0	0.0	0.0	0.3	0.4	1.2	3.2	4.8	7.4	17.5	24.9	36.0	39.1	64.1	71.3	100.9	120.9
Anus	C21	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	1.0	1.7	1.6	3.6	4.4	2.5	3.0
Liver & intrahepatic bile ducts	C22	7.7	5.0	1.3	0.0	0.2	0.0	0.3	0.0	1.0	0.4	1.0	1.6	3.9	6.7	15.0	26.3	42.6	80.7	88.4	114.9
Gallbladder & extrahepatic bile ducts	C23-C24	3.2	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	1.5	1.3	4.8	6.7	14.5	15.5	26.5	22.5	52.4
Pancreas	C25	7.1	4.6	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.6	2.0	4.4	4.7	10.4	16.4	26.6	38.2	63.6	52.5	83.7
Retropertoneum & peritoneum	C48	1.1	0.8	0.2	0.2	0.0	0.0	0.0	0.3	0.3	0.2	0.8	1.1	1.1	2.4	3.4	5.9	4.0	3.3	4.2	1.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.5	0.3	0.8	1.2	0.6	1.5	2.0	1.6	1.1	3.3	3.0
Larynx	C32	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.3	1.1	0.3	0.8	1.7	2.5	3.0
Lung (incl. trachea & bronchus)	C33-C34	23.8	15.4	0.2	0.0	0.0	0.0	0.2	0.3	2.9	3.8	6.0	14.3	23.0	35.6	50.2	90.0	116.7	160.9	244.4	263.1
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.6	1.0	1.2	0.6	1.7	0.0
Thymus, heart & mediastinum	C37-C38.3	1.1	0.8	0.0	0.0	0.0	0.2	0.2	0.3	0.6	0.7	1.4	1.9	1.9	1.8	3.0	2.6	2.0	3.3	2.5	1.0
Bone	C40-C41	0.8	0.8	0.0	0.6	1.2	1.7	1.6	0.7	0.9	0.7	0.6	0.9	0.5	0.8	0.6	1.0	0.4	0.6	0.8	1.0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	2.3	1.9	1.9	0.6	1.2	1.6	0.7	1.2	1.6	2.1	2.4	2.1	2.8	3.9	3.4	3.6	4.8	6.1	7.5	8.1
Melanoma of skin	C43	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.9	0.9	0.5	1.0	0.8	1.6	2.4	2.8	3.3	6.0
Non-melanoma skin	C44	12.8	8.0	0.2	0.0	0.0	0.5	0.5	1.0	1.3	2.7	4.5	5.9	7.6	13.0	17.3	42.4	54.6	93.4	156.0	248.9
Breast	C50	90.1	63.0	0.0	0.0	0.2	0.5	1.1	8.7	26.1	62.4	112.2	174.1	178.6	207.1	213.5	206.2	208.7	198.5	175.1	154.2
Cervix uteri	C53	9.7	6.8	0.0	0.0	0.0	0.0	0.7	2.2	4.2	9.7	10.8	14.5	14.4	17.0	19.0	27.9	28.7	29.3	35.9	39.3
Placenta	C58	0.2	0.2	0.0	0.0	0.0	0.0	0.5	0.3	0.4	0.1	0.9	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	18.8	13.1	0.0	0.0	0.0	0.3	0.3	1.5	4.5	10.2	18.2	26.5	46.7	54.2	50.8	46.0	42.2	38.7	32.5	19.1
Ovary & fallopian tube	C56-C57.0	17.1	12.7	0.0	0.8	2.5	6.5	6.3	5.2	6.0	9.9	20.1	27.7	31.7	34.3	36.0	37.8	37.0	34.8	39.2	44.3
Vulva & vagina	C51-C52	1.4	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.6	0.9	1.2	3.0	2.5	4.9	4.8	10.5	6.7	17.1
Urinary bladder	C67	2.2	1.4	0.0	0.2	0.0	0.2	0.0	0.1	0.0	0.4	0.6	0.5	1.7	2.4	5.9	7.2	11.5	16.0	20.8	31.2
Kidney & other urinary organs	C64-C66 & C68	5.7	3.9	0.6	0.2	0.0	0.2	0.2	0.6	0.5	0.5	2.7	3.4	7.5	11.4	15.4	18.1	29.9	38.7	35.9	33.3
Eye	C69	0.2	0.5	3.4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.4	0.0	0.4	0.0	0.0	0.0
Brain & CNS	C70-C72	3.5	3.1	3.4	3.2	2.0	1.2	1.1	1.3	1.6	2.6	2.7	3.4	3.6	3.7	6.3	6.2	10.8	11.6	20.0	13.1
Thyroid	C73	10.4	7.9	0.2	0.0	0.3	3.4	4.2	8.9	10.4	12.9	13.6	14.5	16.2	15.7	17.5	16.7	19.9	13.3	18.3	23.2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	1.5	0.0	0.3	0.3	0.3	0.7	0.3	0.1	0.4	0.8	0.5	1.1	0.8	0.0	2.4	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	13.1	10.5	8.7	3.6	2.7	3.3	5.2	6.0	5.8	5.2	7.3	9.7	12.3	22.0	24.9	42.0	47.0	58.6	71.7	70.6
Myeloid neoplasms	C92-C93	7.1	5.1	0.6	1.3	0.5	1.9	1.3	2.0	2.3	3.5	5.3	4.8	6.3	12.7	12.2	22.0	27.1	43.1	41.7	53.4
Others & unspecified	OTH	3.9	2.5	0.2	0.0	0.0	0.0	0.2	0.3	0.5	0.6	1.0	1.8	2.9	2.4	5.7	10.8	22.7	32.1	53.4	64.5
All sites	ALL	308.5	213.8	23.5	10.7	11.6	22.6	27.5	47.4	80.0	146.7	243.8	359.3	443.9	573.2	677.1	850.6	1072.0	1365.7	1710.5	1953.3

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C2: Incidence rates by primary site and five-year age group for females, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.6	1.0	0.0	0.0	0.0	0.0	0.2	1.1	0.4	0.4	1.5	1.3	2.3	4.5	3.0	2.4	4.2	4.8	4.0	6.5
Major salivary gland (incl. parotid gland)	C07-C08	0.9	0.6	0.0	0.2	0.2	0.0	0.2	0.4	0.5	1.0	1.1	1.2	1.9	1.1	1.2	2.0	1.7	1.8	2.0	4.4
Mouth	C03-C06	1.0	0.6	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.1	1.4	1.8	2.3	4.8	2.4	6.6	3.3	6.5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.3	0.8	0.8	1.2	2.6	1.0	1.8	1.3	3.6
Nasopharynx	C11	3.8	2.6	0.0	0.0	0.8	0.0	0.2	1.1	0.9	2.5	4.8	6.7	7.2	8.9	7.6	7.4	6.6	6.2	4.0	5.1
Oesophagus	C15	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.1	0.4	0.6	0.7	0.8	1.3	4.5	7.9	11.3	13.1
Stomach	C16	11.5	6.2	0.0	0.0	0.0	0.0	0.3	0.6	0.7	2.3	3.8	4.3	9.5	13.8	19.1	28.6	43.5	76.5	100.0	132.0
Small intestines	C17	1.3	0.8	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.6	0.5	0.9	1.4	2.2	2.5	3.9	5.6	7.9	8.6	2.9
Colon	C18	33.2	18.4	0.0	0.2	0.0	1.2	0.6	1.0	2.6	3.5	8.9	16.4	29.8	48.0	63.3	97.8	132.6	186.0	252.2	313.3
Rectosigmoid & rectum	C19-C20	15.5	8.8	0.0	0.0	0.0	0.2	0.0	0.3	1.5	2.9	5.8	9.3	18.7	24.2	35.9	43.0	59.9	84.9	80.1	112.4
Anus	C21	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.1	0.8	0.8	0.5	1.6	1.7	2.1	5.3	3.3	6.5
Liver & intrahepatic bile ducts	C22	10.0	5.3	1.1	0.0	0.0	0.0	0.2	0.3	0.3	0.6	1.1	2.1	7.8	7.7	11.8	31.4	44.5	83.5	109.9	97.9
Gallbladder & extrahepatic bile ducts	C23-C24	3.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.6	0.8	2.4	4.7	7.6	12.2	19.1	24.2	25.8	41.3
Pancreas	C25	9.5	5.3	0.0	0.0	0.2	0.5	0.5	0.1	0.4	1.3	2.0	4.1	6.3	13.7	21.7	29.0	43.2	51.4	63.5	89.2
Retropertoneum & peritoneum	C48	1.4	0.9	0.4	0.0	0.0	0.0	0.2	0.1	0.4	0.5	0.5	0.9	1.4	3.3	3.8	3.9	6.6	5.3	4.0	2.9
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.8	0.5	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.5	0.9	1.3	0.8	2.1	1.5	0.9	1.0	3.5	2.0	3.6
Larynx	C32	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	1.3	1.7	1.3	2.0	5.1
Lung (incl. trachea & bronchus)	C33-C34	28.1	15.4	0.0	0.0	0.0	0.0	0.2	0.3	1.5	3.0	6.7	16.0	23.6	36.4	58.4	82.7	112.4	167.1	231.7	242.2
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.7	0.7	0.7	0.4	0.7	1.5
Thymus, heart & mediastinum	C37-C38.3	1.6	1.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.9	2.0	1.3	2.2	3.1	2.6	5.7	5.9	3.5	4.0	4.4
Bone	C40-C41	0.9	0.9	0.0	0.4	2.5	1.2	1.1	0.7	0.8	0.9	1.0	0.6	0.8	0.4	0.8	1.3	0.7	1.3	0.7	1.5
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.8	2.1	0.7	1.0	0.9	1.0	1.1	1.0	2.0	2.8	3.4	2.2	2.7	4.1	3.6	7.0	8.4	9.2	9.9	2.9
Melanoma of skin	C43	0.6	0.4	0.0	0.0	0.0	0.2	0.0	0.3	0.5	0.4	0.5	0.5	1.3	0.5	0.8	0.9	2.8	1.8	2.0	2.2
Non-melanoma skin	C44	15.2	8.0	0.0	0.4	0.4	0.7	0.6	1.7	1.1	2.5	3.0	6.6	7.7	11.4	20.1	36.2	62.3	98.1	137.7	245.8
Breast	C50	109.0	69.8	0.0	0.0	0.0	0.0	0.8	9.3	27.4	58.8	126.7	182.3	189.4	216.0	255.0	245.9	248.8	254.1	218.4	206.7
Cervix uteri	C53	10.8	7.1	0.0	0.0	0.2	0.2	0.3	2.0	7.5	8.5	15.0	15.5	18.4	19.7	16.8	21.4	25.8	27.3	21.8	26.8
Placenta	C58	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	26.3	16.9	0.0	0.0	0.0	0.2	0.8	4.0	8.8	13.6	25.2	37.1	55.2	63.6	62.8	57.4	53.2	47.9	41.7	31.9
Ovary & fallopian tube	C56-C57.0	18.9	13.1	0.2	0.6	2.1	3.5	6.8	10.0	8.0	10.1	18.4	29.9	36.3	37.5	38.3	35.1	26.8	30.8	35.7	36.3
Vulva & vagina	C51-C52	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.2	1.9	2.5	3.6	5.5	10.1	5.7	15.9	12.3
Urinary bladder	C67	2.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	1.3	3.6	3.0	5.5	9.7	14.9	18.5	26.8
Kidney & other urinary organs	C64-C66 & C68	7.4	4.6	1.6	0.2	0.0	0.2	0.8	0.1	0.7	1.5	4.2	6.1	8.4	11.8	15.8	22.7	29.9	35.6	34.4	36.3
Eye	C69	0.3	0.3	1.8	0.0	0.0	0.0	0.0	0.3	0.3	0.1	0.2	0.1	0.0	0.3	0.0	0.4	1.0	0.4	0.0	0.7
Brain & CNS	C70-C72	3.8	3.3	4.2	3.4	1.9	1.2	1.2	2.2	1.5	2.4	2.1	3.6	4.1	4.5	7.6	7.4	8.4	12.3	11.3	6.5
Thyroid	C73	14.4	10.3	0.0	0.4	0.4	3.2	6.9	7.7	12.3	16.7	20.4	22.7	22.2	20.2	20.6	27.7	19.5	25.9	17.9	16.7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	1.1	0.4	0.4	0.8	0.6	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.5	0.7	0.3	1.3	2.0	1.5
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	17.4	12.3	7.5	4.0	3.0	6.6	6.3	8.3	5.8	6.2	8.2	10.9	17.0	22.6	31.8	45.2	61.6	81.3	77.4	69.6
Myeloid neoplasms	C92-C93	8.2	5.2	2.0	0.0	1.7	1.0	1.8	2.7	2.5	4.1	3.8	6.3	7.3	9.0	13.2	18.8	29.2	38.3	46.3	74.0
Others & unspecified	OTH	3.4	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.0	1.5	1.5	1.5	4.1	5.5	11.1	24.6	35.7	71.1
All sites	ALL	370.5	229.6	20.6	11.2	14.6	21.9	31.8	58.2	90.8	151.8	275.3	396.1	495.0	607.4	745.3	907.8	1109.0	1440.9	1641.0	1963.8

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	2.1	0.0	0.0	0.2	0.2	0.3	0.0	0.8	1.9	0.6	1.5	3.1	6.2	7.0	11.9	5.9	30.7	25.3
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.4	0.0	0.0	0.2	0.0	0.3	0.0	0.4	0.0	1.7	0.7	0.8	1.6	0.0	1.5	2.9	0.0	0.0
Mouth	C03-C06	1.2	2.2	0.0	0.0	0.0	0.4	0.0	0.4	0.4	0.5	0.0	0.0	3.9	7.8	9.0	11.9	17.6	6.1	37.9
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.4	2.3	9.3	14.0	10.4	11.7	30.7	25.3
Nasopharynx	C11	13.7	19.3	0.2	0.0	0.4	2.9	3.5	7.8	17.8	29.5	43.8	55.5	64.2	47.5	36.0	37.2	55.7	18.4	25.3
Oesophagus	C15	10.9	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	5.2	13.9	32.9	58.3	97.1	123.5	164.1	141.4	215.0
Stomach	C16	25.6	43.7	0.0	0.0	0.0	0.0	0.5	3.1	3.9	11.1	30.0	47.5	85.3	124.5	211.2	258.8	348.7	313.5	227.6
Small intestines	C17	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.8	0.0	0.0	0.0	8.8	0.0	0.0
Colon	C18	6.7	11.6	0.0	0.0	0.0	0.4	1.0	1.2	1.9	5.3	7.5	16.1	21.9	30.3	33.0	66.9	93.8	98.4	101.2
Rectosigmoid & rectum	C19-C20	5.9	10.1	0.0	0.0	0.2	0.2	0.0	0.8	1.9	1.9	3.5	11.0	16.4	38.1	43.0	59.5	73.3	73.8	88.5
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.5	0.0	0.0	0.0	3.0	2.9	0.0	0.0
Liver & intrahepatic bile ducts	C22	20.2	32.8	0.2	0.0	0.2	0.4	0.5	3.5	1.6	13.1	33.4	43.8	75.2	119.8	150.1	175.5	208.1	178.3	126.5
Gallbladder & extrahepatic bile ducts	C23-C24	0.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.5	3.1	0.8	5.0	13.4	5.9	0.0	12.6
Pancreas	C25	2.1	3.4	0.0	0.0	0.2	0.0	0.0	0.4	0.4	1.5	1.2	5.8	5.5	10.1	21.0	17.8	17.6	30.7	12.6
Retropertoneum & peritoneum	C48	0.2	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.0	0.8	0.0	2.0	1.5	0.0	6.1	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	1.2	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.0	1.7	1.5	3.1	3.1	4.0	10.4	2.9	12.3	0.0
Larynx	C32	4.4	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.5	4.4	15.7	23.3	34.0	59.5	73.3	43.0	50.6
Lung (incl. trachea & bronchus)	C33-C34	32.5	55.7	0.0	0.2	0.0	0.0	0.8	1.6	1.6	8.2	20.2	48.9	97.1	170.4	309.3	371.9	460.1	368.9	290.8
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.2	0.4	0.5	0.8	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.7	0.7	0.0	0.2	0.9	1.6	1.5	0.8	0.0	0.5	0.0	0.7	0.0	1.6	2.0	0.0	2.9	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.9	1.2	0.7	0.2	0.4	0.6	0.8	0.8	1.2	1.9	0.6	0.7	0.8	2.3	0.0	4.5	11.7	0.0	12.6
Melanoma of skin	C43	0.4	0.6	0.0	0.0	0.2	0.2	0.3	0.4	0.0	0.0	0.6	0.7	1.6	2.3	2.0	0.0	2.9	0.0	12.6
Non-melanoma skin	C44	3.4	6.5	0.0	0.0	0.0	0.2	0.8	0.8	1.6	1.9	3.5	7.3	10.2	12.4	26.0	26.8	29.3	55.3	164.4
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.9	0.0	0.0
Prostate	C61	1.9	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.0	3.1	7.0	14.0	20.8	38.1	73.8	63.2
Testis	C62	0.9	1.0	0.9	0.0	0.2	1.0	1.0	0.0	1.6	2.4	2.3	1.5	1.6	1.6	0.0	0.0	2.9	0.0	0.0
Penis & other male genital organs	C60, C63	0.9	1.4	0.0	0.0	0.0	0.0	0.3	0.4	0.8	1.0	1.7	5.1	0.8	4.7	5.0	1.5	2.9	18.4	12.6
Urinary bladder	C67	3.3	5.8	0.0	0.0	0.0	0.0	0.0	0.4	0.8	1.0	1.7	2.9	8.6	12.4	30.0	46.1	55.7	55.3	25.3
Kidney & other urinary organs	C64 - C66 & C68	1.6	2.5	1.1	0.2	0.0	0.0	0.0	0.4	0.4	0.5	1.7	3.7	7.0	7.0	9.0	22.3	8.8	12.3	0.0
Eye	C69	0.2	0.2	0.7	0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.8	0.0	1.5	0.0	0.0	0.0
Brain & CNS	C70-C72	1.6	1.6	0.9	1.5	1.8	1.8	1.3	0.4	0.8	2.4	2.3	1.5	3.9	6.2	1.0	0.0	0.0	0.0	0.0
Thyroid	C73	0.8	1.1	0.0	0.0	0.4	0.4	0.5	0.8	0.0	1.9	0.6	2.2	0.8	2.3	6.0	4.5	2.9	6.1	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.6	5.9	4.6	3.5	3.2	2.5	2.3	3.1	1.9	3.9	4.0	4.4	6.3	10.1	21.0	19.3	32.2	24.6	12.6
Myeloid neoplasms	C92-C93	2.8	3.3	2.3	1.7	1.8	2.3	2.5	2.4	1.6	3.4	4.6	2.9	6.3	3.9	4.0	10.4	5.9	12.3	12.6
Others & unspecified	OTH	4.9	7.6	0.9	0.2	0.2	0.6	0.8	1.2	2.3	1.9	5.2	7.3	17.2	25.7	39.0	46.1	44.0	43.0	12.6
All sites	ALL	157.5	258.1	13.3	7.9	10.7	16.4	19.1	31.4	45.0	100.6	183.3	298.7	501.0	754.5	1137.0	1438.4	1796.4	1653.8	1568.0

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	1.0	4.2	4.1	5.6	8.7	8.8	10.7	13.0	17.2
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.6	0.0	0.0	0.2	0.2	0.2	0.6	0.3	0.0	0.0	1.2	3.5	2.4	0.0	1.3	0.0	8.7	8.6
Mouth	C03-C06	0.9	1.6	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.8	4.1	2.4	7.7	10.0	8.6	17.3	17.2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.6	2.5	0.0	0.0	0.0	0.0	0.3	0.3	1.3	1.9	1.9	2.4	6.2	4.8	11.6	11.3	15.0	30.3	25.7
Nasopharynx	C11	15.4	19.6	0.0	0.0	0.4	1.0	4.5	11.2	15.2	42.0	47.9	53.3	60.8	42.3	56.1	23.8	27.9	34.6	8.6
Oesophagus	C15	10.5	17.8	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.0	12.1	17.3	43.1	94.8	123.9	135.2	229.3	180.1
Stomach	C16	26.6	42.3	0.0	0.2	0.0	0.0	1.3	1.7	2.5	11.7	32.1	35.1	67.7	103.8	183.8	314.1	324.1	311.5	343.1
Small intestines	C17	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.7	1.6	1.9	1.3	2.1	4.3	8.6
Colon	C18	9.0	14.4	0.0	0.0	0.2	0.8	0.9	1.7	2.8	3.9	8.1	17.6	23.5	24.8	68.7	80.1	111.6	95.2	171.6
Rectosigmoid & rectum	C19-C20	8.4	13.1	0.0	0.2	0.0	0.4	0.9	1.4	3.4	3.9	6.7	10.9	19.3	34.3	64.8	77.6	109.5	90.8	111.5
Anus	C21	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.2	0.0	0.8	1.0	1.3	2.1	4.3	17.2
Liver & intrahepatic bile ducts	C22	20.2	31.1	1.0	0.0	0.0	0.6	1.3	2.9	5.6	8.7	27.3	44.2	62.9	100.6	146.0	166.4	169.5	186.0	223.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.0	1.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.0	1.8	0.7	8.0	8.7	7.5	17.2	8.7	0.0
Pancreas	C25	2.4	3.7	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.9	1.0	3.0	6.2	13.6	18.4	22.5	34.3	21.6	25.7
Retropertoneum & peritoneum	C48	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.6	0.0	0.8	0.0	0.0	2.1	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.0	1.5	0.0	0.0	0.2	0.2	0.0	0.0	0.0	1.3	2.4	3.0	4.8	5.6	2.9	5.0	8.6	13.0	0.0
Larynx	C32	4.5	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.4	4.8	10.4	22.4	47.4	52.6	51.5	43.3	42.9
Lung (incl. trachea & bronchus)	C33-C34	41.6	66.6	0.0	0.0	0.2	0.0	0.2	0.3	0.6	8.2	21.6	49.7	91.9	206.9	381.0	469.2	568.7	462.9	377.4
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.0	0.0	2.1	0.0	0.0
Bone	C40-C41	0.8	0.8	0.0	0.4	1.0	1.4	0.9	0.6	0.3	1.3	1.4	0.0	0.0	1.6	1.9	1.3	2.1	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.7	2.5	0.2	0.4	0.8	0.6	0.3	0.9	1.3	3.4	0.6	2.1	4.0	6.8	3.8	2.1	13.0	0.0
Melanoma of skin	C43	0.4	0.6	0.0	0.0	0.0	0.2	0.0	0.6	0.6	0.4	0.0	0.6	0.7	0.0	1.9	1.3	6.4	4.3	8.6
Non-melanoma skin	C44	4.9	8.1	0.0	0.2	0.0	0.2	0.6	0.9	0.9	1.7	6.2	3.6	15.9	23.2	20.3	43.8	57.9	90.8	128.7
Breast	C50	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0
Prostate	C61	2.5	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.1	4.8	13.5	28.8	53.7	90.8	85.8
Testis	C62	0.8	0.9	0.7	0.0	0.0	1.0	1.3	1.2	0.9	1.7	1.4	0.0	0.7	0.8	1.0	1.3	0.0	0.0	8.6
Penis & other male genital organs	C60, C63	0.8	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.6	4.8	5.6	4.8	3.8	15.0	0.0	17.2
Urinary bladder	C67	4.1	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.4	3.6	13.1	16.8	37.7	30.0	64.4	56.2	94.4
Kidney & other urinary organs	C64-C66 & C68	2.0	3.0	1.2	0.2	0.0	0.2	0.0	0.3	0.3	1.3	1.4	3.6	6.2	9.6	10.6	25.0	15.0	13.0	8.6
Eye	C69	0.2	0.2	0.5	0.2	0.2	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.3	0.0	0.0	0.0
Brain & CNS	C70-C72	1.1	1.2	1.2	0.8	1.0	0.6	0.9	1.2	0.3	1.3	1.9	2.4	1.4	1.6	2.9	2.5	0.0	0.0	0.0
Thyroid	C73	1.0	1.3	0.0	0.0	0.4	0.2	0.6	1.7	0.6	1.3	1.9	1.2	3.5	0.0	3.9	10.0	4.3	4.3	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	0.5	0.2	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	5.1	6.6	5.4	4.4	1.4	2.0	2.4	2.9	1.9	3.5	2.4	4.8	9.7	17.6	19.3	27.5	25.8	51.9	25.7
Myeloid neoplasms	C92-C93	3.1	3.6	2.0	2.5	0.8	3.4	2.4	2.6	3.1	3.5	2.4	3.6	4.1	3.2	5.8	13.8	12.9	17.3	17.2
Others & unspecified	OTH	5.4	8.3	0.5	0.6	0.2	0.4	0.0	0.6	1.2	1.7	7.2	13.9	12.4	24.8	29.0	57.6	62.2	38.9	51.5
All sites	ALL	179.5	276.1	15.5	10.3	6.6	14.1	19.6	34.2	43.3	104.5	189.8	286.6	460.9	739.7	1265.0	1629.2	1923.0	1959.7	2024.4

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	1.1	0.0	0.0	0.0
Tongue	C01-C02	1.1	1.6	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	2.4	2.5	1.2	6.4	3.7	9.8	6.3	12.3	28.7
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.6	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.4	0.8	1.0	0.0	3.2	0.9	3.3	3.1	6.1	0.0
Mouth	C03-C06	1.6	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.4	3.5	4.8	4.0	8.4	10.8	17.3	30.7	28.7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.8	2.6	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.8	0.8	3.0	4.2	8.8	6.5	15.2	29.8	24.6	17.2
Nasopharynx	C11	15.1	18.1	0.3	0.0	0.9	1.6	3.6	5.5	15.3	31.3	43.6	57.6	57.2	43.2	32.7	41.2	26.7	24.6	34.5
Oesophagus	C15	9.0	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.6	5.6	13.8	39.2	67.3	79.1	131.8	168.9	178.2
Stomach	C16	25.1	37.5	0.0	0.0	0.0	0.2	0.4	1.1	3.0	4.2	12.3	34.8	66.2	113.7	171.1	235.2	280.9	350.0	304.7
Small intestines	C17	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.5	0.6	3.2	2.8	1.1	4.7	0.0	0.0
Colon	C18	11.4	16.6	0.0	0.0	0.0	0.8	0.0	0.8	3.2	4.6	9.1	15.7	26.5	48.9	75.7	107.3	127.1	119.7	120.7
Rectosigmoid & rectum	C19-C20	9.6	14.3	0.0	0.0	0.0	0.0	0.4	0.0	3.0	2.7	3.6	15.7	29.5	44.0	59.8	100.8	81.6	101.3	149.5
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.9	2.2	1.6	3.1	11.5
Liver & intrahepatic bile ducts	C22	21.9	31.6	1.3	0.2	0.0	0.2	1.3	4.7	12.2	20.2	43.4	62.0	105.7	141.1	188.6	196.2	221.1	166.7	166.7
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.0	2.4	4.8	10.3	13.0	20.4	30.7	17.2
Pancreas	C25	3.1	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.4	6.1	6.0	13.6	17.8	29.3	40.8	52.2	28.7	28.7
Retropertoneum & peritoneum	C48	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.6	0.0	0.0	2.2	0.0	0.0	5.7
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.4	1.5	4.2	4.0	1.9	3.3	3.1	21.5	0.0
Larynx	C32	5.7	8.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.5	6.7	7.1	15.6	22.4	32.7	52.0	75.3	76.8	51.7
Lung (incl. trachea & bronchus)	C33-C34	49.4	73.9	0.0	0.0	0.0	0.0	0.4	0.8	1.7	5.7	22.2	47.0	109.5	214.6	355.2	551.7	648.2	650.9	488.6
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.4	0.0	0.5	0.6	0.0	2.8	0.0	0.0	0.0	0.0
Bone	C40-C41	0.9	0.8	0.0	0.2	1.8	2.0	1.1	0.8	1.2	0.8	0.4	0.0	0.0	0.8	0.9	1.1	1.6	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.1	1.2	1.0	0.2	0.2	0.4	0.9	0.8	0.7	1.9	1.2	1.0	1.2	4.8	3.7	4.3	1.6	3.1	0.0
Melanoma of skin	C43	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.2	0.5	1.2	3.2	0.9	4.3	1.6	6.1	5.7
Non-melanoma skin	C44	6.1	8.9	0.0	0.0	0.2	0.6	0.9	0.6	2.0	2.7	4.8	10.1	15.0	20.0	29.0	48.8	58.1	104.4	115.0
Breast	C50	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	1.6	6.1	11.5
Prostate	C61	4.0	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.8	8.8	21.5	48.8	48.7	119.7	126.5
Testis	C62	1.0	0.9	0.8	0.0	0.0	0.6	0.7	2.1	2.0	0.8	1.6	1.5	1.2	0.0	0.9	1.1	1.6	0.0	5.7
Penis & other male genital organs	C60, C63	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.0	3.0	4.0	4.7	4.3	3.1	6.1	5.7
Urinary bladder	C67	5.1	7.7	0.0	0.0	0.0	0.0	0.2	0.4	1.0	1.1	2.0	3.5	9.0	17.6	38.3	45.5	65.9	79.8	109.2
Kidney & other urinary organs	C64-C66 & C68	2.1	3.0	1.0	0.0	0.0	0.0	0.2	0.4	0.2	1.1	0.8	3.5	6.0	12.0	14.0	17.3	17.3	15.4	11.5
Eye	C69	0.2	0.3	0.8	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.6	0.8	1.9	1.1	0.0	0.0	0.0
Brain & CNS	C70-C72	1.6	1.8	0.3	2.3	0.7	0.8	0.7	1.3	2.0	1.5	2.8	2.0	4.2	4.0	1.9	3.3	4.7	9.2	0.0
Thyroid	C73	1.3	1.6	0.0	0.0	0.2	0.2	0.6	0.6	1.7	1.9	2.0	0.5	5.4	4.0	4.7	2.2	6.3	12.3	17.2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	1.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	5.8	7.5	4.2	2.7	2.3	2.7	2.2	2.1	4.7	3.8	3.2	5.6	8.4	15.2	35.5	27.1	36.1	43.0	46.0
Myeloid neoplasms	C92-C93	2.9	3.4	1.8	0.9	1.1	2.9	1.1	3.2	1.7	2.3	4.4	6.1	3.0	4.8	7.5	14.1	6.3	9.2	23.0
Others & unspecified	OTH	5.3	7.7	0.0	0.2	0.5	0.0	0.4	0.8	1.0	1.9	6.3	9.1	16.2	14.4	34.6	50.9	47.1	52.2	63.2
All sites	ALL	197.2	283.6	12.5	6.9	7.9	13.7	14.4	24.6	50.8	85.1	161.7	293.8	485.0	795.2	1193.7	1722.2	1996.4	2361.2	2173.0

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.1	1.3	0.0	3.5
Tongue	C01-C02	1.3	1.7	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.5	0.4	1.2	3.6	7.1	7.0	11.8	5.3	13.5	21.2
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.8	0.0	0.0	0.2	0.4	0.4	0.4	0.8	0.5	0.4	1.2	2.6	1.9	2.6	1.1	4.0	2.2	3.5
Mouth	C03-C06	1.4	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	2.4	3.1	5.8	10.5	12.9	8.0	31.4	7.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.8	2.4	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.2	0.7	1.2	4.1	7.7	9.6	18.2	18.7	24.7	10.6
Nasopharynx	C11	17.0	18.4	0.0	0.0	0.5	0.7	2.1	6.2	14.7	28.2	47.5	55.4	64.6	52.6	37.5	33.2	26.7	31.4	17.7
Oesophagus	C15	7.7	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	1.8	6.9	13.3	34.7	41.0	68.6	90.7	127.8	127.2
Stomach	C16	25.1	34.7	0.0	0.0	0.0	0.0	0.6	0.5	1.4	5.0	6.9	19.5	52.8	95.0	136.1	237.9	289.3	343.1	427.5
Small intestines	C17	0.3	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.5	0.4	0.4	1.0	1.3	1.7	1.1	1.3	0.0	0.0
Colon	C18	15.1	19.9	0.0	0.3	0.2	0.2	0.8	0.9	3.6	5.0	11.2	13.0	31.3	55.8	78.5	131.8	154.7	215.3	173.1
Rectosigmoid & rectum	C19-C20	11.2	15.2	0.0	0.0	0.0	0.0	0.2	0.2	2.2	2.5	6.9	17.9	35.9	34.0	78.5	98.6	86.7	125.6	116.6
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	1.5	1.9	1.7	0.0	4.0	2.2	3.5
Liver & intrahepatic bile ducts	C22	20.0	27.0	0.0	0.5	0.0	0.2	0.4	0.5	3.2	5.7	17.8	31.7	46.1	84.1	136.1	157.6	177.3	222.0	155.5
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.4	1.6	2.6	1.9	8.7	17.1	18.7	6.7	17.7
Pancreas	C25	3.7	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	1.8	4.9	9.7	14.1	16.6	26.8	37.3	58.3	70.7
Retropertoneum & peritoneum	C48	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.9	1.7	1.1	1.3	4.5	7.1
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.9	0.3	0.0	0.0	0.2	0.0	0.4	0.0	0.5	0.7	1.2	1.0	5.8	2.6	3.2	4.0	6.7	7.1
Larynx	C32	4.4	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	5.3	10.8	19.9	31.4	42.9	52.0	44.8	38.9
Lung (incl. trachea & bronchus)	C33-C34	50.8	70.1	0.0	0.0	0.0	0.2	0.8	0.0	2.4	6.9	16.3	41.1	114.8	218.9	299.3	469.5	569.3	731.0	653.7
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	0.0	1.3	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.4	0.5	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.2	0.4	0.4	2.1	1.9	3.5	2.1	0.0	0.0	0.0
Bone	C40-C41	0.9	0.8	0.0	0.3	0.9	1.8	1.0	1.6	1.2	0.7	1.8	0.4	0.5	0.0	0.0	1.1	1.3	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.7	1.8	0.3	0.8	0.5	0.4	1.4	1.2	1.0	2.2	4.7	1.2	1.5	4.5	1.7	6.4	9.3	4.5	17.7
Melanoma of skin	C43	0.3	0.4	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.0	0.0	0.0	2.6	2.6	2.1	4.0	0.0	0.0
Non-melanoma skin	C44	6.5	8.7	0.0	0.0	0.2	0.0	0.8	0.4	1.0	2.0	3.3	8.5	9.7	25.0	33.2	33.2	76.0	98.7	137.8
Breast	C50	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	3.5
Prostate	C61	5.3	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.6	10.9	19.2	32.2	77.3	121.1	233.2
Testis	C62	1.0	0.9	0.8	0.0	0.0	0.9	0.8	0.9	2.4	1.0	0.4	1.6	3.6	0.6	1.7	1.1	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.6	0.8	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.2	0.7	0.8	1.0	2.6	2.6	4.3	2.7	2.2	17.7
Urinary bladder	C67	5.4	7.4	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.5	2.9	4.5	6.7	11.6	25.3	41.8	90.7	71.8	123.7
Kidney & other urinary organs	C64-C66 & C68	2.8	3.7	1.3	0.0	0.0	0.2	0.0	0.0	0.6	1.0	1.4	4.1	8.2	6.4	17.5	22.5	32.0	26.9	17.7
Eye	C69	0.2	0.3	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	2.2	0.0
Brain & CNS	C70-C72	2.0	2.1	1.6	2.5	1.4	1.6	1.6	1.1	1.8	1.5	3.3	1.2	0.5	8.3	4.4	2.1	4.0	4.5	3.5
Thyroid	C73	1.8	2.0	0.0	0.5	0.2	1.1	1.2	1.8	1.4	2.2	2.9	3.3	4.1	5.1	5.2	5.4	5.3	2.2	7.1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.4	1.6	0.3	0.5	0.9	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.9	9.9	7.9	3.8	3.0	3.6	1.9	2.0	2.6	4.5	4.3	12.2	15.9	20.5	30.5	47.2	44.0	60.5	53.0
Myeloid neoplasms	C92-C93	3.2	3.7	2.4	0.5	1.8	1.1	1.7	1.2	2.2	2.5	3.6	3.3	8.2	6.4	11.3	13.9	16.0	15.7	21.2
Others & unspecified	OTH	4.6	6.2	0.0	0.0	0.0	0.2	0.2	0.5	0.0	0.7	3.6	4.1	8.2	19.9	29.7	33.2	45.3	76.2	63.6
All sites	ALL	208.5	275.5	17.6	10.1	9.3	14.3	16.7	21.0	45.4	80.0	147.9	251.9	474.6	771.5	1091.6	1584.1	1960.0	2477.6	2561.7

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 1988-1992

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	1.3	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.8	1.9	0.7	2.9	0.5	7.6	4.9	9.1	9.0	20.5
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.6	0.0	0.0	0.2	0.5	0.2	1.1	0.2	0.6	0.5	0.7	2.9	1.1	0.0	1.0	5.2	5.4	0.0
Mouth	C03-C06	1.3	1.6	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.2	1.8	3.7	3.2	6.9	13.6	14.3	9.0	9.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.2	2.8	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.7	0.4	4.6	12.2	17.2	16.5	18.2	21.5	18.2
Nasopharynx	C11	19.0	18.8	0.0	0.0	0.5	1.1	1.7	6.3	14.0	24.3	42.8	54.7	55.9	53.0	53.0	48.7	39.1	30.5	25.1
Oesophagus	C15	6.9	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	3.2	9.9	27.6	37.2	53.5	71.7	107.6	123.2
Stomach	C16	23.5	29.7	0.0	0.0	0.0	0.0	0.2	1.1	1.5	3.8	9.6	13.9	34.0	68.4	137.0	208.3	247.5	301.3	351.3
Small intestines	C17	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.7	0.0	1.6	2.1	1.9	5.2	10.8	2.3
Colon	C18	20.0	24.3	0.0	0.0	0.2	0.2	1.1	1.4	2.6	4.7	10.3	16.8	40.6	59.9	86.7	149.9	211.0	267.2	271.5
Rectosigmoid & rectum	C19-C20	14.4	17.6	0.0	0.0	0.0	0.0	0.4	0.4	2.2	2.8	9.1	13.6	29.4	59.9	85.4	105.1	126.4	138.1	155.1
Anus	C21	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.8	1.1	2.1	6.8	5.2	9.0	0.0
Liver & intrahepatic bile ducts	C22	18.0	22.0	0.5	0.5	0.2	0.0	0.2	0.9	2.9	6.1	10.8	18.2	31.5	71.6	115.6	128.5	166.8	165.0	166.5
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.0	1.1	1.7	4.8	6.2	5.8	16.9	19.7	31.9
Pancreas	C25	4.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	1.9	2.9	9.1	14.8	25.5	29.2	35.2	50.2	43.3
Retropertoneum & peritoneum	C48	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	2.8	0.0	0.0	3.6	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.8	0.9	0.0	0.0	0.0	0.5	0.0	0.2	0.5	0.4	1.2	2.1	3.3	2.7	3.4	1.0	5.2	0.0	2.3
Larynx	C32	4.4	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	2.2	2.5	5.0	20.7	33.7	32.1	44.3	53.8	41.1
Lung (incl. trachea & bronchus)	C33-C34	49.1	62.8	0.0	0.0	0.0	0.2	0.0	0.4	1.4	3.4	11.2	33.6	69.2	172.3	310.5	434.1	545.9	586.4	711.7
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.0	0.0	0.0	2.3
Thymus, heart & mediastinum	C37-C38.3	0.7	0.7	0.0	0.0	0.0	0.7	0.9	0.4	0.7	0.8	1.0	0.4	0.8	2.1	4.1	1.0	1.3	0.0	0.0
Bone	C40-C41	0.8	0.8	0.0	0.0	0.2	1.4	0.9	1.1	1.0	0.6	0.7	1.1	1.2	0.5	1.4	1.0	3.9	1.8	2.3
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.5	0.2	0.5	0.5	0.9	1.3	0.7	0.5	1.5	1.4	1.4	3.7	3.7	4.8	3.9	5.2	3.6	6.8
Melanoma of skin	C43	0.5	0.6	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.2	1.1	0.4	0.0	0.0	6.8	5.2	9.0	9.1
Non-melanoma skin	C44	8.0	9.5	0.0	0.0	0.2	0.7	0.4	1.1	1.0	2.7	4.5	7.5	21.1	26.0	35.8	48.7	58.6	93.3	120.9
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	1.0	1.3	0.0	2.3
Prostate	C61	7.8	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	2.9	9.5	26.8	59.4	117.2	165.0	239.5
Testis	C62	0.9	0.9	2.4	0.3	0.2	0.7	0.4	1.3	0.7	1.7	1.4	0.7	0.4	0.5	0.7	1.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.8	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	1.0	0.7	1.2	4.2	4.8	3.9	6.5	5.4	11.4
Urinary bladder	C67	6.4	8.0	0.0	0.0	0.0	0.0	0.2	0.5	1.0	0.9	1.2	3.6	9.5	12.7	35.8	53.5	63.8	102.2	111.8
Kidney & other urinary organs	C64-C66 & C68	3.5	4.3	0.5	0.5	0.2	0.2	0.4	0.4	0.5	0.4	2.6	4.6	6.6	8.5	17.2	32.1	32.6	32.3	31.9
Eye	C69	0.3	0.5	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.4	0.0	0.0	0.0	2.6	0.0	0.0
Brain & CNS	C70-C72	2.2	2.4	1.9	2.3	2.2	0.9	1.1	2.4	1.7	1.1	2.4	3.2	2.5	4.2	4.1	5.8	5.2	7.2	4.6
Thyroid	C73	1.8	1.9	0.0	0.0	0.0	0.7	1.3	1.3	0.5	1.7	2.4	3.9	2.9	5.3	8.3	7.8	2.6	9.0	9.1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.5	1.0	0.5	0.5	0.2	0.7	0.0	0.3	0.2	0.0	0.0	0.4	1.1	0.7	1.9	1.3	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.6	10.0	6.3	4.9	5.2	4.7	2.8	2.9	3.2	3.8	6.9	10.4	15.3	16.4	33.0	36.0	35.2	57.4	75.3
Myeloid neoplasms	C92-C93	3.4	3.7	2.7	0.8	1.2	2.0	1.1	1.3	3.1	2.5	3.6	3.9	5.0	6.9	8.9	14.6	22.1	21.5	9.1
Others & unspecified	OTH	5.9	7.4	0.2	0.3	0.5	0.0	0.4	0.5	0.2	1.3	2.9	7.2	11.2	13.8	34.4	57.4	61.2	57.4	54.7
All sites	ALL	221.6	268.4	18.7	10.6	12.3	16.0	16.3	26.3	41.8	69.1	137.6	217.4	390.8	691.8	1154.4	1577.8	1993.2	2352.9	2664.4

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	1.3	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	1.7	1.7	2.2	3.8	6.8	6.2	7.1	8.9	5.6	4.7
Major salivary gland (incl. parotid gland)	C07-C08	0.9	0.8	0.0	0.0	0.0	0.0	0.4	0.2	0.3	0.7	1.9	1.9	1.4	1.7	1.7	4.6	2.4	3.6	11.3	0.0
Mouth	C03-C06	1.4	1.7	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.3	0.4	0.9	3.6	3.0	9.6	8.5	13.0	14.3	8.5	33.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.5	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.7	3.1	5.8	6.8	14.7	20.8	18.9	21.5	22.6	14.2
Nasopharynx	C11	18.1	16.0	0.0	0.0	0.0	0.7	1.1	4.9	9.7	26.4	33.2	42.1	45.4	51.2	51.9	40.8	31.8	32.2	19.8	18.9
Oesophagus	C15	6.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.8	8.3	19.6	23.1	47.7	74.3	69.8	84.7	122.6
Stomach	C16	22.7	26.1	0.0	0.0	0.0	0.2	0.4	0.4	1.7	3.1	5.6	12.3	25.6	65.8	102.1	174.7	231.1	288.0	392.7	377.4
Small intestines	C17	0.7	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.7	0.2	0.9	0.4	2.6	1.1	7.7	3.5	5.4	2.8	9.4
Colon	C18	22.2	25.1	0.0	0.0	0.0	0.0	0.2	1.0	2.7	3.8	10.0	19.2	25.2	59.4	103.8	163.2	230.0	271.9	291.0	278.3
Rectosigmoid & rectum	C19-C20	17.1	19.1	0.0	0.0	0.0	0.0	0.2	1.0	1.5	4.1	9.6	16.8	28.8	60.2	82.3	106.2	161.6	137.7	192.1	217.0
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.4	1.7	1.5	4.7	3.6	2.8	14.2
Liver & intrahepatic bile ducts	C22	19.2	21.2	0.7	0.5	0.5	0.5	0.2	1.0	1.7	5.1	12.2	17.8	32.4	56.8	92.5	134.7	156.8	225.4	220.3	117.9
Gallbladder & extrahepatic bile ducts	C23-C24	2.1	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.7	2.4	4.0	5.1	5.6	16.2	22.4	21.5	28.2	33.0
Pancreas	C25	4.6	5.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.9	5.7	6.1	9.0	25.4	32.3	55.4	62.6	22.6	70.8
Retropertoneum & peritoneum	C48	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.1	1.3	2.3	0.0	1.2	1.8	2.8	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.6	1.7	1.1	3.4	6.8	6.9	4.7	5.4	2.8	9.4
Larynx	C32	5.1	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	3.1	9.0	16.2	27.1	44.6	53.1	57.2	84.7	23.6
Lung (incl. trachea & bronchus)	C33-C34	48.3	56.5	0.0	0.0	0.0	0.0	0.0	0.8	1.0	6.3	10.9	20.6	57.3	116.6	236.3	434.2	557.8	633.3	714.7	608.5
Pleura	C38.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.7	1.3	2.8	2.3	2.4	1.8	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.6	0.6	0.2	0.0	0.3	0.7	1.3	0.2	0.2	0.7	0.2	0.9	0.7	0.9	3.4	0.0	0.0	0.0	2.8	0.0
Bone	C40-C41	0.7	0.6	0.0	0.0	0.3	0.7	1.1	0.8	0.8	0.8	0.9	0.5	1.1	1.3	0.0	1.5	2.4	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.6	1.6	0.7	0.5	0.3	1.0	1.3	0.8	1.0	1.5	1.5	1.7	2.2	4.7	5.6	3.8	8.3	0.0	5.6	4.7
Melanoma of skin	C43	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.2	0.6	0.5	0.4	0.4	0.6	3.1	2.4	3.6	11.3	9.4
Non-melanoma skin	C44	9.8	10.6	0.0	0.0	0.3	0.2	0.2	0.8	1.5	2.6	4.5	9.2	15.5	28.2	29.3	57.0	83.7	110.9	189.3	184.0
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.0	1.5	1.2	1.8	0.0	0.0
Prostate	C61	12.3	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	3.2	12.8	36.7	97.0	180.4	259.4	367.2	259.4
Testis	C62	1.1	0.9	1.1	0.0	0.0	0.2	0.6	1.6	2.2	1.8	1.9	0.7	1.1	1.3	1.7	0.8	1.2	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.9	2.9	2.1	4.5	10.8	4.7	7.2	11.3	14.2
Urinary bladder	C67	6.9	7.7	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.0	3.2	3.8	9.7	17.9	28.2	49.3	62.5	103.8	127.1	89.6
Kidney & other urinary organs	C64-C66 & C68	5.5	6.1	0.7	0.2	0.3	0.0	0.0	0.0	1.0	0.8	4.1	7.8	11.2	17.1	23.7	36.2	48.3	35.8	42.4	66.0
Eye	C69	0.1	0.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	1.2	0.0	0.0	0.0
Brain & CNS	C70-C72	2.4	2.5	1.6	3.5	1.5	1.2	1.5	1.4	2.0	1.8	1.7	1.7	3.2	3.8	5.6	7.7	9.4	7.2	8.5	4.7
Thyroid	C73	2.1	2.0	0.0	0.2	0.0	0.7	0.6	1.4	1.7	2.6	1.9	2.6	2.9	6.0	7.9	6.2	7.1	7.2	11.3	4.7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.5	1.8	0.5	0.5	0.2	0.4	0.0	0.2	0.2	0.4	0.0	0.4	0.9	0.0	0.8	1.2	1.8	0.0	4.7
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	10.7	11.4	7.4	3.3	3.3	3.4	3.0	3.5	5.1	5.4	7.8	11.8	16.9	21.3	35.0	39.3	68.4	59.0	124.3	89.6
Myeloid neoplasms	C92-C93	5.0	5.2	1.8	1.4	0.3	2.7	1.7	2.5	3.2	3.5	3.5	4.3	6.8	10.2	14.1	23.9	33.0	34.0	36.7	42.5
Others & unspecified	OTH	6.5	7.3	0.2	0.0	0.0	0.2	0.4	0.4	1.5	0.5	2.8	3.6	9.0	10.2	31.0	50.8	53.1	89.4	115.8	108.5
All sites	ALL	241.3	267.3	17.4	10.1	7.3	13.3	15.5	23.0	42.0	76.6	127.9	205.5	345.8	623.8	1024.8	1642.8	2200.5	2588.6	3163.8	2834.9

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.9	1.7	0.0	0.0	0.0	0.0	0.2	0.8	0.9	1.0	0.8	1.1	3.8	6.7	8.1	9.4	9.1	9.5	14.1	3.8
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.8	0.0	0.2	0.0	0.3	0.0	0.2	0.5	0.8	0.7	1.5	1.0	1.1	1.8	3.1	6.4	6.3	5.6	3.8
Mouth	C03-C06	1.5	1.5	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.5	0.5	0.9	1.7	6.7	8.1	10.6	8.2	4.7	2.8	19.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.2	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	1.9	2.2	4.8	10.4	13.7	24.5	25.3	16.9	26.7
Nasopharynx	C11	16.3	12.9	0.0	0.0	0.0	0.0	0.5	3.5	9.9	20.4	28.9	35.3	37.5	37.2	37.6	37.4	29.1	17.4	16.9	15.3
Oesophagus	C15	5.7	5.9	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.5	3.3	6.2	15.6	26.7	35.5	52.7	64.8	73.2	84.0
Stomach	C16	21.1	21.9	0.0	0.0	0.0	0.0	0.7	1.2	0.9	3.1	4.2	8.6	19.9	38.0	86.0	140.3	192.7	308.1	315.5	362.6
Small intestines	C17	1.0	1.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.2	0.9	1.9	3.7	4.1	6.2	7.3	1.6	11.3	7.6
Colon	C18	26.8	26.8	0.0	0.2	0.2	0.3	0.2	1.8	2.9	5.1	6.8	17.7	37.0	52.9	99.5	167.1	225.5	342.8	391.5	343.5
Rectosigmoid & rectum	C19-C20	19.5	19.3	0.0	0.0	0.0	0.0	0.5	0.6	1.8	2.8	8.0	13.9	32.2	58.5	84.6	112.8	144.5	188.0	205.6	213.7
Anus	C21	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.2	0.2	0.2	0.4	0.5	5.0	5.5	3.2	5.6	0.0
Liver & intrahepatic bile ducts	C22	21.9	21.7	1.2	0.2	0.2	0.3	0.9	0.4	1.6	5.2	9.9	16.7	33.2	56.6	82.4	140.9	177.3	225.9	188.7	240.5
Gallbladder & extrahepatic bile ducts	C23-C24	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	1.5	2.6	3.7	9.0	16.2	14.5	17.4	19.7	34.4
Pancreas	C25	5.5	5.5	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.7	2.6	3.2	6.5	13.0	19.5	41.1	39.1	69.5	67.6	76.3
Retropertoneum & peritoneum	C48	0.4	0.4	0.5	0.0	0.0	0.3	0.0	0.0	0.2	0.0	0.2	0.6	0.7	1.5	2.3	1.9	0.9	4.7	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.0	0.9	0.2	0.0	0.0	0.0	0.5	0.2	0.2	0.0	1.0	0.9	1.0	3.0	4.5	2.5	7.3	1.6	14.1	15.3
Larynx	C32	4.8	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	2.2	4.3	12.7	23.5	45.5	40.9	41.1	50.7	45.8
Lung (incl. trachea & bronchus)	C33-C34	50.4	52.3	0.0	0.0	0.0	0.0	0.2	0.8	2.0	3.4	9.9	18.8	44.2	105.8	189.1	356.0	540.9	674.6	788.7	732.8
Pleura	C38.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.7	0.4	2.7	2.5	2.7	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.7	0.6	0.0	0.0	0.2	0.5	0.9	0.4	0.4	0.3	1.0	0.4	1.2	1.9	1.8	0.6	1.8	1.6	5.6	0.0
Bone	C40-C41	0.8	0.7	0.0	0.4	1.4	0.8	1.4	0.6	0.5	0.5	1.0	0.4	1.0	1.1	0.9	0.0	3.6	0.0	2.8	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.6	1.5	1.0	0.2	0.5	0.8	1.9	1.0	0.4	1.5	2.1	2.0	2.9	0.7	2.7	4.4	7.3	7.9	5.6	7.6
Melanoma of skin	C43	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.5	1.9	1.4	0.6	1.8	3.2	5.6	15.3
Non-melanoma skin	C44	10.7	10.5	0.0	0.0	0.0	0.3	0.2	0.6	1.6	2.0	5.7	9.1	13.9	21.2	37.1	53.6	81.8	101.1	166.2	248.1
Breast	C50	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	1.5	0.0	1.2	1.8	4.7	8.5	7.6
Prostate	C61	17.5	18.5	0.5	0.0	0.0	0.0	0.2	0.4	0.0	0.2	0.3	1.9	5.3	25.7	67.4	124.7	209.1	300.2	380.3	320.6
Testis	C62	1.1	0.9	1.0	0.0	0.0	0.8	0.5	2.2	2.4	1.5	1.0	1.1	0.7	0.7	1.8	0.6	0.0	1.6	0.0	3.8
Penis & other male genital organs	C60, C63	0.9	0.9	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	1.1	0.6	1.7	1.9	3.2	3.1	4.5	7.9	8.5	19.1
Urinary bladder	C67	7.9	8.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	1.0	1.3	3.5	7.9	16.0	30.3	48.0	60.9	112.2	154.9	160.3
Kidney & other urinary organs	C64-C66 & C68	6.6	6.4	1.2	0.4	0.0	0.0	0.2	0.4	0.4	1.3	5.2	6.5	11.5	15.3	16.3	41.8	51.8	69.5	50.7	57.3
Eye	C69	0.2	0.2	1.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.7	0.0	0.9	0.0	0.0	1.6	0.0	0.0
Brain & CNS	C70-C72	2.5	2.6	3.9	1.5	1.6	1.3	0.7	1.2	1.1	2.0	2.8	2.4	3.1	2.2	4.5	8.1	9.1	9.5	14.1	11.5
Thyroid	C73	2.4	2.0	0.0	0.2	0.0	0.0	0.2	2.2	3.3	1.5	3.6	3.0	3.4	4.5	6.3	5.6	8.2	6.3	14.1	11.5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.7	1.0	1.5	1.4	1.3	0.2	0.2	0.0	0.5	0.0	0.4	0.7	0.4	0.0	0.6	0.9	3.2	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	12.7	12.8	9.2	5.2	4.8	5.0	5.0	4.9	4.6	6.5	7.8	12.8	16.1	27.9	36.2	49.9	60.9	86.9	62.0	72.5
Myeloid neoplasms	C92-C93	5.5	5.2	2.2	0.2	1.6	2.0	1.7	2.5	2.7	2.9	3.3	4.6	9.9	11.2	19.5	17.5	15.5	42.7	53.5	49.6
Others & unspecified	OTH	5.4	5.6	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.5	0.8	3.0	4.6	11.5	19.5	39.3	48.2	69.5	93.0	95.4
All sites	ALL	261.2	260.5	23.1	10.3	12.2	14.3	17.8	27.0	41.3	67.2	114.3	182.0	322.0	568.0	950.2	1547.4	2096.4	2835.7	3214.1	3305.3

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.0	0.0	1.2	0.0	0.0
Tongue	C01-C02	1.9	1.5	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.2	2.0	3.0	1.7	3.8	4.4	14.0	6.6	6.0	16.6	10.0
Major salivary gland (incl. parotid gland)	C07-C08	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.7	0.5	0.3	1.7	2.5	1.2	3.0	2.2	8.4	11.8	10.0
Mouth	C03-C06	1.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	1.5	2.5	3.5	5.2	8.0	12.4	8.4	11.8	10.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.9	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.0	5.2	6.1	11.5	16.4	22.0	21.7	26.1	23.3
Nasopharynx	C11	17.1	12.6	0.0	0.0	0.0	0.2	1.5	2.6	8.4	14.2	26.8	33.5	36.4	39.4	40.2	38.9	32.9	32.6	14.2	19.9
Oesophagus	C15	4.7	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	2.3	3.9	10.1	21.1	22.4	38.1	38.6	59.2	56.5
Stomach	C16	19.1	16.5	0.0	0.0	0.0	0.0	0.2	1.1	0.2	1.5	6.6	6.2	13.3	25.8	50.1	92.2	157.4	285.9	270.1	335.5
Small intestines	C17	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.5	1.2	1.2	2.3	2.4	6.5	8.1	6.0	6.0	6.6
Colon	C18	30.2	25.7	0.0	0.0	0.0	0.2	0.7	1.3	1.9	3.4	6.9	13.5	31.8	59.9	89.5	167.4	224.7	308.8	381.5	378.7
Rectosigmoid & rectum	C19-C20	22.3	18.5	0.0	0.0	0.0	0.0	0.2	0.6	2.1	4.2	8.4	14.2	34.3	50.3	77.6	105.6	136.2	185.8	208.5	212.6
Anus	C21	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.8	1.3	2.0	1.6	3.0	3.7	7.2	4.7	16.6
Liver & intrahepatic bile ducts	C22	24.0	20.5	0.9	0.2	0.2	0.2	0.7	0.4	1.9	3.4	6.9	12.5	29.5	48.7	93.9	125.1	161.8	206.3	255.9	229.2
Gallbladder & extrahepatic bile ducts	C23-C24	2.2	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	2.5	4.0	6.8	10.0	24.2	20.5	16.6	39.9
Pancreas	C25	7.7	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	2.1	4.3	10.8	15.4	17.9	41.9	59.3	70.0	97.2	86.4
Retropertoneum & peritoneum	C48	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	1.6	1.0	3.7	1.2	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.1	0.9	0.3	0.0	0.0	0.0	0.0	0.4	0.4	0.9	0.5	1.0	1.5	2.5	4.4	7.5	4.4	2.4	7.1	0.0
Larynx	C32	4.7	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	2.2	4.8	11.4	17.9	21.4	32.9	45.8	40.3	73.1
Lung (incl. trachea & bronchus)	C33-C34	51.5	44.9	0.0	0.2	0.0	0.5	0.2	0.4	2.1	3.4	9.7	18.8	35.5	73.0	162.3	289.5	468.5	663.4	658.8	691.0
Pleura	C38.4	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	1.0	0.5	1.6	1.5	8.1	7.2	4.7	3.3
Thymus, heart & mediastinum	C37-C38.3	1.2	1.1	0.3	0.2	0.2	1.4	1.5	1.1	0.6	1.1	0.8	1.0	0.8	2.5	3.2	4.5	2.2	3.6	0.0	6.6
Bone	C40-C41	0.9	0.9	0.0	1.2	0.9	1.4	1.5	1.3	0.6	0.0	0.7	1.2	1.0	0.5	0.4	1.5	0.7	3.6	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.5	2.2	1.7	0.9	0.2	0.7	0.2	0.6	1.1	1.5	2.6	4.0	3.3	4.5	6.8	6.5	5.9	13.3	9.5	10.0
Melanoma of skin	C43	0.6	0.5	0.0	0.0	0.0	0.0	0.2	0.6	0.2	0.4	0.2	0.8	0.4	1.3	1.6	4.5	0.7	2.4	2.4	0.0
Non-melanoma skin	C44	11.9	10.3	0.0	0.2	0.0	0.0	0.7	0.6	2.2	2.2	4.1	6.3	10.4	16.4	35.4	52.8	75.4	129.1	177.7	269.1
Breast	C50	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	2.0	1.0	0.7	3.6	2.4	0.0
Prostate	C61	28.8	25.5	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.3	3.0	9.4	47.5	112.6	196.3	277.5	363.1	324.6	382.1
Testis	C62	1.4	1.3	1.4	0.0	0.0	1.6	1.7	3.2	3.2	1.8	2.3	1.0	0.8	1.3	0.4	0.0	0.0	1.2	0.0	3.3
Penis & other male genital organs	C60, C63	1.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.5	2.1	2.3	4.0	7.0	9.5	14.5	11.8	6.6
Urinary bladder	C67	8.6	7.4	0.0	0.0	0.0	0.0	0.0	0.9	0.7	1.5	1.3	4.3	8.3	13.4	23.9	39.4	61.5	97.7	118.5	192.7
Kidney & other urinary organs	C64 - C66 & C68	8.3	6.7	0.6	0.0	0.0	0.0	0.0	0.6	1.3	3.4	4.6	6.7	15.2	20.2	26.3	35.9	49.0	51.9	42.7	43.2
Eye	C69	0.3	0.4	2.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.4	0.8	0.0	0.5	0.0	0.0	0.0	3.3
Brain & CNS	C70-C72	3.5	3.2	2.6	1.2	3.6	1.4	3.0	1.5	2.1	3.1	1.8	3.3	4.0	6.6	6.8	9.0	8.8	9.7	11.8	10.0
Thyroid	C73	2.7	2.1	0.0	0.0	0.2	0.2	0.5	2.1	3.2	1.8	1.7	3.2	5.6	5.3	6.0	8.5	8.1	7.2	9.5	3.3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	1.2	0.7	0.9	0.7	0.2	0.2	0.0	0.2	0.3	0.5	0.2	0.3	1.6	0.5	2.2	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	16.2	14.9	10.1	7.1	5.4	6.7	5.2	4.9	5.2	6.2	10.7	12.7	18.7	27.8	39.4	55.8	87.8	96.5	94.8	99.7
Myeloid neoplasms	C92-C93	6.9	6.0	2.0	0.7	0.6	1.2	1.2	2.4	2.4	2.7	3.8	4.7	10.0	13.1	16.7	27.4	37.3	53.1	40.3	76.4
Others & unspecified	OTH	4.9	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	1.5	2.8	5.2	9.6	10.3	24.4	31.5	44.6	82.9	89.7
All sites	ALL	295.3	252.7	23.3	12.7	12.2	16.6	20.3	27.8	41.8	62.2	112.3	173.0	315.9	535.5	908.5	1450.4	2065.9	2822.7	3023.7	3398.7

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0
Tongue	C01-C02	2.4	1.7	0.3	0.0	0.0	0.0	0.0	0.4	0.6	1.3	1.8	2.3	2.7	4.6	6.3	8.5	10.0	11.5	4.9	18.3
Major salivary gland (incl. parotid gland)	C07-C08	1.2	0.9	0.0	0.0	0.2	0.2	0.9	0.4	0.6	0.5	1.1	1.7	2.2	4.0	1.6	1.7	2.8	4.4	1.6	2.6
Mouth	C03-C06	1.5	1.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.4	1.3	2.2	3.0	3.7	6.8	4.5	6.2	16.4	18.3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	3.4	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.2	3.7	7.1	6.3	16.1	17.8	31.9	26.3	23.6
Nasopharynx	C11	15.2	10.3	0.0	0.0	0.2	0.4	1.4	1.7	3.9	14.3	21.0	29.1	29.1	35.8	29.7	28.4	30.6	24.8	16.4	10.5
Oesophagus	C15	5.4	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	3.5	4.8	8.9	16.0	27.2	27.3	36.3	52.6	57.6
Stomach	C16	19.0	13.4	0.0	0.0	0.0	0.2	0.5	0.9	1.8	2.9	4.0	6.5	14.3	21.0	37.3	68.7	128.0	188.7	257.9	293.5
Small intestines	C17	1.6	1.1	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.5	0.9	1.2	1.5	4.0	4.2	5.9	8.3	9.7	6.6	13.1
Colon	C18	36.7	25.6	0.0	0.0	0.0	0.4	0.7	1.3	2.3	4.7	8.8	15.3	35.7	56.2	97.1	144.7	204.8	280.8	412.3	458.5
Rectosigmoid & rectum	C19-C20	24.6	17.0	0.0	0.0	0.0	0.0	0.9	0.0	2.0	4.3	5.9	16.3	33.5	49.1	68.5	105.2	124.1	152.4	167.5	162.5
Anus	C21	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.7	1.4	1.4	1.3	5.1	5.6	6.2	4.9	0.0
Liver & intrahepatic bile ducts	C22	26.8	18.7	0.9	0.3	0.0	0.0	0.0	0.6	1.6	2.0	5.2	10.8	30.0	49.9	79.3	115.4	146.9	195.8	231.6	225.3
Gallbladder & extrahepatic bile ducts	C23-C24	3.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.9	1.7	4.6	4.6	8.9	16.1	18.9	23.9	27.9	18.3
Pancreas	C25	9.5	6.7	0.0	0.0	0.0	0.2	0.0	0.4	0.4	1.8	2.7	3.7	8.8	18.2	21.3	50.5	55.1	66.4	87.1	76.0
Retropertoneum & peritoneum	C48	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.0	0.0	0.5	1.0	0.5	0.8	2.1	1.7	2.7	0.0	5.2
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.4	1.0	0.0	0.0	0.0	0.0	0.2	0.4	0.8	0.0	0.4	1.7	2.9	3.2	3.2	5.9	5.0	3.5	4.9	5.2
Larynx	C32	4.4	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.7	4.3	7.5	10.5	19.9	21.7	39.9	47.6	49.8
Lung (incl. trachea & bronchus)	C33-C34	53.4	37.5	0.0	0.0	0.0	0.2	0.2	0.4	1.6	3.6	9.9	18.9	34.7	68.3	118.7	231.2	357.8	567.0	609.4	647.2
Pleura	C38.4	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	0.6	1.1	3.8	7.2	12.4	6.6	2.6
Thymus, heart & mediastinum	C37-C38.3	1.6	1.3	0.0	0.3	0.7	0.6	1.8	0.6	0.8	2.4	1.1	1.8	1.9	3.0	1.6	4.7	4.5	3.5	4.9	0.0
Bone	C40-C41	1.1	1.1	0.0	0.5	2.3	3.0	1.8	0.6	1.0	1.3	0.5	1.0	0.9	0.6	0.3	1.3	1.7	3.5	0.0	2.6
Connective & soft tissues (incl peripheral nerves)	C47 & C49	3.0	2.5	2.4	0.3	1.2	1.9	1.4	1.7	1.6	2.2	1.4	2.5	2.0	5.1	6.6	4.7	8.3	13.3	8.2	34.1
Melanoma of skin	C43	0.7	0.5	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.5	0.0	0.3	0.7	0.4	2.4	1.3	5.6	5.3	4.9	7.9
Non-melanoma skin	C44	16.8	11.9	0.0	0.0	0.5	0.2	0.7	0.4	2.1	4.2	3.4	7.8	12.4	20.0	37.3	53.9	96.3	150.6	213.5	332.8
Breast	C50	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	0.3	0.2	0.8	0.4	1.7	3.5	4.9	2.6
Prostate	C61	42.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	5.3	15.5	50.5	123.4	240.5	342.2	382.7	422.1	361.6
Testis	C62	1.6	1.4	0.6	0.0	0.0	1.5	2.9	1.9	2.5	4.3	2.3	1.2	1.4	1.0	0.5	0.4	0.0	2.7	1.6	0.0
Penis & other male genital organs	C60, C63	1.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.7	2.6	4.5	10.6	8.9	7.1	14.8	13.1
Urinary bladder	C67	8.1	5.7	0.3	0.0	0.0	0.0	0.2	0.2	0.4	1.4	2.0	4.0	7.3	9.9	21.5	27.6	45.6	65.6	105.1	115.3
Kidney & other urinary organs	C64-C66 & C68	12.7	8.8	0.6	0.0	0.2	0.2	0.5	0.6	2.5	2.4	7.4	10.5	17.0	23.8	34.1	52.2	52.3	80.6	80.5	57.6
Eye	C69	0.2	0.3	1.5	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.4	0.0	0.0	1.7	0.0	0.0	0.0
Brain & CNS	C70-C72	4.1	3.8	5.2	1.4	2.3	3.0	1.6	2.4	2.5	3.4	3.4	3.3	3.4	4.9	5.8	14.4	10.0	8.9	24.6	5.2
Thyroid	C73	3.4	2.4	0.0	0.0	0.2	0.4	0.2	2.4	2.3	2.2	3.2	5.0	4.1	6.7	7.1	10.2	8.9	9.7	8.2	5.2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.7	1.0	3.1	1.4	0.5	0.8	0.9	0.2	0.2	0.5	0.4	0.5	0.5	0.2	0.8	0.4	1.1	2.7	1.6	2.6
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	19.7	15.8	11.0	4.7	5.8	5.3	5.9	7.5	6.8	6.7	9.9	13.3	20.4	32.3	44.6	65.3	75.7	105.4	123.2	94.3
Myeloid neoplasms	C92-C93	10.3	7.6	2.4	1.1	3.0	1.7	1.1	3.0	2.1	4.0	4.7	7.6	12.3	12.5	19.7	24.2	52.9	85.9	92.0	78.6
Others & unspecified	OTH	4.5	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.9	1.5	4.4	5.3	7.4	17.4	26.7	48.7	62.4	62.9
All sites	ALL	344.3	246.2	28.4	10.2	17.1	20.8	24.1	28.9	41.8	74.8	107.9	186.6	322.5	527.7	834.0	1392.8	1921.8	2644.5	3155.2	3264.8

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C3: Incidence rates by primary site and five-year age group for Chinese males, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.8
Tongue	C01-C02	3.0	1.8	0.0	0.0	0.0	0.0	0.2	0.8	0.8	1.9	2.4	1.6	4.1	6.8	6.4	6.7	11.2	9.8	7.1	14.5
Major salivary gland (incl. parotid gland)	C07-C08	1.3	0.9	0.0	0.0	0.0	0.5	0.6	0.2	0.6	0.2	1.3	1.1	1.7	1.8	2.9	4.2	3.3	4.6	4.7	7.3
Mouth	C03-C06	1.9	1.1	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.5	0.9	1.7	3.5	4.5	3.9	10.8	10.5	11.8	9.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	3.2	1.8	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.6	0.4	1.3	4.1	5.3	8.6	10.6	10.8	13.7	21.2	23.6
Nasopharynx	C11	13.6	8.7	0.0	0.0	0.0	0.0	0.8	1.2	4.6	9.8	16.1	25.3	24.3	25.4	31.0	26.4	26.2	25.5	24.7	5.4
Oesophagus	C15	5.9	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	1.3	6.3	9.1	14.4	21.4	30.9	28.8	38.8	49.0
Stomach	C16	19.3	11.0	0.0	0.0	0.0	0.0	0.2	0.6	0.4	1.1	2.9	6.2	15.0	23.5	35.3	58.4	94.5	149.0	161.0	243.3
Small intestines	C17	2.1	1.3	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.8	0.2	1.6	3.1	2.3	4.3	8.6	7.0	9.8	15.3	16.3
Colon	C18	42.5	24.4	0.0	0.0	0.0	0.2	0.6	1.0	2.6	4.4	10.0	14.9	31.8	52.9	98.0	145.7	210.6	241.1	345.5	399.4
Rectosigmoid & rectum	C19-C20	27.9	16.3	0.0	0.0	0.0	0.0	0.8	0.6	1.6	5.0	9.1	15.8	28.1	48.2	71.5	97.6	122.1	124.8	143.4	150.7
Anus	C21	1.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.7	1.2	1.4	2.9	6.1	7.5	4.6	4.7	0.0
Liver & intrahepatic bile ducts	C22	32.3	18.6	1.2	0.0	0.3	0.0	0.2	0.2	1.4	1.5	4.2	13.5	23.0	46.4	85.1	100.4	157.2	199.3	235.0	274.1
Gallbladder & extrahepatic bile ducts	C23-C24	4.2	2.4	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.9	0.4	2.7	6.1	9.2	16.4	22.0	23.5	37.6	34.5
Pancreas	C25	12.8	7.3	0.0	0.0	0.0	0.0	0.2	0.2	0.8	0.4	2.4	4.9	11.2	16.8	27.9	44.2	62.2	95.4	99.9	67.2
Retropertoneum & peritoneum	C48	0.6	0.4	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.2	0.9	1.0	0.4	1.4	1.9	1.9	2.6	3.5
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.7	1.1	0.0	0.0	0.3	0.0	0.2	0.2	1.2	1.1	0.9	1.8	1.9	3.0	3.1	5.3	4.2	4.6	7.1	7.3
Larynx	C32	4.7	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.7	3.9	8.4	13.1	13.6	26.2	23.5	35.3	36.3
Lung (incl. trachea & bronchus)	C33-C34	58.7	33.2	0.3	0.0	0.0	0.0	0.4	0.4	1.2	3.1	7.6	16.4	33.5	62.0	113.0	179.3	333.2	465.9	588.8	595.4
Pleura	C38.4	1.2	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.9	1.4	3.9	9.4	10.5	10.6	14.5
Thymus, heart & mediastinum	C37-C38.3	2.3	1.6	0.3	0.0	0.0	1.6	1.5	1.0	0.6	1.3	2.4	2.2	3.2	4.6	4.7	6.1	5.6	3.9	3.5	0.0
Bone	C40-C41	1.1	1.0	0.0	0.3	1.6	2.1	1.5	1.6	0.6	0.8	0.7	0.7	0.5	0.9	1.0	2.8	2.3	0.7	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	3.5	2.6	1.5	0.3	1.1	1.4	1.1	2.3	1.6	2.7	3.1	2.4	4.6	5.4	5.8	8.1	10.8	9.1	10.6	3.6
Melanoma of skin	C43	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.4	0.4	1.4	1.2	1.6	0.8	1.9	7.8	4.7	3.6
Non-melanoma skin	C44	21.3	12.1	0.0	0.0	0.0	0.0	0.0	1.4	2.2	2.7	4.0	6.2	11.4	18.4	35.5	55.0	98.7	149.6	259.7	392.1
Breast	C50	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.2	0.4	1.0	0.8	2.3	0.7	4.7	5.4
Prostate	C61	59.1	33.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.7	3.3	14.6	52.7	136.6	267.5	415.1	451.6	416.0	386.7
Testis	C62	1.8	1.8	1.5	0.0	0.0	1.1	3.8	3.3	3.6	5.2	2.5	1.8	1.2	0.5	0.4	0.6	0.5	0.0	1.2	1.8
Penis & other male genital organs	C60, C63	1.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.9	1.7	3.0	3.7	5.6	9.8	7.2	8.2	12.7
Urinary bladder	C67	7.3	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.2	2.4	4.4	8.6	11.9	24.2	34.2	51.6	76.4	99.8
Kidney & other urinary organs	C64-C66 & C68	16.7	10.1	1.5	0.3	0.0	0.0	0.2	1.6	1.8	3.4	9.8	12.0	19.4	25.9	38.4	55.9	66.4	72.5	96.4	65.4
Eye	C69	0.3	0.3	1.2	0.3	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.0	1.3	3.5	0.0
Brain & CNS	C70-C72	4.4	3.4	2.7	1.4	2.2	2.1	1.5	1.2	3.0	1.5	2.9	2.9	4.6	5.6	7.4	12.5	13.1	15.0	17.6	14.5
Thyroid	C73	5.5	3.7	0.0	0.0	0.0	0.0	2.8	2.9	3.0	3.6	7.2	4.7	11.7	9.3	10.7	10.3	13.1	11.1	8.2	3.6
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.7	0.7	1.2	0.3	0.5	0.7	1.1	0.4	0.4	0.2	0.4	0.5	0.2	0.7	1.0	0.8	1.9	2.6	1.2	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	23.3	16.4	8.8	6.3	5.2	6.4	7.4	6.4	7.6	7.8	9.8	12.4	18.4	29.8	44.6	70.1	93.6	105.9	119.9	136.2
Myeloid neoplasms	C92-C93	12.4	7.9	2.7	0.9	1.6	1.4	3.0	2.1	4.2	2.5	4.7	7.8	12.1	14.2	18.5	36.4	51.0	73.8	85.8	105.3
Others & unspecified	OTH	4.7	2.7	0.0	0.0	0.0	0.2	0.2	0.2	0.2	1.1	0.9	0.9	1.7	5.8	10.1	11.7	19.2	33.3	36.4	103.5
All sites	ALL	405.6	241.0	23.3	10.4	12.8	18.2	28.2	31.1	47.0	66.2	110.1	171.4	309.9	511.1	868.3	1324.5	1990.6	2445.4	2949.7	3287.6

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.0	3.6	0.0	1.9	4.0	4.3	0.0	4.6
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.6	0.0	0.0	0.2	0.0	0.3	0.8	0.4	0.0	0.6	1.4	0.0	1.5	2.9	2.7	2.1	6.9	0.0
Mouth	C03-C06	0.4	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.7	0.7	1.0	2.7	4.3	10.4	4.6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.7	2.2	0.7	1.0	1.3	0.0	10.4	0.0
Nasopharynx	C11	5.7	7.3	0.2	0.0	0.2	0.9	1.0	4.4	7.1	13.6	19.5	17.0	18.1	21.0	15.5	15.9	14.9	6.9	4.6
Oesophagus	C15	4.4	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.5	3.3	3.4	12.3	15.0	28.1	49.0	59.8	45.1	46.1
Stomach	C16	12.8	18.1	0.0	0.0	0.0	0.0	0.5	3.6	5.9	8.8	15.6	18.4	28.2	49.4	73.6	108.7	145.2	142.3	96.7
Small intestines	C17	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.7	0.0	0.0	0.0	2.7	2.1	0.0	0.0
Colon	C18	6.6	9.4	0.0	0.0	0.0	0.2	0.8	0.4	2.0	3.9	7.3	12.2	19.5	22.5	47.5	42.4	55.5	59.0	110.6
Rectosigmoid & rectum	C19-C20	4.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.4	5.6	8.2	18.8	18.7	32.0	25.2	42.7	55.5	41.5
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.5	1.0	2.7	0.0	0.0	9.2
Liver & intrahepatic bile ducts	C22	5.6	8.0	0.2	0.0	0.0	0.0	0.0	1.2	0.8	2.4	2.8	11.6	23.1	15.0	34.9	45.1	47.0	86.7	55.3
Gallbladder & extrahepatic bile ducts	C23-C24	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.6	1.4	0.7	5.2	4.8	0.0	6.4	6.9	4.6
Pancreas	C25	1.0	1.5	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	1.1	1.4	5.8	3.0	3.9	11.9	12.8	10.4	0.0
Retropertoneum & peritoneum	C48	0.3	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	2.0	0.0	1.5	3.9	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.5	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.6	2.0	0.0	0.7	0.0	2.7	4.3	6.9	0.0
Larynx	C32	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	0.0	8.7	2.7	4.3	0.0	4.6
Lung (incl. trachea & bronchus)	C33-C34	12.0	17.3	0.0	0.0	0.0	0.0	0.0	1.2	2.8	3.9	7.3	16.3	38.3	44.9	95.9	102.0	138.8	118.0	82.9
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.6	0.5	0.2	0.0	1.1	1.3	0.8	0.4	0.4	0.0	1.1	0.0	0.0	0.0	0.0	1.3	0.0	3.5	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.8	1.1	0.7	0.2	0.0	0.2	0.5	0.0	0.4	0.5	0.6	2.0	2.9	2.2	2.9	8.0	2.1	3.5	4.6
Melanoma of skin	C43	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	0.0	0.0	0.0	1.0	1.3	2.1	3.5	4.6
Non-melanoma skin	C44	3.5	5.1	0.0	0.0	0.0	0.0	0.5	0.8	1.2	2.9	1.7	2.7	6.5	9.0	15.5	22.5	55.5	55.5	87.5
Breast	C50	14.4	19.5	0.0	0.0	0.0	0.2	0.3	3.2	10.3	22.4	36.3	47.6	60.7	64.4	60.1	68.9	59.8	45.1	55.3
Cervix uteri	C53	13.7	18.6	0.0	0.0	0.0	0.0	0.8	4.4	7.9	17.1	30.1	51.0	47.7	74.1	59.1	71.6	49.1	62.5	36.9
Placenta	C58	0.8	0.9	0.0	0.0	0.0	0.4	1.0	5.2	2.0	1.5	1.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	3.5	4.9	0.0	0.0	0.0	0.0	0.0	1.2	2.4	2.4	3.9	6.1	20.9	23.2	21.3	19.9	12.8	13.9	23.0
Ovary & fallopian tube	C56-C57.0	4.8	6.0	0.0	0.4	1.7	1.1	2.1	2.8	6.3	8.3	8.9	12.2	15.2	17.2	23.2	11.9	12.8	3.5	9.2
Vulva & vagina	C51-C52	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.1	0.0	0.0	3.0	1.0	4.0	4.3	17.3	9.2
Urinary bladder	C67	1.4	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.7	6.0	11.6	19.9	12.8	20.8	9.2
Kidney & other urinary organs	C64-C66 & C68	1.2	1.7	1.0	0.2	0.0	0.0	0.0	0.4	0.0	0.5	0.6	2.0	5.8	4.5	6.8	10.6	4.3	13.9	4.6
Eye	C69	0.2	0.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.0	1.1	0.5	1.0	0.4	0.7	1.0	1.6	0.0	1.5	1.7	1.4	3.6	3.0	1.9	0.0	0.0	0.0	0.0
Thyroid	C73	3.5	4.2	0.0	0.0	0.4	1.5	2.9	4.4	7.5	4.4	2.8	5.4	6.5	15.0	15.5	9.3	14.9	10.4	4.6
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.1	3.6	4.2	2.3	1.7	1.7	1.3	1.2	2.4	3.4	1.7	1.4	2.9	9.0	11.6	11.9	19.2	3.5	4.6
Myeloid neoplasms	C92-C93	2.4	3.0	2.9	1.0	0.6	0.4	1.3	2.4	2.8	2.9	1.7	2.7	3.6	3.0	9.7	10.6	23.5	3.5	0.0
Others & unspecified	OTH	3.5	4.9	0.7	0.0	0.2	0.2	0.3	0.4	1.2	1.5	2.2	6.1	11.6	11.2	32.9	30.5	19.2	31.2	18.4
All sites	ALL	115.9	158.5	12.7	5.5	6.6	9.3	16.1	40.3	65.7	110.2	162.4	242.7	364.0	447.1	633.5	723.6	836.8	857.0	737.1

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.5	0.6	0.6	0.7	0.9	0.0	1.6	2.7	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.6	0.0	0.0	0.0	0.0	0.5	0.6	0.6	2.2	1.4	0.6	0.6	1.5	0.9	2.2	1.6	0.0	3.5
Mouth	C03-C06	0.6	0.8	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.5	1.2	1.9	4.4	1.8	2.2	4.9	10.7	3.5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.5	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.9	5.5	6.6	0.0	6.9
Nasopharynx	C11	6.5	7.5	0.0	0.0	0.2	1.3	1.4	7.1	9.8	17.5	15.7	15.1	20.0	16.3	17.6	15.3	8.2	5.3	20.7
Oesophagus	C15	3.1	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.7	3.2	7.4	22.0	28.4	36.1	53.4	48.3
Stomach	C16	13.9	17.8	0.0	0.0	0.0	0.0	0.7	2.4	3.8	7.9	13.3	16.9	27.7	45.1	73.9	98.2	127.9	168.3	176.1
Small intestines	C17	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.6	0.6	0.0	0.9	2.2	1.6	0.0	0.0
Colon	C18	10.0	12.9	0.0	0.2	0.2	0.4	1.1	1.2	1.6	3.9	8.6	12.2	29.7	30.3	57.2	73.1	100.0	88.1	103.6
Rectosigmoid & rectum	C19-C20	6.2	8.0	0.0	0.0	0.0	0.0	0.2	0.6	1.3	1.7	4.8	5.8	14.2	20.7	35.2	49.1	64.0	53.4	93.2
Anus	C21	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.9	1.1	1.6	8.0	3.5
Liver & intrahepatic bile ducts	C22	5.6	7.2	0.3	0.0	0.2	0.6	0.5	1.2	1.6	1.3	2.9	7.0	8.4	25.2	34.3	46.9	64.0	42.7	34.5
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.6	3.9	2.2	5.3	12.0	16.4	29.4	10.4
Pancreas	C25	1.6	2.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.9	1.0	1.2	2.6	8.9	7.9	10.9	16.4	18.7	10.4
Retropertoneum & peritoneum	C48	0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	2.2	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.6	0.8	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.4	1.0	0.6	0.6	1.5	1.8	6.5	6.6	2.7	10.4
Larynx	C32	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	5.2	3.5	2.2	4.9	0.0	3.5
Lung (incl. trachea & bronchus)	C33-C34	15.2	19.9	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.6	8.1	17.5	32.9	51.8	92.4	142.9	157.4	184.3	148.5
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.0	0.0	0.0
Bone	C40-C41	0.7	0.7	0.3	0.4	1.1	1.3	0.5	0.6	0.3	0.4	0.0	1.2	1.3	0.0	0.9	0.0	0.0	5.3	3.5
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.0	1.2	1.3	0.4	0.2	0.6	0.5	1.8	0.3	1.3	0.0	1.2	3.2	2.2	2.6	4.4	3.3	2.7	0.0
Melanoma of skin	C43	0.4	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	1.0	0.6	0.6	3.0	1.8	0.0	1.6	2.7	0.0
Non-melanoma skin	C44	4.4	5.7	0.0	0.2	0.0	0.4	0.7	0.3	0.6	1.3	2.9	4.1	5.8	15.5	22.0	19.6	31.2	82.8	114.0
Breast	C50	18.0	22.6	0.0	0.0	0.0	0.4	0.7	5.9	11.1	31.0	36.6	59.4	52.9	66.6	83.6	67.7	82.0	80.1	65.6
Cervix uteri	C53	14.3	18.3	0.0	0.0	0.0	0.0	0.0	3.5	6.3	20.5	30.9	47.7	43.9	71.0	76.6	60.0	47.6	34.7	44.9
Placenta	C58	0.6	0.5	0.0	0.0	0.0	0.0	1.4	1.5	2.9	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	3.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.7	4.3	8.2	12.3	14.8	18.5	10.9	23.0	10.7	10.4
Ovary & fallopian tube	C56-C57.0	4.9	5.8	0.0	0.0	0.6	1.5	1.8	3.8	3.8	8.3	10.9	10.5	13.5	19.2	12.3	16.4	19.7	18.7	10.4
Vulva & vagina	C51-C52	0.5	0.6	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.0	0.5	0.6	0.6	0.7	4.4	3.3	4.9	2.7	3.5
Urinary bladder	C67	1.5	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.7	11.4	12.0	13.1	29.4	27.6
Kidney & other urinary organs	C64-C66 & C68	1.3	1.7	1.1	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.5	1.2	5.8	5.9	7.9	6.5	9.8	2.7	13.8
Eye	C69	0.2	0.3	1.9	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.3	1.3	1.3	2.2	2.1	0.4	1.1	0.6	0.6	0.4	1.9	1.2	1.3	1.5	0.9	2.2	1.6	0.0	3.5
Thyroid	C73	3.4	3.8	0.0	0.0	0.6	1.9	3.6	3.8	2.9	5.2	6.7	5.2	7.7	5.9	15.0	5.5	14.8	10.7	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.0	0.4	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.6	4.2	4.0	1.8	2.3	1.5	1.8	1.8	1.3	0.9	1.4	2.9	6.5	3.7	15.0	18.5	27.9	16.0	17.3
Myeloid neoplasms	C92-C93	2.7	3.1	2.4	1.1	1.5	2.1	1.8	2.1	1.3	0.4	4.8	4.1	3.2	5.2	6.2	17.5	8.2	8.0	3.5
Others & unspecified	OTH	4.5	5.8	0.5	0.0	0.0	0.4	0.0	0.9	1.0	3.9	2.9	4.7	12.3	19.2	28.2	29.5	39.4	40.1	31.1
All sites	ALL	133.5	167.6	13.0	7.4	9.6	13.3	18.9	41.4	56.2	118.2	166.4	234.1	325.7	463.8	665.4	774.7	948.0	1014.8	1025.6

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.6	0.6	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.8	0.8	2.0	0.6	1.4	1.6	1.8	5.0	4.1	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.8	0.0	0.0	0.2	0.4	0.7	0.0	0.8	1.2	2.0	2.0	1.1	1.4	3.2	2.7	3.8	0.0	2.6
Mouth	C03-C06	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	1.5	1.7	0.7	1.6	2.7	6.3	2.1	7.7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.5	0.6	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.4	1.2	0.0	0.0	1.4	3.2	1.8	3.8	8.2	2.6
Nasopharynx	C11	7.1	7.8	0.0	0.0	0.2	0.6	1.4	5.1	9.8	12.4	14.0	23.6	26.2	20.2	15.3	16.5	10.0	10.3	7.7
Oesophagus	C15	3.2	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.0	6.3	11.5	14.5	21.9	21.3	53.6	51.5
Stomach	C16	13.1	15.3	0.0	0.0	0.0	0.2	0.8	1.3	2.5	5.4	9.6	16.6	25.1	45.3	47.4	95.1	119.1	140.1	149.3
Small intestines	C17	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.5	1.1	2.2	1.6	2.7	1.3	2.1	4.6
Colon	C18	13.5	16.0	0.0	0.0	0.0	0.2	0.2	0.0	3.0	7.7	10.4	19.6	29.7	49.7	69.9	84.1	99.0	131.9	144.2
Rectosigmoid & rectum	C19-C20	8.7	10.2	0.0	0.0	0.0	0.2	0.2	1.1	2.5	3.5	4.8	11.0	14.8	33.1	46.6	49.4	85.3	98.9	72.1
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.2	1.6	0.9	2.5	4.1	2.6
Liver & intrahepatic bile ducts	C22	6.1	7.2	0.9	0.0	0.0	0.0	0.0	0.7	0.5	1.2	3.2	5.5	11.4	21.6	19.3	46.6	62.7	90.7	61.8
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.2	0.4	0.5	1.7	2.9	9.6	11.9	10.0	20.6	10.3
Pancreas	C25	2.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	1.7	7.2	10.4	16.5	32.6	30.9	23.2
Retropertoneum & peritoneum	C48	0.3	0.3	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.4	0.4	0.5	1.1	0.0	0.8	1.8	1.3	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	1.0	1.7	2.9	3.2	3.7	3.8	2.1	2.6
Larynx	C32	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.1	5.0	4.8	4.6	2.5	8.2	5.1
Lung (incl. trachea & bronchus)	C33-C34	19.1	22.8	0.0	0.0	0.0	0.4	0.2	0.9	0.5	3.9	6.0	15.1	35.9	59.7	114.9	144.5	191.8	201.9	224.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.0	0.0	1.3	0.0	0.0
Bone	C40-C41	0.7	0.7	0.3	0.7	1.0	0.6	1.0	0.2	1.0	0.4	1.2	0.0	0.6	1.4	0.8	0.0	2.5	0.0	5.1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.9	1.0	1.1	1.0	1.0	1.0	1.0	0.0	0.5	1.5	0.4	0.5	0.6	3.6	1.6	2.7	1.3	0.0	5.1
Melanoma of skin	C43	0.3	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.5	1.1	0.0	2.4	1.8	1.3	2.1	5.1
Non-melanoma skin	C44	6.8	7.7	0.0	0.2	0.5	0.4	0.4	0.9	2.3	0.8	4.8	7.5	9.7	15.8	16.9	33.8	61.4	90.7	159.6
Breast	C50	23.6	27.4	0.0	0.0	0.0	0.0	1.0	5.9	13.1	38.2	64.3	74.8	62.7	72.7	91.6	75.9	86.5	86.5	92.7
Cervix uteri	C53	14.4	17.0	0.0	0.0	0.0	0.0	0.4	3.3	7.8	19.7	34.0	42.7	54.2	54.0	65.9	44.8	46.4	41.2	30.9
Placenta	C58	0.7	0.5	0.0	0.0	0.0	0.6	1.6	2.2	1.3	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	4.3	5.1	0.0	0.0	0.0	0.0	0.2	0.9	1.0	3.1	7.6	9.5	20.0	15.8	20.1	27.4	12.5	20.6	7.7
Ovary & fallopian tube	C56-C57.0	7.7	8.8	0.0	0.0	0.7	2.1	3.4	4.0	3.0	9.3	15.2	17.1	28.0	23.7	29.7	29.3	17.6	20.6	28.3
Vulva & vagina	C51-C52	0.5	0.6	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	0.8	0.0	0.6	1.4	1.6	3.7	3.8	6.2	10.3
Urinary bladder	C67	1.9	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	0.5	2.3	5.0	7.2	13.7	17.6	35.0	33.5
Kidney & other urinary organs	C64-C66 & C68	1.2	1.4	0.6	0.0	0.0	0.0	0.0	0.7	1.0	1.2	0.0	1.5	1.7	3.6	6.4	5.5	8.8	14.4	10.3
Eye	C69	0.2	0.3	2.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.6	0.0	0.8	0.9	0.0	0.0	0.0
Brain & CNS	C70-C72	1.1	1.1	1.4	1.7	1.0	0.6	1.6	0.7	0.5	1.2	1.6	1.0	0.6	0.7	0.0	2.7	3.8	2.1	0.0
Thyroid	C73	4.2	4.2	0.0	0.0	0.7	3.3	2.8	4.2	5.5	7.3	5.6	6.0	5.7	7.9	8.8	15.5	8.8	10.3	18.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.1	4.7	3.4	2.4	1.0	2.1	1.6	2.0	1.8	2.3	2.4	6.5	8.6	12.2	12.9	22.9	21.3	8.2	10.3
Myeloid neoplasms	C92-C93	2.7	2.9	0.6	0.5	0.7	1.7	2.2	1.5	1.3	2.3	4.4	3.0	4.6	5.0	9.6	5.5	22.6	8.2	7.7
Others & unspecified	OTH	3.6	4.2	0.0	0.0	0.2	0.0	0.4	0.2	1.3	1.2	2.0	2.0	5.7	13.7	17.7	21.9	31.3	37.1	51.5
All sites	ALL	158.3	183.2	10.8	7.1	6.9	14.8	21.6	37.9	62.1	127.0	201.8	279.6	372.5	505.2	663.4	817.5	1010.5	1193.1	1245.9

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.5	0.0	1.2	0.0	1.2	0.2	1.7	2.0	6.3	7.3
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.5	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.5	0.7	0.4	1.5	1.2	0.7	2.6	3.1	6.3	3.6
Mouth	C03-C06	0.5	0.5	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	1.5	1.2	4.5	2.6	1.0	1.6	5.5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.0	0.4	0.0	1.2	0.0	2.6	2.0	1.6	1.8
Nasopharynx	C11	7.5	7.4	0.0	0.0	0.0	0.2	1.4	4.8	8.0	11.6	23.1	21.4	18.2	15.3	17.1	15.3	15.3	9.5	3.6
Oesophagus	C15	2.7	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	3.0	3.5	11.2	14.5	34.7	45.8	34.6
Stomach	C16	15.0	15.6	0.0	0.0	0.0	0.0	0.0	2.2	3.7	3.8	8.4	18.1	23.3	35.9	61.0	87.0	122.4	161.0	171.1
Small intestines	C17	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	2.0	1.2	0.0	0.9	2.0	3.2	0.0
Colon	C18	17.3	18.4	0.0	0.0	0.2	0.5	0.6	1.5	3.3	6.1	13.2	20.2	33.4	55.8	72.9	100.6	131.6	159.4	160.2
Rectosigmoid & rectum	C19-C20	9.6	10.2	0.0	0.0	0.0	0.0	0.2	0.9	0.8	3.8	7.0	14.4	13.1	29.4	51.3	39.2	73.5	99.4	103.8
Anus	C21	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.0	1.8	0.0	0.9	4.1	4.7	5.5
Liver & intrahepatic bile ducts	C22	6.5	7.0	0.3	0.0	0.2	0.2	0.2	0.0	1.0	1.8	1.5	2.9	12.1	22.3	29.7	42.6	51.0	67.9	76.5
Gallbladder & extrahepatic bile ducts	C23-C24	1.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.7	2.1	1.5	7.6	10.4	11.1	6.1	20.5	12.7
Pancreas	C25	3.2	3.4	0.0	0.0	0.2	0.0	0.2	0.2	0.6	0.8	1.5	4.9	6.6	12.3	9.7	15.3	18.4	37.9	43.7
Retropertoneum & peritoneum	C48	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.6	1.5	0.9	1.0	0.0	1.8
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.5	0.0	0.3	0.0	0.2	0.0	0.2	0.2	0.0	0.0	0.8	2.0	1.8	1.5	1.7	2.0	4.7	3.6
Larynx	C32	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	1.8	4.5	4.3	7.1	6.3	7.3
Lung (incl. trachea & bronchus)	C33-C34	20.6	22.0	0.0	0.0	0.0	0.2	0.2	0.6	1.0	4.6	7.0	13.6	31.9	52.3	100.4	142.4	189.8	235.1	223.9
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.8	0.0	0.0	1.5	1.7	1.0	0.0	0.0
Bone	C40-C41	0.7	0.7	0.3	0.8	1.7	0.5	0.4	0.7	0.8	0.0	1.1	0.4	1.0	0.6	0.0	1.7	0.0	1.6	1.8
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.4	1.4	0.5	0.5	0.5	0.4	1.3	0.8	1.5	1.1	3.3	2.0	2.9	3.7	2.6	3.1	4.7	3.6
Melanoma of skin	C43	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	2.6	2.0	4.7	3.6
Non-melanoma skin	C44	7.3	7.5	0.0	0.3	0.2	0.0	0.6	0.4	1.6	2.3	5.1	5.8	8.6	17.6	25.3	40.9	57.1	78.9	116.5
Breast	C50	30.4	31.8	0.0	0.0	0.0	0.7	1.8	6.0	16.1	42.2	72.6	96.7	84.9	84.7	82.5	101.4	89.8	88.4	96.5
Cervix uteri	C53	16.7	17.6	0.0	0.0	0.0	0.2	0.2	2.6	9.3	26.8	33.7	40.3	62.2	58.2	52.8	51.2	36.7	55.2	38.2
Placenta	C58	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.4	0.4	1.0	1.1	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	5.7	6.4	0.0	0.0	0.0	0.2	0.0	0.7	1.0	5.1	8.1	18.1	19.7	21.8	34.9	16.2	18.4	15.8	18.2
Ovary & fallopian tube	C56-C57.0	8.4	8.6	0.0	0.3	1.0	2.6	2.8	4.7	5.4	8.8	14.3	20.2	22.2	27.0	23.0	26.4	28.6	14.2	20.0
Vulva & vagina	C51-C52	0.7	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.7	0.4	0.0	2.9	1.5	7.7	5.1	11.0	1.8
Urinary bladder	C67	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.0	1.1	1.2	1.5	6.5	10.4	13.6	20.4	25.3	38.2
Kidney & other urinary organs	C64-C66 & C68	1.9	2.1	0.9	0.0	0.0	0.0	0.4	0.4	0.6	0.3	1.1	0.0	6.1	5.9	7.4	12.8	15.3	12.6	14.6
Eye	C69	0.2	0.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8
Brain & CNS	C70-C72	1.6	1.8	2.6	1.6	2.7	1.2	1.6	0.9	0.8	1.3	0.4	2.1	1.0	2.4	5.2	0.9	3.1	3.2	1.8
Thyroid	C73	6.3	5.9	0.0	0.0	1.0	2.1	4.1	5.8	9.1	10.1	10.3	14.8	14.2	6.5	7.4	16.2	11.2	11.0	12.7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.4	0.0	0.6	0.0	0.9	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	5.9	6.5	7.5	2.2	3.4	2.1	1.2	2.6	2.1	2.5	3.7	5.3	12.1	11.8	17.8	21.3	35.7	37.9	21.8
Myeloid neoplasms	C92-C93	2.1	2.1	0.9	0.8	1.2	1.7	1.2	1.1	1.6	2.8	1.8	3.3	2.0	2.4	4.5	6.8	9.2	4.7	10.9
Others & unspecified	OTH	4.1	4.4	0.9	0.0	0.0	0.2	0.0	0.4	1.0	1.8	1.8	2.5	8.1	10.6	15.6	29.8	31.6	39.5	38.2
All sites	ALL	184.7	193.9	16.9	7.1	12.4	13.7	18.0	39.2	72.1	143.1	223.2	319.6	397.9	508.5	672.1	840.6	1035.7	1279.9	1308.8

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 1988-1992

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.8	1.2	1.5	0.8	2.6	1.8	2.3	2.8	4.0	3.8
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.6	0.0	0.0	0.5	0.2	0.2	0.2	0.5	0.8	0.7	0.7	0.8	0.5	1.2	3.1	3.8	2.5	1.3
Mouth	C03-C06	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.4	0.8	3.1	1.8	3.1	5.7	1.2	7.6
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.4	0.0	1.0	1.2	2.3	0.9	6.1	2.5
Nasopharynx	C11	8.0	7.3	0.0	0.0	0.3	0.0	0.9	2.6	9.0	12.6	15.0	18.5	22.5	19.5	19.8	16.4	13.3	14.7	6.4
Oesophagus	C15	2.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.7	1.3	3.6	6.6	11.0	21.8	39.2	49.5
Stomach	C16	14.5	13.6	0.0	0.0	0.0	0.2	0.2	0.4	2.5	6.3	6.9	10.2	16.7	39.0	45.6	79.8	114.6	130.0	176.5
Small intestines	C17	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.8	2.6	1.8	1.6	0.9	3.7	7.6
Colon	C18	22.1	21.0	0.0	0.0	0.5	1.0	0.9	1.5	2.8	7.3	8.4	17.0	35.9	55.9	81.7	119.8	162.9	211.0	231.1
Rectosigmoid & rectum	C19-C20	10.2	9.9	0.0	0.0	0.0	0.0	0.0	0.7	1.2	2.6	4.2	9.4	20.0	24.1	36.0	61.8	83.3	84.6	102.9
Anus	C21	0.3	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.6	2.3	3.8	4.9	3.8
Liver & intrahepatic bile ducts	C22	6.1	5.8	1.3	0.6	0.0	0.2	0.0	0.4	0.0	0.8	2.7	4.4	7.1	11.8	20.4	42.3	36.9	67.5	78.7
Gallbladder & extrahepatic bile ducts	C23-C24	2.0	1.9	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.0	2.5	3.3	4.6	7.8	9.4	19.9	11.0	25.4
Pancreas	C25	3.4	3.3	0.0	0.0	0.5	0.0	0.2	0.0	0.2	1.4	1.0	3.6	5.4	7.7	11.4	18.8	33.1	28.2	34.3
Retropertoneum & peritoneum	C48	0.2	0.3	0.5	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.7	0.0	0.5	1.2	0.8	0.9	1.2	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.4	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.5	0.0	1.7	0.5	3.6	0.8	0.9	1.2	1.3
Larynx	C32	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	1.5	2.4	8.6	5.7	4.9	2.5
Lung (incl. trachea & bronchus)	C33-C34	20.8	19.8	0.0	0.0	0.0	0.0	0.2	1.1	1.8	3.9	5.9	12.0	29.2	39.0	78.7	131.5	173.3	217.1	250.2
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.5	1.5	2.5	1.0	1.2	0.8	0.0	2.5	1.3
Bone	C40-C41	0.9	0.8	0.5	0.3	0.8	1.4	0.4	1.9	1.2	0.2	1.2	0.4	0.4	0.5	0.6	1.6	2.8	0.0	1.3
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.0	1.0	0.3	0.6	0.5	0.2	0.9	0.4	0.0	0.8	1.2	1.1	2.9	1.0	1.8	1.6	9.5	2.5	2.5
Melanoma of skin	C43	0.6	0.5	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.4	0.2	0.7	1.3	0.5	2.4	1.6	1.9	3.7	10.2
Non-melanoma skin	C44	9.1	8.1	0.0	0.0	0.5	0.0	0.9	0.7	1.9	3.4	5.2	8.3	7.9	14.9	25.2	32.9	70.1	78.5	161.3
Breast	C50	41.9	39.4	0.0	0.0	0.0	0.0	0.7	5.8	18.7	47.8	94.3	120.7	108.0	103.6	109.3	122.1	106.0	126.3	121.9
Cervix uteri	C53	16.7	16.3	0.0	0.0	0.0	0.5	0.2	1.1	5.5	16.4	32.5	45.0	49.2	50.8	49.8	59.5	47.3	58.9	36.8
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	7.0	7.1	0.0	0.0	0.0	0.0	0.2	0.0	1.6	6.7	10.3	17.8	17.9	36.4	28.8	27.4	15.1	15.9	11.4
Ovary & fallopian tube	C56-C57.0	11.2	10.7	0.3	1.1	0.8	1.9	5.1	6.3	8.5	8.9	13.8	26.8	33.4	26.7	28.2	34.4	24.6	39.2	14.0
Vulva & vagina	C51-C52	1.1	1.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.4	0.5	1.5	1.3	2.1	3.0	6.3	7.6	11.0	11.4
Urinary bladder	C67	2.0	1.9	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	1.1	2.9	4.1	5.4	12.5	18.0	28.2	24.1
Kidney & other urinary organs	C64-C66 & C68	2.2	2.2	1.6	0.0	0.0	0.2	0.0	0.4	0.5	0.0	1.0	2.9	3.3	5.6	9.6	11.7	10.4	17.2	19.1
Eye	C69	0.2	0.3	1.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.9	1.9	1.0	1.7	1.9	1.0	0.9	1.1	1.4	2.0	0.5	1.5	1.7	1.0	6.6	7.8	6.6	4.9	7.6
Thyroid	C73	6.8	6.1	0.0	0.3	1.1	1.7	5.8	6.0	8.3	7.7	7.9	14.5	10.0	12.8	11.4	13.3	15.1	18.4	16.5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.3	0.4	1.0	0.6	0.5	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.5	0.0	0.0	2.8	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.0	7.3	6.0	5.0	2.6	1.7	2.2	2.1	2.3	3.2	4.2	9.1	5.0	12.3	27.0	30.5	33.1	40.5	36.8
Myeloid neoplasms	C92-C93	2.5	2.4	1.8	1.1	0.3	2.4	2.2	2.1	1.2	1.4	2.7	3.3	0.8	6.2	4.2	2.3	10.4	14.7	7.6
Others & unspecified	OTH	5.6	5.2	0.8	0.0	0.0	0.0	0.2	0.6	0.0	2.8	3.0	3.6	8.8	18.0	14.4	28.2	43.6	51.5	58.4
All sites	ALL	212.7	202.3	17.0	11.2	11.1	13.0	23.5	37.3	72.0	141.1	227.3	343.0	404.9	516.0	653.4	910.3	1109.7	1348.0	1527.9

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.4	1.0	0.7	1.7	1.6	1.3	2.6	8.2	8.4	7.1
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.6	0.0	0.0	0.3	0.3	0.4	0.6	0.5	0.8	0.6	0.7	1.8	1.7	1.6	1.9	2.6	1.2	3.4	0.0
Mouth	C03-C06	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.0	0.0	1.7	3.7	2.5	2.6	3.5	6.7	4.7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	1.6	0.6	2.6	2.3	1.7	4.7
Nasopharynx	C11	6.6	5.5	0.0	0.0	0.0	0.3	1.3	1.9	5.5	9.3	13.1	13.1	15.9	18.9	12.1	11.4	6.1	16.3	8.4	7.1
Oesophagus	C15	1.8	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	2.9	2.6	7.6	21.9	26.8	18.5	35.5
Stomach	C16	14.6	12.6	0.0	0.0	0.0	0.3	0.6	1.3	1.5	3.7	6.0	11.6	15.5	29.0	41.5	68.2	112.9	153.8	176.5	151.3
Small intestines	C17	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.6	0.7	2.5	0.8	0.5	5.1	5.2	2.3	8.4	2.4
Colon	C18	22.3	19.7	0.0	0.0	0.0	0.3	0.4	1.5	1.7	6.1	9.0	15.8	29.6	50.9	68.8	118.7	160.1	213.3	247.1	227.0
Rectosigmoid & rectum	C19-C20	13.6	12.3	0.0	0.0	0.0	0.0	0.6	0.2	2.6	3.0	6.9	9.2	20.2	31.6	53.6	81.4	81.4	131.7	99.2	122.9
Anus	C21	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.3	1.6	1.9	0.0	3.5	16.8	9.5
Liver & intrahepatic bile ducts	C22	5.9	5.2	0.2	0.0	0.0	0.0	0.0	0.6	0.5	1.9	0.8	2.4	4.3	8.0	22.1	35.4	51.6	58.3	60.5	85.1
Gallbladder & extrahepatic bile ducts	C23-C24	2.5	2.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.8	1.9	4.0	3.4	10.5	12.0	16.6	21.0	28.6	33.1
Pancreas	C25	3.7	3.3	0.0	0.0	0.0	0.3	0.0	0.2	0.2	0.2	0.2	0.2	4.0	9.7	13.7	22.1	27.1	40.8	38.7	40.2
Retropertoneum & peritoneum	C48	0.4	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.0	0.0	1.7	1.1	3.2	0.9	0.0	1.7	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.5	1.1	1.3	1.6	1.9	1.7	2.3	1.7	0.0
Larynx	C32	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.4	1.3	1.6	4.4	4.4	3.5	3.4	0.0
Lung (incl. trachea & bronchus)	C33-C34	22.9	20.2	0.0	0.0	0.0	0.0	0.2	0.6	1.0	3.4	7.9	15.0	24.9	47.1	63.6	137.0	178.5	237.8	268.9	274.2
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.4	0.0	0.0	0.0	1.2	0.0	2.4
Thymus, heart & mediastinum	C37-C38.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.7	0.4	0.7	1.1	0.8	1.6	0.0	0.9	0.0	0.0	0.0
Bone	C40-C41	0.5	0.5	0.0	0.5	0.8	0.8	0.2	0.4	0.2	0.8	0.2	0.2	0.4	1.3	0.5	0.6	0.9	0.0	1.7	2.4
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.2	1.1	0.5	0.3	0.5	1.0	0.6	0.6	1.5	0.3	1.5	1.2	0.7	2.5	1.6	4.4	1.7	5.8	10.1	4.7
Melanoma of skin	C43	0.5	0.4	0.0	0.0	0.0	0.3	0.0	0.6	0.2	0.7	0.2	0.0	1.1	0.4	2.1	1.9	0.0	7.0	3.4	2.4
Non-melanoma skin	C44	10.2	8.4	0.0	0.0	0.0	0.5	0.4	1.1	2.1	2.2	3.3	6.8	10.8	16.8	25.2	39.1	57.7	97.9	122.7	257.7
Breast	C50	51.4	44.4	0.0	0.0	0.0	0.3	0.9	3.2	21.4	47.4	90.0	136.1	140.6	144.7	130.3	121.2	123.4	117.7	124.4	111.1
Cervix uteri	C53	17.0	14.9	0.0	0.0	0.0	0.0	0.2	1.9	7.0	17.2	25.5	32.0	47.7	52.6	44.6	47.3	52.5	54.8	50.4	44.9
Placenta	C58	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.9	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	8.5	7.8	0.0	0.0	0.0	0.0	0.2	0.4	2.1	5.7	9.4	19.9	30.0	31.6	28.9	26.5	23.6	29.1	10.1	9.5
Ovary & fallopian tube	C56-C57.0	12.2	10.8	0.0	0.8	1.9	4.2	6.7	6.3	8.4	9.8	13.4	26.7	27.5	25.2	27.3	31.6	34.1	32.6	28.6	28.4
Vulva & vagina	C51-C52	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.0	1.2	1.8	2.9	2.1	5.7	10.5	11.7	6.7	11.8
Urinary bladder	C67	2.1	1.7	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.3	0.4	1.5	1.8	3.4	4.2	8.8	15.7	24.5	35.3	33.1
Kidney & other urinary organs	C64-C66 & C68	2.4	2.2	0.2	0.3	0.0	0.3	0.0	0.2	0.3	1.7	1.2	1.5	4.3	6.3	14.7	8.2	13.1	15.2	11.8	21.3
Eye	C69	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.0	2.0	2.6	1.3	1.6	0.3	1.1	0.9	1.9	0.8	2.1	1.9	1.1	2.1	5.3	3.8	12.2	5.8	6.7	2.4
Thyroid	C73	7.0	5.9	0.0	0.3	1.6	2.1	3.7	6.3	8.6	7.1	11.9	9.9	10.5	13.0	10.0	16.4	14.9	10.5	11.8	18.9
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.4	1.2	0.8	0.0	0.0	0.2	0.0	0.2	0.2	0.4	0.7	0.7	0.4	0.5	0.0	0.9	2.3	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.7	7.1	3.3	3.3	1.4	2.4	2.6	2.1	4.3	4.9	5.4	6.6	13.7	15.1	17.3	25.9	42.0	39.6	38.7	56.7
Myeloid neoplasms	C92-C93	4.0	3.7	2.9	0.8	0.8	1.8	1.9	1.5	2.4	2.4	2.5	2.4	2.2	4.6	10.5	15.8	19.2	31.5	31.9	30.7
Others & unspecified	OTH	6.1	5.3	0.7	0.0	0.0	0.0	0.2	0.4	0.9	1.3	2.5	5.1	6.5	9.3	18.9	27.1	44.6	65.3	68.9	80.4
All sites	ALL	233.6	205.1	12.2	8.3	9.6	15.4	23.1	33.6	77.0	136.4	220.3	330.0	429.3	546.5	648.6	900.9	1147.0	1479.0	1563.0	1723.4

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.0	1.0	2.4	1.5	1.3	2.2	3.4	7.3	6.3	9.2
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.6	0.0	0.0	0.5	0.0	0.0	0.2	0.5	0.2	0.8	0.8	1.2	1.8	2.6	4.4	1.4	2.1	3.1	1.8
Mouth	C03-C06	0.7	0.6	0.0	0.2	0.0	0.3	0.2	0.2	0.2	0.3	0.3	1.0	1.0	1.1	1.7	1.7	2.8	6.3	7.9	5.5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.4	0.2	1.1	1.3	2.2	2.1	2.1	3.1	1.8
Nasopharynx	C11	5.6	4.2	0.0	0.0	0.0	0.0	0.2	1.3	3.6	7.9	9.8	14.3	12.4	10.2	7.7	8.3	8.3	11.5	9.4	1.8
Oesophagus	C15	1.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.5	2.6	4.3	8.3	10.3	11.5	25.2	29.5
Stomach	C16	14.0	10.9	0.0	0.0	0.0	0.0	0.5	1.1	1.4	4.6	5.0	9.2	12.9	20.1	32.7	64.9	88.3	105.2	165.4	236.2
Small intestines	C17	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	1.1	1.0	3.3	0.9	3.9	4.1	6.3	0.0	11.1
Colon	C18	26.7	21.0	0.0	0.0	0.0	0.3	0.7	1.5	2.4	3.8	9.3	20.8	35.0	49.7	63.3	113.9	170.3	259.4	315.0	271.2
Rectosigmoid & rectum	C19-C20	13.2	10.7	0.0	0.0	0.2	0.0	1.0	0.2	1.2	2.8	5.1	11.8	17.3	25.2	43.5	53.9	90.3	94.8	127.6	132.8
Anus	C21	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	1.2	1.1	1.7	0.6	2.8	9.4	4.7	9.2
Liver & intrahepatic bile ducts	C22	6.5	5.1	0.5	0.0	0.2	0.0	0.0	0.6	0.5	0.3	1.8	3.6	4.4	9.5	15.1	29.7	44.1	65.6	85.0	108.9
Gallbladder & extrahepatic bile ducts	C23-C24	3.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.2	2.3	2.7	6.6	8.2	13.8	15.9	30.2	39.4	36.9
Pancreas	C25	4.8	3.7	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.7	1.8	1.9	3.6	10.6	12.5	21.5	29.7	38.5	77.2	57.2
Retropertoneum & peritoneum	C48	0.6	0.5	0.0	0.0	0.0	0.3	0.0	0.6	0.3	0.0	0.8	1.1	1.7	1.1	0.9	3.3	2.1	1.0	1.6	1.8
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.5	0.2	0.5	1.5	0.0	0.6	1.4	4.2	1.6	1.8
Larynx	C32	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.9	2.8	1.4	2.1	6.3	11.1
Lung (incl. trachea & bronchus)	C33-C34	22.8	17.6	0.3	0.0	0.0	0.0	0.2	0.4	2.4	2.1	5.8	13.0	24.6	35.1	52.5	100.2	142.8	233.3	300.8	341.3
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.6	0.7	0.0	1.6	1.8
Thymus, heart & mediastinum	C37-C38.3	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.8	1.0	1.3	0.5	2.2	0.4	1.1	2.1	0.0	0.0	0.0
Bone	C40-C41	0.8	0.7	0.0	1.1	1.7	0.0	0.2	1.1	0.5	1.1	0.7	0.4	1.2	0.7	0.4	0.0	0.7	0.0	3.1	3.7
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.3	1.1	0.5	0.5	0.5	0.5	0.5	0.9	1.7	1.5	1.7	1.3	1.7	1.8	1.3	2.8	2.8	3.1	3.1	5.5
Melanoma of skin	C43	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.2	1.5	1.1	0.9	1.7	2.1	3.1	3.1	7.4
Non-melanoma skin	C44	11.3	8.5	0.0	0.0	0.0	0.3	0.2	0.9	1.2	3.3	3.3	5.2	9.0	13.9	26.3	36.9	65.5	97.9	162.2	258.3
Breast	C50	73.8	57.8	0.0	0.0	0.0	0.5	2.1	5.7	23.9	56.7	110.4	174.2	187.1	201.2	163.2	173.9	155.9	154.2	174.8	131.0
Cervix uteri	C53	14.4	11.6	0.0	0.0	0.0	0.3	0.2	2.0	4.9	11.5	16.4	29.0	32.6	40.2	37.9	44.6	37.2	34.4	40.9	46.1
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	12.0	9.7	0.0	0.0	0.0	0.3	0.2	0.9	2.3	7.5	10.9	24.8	38.9	34.7	30.6	40.7	32.4	28.1	17.3	20.3
Ovary & fallopian tube	C56-C57.0	13.3	10.9	0.3	0.2	0.2	3.8	6.4	6.8	6.4	8.5	15.1	25.9	31.1	30.4	29.3	34.1	29.0	31.3	36.2	16.6
Vulva & vagina	C51-C52	1.4	1.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.3	1.1	1.0	2.9	6.0	6.6	9.0	5.2	14.2	20.3
Urinary bladder	C67	2.5	1.9	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.5	0.5	1.0	2.2	4.4	5.6	4.4	17.2	28.1	37.8	48.0
Kidney & other urinary organs	C64-C66 & C68	3.8	3.1	0.8	0.2	0.0	0.0	0.0	0.2	1.9	1.0	1.8	3.8	4.6	4.8	9.0	17.1	23.4	30.2	34.6	38.7
Eye	C69	0.1	0.1	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0
Brain & CNS	C70-C72	2.1	2.0	1.8	3.0	1.2	0.3	0.7	0.6	1.2	1.6	1.0	1.9	3.4	2.6	4.3	4.4	6.2	7.3	9.4	7.4
Thyroid	C73	8.2	6.7	0.0	0.0	1.0	3.0	6.9	6.6	8.3	11.8	9.9	12.4	13.9	10.2	11.2	14.3	20.0	19.8	6.3	11.1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.4	1.0	0.5	0.0	0.3	0.5	0.6	0.0	0.0	0.3	0.4	1.2	0.4	0.0	1.1	0.0	0.0	0.0	1.8
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.7	7.7	5.2	2.1	1.5	3.0	4.0	3.5	3.6	3.3	5.5	8.2	14.1	11.7	17.2	34.7	38.6	46.9	47.2	46.1
Myeloid neoplasms	C92-C93	4.8	4.1	2.3	0.2	0.7	0.8	1.4	1.8	2.1	2.8	3.8	4.0	6.6	8.0	10.8	16.5	19.3	25.0	39.4	38.7
Others & unspecified	OTH	4.9	3.7	0.5	0.0	0.0	0.0	0.0	0.2	1.0	1.3	2.0	2.3	4.6	7.3	10.8	19.3	22.1	50.0	74.0	79.3
All sites	ALL	268.7	213.3	14.3	8.3	7.9	13.7	27.1	39.7	73.5	138.4	229.2	381.2	478.3	560.7	616.0	890.5	1106.2	1455.2	1886.6	2051.7

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.8	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.2	0.2	0.3	0.3	1.0	1.5	1.5	5.0	2.4	4.1	5.4	7.2
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.6	0.0	0.0	0.2	0.0	0.4	1.0	0.7	1.2	0.5	1.2	2.5	1.1	0.9	1.2	3.3	3.3	5.4	1.4
Mouth	C03-C06	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.8	0.6	1.0	0.8	1.8	1.2	3.3	6.7	17.3
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.8	1.4	0.5	0.8	0.5	1.8	3.3	4.0	7.2
Nasopharynx	C11	5.8	4.1	0.0	0.0	0.0	0.2	1.0	1.4	4.3	5.2	7.3	10.6	12.2	13.6	9.5	9.1	10.8	15.5	10.7	7.2
Oesophagus	C15	1.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.0	1.0	1.5	2.3	3.6	11.4	21.4	33.2
Stomach	C16	12.3	8.2	0.0	0.0	0.0	0.0	0.2	1.4	3.1	4.6	7.3	11.4	13.1	21.6	47.2	62.0	123.1	124.5	145.7	145.7
Small intestines	C17	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.7	0.5	0.6	2.3	1.5	3.6	3.6	6.5	5.4	4.3
Colon	C18	30.8	20.9	0.0	0.0	0.0	0.2	1.3	0.8	1.9	3.1	8.6	16.1	37.7	51.0	73.3	96.3	172.8	237.2	318.6	353.5
Rectosigmoid & rectum	C19-C20	14.9	10.4	0.0	0.0	0.0	0.0	0.3	0.2	0.9	3.1	5.1	11.5	20.2	30.9	36.8	61.3	73.4	101.1	117.8	109.7
Anus	C21	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.8	0.4	0.5	0.8	2.3	0.6	7.3	6.7	7.2
Liver & intrahepatic bile ducts	C22	7.7	5.2	0.6	0.3	0.0	0.0	0.3	0.0	0.3	0.7	2.0	2.7	3.7	8.8	13.7	28.2	51.2	91.3	91.0	86.6
Gallbladder & extrahepatic bile ducts	C23-C24	2.9	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	1.4	3.3	5.3	13.2	14.4	25.3	30.8	28.9	28.9
Pancreas	C25	6.3	4.3	0.0	0.0	0.0	0.2	0.0	0.6	0.5	0.7	1.0	2.5	5.1	7.5	17.1	23.2	37.9	54.6	61.6	85.1
Retropertoneum & peritoneum	C48	0.6	0.5	0.6	0.3	0.2	0.2	0.0	0.2	0.0	0.2	0.3	0.7	0.3	1.0	1.5	1.8	3.0	2.4	2.7	2.9
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	1.5	0.8	0.6	1.3	0.4	1.8	2.4	1.6	2.7	4.3
Larynx	C32	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.4	0.9	3.0	4.1	5.4	2.9
Lung (incl. trachea & bronchus)	C33-C34	25.9	17.7	0.0	0.0	0.2	0.2	0.5	0.4	1.0	2.6	7.8	13.9	22.6	40.5	63.0	94.0	154.1	197.2	277.1	301.6
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.8	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.9	0.7	0.0	0.0	0.0	0.0	0.5	0.0	0.7	0.3	0.7	1.2	2.0	2.3	1.1	2.7	3.0	1.6	4.0	0.0
Bone	C40-C41	0.7	0.7	0.0	0.8	1.6	1.0	0.3	0.2	0.5	0.7	0.5	0.5	1.0	0.8	1.1	0.5	0.6	2.4	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.9	1.6	2.1	0.3	0.5	0.7	0.5	0.6	2.2	1.4	1.5	2.0	2.9	2.8	3.4	2.3	5.4	1.6	9.4	8.7
Melanoma of skin	C43	0.8	0.6	0.0	0.0	0.0	0.0	0.3	0.2	0.5	0.3	0.5	0.7	0.6	2.0	1.5	1.8	3.0	4.1	5.4	7.2
Non-melanoma skin	C44	10.7	7.1	0.0	0.0	0.0	0.2	0.0	1.2	1.5	2.2	2.3	3.9	7.9	11.3	18.2	40.4	62.0	65.2	111.1	226.6
Breast	C50	84.7	60.3	0.0	0.0	0.0	0.5	1.3	6.8	25.0	58.1	115.2	164.2	189.0	203.4	196.4	194.4	155.9	176.9	180.7	164.5
Cervix uteri	C53	13.0	9.4	0.0	0.0	0.0	0.0	0.8	1.4	5.1	9.8	14.8	21.1	21.2	21.6	30.4	42.2	47.0	39.1	49.5	37.5
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	16.8	12.2	0.0	0.0	0.0	0.0	0.5	3.4	4.6	8.1	14.1	28.4	45.3	49.8	42.5	43.1	37.3	27.7	33.5	24.5
Ovary & fallopian tube	C56-C57.0	16.3	12.3	0.3	0.3	1.1	4.4	8.1	7.4	7.2	12.5	13.3	25.5	38.1	34.4	34.6	33.2	28.3	31.0	44.2	46.2
Vulva & vagina	C51-C52	1.4	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.3	0.3	2.0	1.4	3.3	4.6	5.4	4.8	11.4	8.0	7.2
Urinary bladder	C67	2.9	2.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.8	0.8	1.2	3.5	8.0	12.3	16.9	26.1	30.8	43.3
Kidney & other urinary organs	C64-C66 & C68	4.3	3.2	0.9	0.0	0.0	0.2	0.3	0.2	0.2	1.2	2.5	3.7	4.5	6.8	13.3	21.8	19.9	26.1	20.1	28.9
Eye	C69	0.2	0.3	1.5	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.4	0.5	0.6	0.0	0.0	1.4
Brain & CNS	C70-C72	3.1	3.0	2.7	2.8	1.8	2.2	2.5	2.2	1.5	1.4	2.0	3.0	2.2	6.5	5.7	7.3	6.6	10.6	5.4	11.5
Thyroid	C73	7.7	5.8	0.0	0.0	0.5	1.2	3.8	7.0	9.1	8.4	8.1	10.8	13.9	12.1	12.2	11.4	13.8	21.2	9.4	7.2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.3	0.3	0.0	0.5	0.2	0.3	0.2	0.0	0.2	0.5	0.2	1.0	0.8	0.4	1.4	0.6	0.0	1.3	1.4
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	11.6	9.9	8.5	4.5	4.3	5.7	4.8	4.8	3.6	4.6	6.5	7.4	16.1	19.4	30.0	29.1	35.5	46.5	72.3	56.3
Myeloid neoplasms	C92-C93	5.5	4.4	1.8	1.0	1.6	2.0	2.3	2.8	3.3	2.1	2.8	4.4	5.9	8.0	10.6	17.7	25.3	31.0	25.4	26.0
Others & unspecified	OTH	4.8	3.2	0.3	0.0	0.0	0.2	0.3	0.2	0.3	1.0	0.5	2.5	6.3	8.0	11.8	13.6	19.9	39.1	48.2	64.9
All sites	ALL	301.7	215.8	20.2	10.8	12.5	20.4	30.2	43.5	79.5	134.2	229.8	354.6	484.1	579.8	677.2	874.2	1086.7	1454.8	1756.4	1969.7

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.5	0.0	0.0	1.1
Tongue	C01-C02	1.1	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.8	0.7	1.8	0.9	1.8	2.8	0.4	5.3	2.7	2.9	5.6
Major salivary gland (incl. parotid gland)	C07-C08	1.2	0.8	0.0	0.0	0.2	0.6	0.7	1.3	1.9	0.8	1.5	0.8	1.5	2.2	1.5	1.6	3.4	2.7	5.8	4.5
Mouth	C03-C06	0.8	0.5	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.5	0.2	1.5	1.0	1.2	1.0	2.7	1.9	4.0	2.9	7.8
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.8	1.7	1.4	3.1	0.4	1.4	4.0	1.0	1.1
Nasopharynx	C11	4.8	3.3	0.6	0.0	0.0	0.2	0.2	1.6	2.7	4.1	5.9	6.2	11.6	11.3	8.9	7.4	9.1	1.3	7.8	5.6
Oesophagus	C15	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	0.4	1.3	2.0	4.3	6.7	21.4	22.4
Stomach	C16	13.7	7.7	0.0	0.0	0.0	0.0	0.2	0.6	0.5	1.8	3.9	5.8	11.5	14.7	21.5	36.3	62.2	97.0	149.9	165.6
Small intestines	C17	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.2	1.2	1.8	2.3	3.1	2.9	4.7	8.8	7.8
Colon	C18	33.2	19.5	0.0	0.0	0.0	0.2	0.4	0.9	1.8	2.3	3.6	10.3	17.3	28.9	49.0	71.8	148.4	220.2	299.7	279.7
Rectosigmoid & rectum	C19-C20	15.2	9.1	0.0	0.0	0.0	0.0	0.2	0.6	1.6	3.6	5.8	8.3	17.8	26.5	36.3	40.6	68.4	73.6	110.9	124.2
Anus	C21	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	1.2	2.0	2.0	3.8	5.4	1.9	2.2
Liver & intrahepatic bile ducts	C22	9.0	5.2	1.6	0.0	0.2	0.0	0.2	0.0	1.1	0.5	1.0	1.3	3.9	8.0	13.5	29.3	44.5	84.3	90.5	118.6
Gallbladder & extrahepatic bile ducts	C23-C24	3.7	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	1.8	1.5	4.6	6.9	13.3	14.8	28.8	22.4	55.9
Pancreas	C25	8.4	4.9	0.0	0.0	0.0	0.2	0.0	0.2	0.4	0.7	2.2	5.2	4.8	10.8	17.6	27.7	40.2	70.3	55.5	81.7
Retropertoneum & peritoneum	C48	1.1	0.8	0.3	0.3	0.0	0.0	0.0	0.2	0.4	0.2	0.2	1.3	1.0	2.4	3.6	5.1	3.8	2.7	2.9	1.1
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.7	0.2	0.7	1.5	0.8	1.8	2.0	1.4	1.3	3.9	3.4
Larynx	C32	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.4	1.3	0.4	1.0	2.0	2.9	2.2
Lung (incl. trachea & bronchus)	C33-C34	28.3	16.5	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.1	6.4	15.3	24.3	36.6	53.7	97.3	125.9	179.3	264.7	276.4
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.8	0.8	1.4	0.0	1.9	0.0
Thymus, heart & mediastinum	C37-C38.3	1.2	0.9	0.0	0.0	0.0	0.2	0.2	0.4	0.9	0.3	1.4	2.2	2.2	2.0	3.1	2.7	2.4	4.0	2.9	0.0
Bone	C40-C41	0.9	0.9	0.0	0.9	1.5	1.5	2.1	0.8	1.1	0.8	0.8	1.0	0.5	0.8	0.8	0.4	0.5	0.0	1.0	1.1
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.5	2.0	1.9	0.9	1.2	1.5	0.5	1.2	1.6	1.8	2.0	2.7	3.6	4.2	3.3	3.5	5.7	6.0	6.8	7.8
Melanoma of skin	C43	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.3	1.0	0.8	0.2	1.0	1.0	1.6	2.4	3.3	1.9	6.7
Non-melanoma skin	C44	15.0	8.3	0.3	0.0	0.0	0.7	0.5	1.0	1.2	2.5	3.6	5.7	7.7	14.3	16.6	45.7	57.4	100.4	168.3	264.0
Breast	C50	97.2	64.2	0.0	0.0	0.2	0.7	1.4	8.9	28.4	64.7	114.6	180.9	179.9	208.5	212.9	209.8	215.4	193.4	171.3	153.3
Cervix uteri	C53	10.9	7.2	0.0	0.0	0.0	0.0	0.9	2.0	4.4	10.2	12.4	14.1	15.6	18.5	18.1	29.3	30.2	32.1	38.0	40.3
Placenta	C58	0.2	0.2	0.0	0.0	0.0	0.0	0.5	0.4	0.2	0.2	0.8	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	20.0	13.1	0.0	0.0	0.0	0.4	0.5	1.6	3.7	9.9	20.3	26.6	47.2	57.3	48.8	41.8	44.0	28.1	32.1	16.8
Ovary & fallopian tube	C56-C57.0	18.1	12.7	0.0	0.9	2.7	6.0	6.4	5.9	6.4	10.0	19.8	28.1	31.3	36.0	37.6	35.2	36.9	31.5	35.0	45.9
Vulva & vagina	C51-C52	1.5	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.7	0.8	1.2	3.0	2.0	5.9	5.7	9.4	6.8	16.8
Urinary bladder	C67	2.5	1.5	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.3	0.5	0.3	2.1	2.2	6.4	8.2	10.5	17.4	22.4	33.6
Kidney & other urinary organs	C64-C66 & C68	6.5	4.1	0.6	0.3	0.0	0.2	0.2	0.8	0.7	0.7	3.4	3.3	7.2	11.5	15.3	19.1	30.6	42.8	35.0	33.6
Eye	C69	0.3	0.5	3.5	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.2	0.0	0.5	0.0	0.5	0.0	0.0	0.0
Brain & CNS	C70-C72	3.6	3.1	3.2	4.1	1.7	1.5	1.6	1.2	2.1	2.0	2.5	3.7	3.9	3.4	6.4	5.5	10.1	12.0	15.6	13.4
Thyroid	C73	11.0	8.0	0.3	0.0	0.5	4.2	3.2	9.3	10.1	14.0	12.9	14.6	16.8	16.3	17.1	17.6	21.1	13.4	16.5	20.1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.6	1.6	0.0	0.5	0.4	0.5	0.8	0.2	0.0	0.2	1.0	0.5	1.4	1.0	0.0	1.9	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	13.0	9.8	8.3	3.5	2.5	3.5	4.1	7.3	6.0	4.9	5.9	6.8	10.3	20.3	22.0	40.2	46.0	52.2	74.0	72.7
Myeloid neoplasms	C92-C93	7.4	4.9	0.6	1.2	0.5	2.0	1.4	2.2	1.9	3.5	4.9	4.8	6.2	11.1	12.0	21.1	25.8	41.5	39.9	53.7
Others & unspecified	OTH	4.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.8	1.5	2.6	1.6	5.6	10.5	23.5	34.1	53.5	67.1
All sites	ALL	342.5	219.6	23.7	12.2	12.0	23.9	26.6	50.7	83.6	150.8	249.6	370.1	454.5	589.1	682.5	866.4	1115.3	1412.7	1778.8	2013.9

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C4: Incidence rates by primary site and five-year age group for Chinese females, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.4	0.9	0.0	0.0	0.0	0.0	0.2	1.2	0.4	0.3	1.6	0.9	1.9	3.0	3.0	1.8	4.1	4.7	3.2	5.7
Major salivary gland (incl. parotid gland)	C07-C08	1.0	0.6	0.0	0.3	0.0	0.0	0.2	0.6	0.2	0.9	1.3	1.2	1.9	1.2	1.0	2.4	1.6	1.6	2.4	4.1
Mouth	C03-C06	0.9	0.5	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.2	1.0	0.7	2.2	4.5	2.5	5.2	1.6	7.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.8	0.9	1.2	2.6	0.8	1.6	1.6	3.3
Nasopharynx	C11	4.6	2.9	0.0	0.0	0.6	0.0	0.2	1.2	1.1	3.1	5.4	8.4	8.6	10.4	7.7	8.7	7.4	6.8	4.7	5.7
Oesophagus	C15	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.2	0.3	0.3	0.9	0.8	1.3	4.9	8.9	12.6	13.1
Stomach	C16	13.8	6.7	0.0	0.0	0.0	0.0	0.2	0.6	0.9	2.4	3.9	4.8	10.1	13.4	19.9	31.6	46.8	88.3	107.9	143.9
Small intestines	C17	1.3	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.2	0.7	1.4	2.4	1.4	4.2	4.5	7.8	9.5	2.5
Colon	C18	38.5	19.3	0.0	0.3	0.0	1.5	0.2	1.0	1.8	3.6	9.8	17.6	31.9	49.1	65.6	103.2	138.7	196.9	271.0	331.9
Rectosigmoid & rectum	C19-C20	17.0	8.9	0.0	0.0	0.0	0.0	0.0	0.2	1.8	2.9	7.0	9.4	17.9	24.0	37.6	43.7	56.2	83.1	80.3	115.3
Anus	C21	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.2	0.7	0.7	0.7	1.4	1.3	2.1	6.3	3.9	6.5
Liver & intrahepatic bile ducts	C22	11.4	5.4	0.6	0.0	0.0	0.0	0.2	0.4	0.2	0.9	1.3	2.1	7.1	8.2	12.0	31.9	45.6	83.6	117.4	103.0
Gallbladder & extrahepatic bile ducts	C23-C24	4.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.7	1.0	2.2	5.0	6.7	12.6	18.1	24.0	27.6	40.9
Pancreas	C25	10.9	5.5	0.0	0.0	0.0	0.7	0.4	0.0	0.4	1.7	2.1	4.8	6.6	14.8	21.7	29.5	45.6	54.9	67.0	88.3
Retropertoneum & peritoneum	C48	1.5	0.9	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.3	0.5	1.0	1.4	3.5	3.5	3.9	5.3	5.7	3.9	3.3
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.9	0.6	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.5	1.1	1.4	0.7	2.4	1.8	1.1	1.2	3.7	2.4	3.3
Larynx	C32	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.6	1.3	2.1	1.6	1.6	5.7
Lung (incl. trachea & bronchus)	C33-C34	32.9	16.5	0.0	0.0	0.0	0.0	0.2	0.2	1.6	3.8	7.7	17.6	26.5	35.8	63.0	88.4	120.3	179.2	245.0	249.4
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.8	0.4	0.5	0.8	1.6
Thymus, heart & mediastinum	C37-C38.3	1.8	1.1	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.9	2.3	1.2	2.4	3.5	2.8	6.1	7.0	3.1	4.7	3.3
Bone	C40-C41	0.9	0.9	0.0	0.6	2.6	1.5	1.5	0.6	0.5	0.9	1.1	0.7	0.5	0.3	0.6	1.6	0.4	1.0	0.8	1.6
Connective & soft tissues (incl peripheral nerves)	C47 & C49	3.0	2.1	0.6	1.2	1.1	0.2	1.1	1.0	1.6	3.3	2.8	2.1	3.0	4.4	3.9	7.4	7.4	9.9	9.5	3.3
Melanoma of skin	C43	0.7	0.4	0.0	0.0	0.0	0.2	0.0	0.4	0.7	0.2	0.5	0.3	1.4	0.5	0.8	0.8	3.3	2.1	2.4	2.5
Non-melanoma skin	C44	18.0	8.4	0.0	0.6	0.6	0.7	0.7	2.2	1.3	2.4	2.3	5.5	6.1	11.8	21.5	40.5	66.1	108.1	146.5	267.3
Breast	C50	116.8	70.8	0.0	0.0	0.0	0.0	0.9	8.3	30.3	61.8	131.9	187.3	192.0	216.6	256.5	242.2	250.0	254.4	219.0	209.3
Cervix uteri	C53	11.4	7.0	0.0	0.0	0.3	0.2	0.2	1.8	6.7	7.9	14.1	15.2	19.2	20.4	17.1	22.4	25.9	29.3	20.5	24.5
Placenta	C58	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.6	1.1	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	28.0	17.1	0.0	0.0	0.0	0.0	0.9	3.7	8.9	13.7	26.4	37.9	58.9	62.1	61.4	58.4	50.5	49.6	42.5	32.7
Ovary & fallopian tube	C56-C57.0	19.0	12.6	0.3	0.6	2.3	3.6	5.6	8.5	8.9	10.6	18.3	28.0	35.5	37.4	37.2	32.4	23.4	30.8	31.5	36.8
Vulva & vagina	C51-C52	2.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	1.5	2.0	3.1	3.0	5.3	11.1	5.7	18.9	13.9
Urinary bladder	C67	2.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.7	1.7	3.3	2.8	5.3	9.0	16.2	18.1	27.8
Kidney & other urinary organs	C64-C66 & C68	8.3	4.8	2.2	0.3	0.0	0.0	0.7	0.2	0.7	1.9	4.3	7.3	8.3	12.2	15.4	22.6	30.0	36.6	37.0	38.4
Eye	C69	0.3	0.3	1.6	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.3	0.0	0.0	0.3	0.0	0.5	1.2	0.5	0.0	0.8
Brain & CNS	C70-C72	4.0	3.2	3.2	2.7	2.0	1.0	1.1	2.4	1.6	2.6	2.0	4.1	4.4	5.0	8.5	7.6	8.6	9.9	11.8	4.9
Thyroid	C73	15.1	10.3	0.0	0.6	0.0	2.4	5.6	7.3	11.3	18.0	19.8	24.8	24.3	20.9	22.8	27.6	18.9	21.9	17.3	15.5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.6	0.6	0.6	0.3	0.7	0.9	0.6	0.4	0.3	0.5	0.3	0.5	0.3	0.6	0.8	0.4	1.0	2.4	1.6
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	17.2	11.2	5.5	3.3	3.1	4.9	6.5	7.5	6.0	5.7	7.9	11.3	16.0	21.4	27.2	40.0	58.3	73.1	78.0	68.7
Myeloid neoplasms	C92-C93	8.8	5.1	1.9	0.0	2.3	0.7	1.7	2.6	2.5	3.1	3.4	6.0	7.4	8.7	13.0	18.2	29.6	37.1	48.1	77.7
Others & unspecified	OTH	3.9	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	1.7	1.4	1.6	4.1	4.5	10.3	25.6	39.4	72.8
All sites	ALL	405.5	232.8	17.3	11.2	15.2	18.7	30.2	53.8	93.4	157.0	283.1	408.2	506.2	610.9	751.3	919.0	1119.3	1480.5	1712.5	2038.1

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.9	4.2	0.0	0.0	13.1	52.8	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	66.3	0.0
Mouth	C03-C06	1.1	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.9	4.2	0.0	8.8	26.3	0.0	0.0	85.7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0
Nasopharynx	C11	3.3	4.6	0.0	0.8	0.9	2.3	0.0	2.8	2.3	5.3	2.3	17.4	16.7	23.7	8.8	13.1	0.0	0.0	0.0
Oesophagus	C15	0.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	11.8	17.5	0.0	0.0	0.0	85.7
Stomach	C16	4.3	10.2	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.3	9.4	5.8	25.1	47.4	0.0	52.5	79.3	132.6	85.7
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	1.6	3.6	0.0	0.0	0.0	0.0	1.6	0.0	0.0	2.6	2.3	0.0	8.4	23.7	8.8	0.0	26.4	0.0	85.7
Rectosigmoid & rectum	C19-C20	1.8	3.9	0.0	0.0	0.0	0.0	1.6	2.8	2.3	0.0	0.0	5.8	8.4	17.8	17.5	0.0	26.4	0.0	85.7
Anus	C21	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.2	0.0	8.8	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	7.6	15.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	5.3	25.8	14.5	41.8	65.2	87.7	26.3	105.7	0.0	85.7
Gallbladder & extrahepatic bile ducts	C23-C24	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	8.8	0.0	0.0	0.0	0.0
Pancreas	C25	0.7	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	0.0	8.8	26.3	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.1	0.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.7	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.4	0.0	0.0
Larynx	C32	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.9	8.4	0.0	0.0	13.1	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	6.2	14.9	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.3	4.7	11.6	37.6	47.4	87.7	26.3	184.9	66.3	85.7
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.9	0.0	0.0	0.0	1.2	1.6	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	26.4	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	13.1	0.0	66.3	0.0
Melanoma of skin	C43	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.8	8.4	23.7	17.5	13.1	52.8	66.3	0.0
Breast	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	1.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	17.5	26.3	52.8	66.3	85.7
Testis	C62	0.1	0.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	1.2	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.8	17.5	26.3	26.4	66.3	0.0
Kidney & other urinary organs	C64-C66 & C68	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	8.8	0.0	0.0	0.0	0.0
Eye	C69	0.3	0.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.9	0.9	1.8	0.0	1.7	0.0	0.0	0.0	0.0	2.6	2.3	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.6	2.3	0.0	0.0	0.0	0.0	13.1	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.7	6.0	8.3	2.3	2.6	1.2	6.6	0.0	2.3	2.6	7.0	8.7	16.7	5.9	8.8	13.1	0.0	66.3	0.0
Myeloid neoplasms	C92-C93	2.1	3.3	1.8	0.0	2.6	1.2	1.6	0.0	2.3	0.0	2.3	5.8	0.0	11.8	8.8	13.1	0.0	66.3	0.0
Others & unspecified	OTH	1.7	3.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.7	0.0	8.4	11.8	17.5	26.3	26.4	0.0	0.0
All sites	ALL	47.0	96.2	15.6	3.1	7.8	5.8	14.8	8.4	18.6	34.3	82.0	101.3	221.5	313.9	377.0	341.3	686.9	663.1	685.5

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.3	0.0	0.0
Tongue	C01-C02	0.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	6.0	0.0	0.0	4.5	6.6	0.0	19.3	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	66.1
Mouth	C03-C06	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	21.4	19.3	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	4.5	0.0	21.4	19.3	0.0	0.0
Nasopharynx	C11	3.3	5.4	0.0	0.0	0.0	0.0	1.2	1.9	0.0	2.9	7.5	9.0	17.3	27.0	13.2	21.4	38.6	0.0	0.0
Oesophagus	C15	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	13.2	0.0	0.0	42.7	0.0
Stomach	C16	4.6	9.7	0.0	0.0	0.0	0.0	0.0	1.9	2.0	0.0	0.0	11.9	17.3	13.5	59.5	64.2	38.6	213.3	0.0
Small intestines	C17	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	19.3	0.0	0.0
Colon	C18	2.6	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	9.0	20.8	13.5	19.8	10.7	19.3	42.7	66.1
Rectosigmoid & rectum	C19-C20	3.1	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	2.5	9.0	6.9	18.0	13.2	32.1	77.3	85.3	0.0
Anus	C21	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	9.6	16.6	0.0	0.0	0.0	1.0	0.0	3.8	10.1	2.9	12.6	23.9	45.0	54.0	59.5	85.6	212.5	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	10.7	0.0	0.0	0.0
Pancreas	C25	0.8	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.0	10.4	0.0	0.0	0.0	0.0	0.0	66.1
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	6.6	0.0	19.3	0.0	0.0
Larynx	C32	1.4	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	3.5	9.0	13.2	0.0	77.3	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	14.2	26.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.8	15.1	38.8	69.2	94.4	158.7	139.0	96.6	213.3	66.1
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.3	0.2	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.9	0.9	0.0	0.0	2.8	1.0	1.2	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	10.7	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.9	2.5	6.0	6.9	4.5	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.4	0.7	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	19.3	0.0	0.0
Non-melanoma skin	C44	1.5	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	9.0	6.9	9.0	13.2	10.7	19.3	0.0	0.0
Breast	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	2.6	7.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	13.5	13.2	21.4	77.3	128.0	198.3
Testis	C62	1.0	1.2	0.0	0.0	0.0	0.0	1.2	1.9	4.0	2.9	5.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	19.3	0.0	0.0
Urinary bladder	C67	1.5	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	6.9	13.5	19.8	10.7	19.3	0.0	66.1
Kidney & other urinary organs	C64 - C66 & C68	0.8	1.1	0.0	0.0	0.9	1.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	6.6	10.7	0.0	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.9	1.1	0.0	0.0	0.9	1.0	0.0	0.0	0.0	0.0	0.0	6.0	3.5	4.5	6.6	0.0	0.0	0.0	0.0
Thyroid	C73	0.9	1.4	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	3.0	6.9	9.0	0.0	0.0	0.0	42.7	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.8	4.8	1.1	5.6	4.7	0.0	1.2	1.9	2.0	2.9	2.5	6.0	13.8	9.0	19.8	10.7	19.3	0.0	0.0
Myeloid neoplasms	C92-C93	2.7	3.0	2.2	3.8	0.9	1.0	2.5	1.9	2.0	5.8	0.0	9.0	6.9	4.5	0.0	10.7	0.0	0.0	0.0
Others & unspecified	OTH	2.8	4.4	1.1	0.0	0.0	0.0	2.5	1.9	0.0	2.9	2.5	6.0	13.8	18.0	19.8	0.0	57.9	0.0	0.0
All sites	ALL	64.8	115.5	5.5	9.4	10.3	6.8	9.9	18.9	24.3	40.4	62.9	173.2	266.3	346.2	482.8	502.7	907.9	767.9	528.8

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.4	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	0.0	13.9	0.0	50.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.0	0.0	9.8	8.8	13.9	0.0	0.0
Nasopharynx	C11	2.8	3.8	0.0	0.0	1.0	0.8	0.0	1.3	1.7	3.0	2.7	11.9	9.0	10.4	24.6	8.8	13.9	0.0	0.0
Oesophagus	C15	0.7	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	4.9	8.8	13.9	57.0	0.0
Stomach	C16	4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	23.9	9.0	10.4	24.6	70.7	111.6	114.0	50.4
Small intestines	C17	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	0.0	0.0
Colon	C18	3.1	5.2	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	3.0	12.0	17.4	24.6	53.1	27.9	57.0	0.0
Rectosigmoid & rectum	C19-C20	3.1	4.8	0.0	0.0	0.0	0.8	0.0	1.3	0.0	0.0	0.0	11.9	12.0	10.4	34.4	35.4	27.9	0.0	0.0
Anus	C21	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	28.5	0.0
Liver & intrahepatic bile ducts	C22	9.3	15.7	0.0	0.0	0.0	0.8	0.0	0.0	0.0	11.9	10.9	23.9	38.9	55.6	39.3	79.6	69.7	256.6	50.4
Gallbladder & extrahepatic bile ducts	C23-C24	0.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.5	0.0	8.8	27.9	0.0	0.0
Pancreas	C25	1.1	1.9	0.0	0.0	0.0	0.0	0.9	0.0	1.7	0.0	2.7	0.0	0.0	4.9	26.5	27.9	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.2	0.4	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.0	1.2	0.0	0.0	0.0	0.0	0.9	0.0	1.7	0.0	0.0	0.0	0.0	13.9	9.8	0.0	0.0	0.0	0.0
Larynx	C32	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.5	9.8	8.8	0.0	28.5	0.0
Lung (incl. trachea & bronchus)	C33-C34	14.6	25.9	0.0	0.0	0.0	0.0	0.9	0.0	0.0	3.0	16.4	23.9	53.9	80.0	93.4	159.2	181.3	256.6	302.4
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	1.2	1.0	1.3	0.0	0.0	4.2	0.9	0.0	0.0	0.0	0.0	0.0	6.0	3.5	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.8	2.4	0.0	0.0	1.0	0.0	1.9	1.3	1.7	0.0	2.7	8.9	6.0	0.0	9.8	8.8	13.9	0.0	0.0
Melanoma of skin	C43	0.6	1.2	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	4.9	8.8	0.0	0.0	50.4
Non-melanoma skin	C44	2.3	3.4	0.0	0.0	0.0	0.8	0.0	0.0	0.0	3.0	10.9	3.0	6.0	13.9	14.7	0.0	13.9	57.0	0.0
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	3.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.5	24.6	35.4	83.7	142.5	151.2
Testis	C62	0.5	0.4	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0
Urinary bladder	C67	2.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.0	0.0	3.0	6.0	10.4	14.7	17.7	41.8	28.5	0.0
Kidney & other urinary organs	C64-C66 & C68	1.9	3.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.0	3.0	7.0	24.6	17.7	13.9	0.0	0.0
Eye	C69	0.1	0.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.6	1.7	0.0	0.0	2.0	2.5	0.0	1.3	1.7	0.0	2.7	8.9	3.0	0.0	0.0	8.8	0.0	0.0	0.0
Thyroid	C73	1.3	2.1	0.0	0.0	0.0	0.8	0.0	0.0	3.4	0.0	2.7	0.0	9.0	0.0	4.9	0.0	13.9	28.5	50.4
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	5.6	7.3	2.5	5.7	2.0	0.8	3.8	2.6	3.4	0.0	5.5	11.9	18.0	24.3	24.6	26.5	13.9	0.0	50.4
Myeloid neoplasms	C92-C93	2.6	3.8	0.0	4.6	0.0	2.5	0.9	1.3	1.7	3.0	5.5	0.0	3.0	0.0	0.0	53.1	27.9	0.0	0.0
Others & unspecified	OTH	3.0	4.5	0.0	0.0	0.0	0.8	0.0	2.6	1.7	0.0	5.5	6.0	9.0	20.9	19.7	8.8	13.9	28.5	50.4
All sites	ALL	72.6	118.7	8.9	11.5	7.2	15.1	11.3	18.0	20.6	32.8	76.6	152.1	224.5	295.5	432.5	698.5	767.0	1083.2	806.5

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.2	0.3	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	7.9	12.3	0.0	34.7
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.6	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	7.7	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	21.2	34.7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	6.1	0.0	0.0	0.0
Nasopharynx	C11	3.3	4.3	0.0	0.0	0.0	0.0	1.7	2.9	2.6	5.6	12.3	2.9	9.5	6.5	15.4	30.7	0.0	21.2	0.0
Oesophagus	C15	0.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3	22.2	0.0	34.7
Stomach	C16	3.7	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	9.5	16.1	27.0	24.5	55.6	127.3	34.7
Small intestines	C17	0.8	1.3	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	15.4	0.0	11.1	0.0	34.7
Colon	C18	4.1	6.3	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.9	6.2	0.0	12.7	19.4	30.9	18.4	77.8	42.4	69.3
Rectosigmoid & rectum	C19-C20	4.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	14.5	6.3	22.6	0.0	36.8	66.7	127.3	69.3
Anus	C21	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	22.2	0.0	34.7
Liver & intrahepatic bile ducts	C22	8.7	12.6	1.0	0.0	0.0	0.0	0.0	1.0	3.9	3.8	3.1	5.8	15.9	45.2	77.2	73.6	144.4	84.8	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	0.8	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	18.4	11.1	0.0	34.7
Pancreas	C25	2.6	4.3	0.0	0.0	0.0	1.0	0.0	1.0	1.3	0.0	0.0	2.9	15.9	6.5	7.7	18.4	22.2	42.4	104.0
Retropertoneum & peritoneum	C48	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	3.2	3.2	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	6.3	0.0	3.9	0.0	22.2	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	21.3	32.4	0.0	0.0	0.0	0.0	0.8	0.0	2.6	11.3	9.3	8.7	54.0	141.9	135.1	233.1	188.9	424.2	173.3
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.8	0.6	0.0	0.0	1.2	4.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.7	1.0	0.0	2.0	0.0	3.8	0.0	0.0	6.2	2.9	3.2	3.2	3.2	0.0	0.0	11.1	0.0	0.0
Melanoma of skin	C43	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	6.5	3.9	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.8	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	6.3	12.9	15.4	30.7	66.7	21.2	0.0
Breast	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	5.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.5	27.0	67.5	122.2	190.9	138.6
Testis	C62	1.1	1.2	3.1	0.0	0.0	0.0	0.8	1.0	1.3	0.0	3.1	0.0	0.0	6.5	3.9	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	3.1	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	16.1	30.9	24.5	33.3	42.4	104.0	0.0
Kidney & other urinary organs	C64-C66 & C68	1.4	2.1	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	2.9	12.7	0.0	3.9	18.4	11.1	21.2	0.0
Eye	C69	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.8	1.9	2.1	1.3	2.4	0.0	2.5	0.0	1.3	3.8	3.1	2.9	0.0	3.2	0.0	12.3	0.0	0.0	0.0
Thyroid	C73	1.8	2.6	0.0	0.0	1.2	0.0	0.8	1.9	0.0	1.9	3.1	5.8	0.0	3.2	11.6	6.1	11.1	21.2	34.7
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.3	0.4	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.3	10.7	7.3	2.6	1.2	4.0	1.7	5.7	6.5	1.9	9.3	11.6	22.2	35.5	23.2	49.1	55.6	42.4	34.7
Myeloid neoplasms	C92-C93	2.3	2.9	0.0	3.9	0.0	3.0	0.8	0.0	2.6	3.8	0.0	2.9	9.5	3.2	3.9	6.1	33.3	0.0	0.0
Others & unspecified	OTH	2.8	4.2	0.0	0.0	0.0	0.0	0.0	1.0	0.0	3.8	3.1	8.7	9.5	6.5	11.6	30.7	44.4	21.2	0.0
All sites	ALL	87.5	131.0	18.7	7.9	6.0	15.9	10.0	21.1	28.6	43.2	67.9	98.6	215.9	383.9	459.5	730.1	1033.3	1272.5	970.5

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 1988-1992

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.4	0.4	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	13.8	0.0	0.0	0.0
Mouth	C03-C06	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	3.1	0.0	3.7	0.0	7.9	16.5	23.4	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	7.3	0.0	15.8	33.1	0.0	0.0
Nasopharynx	C11	5.2	6.6	0.0	0.0	0.0	2.5	1.0	0.0	7.7	2.6	7.8	12.9	31.1	24.2	25.6	18.4	15.8	0.0	0.0	0.0
Oesophagus	C15	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.1	0.0	3.7	0.0	0.0	33.1	23.4	0.0
Stomach	C16	5.7	8.3	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	5.9	9.7	15.6	20.7	43.9	55.2	63.2	49.6	46.7	0.0
Small intestines	C17	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	16.5	0.0	0.0
Colon	C18	7.4	10.7	0.0	0.0	0.0	1.2	0.0	1.7	1.0	0.0	2.0	16.2	9.3	20.7	62.1	64.4	110.6	82.7	70.1	0.0
Rectosigmoid & rectum	C19-C20	5.0	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.9	12.9	18.7	17.3	36.6	41.4	39.5	99.3	0.0	0.0
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	3.5	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	8.4	11.4	0.0	0.0	0.0	0.0	1.0	0.8	4.8	7.9	11.7	12.9	12.5	10.4	43.9	92.0	63.2	132.4	93.4	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	3.9	0.0	3.1	0.0	3.7	13.8	15.8	16.5	23.4	0.0
Pancreas	C25	1.3	1.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	3.1	3.5	7.3	13.8	15.8	16.5	0.0	0.0
Retropertoneum & peritoneum	C48	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.7	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.5	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	3.1	3.5	0.0	4.6	0.0	0.0	0.0	0.0
Larynx	C32	1.3	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.9	0.0	9.2	47.4	16.5	23.4	0.0
Lung (incl. trachea & bronchus)	C33-C34	24.6	37.0	0.0	0.0	0.0	1.2	0.0	1.7	1.9	4.0	19.5	32.4	49.8	86.3	157.2	193.1	347.7	380.6	467.2	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.5	0.6	0.0	0.0	0.0	1.2	0.0	0.8	0.0	0.0	0.0	0.0	0.0	6.9	0.0	4.6	0.0	0.0	0.0	0.0
Bone	C40-C41	0.6	0.7	0.0	0.0	1.3	1.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	4.6	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.1	1.5	0.9	0.0	0.0	0.0	0.0	0.8	0.0	0.0	2.0	3.2	3.1	0.0	0.0	18.4	15.8	0.0	0.0	0.0
Melanoma of skin	C43	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	3.0	4.1	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.3	3.9	6.5	12.5	6.9	21.9	32.2	23.7	0.0	0.0	0.0
Breast	C50	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	4.6	0.0	16.5	0.0	0.0
Prostate	C61	5.5	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	13.8	36.6	41.4	126.4	99.3	186.9	0.0
Testis	C62	0.8	1.0	2.6	0.0	0.0	1.2	1.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	0.0	4.6	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	4.6	6.8	0.0	0.0	0.0	0.0	2.0	0.0	1.0	0.0	2.0	3.2	3.1	17.3	18.3	46.0	39.5	148.9	116.8	0.0
Kidney & other urinary organs	C64-C66 & C68	1.7	2.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	6.2	17.3	18.3	0.0	7.9	16.5	0.0	0.0
Eye	C69	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.4	0.0
Brain & CNS	C70-C72	1.7	1.6	1.7	1.0	0.0	1.2	0.0	1.7	5.8	1.3	0.0	0.0	6.2	3.5	3.7	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	1.1	1.3	0.0	0.0	0.0	0.0	3.0	0.0	1.0	1.3	0.0	0.0	6.2	6.9	3.7	0.0	7.9	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.4	1.7	1.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	9.9	12.7	5.2	6.3	2.7	4.9	4.0	1.7	1.9	9.3	7.8	9.7	31.1	44.9	40.2	36.8	71.1	82.7	23.4	0.0
Myeloid neoplasms	C92-C93	3.5	4.2	1.7	2.1	0.0	2.5	0.0	5.1	1.0	4.0	3.9	3.2	15.6	0.0	14.6	4.6	7.9	49.6	23.4	0.0
Others & unspecified	OTH	4.3	6.0	0.0	0.0	0.0	1.0	0.8	1.0	0.8	4.0	2.0	3.2	15.6	10.4	25.6	36.8	39.5	66.2	46.7	0.0
All sites	ALL	103.4	145.1	15.6	10.5	4.0	18.4	17.1	17.8	30.0	43.7	78.0	142.3	270.8	334.7	588.5	754.1	1082.7	1373.5	1191.3	0.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	6.6	0.0	0.0	0.0	17.6	0.0	0.0	52.6
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.3	3.8	0.0	11.8	0.0	27.8	0.0
Nasopharynx	C11	5.6	6.6	0.0	0.9	0.0	0.0	1.2	3.1	3.4	6.9	13.5	11.9	10.0	32.9	19.1	8.6	29.4	23.0	0.0	52.6
Oesophagus	C15	0.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	4.3	17.6	34.5	27.8	0.0
Stomach	C16	4.9	6.6	0.0	0.0	1.1	0.0	0.0	1.0	0.0	2.0	4.0	13.3	3.3	38.2	30.0	88.2	69.0	83.3	0.0	0.0
Small intestines	C17	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0
Colon	C18	7.6	9.9	0.0	0.0	0.0	0.0	2.5	2.1	2.6	5.9	5.4	7.9	13.3	36.2	45.8	51.5	76.5	69.0	0.0	105.3
Rectosigmoid & rectum	C19-C20	7.6	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.0	4.0	13.9	13.3	46.1	22.9	68.7	82.4	69.0	111.1	210.5
Anus	C21	0.2	0.2	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	11.4	15.6	0.0	0.0	0.0	0.0	1.2	1.0	1.7	5.9	5.4	15.9	43.2	39.5	49.6	124.5	100.0	46.0	305.6	52.6
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	10.0	6.6	0.0	12.9	17.6	0.0	55.6	0.0
Pancreas	C25	2.1	3.2	0.0	0.0	0.0	0.0	0.0	2.1	0.9	0.0	1.3	4.0	10.0	9.9	7.6	12.9	5.9	11.5	55.6	105.3
Retropertoneum & peritoneum	C48	0.4	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	4.3	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	27.8	52.6
Larynx	C32	2.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	2.0	0.0	9.9	11.5	12.9	23.5	34.5	27.8	52.6
Lung (incl. trachea & bronchus)	C33-C34	22.5	30.6	0.0	0.0	0.0	0.0	0.0	1.0	1.7	3.0	14.8	15.9	56.5	85.5	106.9	197.4	311.8	379.3	333.3	52.6
Pleura	C38.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.6	0.6	0.0	0.0	0.0	2.7	0.0	0.0	0.9	0.0	1.3	2.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.7	0.7	0.0	0.9	1.1	1.3	1.2	1.0	0.0	0.0	1.3	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.1	1.4	0.0	0.0	1.1	1.3	0.0	1.0	0.0	0.0	1.3	0.0	3.3	0.0	3.8	8.6	11.8	23.0	0.0	0.0
Melanoma of skin	C43	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	11.5	0.0	0.0
Non-melanoma skin	C44	3.3	4.2	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.9	5.4	2.0	3.3	3.3	19.1	12.9	17.6	46.0	83.3	157.9
Breast	C50	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	8.3	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	23.0	22.9	73.0	82.4	206.9	444.4	421.1
Testis	C62	1.4	1.4	4.0	0.0	0.0	0.0	0.0	1.0	2.6	2.0	1.3	2.0	0.0	3.3	3.8	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	27.8	0.0
Urinary bladder	C67	4.2	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.0	0.0	6.6	16.4	22.9	21.5	47.1	92.0	138.9	52.6
Kidney & other urinary organs	C64-C66 & C68	2.3	2.9	0.0	0.9	0.0	0.0	1.2	0.0	0.0	1.0	2.7	9.9	0.0	0.0	11.5	21.5	23.5	11.5	55.6	0.0
Eye	C69	0.3	0.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.3	2.6	1.6	5.2	2.1	0.0	2.5	1.0	0.9	1.0	1.3	4.0	3.3	0.0	7.6	8.6	5.9	11.5	0.0	0.0
Thyroid	C73	1.4	1.9	0.0	0.0	0.0	1.3	0.0	0.0	0.9	0.0	0.0	0.0	3.3	13.2	3.8	8.6	11.8	11.5	55.6	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	11.7	14.1	5.6	8.7	4.2	2.7	6.2	5.1	6.0	5.9	12.1	7.9	39.9	39.5	49.6	47.2	70.6	57.5	27.8	0.0
Myeloid neoplasms	C92-C93	5.2	6.4	2.4	0.0	2.1	0.0	2.5	0.0	2.6	3.0	6.7	6.0	3.3	13.2	38.2	30.0	35.3	80.5	0.0	0.0
Others & unspecified	OTH	3.9	5.1	0.8	0.0	1.1	1.3	0.0	0.0	0.0	3.9	1.3	4.0	10.0	16.4	15.3	30.0	35.3	46.0	55.6	52.6
All sites	ALL	116.0	154.0	16.9	16.5	12.6	12.1	18.6	22.6	25.9	52.2	86.1	119.0	269.1	414.5	511.5	806.9	1129.4	1356.3	1944.4	1421.1

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.3	1.4	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.8	1.0	6.9	0.0	3.5	3.6	8.8	0.0	8.4	19.6	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.4	0.0	0.0	0.0	0.0	0.0	1.3	2.1	0.0	1.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.5	0.0	0.0	10.8	8.4	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	3.5	3.6	13.2	5.4	8.4	39.2	0.0
Nasopharynx	C11	5.5	5.6	0.0	0.0	0.9	0.0	1.4	1.3	6.3	10.6	8.0	12.4	18.3	14.0	18.1	17.6	5.4	16.8	0.0	0.0
Oesophagus	C15	1.1	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	30.8	10.8	0.0	39.2	0.0
Stomach	C16	5.5	6.5	0.0	0.0	0.0	0.0	1.4	0.0	2.1	1.8	6.0	6.9	6.1	21.1	10.9	35.2	54.1	92.4	78.4	83.3
Small intestines	C17	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	1.4	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	8.9	11.2	0.0	0.0	0.0	1.1	0.0	1.3	1.0	6.2	2.0	8.3	12.2	21.1	65.2	57.3	75.7	159.7	117.6	83.3
Rectosigmoid & rectum	C19-C20	9.3	11.9	0.0	0.0	0.0	0.0	1.4	0.0	1.0	0.9	6.0	8.3	24.4	21.1	39.9	88.1	91.9	84.0	235.3	125.0
Anus	C21	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	3.5	0.0	0.0	5.4	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	10.0	12.5	0.9	0.0	0.0	0.0	0.0	0.0	2.1	2.6	4.0	15.1	38.7	28.1	65.2	61.7	64.9	92.4	176.5	83.3
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	5.5	4.1	0.0	0.0	8.8	10.8	33.6	0.0	0.0
Pancreas	C25	3.1	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.0	4.1	8.1	10.5	10.9	17.6	43.2	25.2	39.2	125.0
Retropertoneum & peritoneum	C48	0.3	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.4	0.0	8.4	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.9	0.0	0.0	1.8	0.0	0.0	0.0	1.0	0.0	0.0	1.4	0.0	3.5	3.6	0.0	0.0	0.0	19.6	41.7
Larynx	C32	2.4	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	8.1	14.0	7.2	8.8	32.4	42.0	0.0	83.3
Lung (incl. trachea & bronchus)	C33-C34	27.8	36.1	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.4	5.0	24.8	36.7	73.7	137.7	242.3	318.9	521.0	490.2	416.7
Pleura	C38.4	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	0.0	3.6	0.0	5.4	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.5	0.6	0.9	0.0	0.0	1.1	0.0	1.3	0.0	0.9	0.0	0.0	2.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	0.0	0.0	0.0	3.5	3.6	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.7	1.8	2.7	0.0	0.9	0.0	0.0	0.0	1.0	1.8	4.0	0.0	2.0	3.5	0.0	0.0	16.2	8.4	19.6	41.7
Melanoma of skin	C43	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.5	0.0	0.0	5.4	8.4	0.0	83.3
Non-melanoma skin	C44	3.5	4.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.8	3.0	2.8	2.0	14.0	18.1	39.6	27.0	33.6	19.6	125.0
Breast	C50	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	8.4	0.0	0.0
Prostate	C61	12.2	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	38.6	72.5	70.5	210.8	193.3	372.5	375.0
Testis	C62	1.3	1.3	0.9	0.0	0.9	1.1	4.1	3.8	2.1	2.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.2	0.2	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	0.0
Urinary bladder	C67	6.3	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	9.6	8.1	24.6	32.6	26.4	59.5	151.3	137.3	83.3
Kidney & other urinary organs	C64-C66 & C68	2.8	3.2	0.0	0.0	0.9	0.0	0.0	0.0	1.0	2.6	2.0	2.8	8.1	7.0	10.9	22.0	16.2	42.0	19.6	0.0
Eye	C69	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	0.0
Brain & CNS	C70-C72	1.6	1.5	1.8	0.8	0.9	2.1	0.0	0.0	2.1	1.8	2.0	2.8	4.1	3.5	0.0	0.0	0.0	8.4	0.0	0.0
Thyroid	C73	2.0	2.5	0.0	0.0	0.0	0.0	1.4	1.3	0.0	1.8	3.0	2.8	6.1	7.0	10.9	17.6	10.8	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.7	0.7	2.7	0.0	1.8	2.1	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	15.5	18.3	5.4	4.0	8.8	4.3	2.7	8.8	4.2	9.7	9.1	15.1	30.5	56.1	43.5	96.9	108.1	159.7	78.4	41.7
Myeloid neoplasms	C92-C93	5.6	6.7	2.7	0.0	0.9	3.2	4.1	2.5	2.1	4.4	4.0	4.1	10.2	17.5	29.0	22.0	43.2	33.6	39.2	41.7
Others & unspecified	OTH	3.7	4.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.8	2.0	2.8	6.1	7.0	21.7	4.4	54.1	50.4	98.0	83.3
All sites	ALL	138.7	171.9	18.8	4.8	17.5	15.9	16.2	22.6	34.6	62.6	68.4	143.1	248.5	414.0	626.8	898.7	1286.5	1798.3	2078.4	1916.7

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+	
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tongue	C01-C02	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.4
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.6	0.7	0.0	0.0	0.0	0.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasopharynx	C11	7.0	6.9	0.0	0.0	1.6	0.0	0.0	0.0	2.5	4.2	13.5	15.4	27.1	15.1	27.0	29.3	22.0	7.9	0.0	0.0	29.4
Oesophagus	C15	0.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.0	0.0	4.3	7.7	4.2	5.5	15.9	14.1	0.0	0.0
Stomach	C16	4.4	5.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	1.1	1.8	5.1	5.7	12.9	19.3	37.7	38.5	39.7	98.6	0.0	0.0
Small intestines	C17	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	7.7	12.6	5.5	0.0	0.0	0.0	0.0
Colon	C18	12.1	14.5	0.0	0.0	0.0	0.0	1.1	1.4	1.3	4.2	9.0	8.2	17.1	25.9	77.2	79.5	87.9	158.7	169.0	264.7	0.0
Rectosigmoid & rectum	C19-C20	9.5	10.8	0.0	0.0	0.0	0.0	0.0	1.4	1.3	6.4	4.5	9.3	22.8	21.6	42.5	66.9	98.9	103.2	84.5	58.8	0.0
Anus	C21	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	0.0	3.9	0.0	5.5	15.9	0.0	29.4	0.0
Liver & intrahepatic bile ducts	C22	11.8	13.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.1	2.7	10.3	27.1	56.0	54.1	62.8	98.9	174.6	98.6	147.1	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.2	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.1	1.4	2.2	3.9	4.2	22.0	7.9	28.2	29.4	0.0
Pancreas	C25	3.9	4.7	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	2.7	1.0	7.1	10.8	23.2	33.5	27.5	55.6	42.3	58.8	0.0
Retropertoneum & peritoneum	C48	0.5	0.7	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	2.2	3.9	4.2	5.5	0.0	0.0	14.1	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.0	2.2	0.0	0.0	0.0	5.5	0.0	0.0	0.0
Larynx	C32	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.3	6.5	3.9	8.4	5.5	31.7	98.6	29.4	0.0
Lung (incl. trachea & bronchus)	C33-C34	29.7	34.2	0.0	0.0	0.0	0.9	1.1	0.0	2.5	1.1	12.6	24.7	48.4	84.1	123.6	213.4	318.7	444.4	535.2	176.5	0.0
Pleura	C38.4	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.9	0.9	0.0	0.0	1.6	0.9	1.1	1.4	0.0	0.0	1.8	2.1	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	29.4
Bone	C40-C41	0.7	0.8	0.0	0.0	0.0	0.0	2.2	1.4	0.0	0.0	0.0	0.0	2.8	2.2	0.0	0.0	5.5	0.0	0.0	0.0	29.4
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.3	1.1	0.9	0.8	0.9	1.1	1.4	2.5	1.1	2.7	2.1	0.0	2.2	0.0	0.0	4.2	0.0	0.0	14.1	0.0
Melanoma of skin	C43	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	0.0	0.0
Non-melanoma skin	C44	3.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.1	4.3	2.2	15.4	20.9	38.5	23.8	56.3	58.8	0.0
Breast	C50	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	14.4	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.2	30.2	81.1	129.7	142.9	301.6	309.9	323.5	0.0
Testis	C62	1.2	1.2	1.1	0.0	0.0	0.9	3.2	2.7	2.5	2.1	1.8	1.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	11.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	5.2	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.8	9.3	10.0	10.8	23.2	25.1	49.5	55.6	84.5	117.6	0.0
Kidney & other urinary organs	C64 - C66 & C68	4.6	5.1	1.1	0.0	0.8	0.0	0.0	0.0	0.0	2.1	3.6	7.2	7.1	15.1	23.2	37.7	16.5	55.6	42.3	0.0	0.0
Eye	C69	0.2	0.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.7	2.8	3.2	1.8	0.0	4.4	0.0	1.4	1.3	1.1	3.6	2.1	4.3	6.5	7.7	4.2	5.5	23.8	0.0	0.0	0.0
Thyroid	C73	2.3	2.3	0.0	0.0	0.0	1.8	2.2	2.7	2.5	2.1	4.5	4.1	2.8	2.2	3.9	12.6	5.5	7.9	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.5	1.1	0.0	0.8	0.9	1.1	0.0	1.3	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	15.3	17.3	9.5	2.7	4.0	3.5	7.5	8.2	1.3	8.5	10.8	14.4	32.8	19.4	57.9	108.8	104.4	111.1	98.6	58.8	0.0
Myeloid neoplasms	C92-C93	5.7	6.2	2.1	0.0	0.8	0.9	1.1	4.1	2.5	4.2	5.4	5.1	11.4	17.2	19.3	25.1	27.5	63.5	14.1	58.8	0.0
Others & unspecified	OTH	3.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	0.0	2.1	5.7	4.3	34.7	33.5	22.0	31.7	14.1	58.8	0.0
All sites	ALL	148.3	169.8	20.1	5.3	10.4	15.8	28.0	25.8	23.9	44.6	93.5	138.0	266.4	364.2	664.1	974.9	1192.3	1761.9	1816.9	1588.2	0.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	5.0	0.0	12.2	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.9	0.0	0.0	0.0	0.0	0.0	1.1	2.7	0.0	0.0	0.0	0.0	3.0	0.0	4.3	10.0	7.2	12.2	0.0
Mouth	C03-C06	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	1.5	2.3	0.0	0.0	0.0	0.0	0.0
Nasopharynx	C11	6.9	6.1	0.0	0.0	0.9	0.0	0.0	1.1	2.7	5.0	7.5	14.7	23.3	13.4	27.6	25.8	15.0	21.7	0.0	0.0
Oesophagus	C15	1.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.2	3.0	9.2	12.9	20.0	7.2	60.9	0.0
Stomach	C16	4.5	4.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	3.7	10.6	8.9	16.1	30.1	40.0	43.5	60.9	40.9
Small intestines	C17	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.9	0.0	3.0	6.9	4.3	0.0	0.0	0.0	0.0
Colon	C18	14.7	14.9	0.0	0.0	0.9	0.0	0.0	2.1	1.4	3.8	6.4	13.7	19.1	38.7	59.7	94.7	75.1	152.1	170.6	286.1
Rectosigmoid & rectum	C19-C20	13.1	13.3	0.0	0.0	0.0	0.0	0.9	1.1	1.4	2.5	6.4	12.8	22.2	31.3	64.3	73.2	130.1	101.4	85.3	102.2
Anus	C21	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.5	9.2	0.0	5.0	0.0	12.2	0.0
Liver & intrahepatic bile ducts	C22	14.9	15.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	2.5	8.6	11.9	24.3	38.7	73.5	94.7	105.1	195.6	97.5	81.7
Gallbladder & extrahepatic bile ducts	C23-C24	1.8	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.7	2.1	2.1	4.5	6.9	8.6	20.0	7.2	36.6	0.0
Pancreas	C25	4.3	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	7.5	0.9	5.3	14.9	20.7	21.5	30.0	36.2	0.0	102.2
Retropertoneum & peritoneum	C48	0.4	0.4	0.0	0.0	0.0	0.8	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	7.2	12.2	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.1	0.9	1.1	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	1.7	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.1	1.5	11.5	12.9	20.0	14.5	12.2	20.4
Lung (incl. trachea & bronchus)	C33-C34	35.1	35.5	1.2	0.0	0.0	0.0	0.0	2.1	1.4	8.8	15.0	31.1	47.6	67.0	126.3	206.6	300.3	420.2	572.8	449.6
Pleura	C38.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.6	0.0	5.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	1.7	1.5	0.0	0.0	0.9	1.6	2.7	3.2	1.4	3.8	1.1	2.7	2.1	2.1	1.5	0.0	0.0	0.0	12.2	0.0
Bone	C40-C41	0.7	0.7	0.0	1.0	1.8	0.8	0.0	0.0	1.4	1.3	0.0	0.9	0.0	1.5	2.3	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.5	2.5	3.7	0.0	1.8	1.6	0.0	3.2	2.7	0.0	0.0	2.7	2.1	3.0	11.5	4.3	10.0	14.5	24.4	0.0
Melanoma of skin	C43	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	3.0	2.3	0.0	0.0	0.0	12.2	20.4
Non-melanoma skin	C44	4.7	4.4	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	2.1	2.7	5.3	11.9	27.6	0.0	25.0	65.2	134.0	61.3
Breast	C50	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0
Prostate	C61	17.4	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.1	20.8	89.6	150.6	195.2	355.0	304.7	265.7
Testis	C62	2.9	2.9	2.4	0.0	0.0	4.8	7.1	8.6	2.7	7.6	2.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	12.2	0.0
Penis & other male genital organs	C60, C63	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	6.4	6.7	0.0	0.0	0.0	0.0	0.0	1.1	1.4	1.3	3.2	3.7	8.5	7.4	13.8	51.6	65.1	86.9	134.0	61.3
Kidney & other urinary organs	C64-C66 & C68	5.4	5.4	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	4.3	6.4	14.8	6.0	25.3	38.7	45.0	29.0	36.6	0.0
Eye	C69	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0
Brain & CNS	C70-C72	3.4	3.3	1.2	5.2	1.8	3.2	0.9	0.0	4.1	2.5	0.0	4.6	5.3	6.0	4.6	8.6	0.0	21.7	36.6	20.4
Thyroid	C73	3.9	3.9	0.0	0.0	0.0	1.6	0.0	0.0	6.8	0.0	3.2	4.6	2.1	10.4	9.2	25.8	25.0	36.2	48.7	20.4
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.6	1.2	0.0	0.9	0.8	1.8	0.0	0.0	0.0	0.0	0.9	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	23.5	23.5	4.9	8.4	2.7	8.9	12.4	7.5	18.9	10.1	12.8	22.9	25.4	47.6	75.8	99.0	160.1	166.6	146.2	183.9
Myeloid neoplasms	C92-C93	8.9	9.1	4.9	1.0	0.0	2.4	0.9	4.3	5.4	0.0	11.8	13.7	13.8	8.9	20.7	47.3	50.0	43.5	73.1	163.5
Others & unspecified	OTH	2.9	2.7	0.0	0.0	0.0	0.8	0.0	0.0	1.4	0.0	2.1	1.8	4.2	6.0	11.5	0.0	25.0	29.0	60.9	61.3
All sites	ALL	189.1	190.7	20.7	15.7	11.5	27.4	26.5	36.4	64.9	55.5	98.5	169.4	254.1	375.0	732.8	1015.6	1391.2	1869.0	2181.3	1941.5

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C5: Incidence rates by primary site and five-year age group for Malay males, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	4.7	1.1	3.2	5.1	5.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.7	0.0	0.0	0.0	0.0	0.8	0.0	1.1	0.0	0.0	1.1	0.9	2.2	0.0	5.1	0.0	6.4	10.7	15.6
Mouth	C03-C06	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.9	1.1	0.0	2.5	15.0	6.4	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	3.2	2.5	15.0	6.4	0.0	15.6
Nasopharynx	C11	6.9	5.4	0.0	0.0	0.0	0.0	0.8	0.9	4.3	1.4	7.7	11.0	24.5	14.3	19.0	25.3	10.0	12.8	0.0	31.2
Oesophagus	C15	2.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8	5.5	6.3	10.1	15.0	19.2	10.7	31.2
Stomach	C16	6.9	5.7	0.0	0.0	0.0	0.0	0.8	0.9	0.0	4.1	3.9	8.8	6.6	16.5	20.6	20.3	40.1	83.4	63.9	46.9
Small intestines	C17	1.2	1.1	0.0	0.0	0.0	0.9	0.0	0.9	0.0	0.0	0.0	0.0	1.9	1.1	3.2	17.7	0.0	12.8	0.0	0.0
Colon	C18	21.4	17.9	0.0	0.0	0.0	0.0	1.6	1.8	3.2	5.5	10.3	14.3	29.2	47.4	66.5	93.8	130.4	231.0	245.1	125.0
Rectosigmoid & rectum	C19-C20	16.9	13.7	0.0	0.0	0.0	0.0	0.8	0.9	0.0	10.9	6.4	19.7	24.5	46.3	49.1	88.7	65.2	147.6	127.9	62.5
Anus	C21	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	2.8	2.2	1.6	12.7	5.0	6.4	0.0	0.0
Liver & intrahepatic bile ducts	C22	19.1	15.4	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.7	9.0	15.4	31.1	55.1	68.0	93.8	80.2	147.6	138.5	140.6
Gallbladder & extrahepatic bile ducts	C23-C24	2.7	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.9	5.5	12.7	22.8	10.0	38.5	21.3	15.6
Pancreas	C25	5.3	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	3.3	3.8	14.3	17.4	27.9	45.1	57.7	53.3	31.2
Retropertoneum & peritoneum	C48	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	6.4	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	0.0	1.1	2.8	0.0	1.6	5.1	0.0	0.0	0.0	0.0
Larynx	C32	2.6	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.9	5.5	9.5	10.1	25.1	25.7	53.3	0.0
Lung (incl. trachea & bronchus)	C33-C34	42.8	37.2	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.8	15.4	20.8	53.7	77.2	118.7	258.5	351.0	391.4	511.6	515.5
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.5	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	1.9	1.6	1.2	0.0	1.1	1.8	0.8	1.8	0.0	1.4	1.3	3.3	4.7	1.1	3.2	2.5	5.0	6.4	10.7	0.0
Bone	C40-C41	0.7	0.7	0.0	0.0	0.0	3.5	0.8	0.0	0.0	1.4	1.3	0.0	0.0	1.1	0.0	2.5	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	3.2	2.7	0.0	0.0	1.1	0.9	0.0	2.7	2.1	1.4	7.7	6.6	6.6	2.2	7.9	7.6	0.0	25.7	0.0	15.6
Melanoma of skin	C43	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	1.6	0.0	0.0	0.0	0.0	15.6
Non-melanoma skin	C44	5.1	4.7	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.7	3.9	3.3	6.6	5.5	11.1	15.2	65.2	51.3	53.3	78.1
Breast	C50	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	24.8	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.2	12.3	33.1	53.8	126.7	305.9	397.8	468.9	390.6
Testis	C62	3.1	2.9	1.2	0.0	0.0	1.8	5.7	8.9	12.8	5.5	3.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.2	1.6	0.0	0.0	6.4	32.0	15.6
Urinary bladder	C67	6.2	5.4	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	3.9	0.0	2.8	13.2	14.2	45.6	35.1	83.4	106.6	78.1
Kidney & other urinary organs	C64-C66 & C68	7.9	6.7	0.0	0.0	0.0	0.0	0.0	0.9	1.1	2.7	2.6	14.3	15.1	18.7	23.7	40.5	55.2	32.1	21.3	31.2
Eye	C69	0.3	0.3	1.2	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	3.5	3.4	3.6	0.0	4.2	0.9	0.8	2.7	2.1	1.4	5.1	0.0	3.8	6.6	7.9	7.6	15.0	25.7	10.7	15.6
Thyroid	C73	5.2	4.4	0.0	0.0	0.0	1.8	2.4	3.5	5.4	2.7	5.1	6.6	10.4	7.7	15.8	7.6	20.1	32.1	10.7	15.6
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	2.4	0.0	1.1	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	6.4	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	29.3	26.5	12.1	9.7	3.2	10.6	8.9	17.7	10.7	16.4	16.7	24.1	35.8	54.0	66.5	134.3	155.4	186.1	117.2	93.7
Myeloid neoplasms	C92-C93	12.7	11.2	2.4	0.0	2.1	3.5	1.6	4.4	4.3	4.1	11.6	11.0	19.8	16.5	34.8	53.2	60.2	102.7	53.3	187.5
Others & unspecified	OTH	2.8	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.1	0.9	4.4	9.5	7.6	15.0	19.2	32.0	156.2
All sites	ALL	242.1	208.8	24.2	9.7	12.6	25.7	27.4	50.5	54.6	77.7	123.3	176.5	315.8	465.2	658.3	1155.6	1544.3	2175.2	2152.8	2124.7

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+		
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tongue	C01-C02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3.0	4.0	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasopharynx	C11	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	1.5	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	11.3	14.7	10.1	39.1	0.0	0.0	0.0	0.0	0.0
Stomach	C16	4.2	9.4	0.0	0.0	0.0	0.0	1.6	2.5	0.0	15.1	6.0	8.1	28.3	51.6	40.3	19.5	29.1	67.5	0.0	0.0	0.0
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	1.5	4.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	3.0	4.0	11.3	14.7	10.1	19.5	0.0	135.0	0.0	0.0	0.0
Rectosigmoid & rectum	C19-C20	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	3.0	0.0	5.7	14.7	20.1	0.0	0.0	0.0	0.0	0.0	0.0
Anus	C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	2.6	6.7	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	3.0	8.1	17.0	29.5	20.1	58.6	29.1	67.5	0.0	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pancreas	C25	0.8	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	11.3	7.4	10.1	0.0	0.0	67.5	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.1	0.1	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	2.7	7.6	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	3.0	0.0	39.6	22.1	30.2	58.6	29.1	67.5	0.0	0.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.6	0.9	0.0	0.0	1.2	1.6	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.7	0.7	0.0	0.0	0.9	0.0	1.6	0.0	0.0	2.5	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	1.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	7.4	20.1	19.5	29.1	67.5	0.0	0.0	0.0
Breast	C50	8.7	16.9	0.0	0.0	0.0	0.0	0.0	5.1	10.4	30.2	21.1	44.3	50.9	51.6	50.4	78.1	29.1	67.5	0.0	0.0	0.0
Cervix uteri	C53	6.1	11.4	0.0	0.0	0.0	0.0	0.0	0.0	16.6	5.0	39.2	36.3	22.6	7.4	40.3	39.1	29.1	0.0	60.8	0.0	0.0
Placenta	C58	0.8	0.9	0.0	0.0	0.0	0.0	0.0	2.5	4.1	5.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	1.8	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.1	0.0	5.7	36.8	10.1	0.0	58.3	0.0	0.0	0.0	0.0
Ovary & fallopian tube	C56-C57.0	4.0	6.2	0.0	0.0	0.9	3.5	1.6	5.1	6.2	5.0	6.0	24.2	17.0	29.5	20.1	0.0	0.0	0.0	0.0	0.0	0.0
Vulva & vagina	C51-C52	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.1	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	0.8	0.9	1.9	0.0	0.0	0.0	1.6	0.0	2.1	2.5	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eye	C69	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.5	0.5	1.9	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	2.0	4.2	0.0	0.0	0.0	0.0	8.0	0.0	4.1	0.0	0.0	0.0	5.7	7.4	50.4	19.5	0.0	0.0	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.4	4.9	0.9	1.6	2.7	3.5	3.2	2.5	0.0	5.0	3.0	8.1	28.3	14.7	0.0	0.0	0.0	0.0	60.8	0.0	0.0
Myeloid neoplasms	C92-C93	1.5	1.6	1.9	0.0	3.6	0.0	0.0	2.5	4.1	0.0	3.0	0.0	0.0	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0
Others & unspecified	OTH	1.1	2.1	1.9	0.0	0.0	0.0	0.0	0.0	2.1	2.5	0.0	4.0	5.7	0.0	10.1	19.5	0.0	0.0	0.0	0.0	0.0
All sites	ALL	50.3	98.5	10.3	2.4	8.0	8.1	20.9	22.8	58.1	80.5	123.6	193.5	288.5	324.2	352.6	371.1	233.1	540.2	121.6	0.0	0.0

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.9	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.6	0.0	0.0	0.0	0.0	16.5	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	11.8	0.0	0.0	0.0	49.6	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.5	1.1	0.0	0.0	1.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	14.3	21.8	0.0	0.0
Nasopharynx	C11	0.9	1.5	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.6	0.0	0.0	13.0	5.9	8.2	0.0	0.0	0.0	0.0
Oesophagus	C15	1.1	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.6	0.0	14.3	21.8	99.1	0.0
Stomach	C16	3.2	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	8.2	6.7	17.3	17.7	24.7	57.2	21.8	99.1	54.9
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	1.6	3.5	0.0	0.0	1.0	0.0	1.3	0.0	0.0	2.6	0.0	3.3	0.0	0.0	33.0	42.9	21.8	0.0	0.0
Rectosigmoid & rectum	C19-C20	2.1	4.7	0.0	0.0	0.0	0.0	0.0	1.8	1.9	0.0	0.0	10.0	13.0	5.9	16.5	28.6	43.6	0.0	54.9
Anus	C21	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	1.3	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	17.3	5.9	16.5	14.3	0.0	49.6	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0
Pancreas	C25	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	5.9	8.2	14.3	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	2.9	6.7	0.0	0.0	0.0	0.0	0.0	1.8	1.9	2.6	5.5	0.0	8.7	23.6	33.0	71.6	43.6	0.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.4	0.3	0.0	0.0	1.9	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.1	1.4	4.6	0.0	0.0	0.0	0.0	1.8	1.9	0.0	0.0	0.0	4.3	0.0	0.0	0.0	21.8	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	0.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	16.5	0.0	21.8	0.0	0.0
Breast	C50	9.1	14.9	0.0	0.0	0.0	0.0	1.3	1.8	5.7	21.2	32.7	40.1	73.7	29.4	49.4	14.3	43.6	0.0	54.9
Cervix uteri	C53	5.7	8.8	0.0	0.0	0.0	0.0	0.0	3.6	1.9	18.5	19.1	30.1	34.7	35.3	8.2	14.3	0.0	0.0	54.9
Placenta	C58	0.8	0.7	0.0	0.0	0.0	1.0	1.3	3.6	1.9	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	2.3	4.5	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.7	0.0	26.0	11.8	24.7	28.6	0.0	49.6	0.0
Ovary & fallopian tube	C56-C57.0	6.5	10.6	1.2	1.0	0.0	0.0	5.0	3.6	5.7	7.9	21.8	13.4	30.3	41.2	33.0	42.9	0.0	99.1	0.0
Vulva & vagina	C51-C52	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.3	4.3	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	0.4	0.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	14.3	0.0	0.0	0.0
Eye	C69	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.6	0.0
Brain & CNS	C70-C72	1.2	1.3	2.3	2.0	0.0	0.0	0.0	0.0	1.9	2.6	2.7	0.0	8.7	0.0	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	2.3	3.7	0.0	0.0	0.0	0.0	0.0	5.3	1.9	5.3	8.2	3.3	13.0	0.0	24.7	14.3	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	2.8	3.6	2.3	3.0	1.0	3.0	0.0	1.8	1.9	0.0	2.7	3.3	13.0	17.7	16.5	0.0	0.0	0.0	0.0
Myeloid neoplasms	C92-C93	2.1	3.1	3.5	1.0	0.0	2.0	0.0	1.8	0.0	5.3	0.0	6.7	4.3	5.9	16.5	14.3	0.0	0.0	0.0
Others & unspecified	OTH	2.9	6.1	0.0	1.0	0.0	0.0	0.0	1.8	0.0	2.6	2.7	3.3	21.7	17.7	24.7	28.6	65.5	0.0	54.9
All sites	ALL	54.3	97.2	15.1	7.9	4.8	5.9	10.0	32.1	34.0	79.4	111.8	133.7	307.8	265.0	379.1	443.6	327.3	495.5	274.7

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.4	0.6	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.5	0.0	0.0	0.0	0.0	10.8	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.6	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.4	4.7	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	10.8	16.0	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
Nasopharynx	C11	1.0	1.4	0.0	0.0	0.0	0.0	1.0	0.0	0.0	2.7	5.1	0.0	6.7	0.0	6.6	0.0	16.0	0.0	0.0
Oesophagus	C15	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	6.6	10.8	0.0	0.0	0.0
Stomach	C16	3.5	6.6	0.0	0.0	0.0	1.0	1.3	0.0	5.4	10.1	2.8	3.4	14.1	52.7	54.0	16.0	0.0	0.0	49.4
Small intestines	C17	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	3.8	8.4	0.0	0.0	0.0	0.0	1.0	0.0	3.3	2.7	2.5	8.3	3.4	14.1	32.9	54.0	48.1	188.3	49.4
Rectosigmoid & rectum	C19-C20	2.9	4.4	0.0	0.0	0.0	0.9	1.0	1.3	1.7	2.7	7.6	5.6	10.1	14.1	19.8	21.6	32.1	0.0	0.0
Anus	C21	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	2.9	5.5	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	2.5	22.2	0.0	14.1	13.2	32.4	48.1	37.7	49.4
Gallbladder & extrahepatic bile ducts	C23-C24	0.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	6.7	9.4	0.0	0.0	16.0	0.0	0.0
Pancreas	C25	1.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	26.4	21.6	16.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.9	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	3.4	4.7	13.2	10.8	0.0	0.0	0.0
Larynx	C32	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	3.6	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	16.7	13.5	14.1	19.8	43.2	32.1	75.3	197.4
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.9	1.0	0.0	0.0	2.1	0.0	0.0	3.8	0.0	2.7	0.0	0.0	0.0	0.0	0.0	10.8	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.5	1.4	0.0	1.0	0.9	1.0	0.0	1.7	2.7	2.5	5.6	3.4	4.7	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	1.5	3.1	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.5	0.0	3.4	9.4	19.8	10.8	16.0	37.7	49.4
Breast	C50	13.8	20.9	0.0	0.0	0.0	0.9	1.0	7.6	11.7	32.4	40.6	44.4	43.8	56.2	92.2	86.3	48.1	37.7	49.4
Cervix uteri	C53	6.1	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5.0	13.5	10.1	27.8	47.2	14.1	13.2	75.5	16.0	0.0	0.0
Placenta	C58	1.1	1.0	0.0	0.0	0.0	1.7	2.0	0.0	5.0	0.0	2.5	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	2.4	3.9	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.5	5.6	10.1	32.8	19.8	21.6	0.0	0.0	0.0
Ovary & fallopian tube	C56-C57.0	7.1	9.7	0.0	0.0	3.1	0.9	3.9	5.1	3.3	16.2	12.7	30.5	20.2	23.4	39.5	21.6	16.0	0.0	49.4
Vulva & vagina	C51-C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	13.2	0.0	32.1	37.7	0.0
Kidney & other urinary organs	C64-C66 & C68	0.9	1.3	0.0	1.2	0.0	0.0	0.0	0.0	0.0	2.7	2.5	8.3	0.0	0.0	0.0	10.8	0.0	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.7	0.7	0.0	3.7	1.0	0.9	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	4.1	4.8	0.0	0.0	0.0	3.5	6.8	1.3	3.3	8.1	5.1	13.9	6.7	18.7	6.6	10.8	16.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	3.1	5.1	1.4	1.2	1.0	0.9	0.0	0.0	1.7	0.0	7.6	0.0	6.7	37.5	6.6	21.6	48.1	37.7	0.0
Myeloid neoplasms	C92-C93	2.5	2.9	0.0	2.5	0.0	1.7	2.0	1.3	6.7	0.0	10.1	0.0	3.4	9.4	6.6	0.0	0.0	37.7	0.0
Others & unspecified	OTH	2.0	3.9	0.0	0.0	0.0	0.0	0.0	1.3	1.7	0.0	2.5	0.0	13.5	4.7	13.2	0.0	64.1	37.7	49.4
All sites	ALL	71.2	114.5	4.1	8.6	9.4	12.1	21.5	26.5	45.0	91.9	147.1	199.8	222.3	318.7	434.8	550.4	497.0	527.3	542.9

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	5.1	7.8	0.0	0.0	34.8
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.4	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	5.1	15.6	13.0	24.9	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	7.8	0.0	0.0	0.0
Nasopharynx	C11	1.4	1.4	0.0	0.0	0.0	1.0	0.0	3.0	1.3	1.8	0.0	2.7	5.8	7.2	5.1	0.0	0.0	0.0	0.0
Oesophagus	C15	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	15.6	0.0	24.9	0.0
Stomach	C16	3.4	5.3	0.0	0.0	0.0	0.0	0.0	1.0	0.0	3.6	5.6	0.0	11.6	18.0	25.5	39.1	26.0	74.6	0.0
Small intestines	C17	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	3.6	5.2	0.0	0.0	0.0	2.1	0.9	2.0	2.6	0.0	5.6	10.8	8.7	14.4	5.1	54.7	13.0	24.9	34.8
Rectosigmoid & rectum	C19-C20	3.2	5.4	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.8	0.0	8.1	11.6	10.8	35.7	7.8	39.0	74.6	69.5
Anus	C21	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.8	0.0	0.0	0.0	3.6	5.1	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	3.8	6.2	0.0	0.0	0.0	0.0	0.9	0.0	2.6	3.6	0.0	0.0	14.5	18.0	40.8	31.3	0.0	74.6	104.3
Gallbladder & extrahepatic bile ducts	C23-C24	0.7	0.8	0.0	0.0	0.0	0.0	1.0	1.0	1.3	0.0	0.0	2.7	2.9	3.6	0.0	7.8	0.0	0.0	0.0
Pancreas	C25	1.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.8	7.2	5.1	7.8	39.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.2	0.2	0.0	1.4	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	5.1	15.6	0.0	0.0	0.0
Larynx	C32	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.6	0.0	7.8	13.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	7.1	12.0	0.0	0.0	0.0	0.0	1.0	1.0	3.9	1.8	5.6	13.5	23.2	10.8	56.1	101.6	129.9	99.4	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.9	0.7	0.0	0.0	0.0	4.1	1.7	1.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.9	0.0	1.4	1.3	0.0	0.0	0.0	0.0	1.8	2.8	2.7	8.7	3.6	10.2	7.8	0.0	0.0	0.0
Melanoma of skin	C43	0.5	0.5	0.0	0.0	0.0	0.0	0.9	0.0	1.3	0.0	0.0	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	1.4	2.2	0.0	0.0	1.3	0.0	0.9	1.0	0.0	0.0	0.0	5.4	2.9	0.0	10.2	0.0	26.0	24.9	34.8
Breast	C50	17.8	22.6	0.0	0.0	0.0	2.1	0.9	7.9	14.2	49.3	41.7	59.5	58.0	82.7	45.9	85.9	26.0	49.7	34.8
Cervix uteri	C53	6.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	9.1	25.0	27.0	40.6	25.2	25.5	15.6	13.0	24.9	0.0
Placenta	C58	0.5	0.3	0.0	0.0	0.0	0.0	1.7	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	2.9	4.0	0.0	0.0	0.0	0.0	0.9	0.0	2.6	0.0	8.3	5.4	14.5	18.0	30.6	0.0	0.0	24.9	0.0
Ovary & fallopian tube	C56-C57.0	7.5	9.1	0.0	0.0	0.0	2.1	7.0	6.0	2.6	7.3	19.4	18.9	31.9	21.6	40.8	15.6	13.0	24.9	0.0
Vulva & vagina	C51-C52	0.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	0.0	0.0	69.5
Urinary bladder	C67	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	10.2	15.6	0.0	24.9	0.0
Kidney & other urinary organs	C64-C66 & C68	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	10.2	7.8	0.0	0.0	0.0
Eye	C69	0.1	0.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.5	1.9	1.1	2.8	1.3	1.0	0.0	1.0	1.3	1.8	2.8	0.0	2.9	3.6	0.0	0.0	13.0	24.9	0.0
Thyroid	C73	5.0	4.9	0.0	1.4	0.0	3.1	4.4	9.9	7.8	7.3	2.8	2.7	11.6	14.4	5.1	23.4	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	5.0	7.1	4.4	5.7	0.0	1.0	2.6	0.0	2.6	5.5	5.6	2.7	11.6	10.8	30.6	39.1	26.0	49.7	34.8
Myeloid neoplasms	C92-C93	2.2	2.4	1.1	0.0	2.6	1.0	0.9	1.0	2.6	7.3	0.0	5.4	2.9	10.8	0.0	7.8	0.0	0.0	0.0
Others & unspecified	OTH	1.7	2.6	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	10.8	2.9	10.8	5.1	23.4	13.0	24.9	0.0
All sites	ALL	84.9	117.0	8.9	12.8	6.4	19.6	26.2	36.7	53.1	104.0	125.0	194.6	278.3	323.7	418.4	570.3	402.6	671.0	417.2

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 1988-1992

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.5	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.1	3.9	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.9	0.0	0.0	17.6	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	9.6	0.0	0.0
Nasopharynx	C11	2.0	2.0	0.0	0.0	0.0	0.0	2.1	0.0	3.1	4.0	11.4	0.0	5.8	3.1	0.0	11.4	0.0	0.0	0.0
Oesophagus	C15	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.9	5.7	0.0	0.0	24.0
Stomach	C16	3.7	5.4	0.0	0.0	0.0	1.3	0.0	1.8	0.0	3.8	2.9	8.8	8.8	18.4	15.5	51.5	19.2	52.8	48.0
Small intestines	C17	0.3	0.5	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	3.9	0.0	0.0	0.0	0.0
Colon	C18	4.9	6.2	0.0	0.0	0.0	0.0	0.0	0.9	2.0	4.0	17.0	2.9	20.5	12.3	30.9	28.6	19.2	52.8	24.0
Rectosigmoid & rectum	C19-C20	5.0	7.3	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.7	5.7	2.9	29.2	9.2	50.2	17.2	47.9	35.2	96.0
Anus	C21	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	0.0
Liver & intrahepatic bile ducts	C22	2.7	3.9	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.9	5.9	11.7	3.1	15.5	34.3	19.2	52.8	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.7	11.7	2.9	0.0	3.9	5.7	19.2	0.0	0.0
Pancreas	C25	0.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	5.8	3.1	7.7	5.7	9.6	0.0	0.0
Retropertoneum & peritoneum	C48	0.4	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	5.7	9.6	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.9	0.0	0.0	0.0	3.1	0.0	11.4	19.2	0.0	0.0
Larynx	C32	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.9	0.0	9.6	17.6	24.0
Lung (incl. trachea & bronchus)	C33-C34	6.4	9.5	0.0	0.0	0.0	0.0	0.0	0.0	3.1	1.3	3.8	8.8	17.5	18.4	27.1	68.7	95.9	158.3	24.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.5	0.5	0.0	0.0	0.0	0.0	1.0	0.0	1.0	2.7	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.6	0.9	0.0	1.5	1.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.1	1.1	0.0	0.0	0.0	0.0	1.0	2.7	1.0	1.3	0.0	2.9	0.0	0.0	0.0	3.9	9.6	0.0	0.0
Melanoma of skin	C43	0.2	0.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.5	3.6	0.0	0.0	0.0	0.0	2.1	0.9	0.0	0.0	3.8	2.9	5.8	9.2	15.5	17.2	19.2	52.8	24.0
Breast	C50	27.6	33.4	0.0	0.0	0.0	0.0	0.0	1.8	27.5	49.4	94.6	73.3	84.8	79.6	81.2	148.8	76.7	70.4	120.0
Cervix uteri	C53	8.6	11.2	0.0	0.0	0.0	0.0	0.0	0.9	1.0	13.3	11.4	35.2	40.9	46.0	50.2	34.3	9.6	35.2	0.0
Placenta	C58	0.2	0.2	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	4.0	5.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	9.3	9.5	8.8	14.6	18.4	11.6	17.2	47.9	0.0	0.0
Ovary & fallopian tube	C56-C57.0	8.6	10.0	0.0	0.0	1.5	7.9	8.4	7.1	5.1	5.3	18.9	23.4	23.4	30.6	23.2	11.4	19.2	35.2	24.0
Vulva & vagina	C51-C52	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	7.7	0.0	17.6	0.0
Urinary bladder	C67	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.1	0.0	17.2	0.0	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.9	0.0	2.9	3.1	11.6	0.0	0.0	0.0	0.0
Eye	C69	0.3	0.3	1.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.0	1.1	0.0	2.2	1.5	0.0	2.1	0.0	1.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	9.6	17.6	0.0
Thyroid	C73	6.3	6.2	0.9	0.0	1.5	4.0	10.5	8.9	6.1	6.7	13.2	11.7	14.6	6.1	3.9	11.4	19.2	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	5.7	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.2	8.9	2.7	5.6	0.0	4.0	1.0	1.8	4.1	8.0	9.5	11.7	14.6	33.7	23.2	40.1	57.5	0.0	0.0
Myeloid neoplasms	C92-C93	3.0	3.5	0.9	2.2	1.5	2.6	2.1	3.6	0.0	5.3	0.0	5.9	5.8	3.1	11.6	5.7	19.2	0.0	24.0
Others & unspecified	OTH	3.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.7	0.0	8.8	8.8	9.2	19.3	5.7	38.4	52.8	24.0
All sites	ALL	107.1	135.6	9.1	11.2	7.3	22.4	33.6	33.8	61.1	118.8	219.5	234.4	324.6	327.8	432.8	583.8	604.1	686.1	456.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.6	0.6	0.0	0.0	0.0	0.0	0.0	1.0	0.9	1.0	1.3	0.0	3.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.3	0.3	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	0.0	13.3	0.0	0.0
Nasopharynx	C11	1.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.0	2.7	3.8	9.0	3.1	9.9	8.8	7.0	0.0	0.0	0.0
Oesophagus	C15	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.1	3.3	0.0	0.0	26.7	0.0	52.6
Stomach	C16	3.3	4.1	0.0	0.0	0.0	0.0	1.3	0.0	0.9	5.1	1.3	1.9	11.9	9.2	9.9	26.3	35.0	26.7	58.8	0.0
Small intestines	C17	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	7.0	0.0	0.0	0.0
Colon	C18	7.2	9.2	0.0	0.0	0.0	1.5	1.3	0.0	0.9	5.1	4.0	19.0	11.9	33.6	36.2	61.4	83.9	13.3	29.4	0.0
Rectosigmoid & rectum	C19-C20	5.4	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.0	5.3	11.4	14.9	15.3	39.5	30.7	35.0	66.7	88.2	0.0
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	29.4	0.0
Liver & intrahepatic bile ducts	C22	2.6	3.3	0.0	0.0	0.0	0.0	1.3	0.0	0.9	0.0	2.7	5.7	0.0	9.2	16.4	26.3	28.0	13.3	29.4	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.9	2.5	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	1.3	5.7	3.0	6.1	6.6	21.9	14.0	26.7	0.0	0.0
Pancreas	C25	1.7	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	3.8	6.0	6.1	3.3	17.5	21.0	26.7	29.4	0.0
Retropertoneum & peritoneum	C48	0.5	0.6	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	3.3	4.4	7.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	8.2	10.3	0.0	0.0	1.1	0.0	1.3	1.0	1.8	6.1	10.7	11.4	14.9	33.6	19.7	65.8	90.9	66.7	147.1	52.6
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.6	0.5	0.0	0.0	0.0	0.0	1.3	2.1	0.9	1.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	0.8	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	1.0	0.0	1.9	0.0	0.0	3.3	0.0	7.0	0.0	0.0	52.6
Melanoma of skin	C43	0.8	1.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	17.5	7.0	0.0	29.4	0.0
Non-melanoma skin	C44	3.4	4.4	0.0	0.0	1.1	2.9	0.0	2.1	0.0	3.0	2.7	1.9	11.9	9.2	13.2	8.8	28.0	66.7	29.4	52.6
Breast	C50	34.1	37.2	0.0	0.0	1.1	0.0	1.3	9.3	27.4	46.7	82.7	118.1	110.4	94.8	102.0	92.1	69.9	120.0	58.8	157.9
Cervix uteri	C53	8.6	10.1	0.0	0.0	0.0	0.0	0.0	0.0	5.3	11.2	13.3	26.7	41.8	42.8	23.0	26.3	35.0	26.7	29.4	0.0
Placenta	C58	0.2	0.2	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	6.6	7.7	0.0	0.0	0.0	0.0	0.0	1.0	5.3	6.1	9.3	9.5	14.9	30.6	36.2	39.5	42.0	26.7	29.4	0.0
Ovary & fallopian tube	C56-C57.0	10.7	11.7	0.0	1.8	1.1	0.0	5.2	6.2	6.2	11.2	26.7	28.6	29.9	30.6	32.9	30.7	42.0	13.3	29.4	0.0
Vulva & vagina	C51-C52	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.3	4.4	0.0	13.3	0.0	0.0
Urinary bladder	C67	1.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.2	0.0	17.5	0.0	26.7	29.4	0.0
Kidney & other urinary organs	C64-C66 & C68	2.3	2.8	1.7	0.0	0.0	0.0	0.0	0.0	1.8	2.0	1.3	3.8	6.0	3.1	16.4	13.2	14.0	13.3	29.4	0.0
Eye	C69	0.3	0.3	1.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.4	2.4	3.4	7.3	4.5	2.9	0.0	0.0	1.8	2.0	0.0	0.0	0.0	3.1	6.6	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	5.2	5.4	0.0	0.0	1.1	1.5	3.9	4.1	8.0	5.1	6.7	17.1	0.0	6.1	9.9	8.8	21.0	80.0	29.4	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.1	8.6	4.3	3.7	1.1	4.4	5.2	3.1	2.7	3.0	5.3	13.3	6.0	21.4	26.3	35.1	28.0	80.0	29.4	52.6
Myeloid neoplasms	C92-C93	4.0	4.7	2.6	0.0	0.0	1.5	1.3	2.1	0.0	4.1	5.3	9.5	3.0	6.1	16.4	30.7	21.0	26.7	58.8	0.0
Others & unspecified	OTH	4.5	5.3	0.9	0.0	0.0	0.0	0.0	1.0	0.9	6.1	6.7	3.8	3.0	15.3	23.0	30.7	28.0	66.7	29.4	52.6
All sites	ALL	128.1	149.8	16.3	14.6	12.3	16.0	24.5	36.0	69.0	128.0	193.3	302.9	307.5	400.6	463.8	640.4	678.3	853.3	823.5	473.7

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.4	0.4	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.0	2.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	3.3	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.5	0.7	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.9	0.0	0.0	0.0	0.0	3.3	3.7	0.0	0.0	0.0	43.5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	3.7	5.2	0.0	0.0	0.0
Nasopharynx	C11	2.2	2.2	0.0	0.0	0.9	0.0	0.0	1.2	3.1	0.9	4.1	9.4	3.9	9.3	3.3	0.0	0.0	19.0	0.0	0.0
Oesophagus	C15	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	3.7	0.0	9.5	0.0	87.0
Stomach	C16	3.7	3.8	0.0	0.0	0.0	0.0	1.4	1.2	1.0	1.8	6.1	9.4	7.7	3.1	9.8	3.7	26.2	66.7	65.2	0.0
Small intestines	C17	0.5	0.5	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.9	1.0	0.0	0.0	3.1	0.0	0.0	0.0	19.0	0.0	0.0
Colon	C18	8.8	10.4	0.0	0.9	0.0	0.0	1.4	1.2	2.0	4.4	6.1	12.0	15.4	24.7	32.6	47.6	83.8	104.8	108.7	173.9
Rectosigmoid & rectum	C19-C20	6.4	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	9.4	11.6	30.9	39.1	36.6	62.8	76.2	0.0	173.9
Anus	C21	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.3	3.7	0.0	0.0	21.7	0.0
Liver & intrahepatic bile ducts	C22	3.2	3.6	1.0	0.0	0.0	0.0	1.4	0.0	2.0	0.0	1.0	4.0	1.9	3.1	16.3	22.0	26.2	95.2	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	2.1	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	9.7	6.2	6.5	11.0	31.4	19.0	21.7	43.5
Pancreas	C25	2.7	3.1	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.8	2.0	1.3	3.9	3.1	13.0	22.0	20.9	57.1	21.7	43.5
Retropertitoneum & peritoneum	C48	0.3	0.3	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	5.2	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	9.5	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	10.2	12.0	0.0	0.0	0.0	0.0	1.4	0.0	4.1	2.7	8.1	12.0	21.2	24.7	39.1	65.9	89.0	133.3	130.4	173.9
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.7	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.7	0.0	0.9	0.0	1.1	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.5
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1.1	1.2	0.0	0.0	0.0	1.1	1.4	0.0	0.0	0.9	2.0	2.7	5.8	3.1	3.3	3.7	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.0
Non-melanoma skin	C44	3.0	3.7	0.0	0.0	0.0	1.1	0.0	1.2	0.0	0.9	1.0	1.3	0.0	18.5	19.5	14.7	36.6	38.1	21.7	43.5
Breast	C50	46.3	44.5	0.0	0.0	0.0	1.1	1.4	10.0	29.6	60.1	92.7	166.0	129.3	123.5	130.3	73.3	68.1	123.8	87.0	217.4
Cervix uteri	C53	7.0	7.3	0.0	0.0	0.0	0.0	0.0	3.7	4.1	7.1	14.3	13.4	13.5	18.5	39.1	22.0	26.2	9.5	43.5	43.5
Placenta	C58	0.1	0.1	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	8.0	8.8	0.0	0.0	0.0	0.0	1.4	2.5	4.1	4.4	8.1	25.4	19.3	30.9	58.6	29.3	5.2	38.1	21.7	0.0
Ovary & fallopian tube	C56-C57.0	12.9	13.4	0.0	1.7	0.9	4.5	2.8	7.5	12.3	6.2	19.3	34.8	34.7	37.0	39.1	36.6	41.9	47.6	21.7	43.5
Vulva & vagina	C51-C52	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	0.0	3.1	0.0	0.0	10.5	0.0	21.7	0.0
Urinary bladder	C67	1.7	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.3	1.9	3.1	9.8	18.3	5.2	28.6	43.5	0.0
Kidney & other urinary organs	C64-C66 & C68	2.5	2.6	1.0	0.9	0.0	0.0	0.0	1.2	1.0	2.7	4.1	1.3	3.9	6.2	6.5	14.7	15.7	9.5	21.7	43.5
Eye	C69	0.2	0.2	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.0	2.1	2.9	2.6	0.9	0.0	1.4	2.5	1.0	2.7	1.0	1.3	3.9	3.1	0.0	7.3	10.5	0.0	0.0	0.0
Thyroid	C73	7.0	6.9	0.0	0.0	0.0	2.3	8.5	7.5	8.2	11.5	9.2	9.4	11.6	15.4	22.8	3.7	31.4	28.6	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	2.9	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	1.3	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	9.5	10.7	2.9	3.4	4.6	2.3	5.7	6.2	6.1	4.4	6.1	13.4	13.5	30.9	39.1	36.6	62.8	38.1	21.7	87.0
Myeloid neoplasms	C92-C93	4.5	5.0	1.0	0.9	2.8	1.1	0.0	4.1	3.5	2.0	5.4	11.6	15.4	22.8	14.7	26.2	28.6	0.0	43.5	43.5
Others & unspecified	OTH	3.4	4.2	0.0	0.9	0.0	0.0	1.4	2.5	1.0	0.0	1.0	0.0	5.8	12.3	19.5	29.3	31.4	28.6	21.7	43.5
All sites	ALL	154.1	164.9	12.5	12.8	10.1	15.8	31.2	57.2	86.8	121.1	198.6	345.4	332.0	435.2	579.8	538.5	727.7	1028.6	717.4	1347.8

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+	
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tongue	C01-C02	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.1	0.0	4.0	0.0	3.7	0.0	21.4	29.0	29.4	
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.5	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	1.8	1.0	2.8	2.0	0.0	0.0	0.0	7.1	0.0	0.0	
Mouth	C03-C06	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	29.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0
Nasopharynx	C11	1.4	1.4	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.0	2.7	1.0	5.5	6.0	6.6	3.7	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	3.3	0.0	0.0	0.0	14.5	0.0	0.0
Stomach	C16	2.9	2.7	0.0	0.0	0.0	0.0	1.1	1.3	0.0	1.0	2.7	3.1	6.9	6.0	7.3	34.6	35.7	29.0	29.4	0.0	0.0
Small intestines	C17	0.2	0.1	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	11.6	12.5	0.0	0.0	0.0	0.0	4.5	2.6	1.2	3.1	8.1	7.3	13.8	46.3	56.5	65.9	82.3	57.1	188.4	147.1	0.0
Rectosigmoid & rectum	C19-C20	6.4	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	3.6	2.1	8.3	26.2	36.5	47.6	39.0	28.6	72.5	147.1	0.0
Anus	C21	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	4.0	4.3	0.0	0.0	0.0	1.8	0.0	0.0	0.0	3.1	0.0	1.0	5.5	4.0	19.9	14.7	43.3	71.4	43.5	88.2	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.4	1.4	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.9	1.0	1.4	0.0	3.3	11.0	21.6	14.3	14.5	0.0	0.0
Pancreas	C25	3.8	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4.1	4.1	26.2	10.0	36.6	4.3	28.6	58.0	58.8	0.0
Retropertoneum & peritoneum	C48	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	2.0	0.0	3.7	13.0	0.0	0.0	29.4	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.0	0.0	2.0	0.0	0.0	13.0	14.3	0.0	0.0	0.0
Larynx	C32	0.5	0.6	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.4	2.0	0.0	0.0	0.0	7.1	14.5	29.4	0.0
Lung (incl. trachea & bronchus)	C33-C34	11.9	12.2	0.0	0.0	0.0	0.0	1.1	0.0	1.2	5.1	7.2	17.6	15.2	46.3	43.2	69.6	69.3	107.1	130.4	147.1	0.0
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0
Bone	C40-C41	0.7	0.6	0.0	0.0	2.6	0.0	1.1	1.3	0.0	0.0	0.9	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.8	0.8	0.0	0.0	1.7	0.0	0.0	0.0	0.0	1.0	1.8	0.0	1.4	4.0	0.0	3.7	0.0	0.0	0.0	29.4	0.0
Melanoma of skin	C43	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	4.3	0.0	14.5	29.4	0.0
Non-melanoma skin	C44	3.2	3.3	0.0	0.9	0.0	0.9	0.0	1.3	0.0	1.0	0.9	6.2	1.4	10.1	10.0	22.0	8.7	42.9	58.0	29.4	0.0
Breast	C50	60.7	54.5	0.0	0.0	0.0	0.9	0.0	14.6	27.7	58.0	118.3	140.9	161.2	159.0	199.3	128.2	186.1	121.4	202.9	117.6	0.0
Cervix uteri	C53	8.7	8.5	0.0	0.0	0.0	0.0	1.1	1.3	4.8	10.2	9.0	17.6	13.8	18.1	26.6	51.3	56.3	28.6	14.5	58.8	0.0
Placenta	C58	0.3	0.3	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.9	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	11.7	11.2	0.0	0.0	0.0	0.0	1.1	0.0	6.0	4.1	11.6	25.9	31.7	40.2	36.5	69.6	43.3	42.9	43.5	0.0	0.0
Ovary & fallopian tube	C56-C57.0	13.7	12.8	0.0	0.0	0.0	0.0	5.5	15.6	4.0	7.2	8.1	26.0	22.8	27.5	44.3	39.9	25.6	51.9	0.0	43.5	29.4
Vulva & vagina	C51-C52	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.9	0.0	1.4	2.0	0.0	3.7	0.0	21.4	14.5	0.0	0.0
Urinary bladder	C67	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.0	6.0	3.3	11.0	13.0	7.1	14.5	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	2.3	2.3	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.0	0.9	1.0	5.5	4.0	3.3	18.3	30.3	21.4	29.0	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.8	1.6	0.0	2.8	1.7	0.9	0.0	0.0	2.4	2.0	0.9	3.1	2.8	2.0	0.0	0.0	0.0	28.6	14.5	0.0	0.0
Thyroid	C73	8.0	7.5	0.0	0.0	0.9	4.6	5.6	6.6	12.1	10.2	9.9	12.4	13.8	20.1	26.6	7.3	13.0	21.4	14.5	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.5	1.1	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.3	0.0	4.3	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	13.3	13.9	7.9	5.7	1.7	5.5	7.8	2.6	7.2	7.1	8.1	13.5	20.7	44.3	36.5	76.9	56.3	57.1	43.5	58.8	0.0
Myeloid neoplasms	C92-C93	4.8	4.6	1.1	0.9	0.9	1.8	2.2	0.0	2.4	4.1	0.9	6.2	8.3	16.1	3.3	22.0	17.3	57.1	72.5	0.0	0.0
Others & unspecified	OTH	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.0	2.8	6.0	3.3	11.0	21.6	14.3	87.0	29.4	0.0
All sites	ALL	183.7	177.7	10.2	10.4	11.1	23.1	44.7	39.7	73.6	130.2	226.7	296.4	362.3	555.3	571.4	725.3	826.8	871.4	1289.9	1117.6	0.0

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	1.0	0.0	0.0	0.9	0.0	0.0	1.1	0.0	1.2	2.0	0.9	4.2	0.0	4.2	0.0	8.2	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.3	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.0	0.0	2.1	0.0	2.1	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	0.0	0.0	2.1	1.4	0.0	0.0	0.0	10.6	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.1	0.0
Nasopharynx	C11	2.0	1.5	0.0	0.0	0.0	0.0	0.9	1.1	0.0	2.4	0.0	5.4	4.2	12.7	2.1	3.6	0.0	0.0	0.0	0.0
Oesophagus	C15	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.1	0.0	10.1	0.0
Stomach	C16	4.6	4.1	0.0	0.0	0.0	0.9	0.0	1.1	2.5	1.2	2.0	3.6	2.1	11.3	8.4	21.6	32.9	37.1	70.6	90.9
Small intestines	C17	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	2.1	7.2	8.2	10.6	0.0	18.2
Colon	C18	16.3	14.3	0.0	0.0	0.0	0.0	0.9	1.1	2.5	1.2	8.2	10.9	23.2	40.9	52.4	86.3	106.9	159.2	171.5	145.5
Rectosigmoid & rectum	C19-C20	7.8	6.8	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.2	2.0	4.5	21.1	14.1	35.7	28.8	61.6	69.0	30.3	54.5
Anus	C21	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	0.0	0.0	4.1	0.0	10.1	18.2
Liver & intrahepatic bile ducts	C22	4.9	4.4	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.0	1.8	4.2	0.0	25.2	18.0	41.1	69.0	80.7	72.7
Gallbladder & extrahepatic bile ducts	C23-C24	2.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	1.1	5.6	6.3	32.3	8.2	21.2	20.2	20.2	36.4
Pancreas	C25	3.8	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.1	0.9	6.3	11.3	12.6	25.2	20.5	31.8	20.2	54.5
Retropertoneum & peritoneum	C48	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.4	2.1	10.8	4.1	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.4	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	1.8	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0
Larynx	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	14.2	12.3	0.0	0.0	0.0	0.0	0.9	2.2	2.5	2.4	5.1	16.3	23.2	40.9	39.9	64.7	82.2	84.9	151.3	181.8
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.0	1.8	0.0	1.4	4.2	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.7	0.7	0.0	0.0	0.9	2.6	0.9	0.0	1.3	0.0	0.0	0.0	1.1	0.0	0.0	7.2	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.0	1.8	0.0	0.0	1.9	2.6	1.8	2.2	3.8	3.6	5.1	0.0	0.0	1.4	2.1	0.0	0.0	5.3	10.1	18.2
Melanoma of skin	C43	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.1	0.0	0.0	3.6	0.0	0.0	10.1	0.0
Non-melanoma skin	C44	4.0	3.7	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.2	2.0	2.7	2.1	1.4	16.8	18.0	24.7	47.8	80.7	90.9
Breast	C50	72.1	58.0	0.0	0.0	0.0	0.0	0.9	8.6	26.6	66.6	104.3	174.6	166.5	203.3	190.9	172.5	135.6	180.4	121.1	163.6
Cervix uteri	C53	7.9	6.8	0.0	0.0	0.0	0.0	0.0	4.3	3.8	13.1	9.2	17.2	11.6	12.7	29.4	21.6	32.9	15.9	30.3	0.0
Placenta	C58	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	16.0	12.9	0.0	0.0	0.0	0.0	0.0	0.0	10.1	17.8	15.3	24.4	49.5	42.4	52.4	39.5	16.4	69.0	50.4	36.4
Ovary & fallopian tube	C56-C57.0	16.8	13.9	0.0	0.0	0.0	7.7	9.2	4.3	8.9	11.9	19.4	37.1	36.9	29.6	27.3	46.7	37.0	47.8	60.5	36.4
Vulva & vagina	C51-C52	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.0	1.8	0.0	2.8	2.1	0.0	0.0	21.2	10.1	36.4
Urinary bladder	C67	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.1	1.4	0.0	3.6	16.4	5.3	10.1	18.2
Kidney & other urinary organs	C64-C66 & C68	3.4	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.5	10.5	7.1	12.6	3.6	28.8	15.9	40.4	18.2
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	3.1	3.1	5.1	2.2	3.8	0.9	0.0	0.0	0.0	2.4	6.1	1.8	2.1	2.8	8.4	7.2	8.2	10.6	30.3	18.2
Thyroid	C73	9.2	8.0	0.0	0.0	0.0	1.7	8.3	13.0	5.1	10.7	19.4	18.1	11.6	14.1	14.7	14.4	12.3	5.3	20.2	54.5
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.0	1.1	0.0	0.0	0.0	8.2	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	17.0	15.3	9.0	6.7	4.7	3.4	6.4	1.1	3.8	8.3	12.3	24.4	19.0	40.9	52.4	50.3	61.6	127.3	70.6	54.5
Myeloid neoplasms	C92-C93	7.1	6.2	0.0	2.2	0.9	1.8	1.1	1.1	1.3	3.6	6.1	3.6	6.3	22.6	16.8	28.8	32.9	53.1	70.6	90.9
Others & unspecified	OTH	3.4	3.0	1.3	0.0	0.0	0.0	0.9	2.2	1.3	2.4	0.0	2.7	4.2	7.1	2.1	18.0	12.3	31.8	70.6	36.4
All sites	ALL	227.5	193.5	17.9	11.2	17.1	20.5	34.9	45.3	81.1	160.6	235.2	366.4	422.7	530.8	625.0	740.3	809.7	1135.4	1261.2	1363.6

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C6: Incidence rates by primary site and five-year age group for Malay females, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.6	1.1	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	1.2	2.1	4.6	7.6	1.5	4.5	0.0	0.0	7.1	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.8	0.7	0.0	0.0	1.1	0.0	0.0	0.0	2.1	1.3	1.2	0.0	2.8	0.0	2.9	0.0	4.0	0.0	0.0	0.0
Mouth	C03-C06	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	2.9	0.0	0.0	0.0	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.1	0.0	2.2	0.0	4.9	0.0	0.0
Nasopharynx	C11	2.4	1.9	0.0	0.0	2.2	0.0	0.0	1.8	1.1	1.3	3.6	2.1	4.6	5.5	10.3	2.2	4.0	4.9	0.0	0.0
Oesophagus	C15	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.2	0.0	4.9	0.0	11.8
Stomach	C16	4.3	3.1	0.0	0.0	0.0	0.0	0.9	0.9	0.0	0.0	0.0	1.0	7.4	14.2	13.3	11.2	24.0	14.7	42.7	35.3
Small intestines	C17	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	2.1	1.9	0.0	2.9	0.0	8.0	0.0	7.1	11.8
Colon	C18	22.1	16.2	0.0	0.0	0.0	0.0	2.6	1.8	5.3	2.5	8.4	16.6	25.9	52.3	63.3	71.6	123.9	157.3	163.8	200.2
Rectosigmoid & rectum	C19-C20	12.2	9.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	7.3	20.4	25.1	33.9	47.0	91.9	118.0	78.3	58.9
Anus	C21	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.9	0.0	2.9	6.7	0.0	0.0	0.0	11.8
Liver & intrahepatic bile ducts	C22	7.3	5.6	3.8	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	13.0	7.6	13.3	38.0	48.0	83.6	71.2	47.1
Gallbladder & extrahepatic bile ducts	C23-C24	2.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.3	8.8	6.7	24.0	24.6	14.2	47.1
Pancreas	C25	5.5	4.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.2	2.1	9.3	12.0	11.8	31.3	28.0	29.5	35.6	82.4	
Retropertoneum & peritoneum	C48	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.0	1.9	3.3	2.9	4.5	8.0	4.9	7.1	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	4.9	0.0	0.0
Larynx	C32	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	2.2	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	17.6	12.4	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.3	7.2	13.5	20.4	41.4	56.0	51.4	67.9	152.4	185.1	176.7
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	4.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	1.5	1.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.3	2.4	3.1	1.9	3.3	1.5	4.5	0.0	9.8	0.0	23.6
Bone	C40-C41	1.1	0.9	0.0	0.0	1.1	0.9	0.0	1.8	1.1	0.0	0.0	1.0	2.8	1.1	2.9	0.0	4.0	4.9	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.2	2.0	1.3	0.0	0.0	3.8	1.7	0.0	1.1	2.5	2.4	1.0	0.9	4.4	2.9	2.2	20.0	4.9	14.2	0.0
Melanoma of skin	C43	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	5.0	3.7	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	1.2	3.1	4.6	2.2	11.8	13.4	40.0	59.0	78.3	70.7
Breast	C50	86.8	65.6	0.0	0.0	0.0	0.0	0.9	8.2	29.9	59.6	114.6	171.0	189.0	208.3	229.7	259.4	187.8	231.1	156.7	106.0
Cervix uteri	C53	10.8	8.6	0.0	0.0	0.0	0.0	0.9	2.7	16.0	17.7	22.9	14.5	17.6	20.7	19.1	17.9	24.0	24.6	28.5	23.6
Placenta	C58	0.5	0.4	0.0	0.0	0.0	0.0	0.0	2.7	1.1	0.0	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	23.1	17.6	0.0	0.0	0.0	0.9	0.9	5.5	11.8	24.1	26.5	50.8	45.4	60.0	60.4	49.2	48.0	44.2	21.4	23.6
Ovary & fallopian tube	C56-C57.0	23.1	17.8	0.0	1.3	2.2	3.8	10.2	18.3	8.5	11.4	21.7	46.6	50.0	52.3	53.0	51.4	40.0	24.6	35.6	35.3
Vulva & vagina	C51-C52	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	0.0	1.9	0.0	5.9	8.9	4.0	4.9	0.0	0.0
Urinary bladder	C67	1.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	5.5	2.9	4.5	8.0	9.8	7.1	11.8
Kidney & other urinary organs	C64-C66 & C68	5.4	4.3	0.0	0.0	0.0	0.9	1.7	0.0	1.1	0.0	6.0	3.1	7.4	10.9	17.7	24.6	28.0	34.4	14.2	23.6
Eye	C69	0.2	0.3	1.3	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	3.0	2.8	3.8	2.5	1.1	2.8	1.7	0.0	1.1	2.5	3.6	3.1	2.8	2.2	2.9	6.7	4.0	19.7	14.2	23.6
Thyroid	C73	11.6	9.4	0.0	0.0	1.1	5.7	11.1	9.2	18.2	12.7	15.7	10.4	13.0	15.3	10.3	24.6	16.0	68.8	35.6	35.3
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	2.6	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.1	0.0	0.0	0.0	4.9	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	22.9	19.2	11.5	6.3	2.2	12.3	6.8	12.8	9.6	8.9	14.5	11.4	21.3	36.0	57.4	87.2	95.9	147.5	99.7	94.2
Myeloid neoplasms	C92-C93	8.1	6.5	2.6	0.0	1.1	0.0	1.7	3.7	1.1	12.7	7.2	8.3	8.3	13.1	13.3	24.6	36.0	44.2	49.8	70.7
Others & unspecified	OTH	2.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.2	2.1	2.8	0.0	4.4	13.4	20.0	24.6	28.5	47.1
All sites	ALL	291.3	224.1	26.9	10.2	12.3	32.3	41.8	73.2	115.4	163.4	268.9	386.5	488.3	612.8	725.9	874.5	1011.2	1366.7	1196.2	1271.9

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	2.8	3.8	0.0	0.0	0.0	0.0	0.0	4.7	0.0	3.1	0.0	0.0	17.0	10.3	9.9	19.1	43.8	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.5	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	0.0	112.9	0.0
Mouth	C03-C06	5.2	8.1	0.0	0.0	0.0	0.0	0.0	0.0	4.4	3.1	4.8	2.6	13.6	20.6	39.6	19.1	131.5	112.9	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4.7	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	6.8	30.9	29.7	57.3	87.6	112.9	0.0
Nasopharynx	C11	0.7	0.7	0.0	0.0	0.0	0.0	0.0	4.7	0.0	3.1	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	4.2	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	5.1	17.0	15.4	19.8	57.3	43.8	0.0	0.0
Stomach	C16	12.7	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2	4.8	10.2	40.7	66.9	79.2	133.7	43.8	338.6	239.2
Small intestines	C17	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	0.0	0.0	0.0	0.0
Colon	C18	4.5	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	7.7	17.0	15.4	49.5	19.1	0.0	0.0	0.0
Rectosigmoid & rectum	C19-C20	4.2	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	7.7	20.3	5.1	39.6	38.2	0.0	0.0	0.0
Anus	C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	9.9	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	9.6	33.3	23.7	25.7	79.2	38.2	43.8	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	15.4	0.0	0.0	0.0	0.0	0.0
Pancreas	C25	1.4	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	10.2	0.0	9.9	19.1	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.7	1.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	112.9	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	19.1	0.0	0.0	0.0
Larynx	C32	2.8	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	20.6	19.8	38.2	43.8	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	8.0	10.2	0.0	0.0	0.0	0.0	0.0	4.7	4.4	6.1	4.8	10.2	27.1	10.3	89.1	76.4	43.8	0.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	1.4	1.4	0.0	0.0	4.1	0.0	3.5	0.0	0.0	0.0	4.8	0.0	0.0	0.0	9.9	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.2	0.0	0.0	0.0	0.0	3.5	0.0	4.4	0.0	0.0	5.1	6.8	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	1.6	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	3.4	0.0	19.8	38.2	43.8	0.0	0.0
Breast	C50	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	0.0	0.0	0.0
Prostate	C61	1.9	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	0.0	9.9	38.2	87.6	0.0	0.0
Testis	C62	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	2.1	1.7	0.0	0.0	0.0	0.0	0.0	4.7	0.0	3.1	2.4	5.1	6.8	10.3	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	2.3	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	5.1	6.8	0.0	9.9	19.1	43.8	0.0	239.2
Kidney & other urinary organs	C64-C66 & C68	1.6	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.6	3.4	0.0	19.8	0.0	43.8	112.9	0.0
Eye	C69	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.9	0.8	0.0	0.0	2.1	0.0	3.5	0.0	0.0	0.0	2.4	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	1.2	1.1	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	4.8	2.6	0.0	5.1	0.0	0.0	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.5	8.1	5.1	6.3	12.4	2.7	7.0	0.0	0.0	3.1	0.0	7.7	20.3	10.3	39.6	19.1	43.8	0.0	0.0
Myeloid neoplasms	C92-C93	3.3	3.7	0.0	2.1	2.1	2.7	0.0	0.0	0.0	0.0	7.2	0.0	13.6	0.0	19.8	38.2	0.0	0.0	0.0
Others & unspecified	OTH	2.3	2.5	0.0	0.0	0.0	0.0	3.5	0.0	0.0	3.1	0.0	2.6	10.2	10.3	9.9	19.1	0.0	0.0	0.0
All sites	ALL	99.4	125.4	7.6	8.3	20.7	5.4	20.9	23.4	17.8	55.2	62.4	125.4	291.6	293.2	613.7	744.8	745.0	902.9	478.5

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	4.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	4.2	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	20.0	13.6	46.0	57.6	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.7	1.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	30.6	0.0	0.0
Mouth	C03-C06	6.4	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	16.7	13.6	61.3	57.6	0.0	303.5	147.5
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	4.4	5.9	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	6.3	13.3	18.1	23.0	28.8	30.6	0.0	147.5
Nasopharynx	C11	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	4.5	0.0	0.0	30.6	0.0	0.0
Oesophagus	C15	5.7	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.5	0.0	13.3	27.2	53.7	0.0	91.9	75.9	0.0
Stomach	C16	18.0	22.6	0.0	0.0	0.0	0.0	0.0	3.7	4.1	19.9	10.4	22.0	16.7	68.0	107.3	216.1	153.1	151.7	0.0
Small intestines	C17	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	7.7	0.0	0.0	0.0	0.0
Colon	C18	5.7	9.2	0.0	0.0	2.3	0.0	2.8	0.0	0.0	4.0	3.5	6.3	13.3	13.6	15.3	43.2	91.9	0.0	295.0
Rectosigmoid & rectum	C19-C20	4.9	6.3	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	3.5	3.1	6.7	13.6	46.0	57.6	61.2	0.0	0.0
Anus	C21	1.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	7.7	14.4	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	10.9	13.8	0.0	5.3	0.0	0.0	0.0	3.7	0.0	4.0	3.5	15.7	23.3	31.7	53.7	72.0	183.7	151.7	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	15.3	43.2	0.0	0.0	0.0
Pancreas	C25	1.7	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	13.6	7.7	0.0	0.0	75.9	0.0
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	9.1	0.0	0.0	0.0	0.0	0.0
Larynx	C32	5.2	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	13.3	18.1	46.0	0.0	91.9	0.0	147.5
Lung (incl. trachea & bronchus)	C33-C34	16.0	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	34.5	46.6	31.7	76.7	201.7	183.7	75.9	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.5	0.6	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.4	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.5	0.6	3.2	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	3.7	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	20.0	22.7	7.7	14.4	0.0	0.0	147.5
Breast	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	3.9	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	9.1	38.3	43.2	61.2	75.9	147.5
Testis	C62	0.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.1	6.7	4.5	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	2.7	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	13.3	4.5	15.3	14.4	30.6	75.9	0.0
Kidney & other urinary organs	C64 - C66 & C68	2.2	2.8	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	10.0	9.1	0.0	14.4	61.2	0.0	0.0
Eye	C69	0.5	0.6	3.2	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.5	1.5	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.7	0.0	7.7	14.4	0.0	0.0	0.0
Thyroid	C73	2.2	2.4	0.0	0.0	0.0	0.0	2.8	0.0	4.1	4.0	0.0	6.3	3.3	4.5	7.7	0.0	30.6	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.9	6.2	6.4	0.0	2.3	0.0	5.5	3.7	8.1	4.0	7.0	3.1	6.7	4.5	7.7	28.8	30.6	75.9	0.0
Myeloid neoplasms	C92-C93	3.2	2.6	0.0	2.6	0.0	2.4	0.0	3.7	4.1	0.0	0.0	12.6	13.3	4.5	0.0	0.0	0.0	0.0	0.0
Others & unspecified	OTH	5.4	6.8	0.0	2.6	2.3	0.0	0.0	0.0	0.0	4.0	0.0	0.0	16.7	9.1	38.3	72.0	61.2	0.0	0.0
All sites	ALL	122.9	157.0	12.8	18.4	7.0	9.6	11.1	18.4	28.4	43.7	48.7	141.2	309.9	358.1	697.7	994.1	1224.7	1138.1	1032.4

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	0.0	0.0	0.0
Tongue	C01-C02	4.4	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	3.9	6.6	19.7	11.5	32.7	62.9	0.0	98.3
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.5	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	3.9	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	3.3	15.8	23.1	21.8	41.9	103.5	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	5.9	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	3.9	6.6	11.8	23.1	54.5	21.0	207.0	196.7
Nasopharynx	C11	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	7.3	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.4	23.7	23.1	119.9	62.9	51.8	0.0
Stomach	C16	13.7	16.0	0.0	0.0	0.0	0.0	2.2	2.8	3.5	4.9	13.9	7.9	13.1	39.5	80.8	98.1	125.7	155.3	98.3
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	5.9	7.6	0.0	0.0	2.6	0.0	2.2	0.0	0.0	4.9	0.0	3.9	3.3	15.8	11.5	54.5	146.7	51.8	0.0
Rectosigmoid & rectum	C19-C20	4.4	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	4.6	0.0	3.3	3.9	40.4	0.0	62.9	103.5	0.0
Anus	C21	0.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	98.3
Liver & intrahepatic bile ducts	C22	13.2	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	4.6	11.8	32.8	35.5	86.6	109.0	41.9	103.5	98.3
Gallbladder & extrahepatic bile ducts	C23-C24	1.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.8	21.0	0.0	98.3
Pancreas	C25	2.7	2.5	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	4.6	3.9	6.6	7.9	11.5	10.9	21.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	1.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	21.0	0.0	0.0
Larynx	C32	6.9	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.8	13.1	19.7	17.3	54.5	104.8	103.5	0.0
Lung (incl. trachea & bronchus)	C33-C34	18.1	21.7	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	4.6	15.8	26.3	78.9	80.8	65.4	293.4	103.5	393.3
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	1.7	1.5	0.0	0.0	2.6	0.0	2.2	2.8	3.5	4.9	0.0	0.0	3.3	0.0	5.8	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.7	0.8	0.0	3.3	2.6	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	1.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	11.5	0.0	21.0	0.0	0.0
Non-melanoma skin	C44	1.7	2.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	0.0	11.5	21.8	0.0	0.0	0.0
Breast	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prostate	C61	6.4	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	40.4	65.4	83.8	258.8	98.3
Testis	C62	0.7	0.6	0.0	0.0	0.0	0.0	2.2	0.0	3.5	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	1.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.3	7.9	5.8	0.0	0.0	0.0	0.0
Urinary bladder	C67	4.9	5.8	3.7	0.0	0.0	0.0	2.2	0.0	3.5	0.0	0.0	0.0	9.8	7.9	17.3	43.6	104.8	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	2.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	17.3	0.0	0.0	51.8	0.0
Eye	C69	0.2	0.5	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.2	1.3	0.0	3.3	0.0	0.0	0.0	0.0	7.0	0.0	0.0	3.9	0.0	0.0	0.0	10.9	0.0	0.0	0.0
Thyroid	C73	1.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	7.9	5.8	10.9	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.4	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.6	9.9	0.0	0.0	0.0	2.2	4.4	0.0	7.0	9.9	4.6	11.8	3.3	11.8	57.7	43.6	21.0	258.8	0.0
Myeloid neoplasms	C92-C93	5.4	6.1	3.7	3.3	0.0	0.0	0.0	2.8	3.5	0.0	13.9	7.9	3.3	27.6	5.8	21.8	0.0	51.8	98.3
Others & unspecified	OTH	4.2	4.8	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	4.6	3.9	6.6	19.7	11.5	32.7	0.0	51.8	98.3
All sites	ALL	131.5	155.9	14.7	13.2	7.8	4.3	17.5	17.0	38.6	44.4	88.3	110.5	177.2	370.9	606.0	915.9	1257.3	1656.3	1376.6

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+		
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tongue	C01-C02	5.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	4.6	7.7	27.4	13.0	42.6	28.2	0.0	0.0	0.0	
Major salivary gland (incl. parotid gland)	C07-C08	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	
Mouth	C03-C06	5.7	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.1	13.7	39.0	28.4	28.2	0.0	61.4	0.0	
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.8	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	11.5	6.8	8.7	7.1	14.1	65.1	0.0	0.0	
Nasopharynx	C11	1.1	0.9	0.0	0.0	0.0	0.0	0.0	2.0	2.6	0.0	0.0	4.6	0.0	0.0	8.7	0.0	0.0	0.0	0.0	0.0	
Oesophagus	C15	3.5	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	10.3	26.0	21.3	14.1	0.0	61.4	0.0	
Stomach	C16	15.3	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	13.2	13.9	19.2	37.7	60.6	141.8	98.6	65.1	184.3	0.0	
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Colon	C18	7.9	7.7	0.0	0.0	0.0	0.0	2.0	0.0	2.6	0.0	0.0	4.6	0.0	34.2	30.3	49.6	56.3	130.2	61.4	0.0	
Rectosigmoid & rectum	C19-C20	7.9	7.9	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.3	0.0	0.0	19.2	24.0	43.3	28.4	70.4	32.6	122.9	0.0	
Anus	C21	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	6.8	0.0	7.1	0.0	0.0	0.0	0.0	
Liver & intrahepatic bile ducts	C22	8.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	4.4	4.6	15.4	24.0	21.6	63.8	84.5	162.8	61.4	0.0	
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	4.4	0.0	3.8	6.8	0.0	7.1	0.0	0.0	0.0	0.0	
Pancreas	C25	3.7	3.3	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	15.4	13.7	8.7	21.3	42.3	0.0	0.0	0.0	
Retropertoneum & peritoneum	C48	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	32.6	0.0	
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	4.3	0.0	0.0	0.0	0.0	0.0	
Larynx	C32	8.5	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	4.6	7.7	30.8	43.3	21.3	84.5	162.8	122.9	0.0	
Lung (incl. trachea & bronchus)	C33-C34	20.1	21.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	13.2	18.5	23.1	47.9	95.2	141.8	126.8	293.0	245.7	0.0	
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Thymus, heart & mediastinum	C37-C38.3	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Bone	C40-C41	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Melanoma of skin	C43	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	
Non-melanoma skin	C44	2.0	1.9	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.3	0.0	4.6	3.8	3.4	4.3	7.1	28.2	0.0	0.0	0.0	
Breast	C50	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	
Prostate	C61	8.9	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	3.8	17.1	26.0	78.0	112.7	260.4	61.4	0.0	
Testis	C62	1.1	1.1	2.6	0.0	0.0	0.0	2.0	2.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	
Penis & other male genital organs	C60, C63	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	14.1	32.6	0.0	0.0	
Urinary bladder	C67	4.6	5.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	4.4	0.0	7.7	17.1	4.3	35.5	42.3	32.6	122.9	0.0	
Kidney & other urinary organs	C64-C66 & C68	2.4	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0	6.8	8.7	7.1	28.2	65.1	0.0	0.0	
Eye	C69	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	
Brain & CNS	C70-C72	2.2	2.1	0.0	0.0	0.0	0.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	3.4	17.3	7.1	14.1	32.6	0.0	0.0	
Thyroid	C73	1.5	1.4	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	4.6	0.0	3.4	8.7	7.1	14.1	0.0	0.0	0.0	
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	9.8	10.7	7.8	3.4	3.0	2.4	6.0	4.1	2.6	3.3	8.8	4.6	7.7	20.5	8.7	63.8	70.4	97.7	122.9	0.0	
Myeloid neoplasms	C92-C93	3.1	2.8	2.6	0.0	0.0	2.4	6.0	2.0	2.6	0.0	0.0	0.0	3.8	6.8	4.3	7.1	14.1	32.6	0.0	0.0	
Others & unspecified	OTH	4.1	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	20.5	17.3	21.3	56.3	0.0	61.4	0.0	
All sites	ALL	135.7	139.0	13.1	3.4	3.0	4.8	22.2	16.4	18.1	30.1	61.4	111.1	188.5	393.8	510.8	829.8	1042.3	1497.4	1289.9	0.0	0.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 1988-1992

Site	ICD 10	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	3.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.9	23.5	3.6	14.7	0.0	0.0	36.4
Major salivary gland (incl. parotid gland)	C07-C08	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	8.8	0.0	0.0
Mouth	C03-C06	4.2	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	11.7	18.1	34.2	44.2	0.0	36.4	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	3.1	2.8	0.0	0.0	2.8	0.0	0.0	1.9	0.0	3.0	0.0	13.7	3.9	0.0	24.5	26.5	19.5	0.0	0.0
Nasopharynx	C11	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	6.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	9.1	15.7	21.7	48.9	26.5	38.9	109.1	109.1
Stomach	C16	11.0	10.1	0.0	0.0	0.0	0.0	3.7	0.0	0.0	6.1	4.1	18.3	31.3	54.3	29.3	97.2	97.3	109.1	109.1
Small intestines	C17	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	8.8	0.0	0.0	0.0
Colon	C18	7.9	8.2	0.0	0.0	0.0	0.0	1.9	3.8	2.4	6.1	8.1	13.7	11.7	21.7	29.3	61.8	58.4	181.8	181.8
Rectosigmoid & rectum	C19-C20	6.0	5.5	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6.1	4.1	18.3	15.7	29.0	19.6	26.5	38.9	72.7	72.7
Anus	C21	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	7.5	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	4.6	19.6	25.3	58.7	79.5	77.9	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	19.6	8.8	0.0	0.0	0.0
Pancreas	C25	1.7	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	9.1	0.0	7.2	4.9	17.7	19.5	0.0	0.0
Retropertoneum & peritoneum	C48	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.8	0.9	0.0	0.0	0.0	2.8	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	4.9	0.0	19.5	0.0	0.0
Larynx	C32	5.6	4.9	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.0	8.1	0.0	7.8	14.5	48.9	61.8	19.5	36.4	36.4
Lung (incl. trachea & bronchus)	C33-C34	16.0	14.4	0.0	0.0	0.0	0.0	0.0	1.9	2.4	6.1	16.3	27.4	31.3	57.9	122.3	70.7	175.2	109.1	109.1
Pleura	C38.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	1.5	1.6	0.0	0.0	3.0	2.8	1.9	0.0	0.0	0.0	0.0	4.6	0.0	3.6	4.9	0.0	0.0	36.4	36.4
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.8	0.8	2.2	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	4.6	3.9	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	3.3	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4.1	13.7	0.0	7.2	9.8	17.7	58.4	109.1	109.1
Breast	C50	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	8.8	0.0	0.0	0.0
Prostate	C61	8.3	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	25.3	44.0	70.7	175.2	181.8	181.8
Testis	C62	2.5	2.1	0.0	0.0	0.0	9.0	3.7	0.0	9.4	3.0	4.1	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	1.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	19.6	0.0	19.5	0.0	0.0
Urinary bladder	C67	4.4	4.5	0.0	0.0	0.0	2.2	0.0	1.9	4.7	3.0	4.1	4.6	7.8	7.2	24.5	26.5	19.5	109.1	109.1
Kidney & other urinary organs	C64 - C66 & C68	3.3	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.2	4.6	7.8	14.5	9.8	17.7	58.4	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.7	1.8	0.0	7.7	0.0	0.0	0.0	0.0	0.0	3.0	4.1	4.6	3.9	3.6	4.9	0.0	0.0	0.0	0.0
Thyroid	C73	1.2	1.1	0.0	0.0	0.0	2.2	0.0	0.0	2.4	0.0	0.0	4.6	3.9	3.6	0.0	8.8	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	9.4	9.0	2.2	0.0	6.1	11.0	2.2	3.7	1.9	16.5	9.1	22.9	31.3	14.5	39.1	0.0	0.0	36.4	36.4
Myeloid neoplasms	C92-C93	1.9	1.6	0.0	0.0	0.0	0.0	0.0	1.9	0.0	3.0	0.0	4.6	0.0	14.5	4.9	0.0	38.9	0.0	0.0
Others & unspecified	OTH	4.6	3.9	0.0	0.0	0.0	0.0	0.0	3.8	2.4	0.0	4.1	0.0	15.7	10.9	29.3	35.3	38.9	36.4	36.4
All sites	ALL	120.2	112.3	4.4	7.7	9.1	19.3	20.2	14.8	16.9	44.7	63.6	89.6	219.5	270.0	380.1	660.3	724.4	973.3	1199.6

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	2.9	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.2	2.9	4.1	4.7	16.7	7.9	24.0	26.7	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	62.5	0.0
Mouth	C03-C06	4.1	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.2	2.9	8.2	14.2	8.3	11.8	24.0	53.3	62.5	66.7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.6	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	8.2	9.5	8.3	7.9	29.9	13.3	0.0	0.0
Nasopharynx	C11	1.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	2.2	0.0	8.2	0.0	8.3	3.9	0.0	0.0	31.3	0.0
Oesophagus	C15	3.4	3.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	8.2	0.0	20.8	15.7	18.0	26.7	62.5	66.7
Stomach	C16	9.7	8.5	0.0	0.0	0.0	0.0	0.0	2.0	3.3	0.0	4.4	8.7	20.5	19.0	29.2	31.5	53.9	120.0	187.5	66.7
Small intestines	C17	1.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.7	0.0	7.9	0.0	0.0	0.0	133.3
Colon	C18	6.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	8.8	2.9	16.4	19.0	16.7	23.6	35.9	53.3	0.0	66.7
Rectosigmoid & rectum	C19-C20	5.6	4.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.5	8.8	2.9	4.1	4.7	16.7	23.6	29.9	66.7	93.8	0.0
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.2	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	8.4	7.6	1.9	0.0	0.0	0.0	0.0	2.0	0.0	1.7	2.2	8.7	8.2	14.2	25.0	31.5	47.9	120.0	125.0	133.3
Gallbladder & extrahepatic bile ducts	C23-C24	1.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.9	0.0	0.0	4.2	11.8	18.0	0.0	0.0	0.0
Pancreas	C25	2.7	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	12.3	4.7	12.5	11.8	18.0	26.7	0.0	0.0
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	12.0	13.3	0.0	0.0
Larynx	C32	6.3	5.7	0.0	0.0	0.0	0.0	2.7	0.0	0.0	4.4	5.8	8.2	14.2	14.2	20.8	19.7	65.9	53.3	31.3	66.7
Lung (incl. trachea & bronchus)	C33-C34	12.6	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	8.8	8.7	28.7	14.2	41.7	70.9	83.8	133.3	62.5	66.7
Pleura	C38.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.5	0.0	0.0	2.4	0.0	0.0	0.0	0.0	1.7	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1.2	1.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	1.7	6.6	2.9	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	3.9	3.3	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.2	2.9	8.2	0.0	16.7	11.8	29.9	40.0	93.8	0.0
Breast	C50	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	0.0	0.0
Prostate	C61	11.8	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.2	41.7	63.0	95.8	200.0	218.8	133.3
Testis	C62	1.0	1.2	0.0	0.0	0.0	5.8	2.7	2.0	1.7	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	8.3	3.9	6.0	0.0	0.0	0.0
Urinary bladder	C67	5.6	5.2	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	8.8	8.7	0.0	9.5	25.0	31.5	24.0	0.0	93.8	133.3
Kidney & other urinary organs	C64-C66 & C68	2.7	2.6	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	2.9	20.5	4.7	0.0	7.9	18.0	0.0	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.4	2.7	1.9	6.2	0.0	2.9	0.0	0.0	1.7	0.0	0.0	2.9	8.2	9.5	0.0	3.9	0.0	0.0	31.3	66.7
Thyroid	C73	1.5	1.4	0.0	0.0	0.0	0.0	2.7	0.0	3.3	0.0	4.4	2.9	8.2	0.0	0.0	0.0	0.0	13.3	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.3	0.3	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	9.6	9.1	1.9	6.2	7.2	11.6	8.0	6.0	8.3	5.2	11.1	8.7	12.3	14.2	12.5	27.6	12.0	53.3	31.3	0.0
Myeloid neoplasms	C92-C93	3.6	3.6	1.9	0.0	2.4	0.0	2.7	6.0	1.7	1.7	0.0	0.0	8.2	4.7	4.2	7.9	24.0	0.0	31.3	133.3
Others & unspecified	OTH	2.7	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.1	9.5	0.0	15.7	35.9	26.7	0.0	0.0
All sites	ALL	118.6	105.4	11.6	14.4	12.0	20.2	18.7	18.0	29.7	29.6	90.7	90.4	209.0	199.1	354.2	452.8	706.6	1053.3	1218.8	1133.3

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.8	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.7	4.3	10.3	4.6	0.0	16.0	0.0	41.7
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.6	0.0	0.0	0.0	0.0	2.7	2.1	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0
Mouth	C03-C06	3.1	2.7	0.0	0.0	0.0	0.0	0.0	2.1	0.0	1.4	1.6	4.3	11.7	21.6	0.0	4.6	4.5	32.0	23.8	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.7	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	8.8	8.6	15.4	18.4	8.9	16.0	0.0	0.0
Nasopharynx	C11	2.1	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.3	8.6	5.9	4.3	5.1	0.0	0.0	8.0	0.0	41.7
Oesophagus	C15	3.7	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	12.9	10.3	32.3	31.3	8.0	47.6	41.7
Stomach	C16	9.2	7.9	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.3	0.0	4.3	17.6	12.9	30.8	55.3	62.5	48.0	119.0	166.7
Small intestines	C17	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.9	0.0	5.1	0.0	0.0	0.0	0.0	0.0
Colon	C18	9.1	7.9	0.0	0.0	0.0	0.0	2.7	0.0	6.0	1.4	4.9	8.6	8.8	21.6	46.2	23.0	67.0	48.0	71.4	83.3
Rectosigmoid & rectum	C19-C20	8.3	8.3	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	4.9	10.8	20.5	34.5	35.9	36.9	35.7	16.0	47.6	208.3
Anus	C21	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.9	0.0	0.0	0.0	4.5	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	8.9	8.1	0.0	0.0	0.0	4.7	0.0	0.0	0.0	0.0	1.6	6.5	5.9	30.2	30.8	55.3	31.3	80.0	190.5	83.3
Gallbladder & extrahepatic bile ducts	C23-C24	2.5	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.3	0.0	5.9	12.9	10.3	13.8	13.4	0.0	23.8	0.0
Pancreas	C25	3.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	8.8	8.6	15.4	18.4	0.0	24.0	71.4	83.3
Retropertoneum & peritoneum	C48	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.9	0.0	5.1	4.6	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	41.7
Larynx	C32	2.8	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.5	0.0	0.0	10.3	23.0	13.4	24.0	23.8	41.7
Lung (incl. trachea & bronchus)	C33-C34	14.0	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	3.3	4.3	32.3	56.0	61.5	73.7	44.6	104.0	166.7	125.0
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.7	0.7	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	4.3	0.0	0.0	4.5	8.0	0.0	0.0
Connective & soft tissues (incl. peripheral nerves)	C47 & C49	1.8	2.0	3.7	0.0	0.0	4.7	2.7	4.2	0.0	0.0	3.3	4.3	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0
Melanoma of skin	C43	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.9	3.3	2.2	0.0	4.3	10.3	0.0	4.5	32.0	0.0	41.7
Breast	C50	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	4.5	0.0	0.0	0.0
Prostate	C61	12.8	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	17.2	71.8	64.5	62.5	152.0	238.1	333.3
Testis	C62	1.0	1.2	3.7	0.0	0.0	0.0	5.5	0.0	1.5	1.4	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	8.9	16.0	0.0	0.0
Urinary bladder	C67	5.2	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.3	6.5	11.7	17.2	10.3	36.9	17.9	32.0	71.4	0.0
Kidney & other urinary organs	C64-C66 & C68	2.2	2.1	1.8	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.6	2.2	2.9	0.0	10.3	18.4	4.5	16.0	23.8	0.0
Eye	C69	0.3	0.4	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.5	2.6	1.8	1.7	0.0	0.0	6.3	0.0	0.0	1.4	1.6	0.0	11.7	17.2	0.0	9.2	0.0	0.0	0.0	0.0
Thyroid	C73	1.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.3	4.9	2.2	2.9	0.0	10.3	4.6	4.5	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.8	8.9	9.2	5.2	9.7	4.7	5.5	4.2	1.5	2.9	4.9	6.5	5.9	17.2	25.6	13.8	40.2	32.0	47.6	83.3
Myeloid neoplasms	C92-C93	3.4	3.2	1.8	0.0	1.9	2.3	2.7	0.0	1.5	4.3	3.3	4.3	8.8	0.0	15.4	9.2	4.5	0.0	47.6	0.0
Others & unspecified	OTH	4.2	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.2	8.8	17.2	25.6	23.0	4.5	40.0	47.6	41.7
All sites	ALL	122.7	113.7	25.8	7.0	13.6	18.7	22.0	23.2	16.6	37.5	55.5	99.1	219.9	331.9	482.1	543.8	491.1	760.0	1261.9	1458.3

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	3.1	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.7	6.4	10.6	20.0	20.1	28.0	37.0	121.2
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.6	0.0	1.7	1.7	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.2	0.0	0.0	0.0	0.0	9.3	0.0	0.0
Mouth	C03-C06	2.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	12.8	16.0	6.7	26.8	9.3	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6.5	2.2	3.2	16.0	20.0	13.4	9.3	18.5	0.0
Nasopharynx	C11	1.1	1.1	0.0	0.0	3.5	0.0	0.0	0.0	0.0	1.3	0.0	0.0	6.7	3.2	5.3	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	2.1	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.2	3.2	10.6	0.0	20.1	18.7	55.6	0.0
Stomach	C16	9.4	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.7	9.8	13.5	22.4	16.0	93.3	73.8	112.1	74.1	121.2
Small intestines	C17	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.2	3.2	0.0	6.7	0.0	0.0	0.0	0.0
Colon	C18	7.7	8.1	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.3	5.5	1.6	6.7	16.0	47.9	40.0	73.8	56.1	92.6	151.5
Rectosigmoid & rectum	C19-C20	9.5	9.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	4.1	9.8	17.9	35.1	47.9	46.7	80.5	65.4	37.0	121.2
Anus	C21	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	9.2	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	9.0	41.5	37.2	80.0	40.3	158.9	129.6	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	9.6	10.6	0.0	26.8	18.7	18.5	60.6
Pancreas	C25	4.1	4.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	4.1	0.0	9.0	19.2	21.3	13.3	33.6	28.0	55.6	0.0
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.7	6.7	0.0	0.0	0.0
Larynx	C32	2.9	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	4.5	12.8	10.6	33.3	6.7	37.4	0.0	30.3
Lung (incl. trachea & bronchus)	C33-C34	16.7	17.6	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	6.9	9.8	29.1	47.9	85.1	113.3	134.2	140.2	185.2	212.1
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0
Bone	C40-C41	1.1	1.1	0.0	0.0	3.5	0.0	0.0	2.1	0.0	0.0	0.0	3.3	0.0	3.2	5.3	0.0	0.0	0.0	18.5	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.7	0.6	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.2	3.2	0.0	0.0	0.0	0.0	18.5	0.0
Melanoma of skin	C43	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0	0.0
Non-melanoma skin	C44	3.5	4.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	1.3	1.4	1.6	2.2	22.4	16.0	40.0	0.0	9.3	37.0	60.6
Breast	C50	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0
Prostate	C61	15.6	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.7	35.1	53.2	106.7	201.3	261.7	203.7	212.1
Testis	C62	1.1	1.0	0.0	0.0	0.0	2.0	2.3	2.1	2.7	0.0	1.4	1.6	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	3.2	0.0	0.0	0.0	9.3	0.0	0.0
Urinary bladder	C67	5.5	5.5	0.0	0.0	0.0	0.0	0.0	2.1	0.0	2.5	0.0	3.3	9.0	12.8	10.6	53.3	33.6	65.4	74.1	60.6
Kidney & other urinary organs	C64-C66 & C68	4.9	5.1	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	5.5	4.9	4.5	22.4	21.3	53.3	13.4	56.1	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.8	3.1	1.7	1.7	0.0	2.0	0.0	0.0	1.4	1.3	4.1	1.6	6.7	3.2	26.6	13.3	0.0	9.3	0.0	0.0
Thyroid	C73	1.5	1.8	0.0	0.0	0.0	2.0	0.0	0.0	1.4	1.3	0.0	1.6	2.2	3.2	5.3	26.7	0.0	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	11.5	12.2	13.7	6.7	5.2	4.0	6.8	10.5	2.7	3.8	2.7	14.7	20.2	28.8	26.6	40.0	47.0	56.1	37.0	30.3
Myeloid neoplasms	C92-C93	4.7	4.5	1.7	1.7	0.0	0.0	0.0	10.5	0.0	6.3	4.1	6.5	11.2	3.2	10.6	13.3	20.1	18.7	0.0	30.3
Others & unspecified	OTH	4.0	4.5	1.7	0.0	0.0	0.0	2.3	0.0	1.4	0.0	1.4	0.0	2.2	9.6	16.0	40.0	40.3	18.7	55.6	60.6
All sites	ALL	132.8	137.1	18.9	11.6	15.6	9.9	15.9	29.5	16.4	23.9	52.2	93.3	199.6	396.2	531.9	866.7	919.5	1224.3	1148.1	1272.7

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	2.1	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.3	1.4	5.0	4.7	13.7	6.1	16.6	0.0	29.0	20.4
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.4	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.4
Mouth	C03-C06	2.3	2.1	0.0	0.0	0.0	0.0	1.9	0.0	0.0	1.0	3.5	2.7	6.7	4.7	10.3	6.1	0.0	9.4	14.5	20.4
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	5.0	7.1	17.2	6.1	24.8	9.4	43.4	0.0
Nasopharynx	C11	1.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.3	2.7	5.0	7.1	0.0	6.1	0.0	0.0	0.0	0.0
Oesophagus	C15	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.0	14.2	10.3	18.4	8.3	18.8	14.5	40.7	0.0
Stomach	C16	8.8	8.5	0.0	0.0	0.0	0.0	1.9	0.0	0.0	1.0	5.8	4.1	13.4	33.1	27.5	36.7	82.8	84.6	130.3	81.4
Small intestines	C17	1.4	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.5	1.4	1.7	0.0	6.9	6.1	16.6	0.0	0.0	0.0
Colon	C18	11.6	11.7	0.0	0.0	0.0	0.0	0.0	1.6	2.2	3.1	2.3	12.2	21.8	28.3	54.9	73.5	91.0	75.2	115.8	122.1
Rectosigmoid & rectum	C19-C20	8.3	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	9.3	4.1	13.4	42.5	41.2	30.6	41.4	94.0	29.0	40.7
Anus	C21	1.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	5.0	2.4	3.4	12.2	24.8	0.0	14.5	0.0
Liver & intrahepatic bile ducts	C22	9.2	9.3	1.7	0.0	1.7	0.0	0.0	0.0	0.0	1.0	2.3	2.7	21.8	30.7	41.2	42.9	74.5	112.8	101.4	40.7
Gallbladder & extrahepatic bile ducts	C23-C24	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	4.7	0.0	0.0	8.3	9.4	14.5	40.7
Pancreas	C25	3.7	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	1.4	5.0	21.2	20.6	12.2	8.3	47.0	43.4	20.4
Retropertoneum & peritoneum	C48	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	4.1	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0
Larynx	C32	3.3	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.4	9.4	34.3	18.4	24.8	18.8	43.4	20.4
Lung (incl. trachea & bronchus)	C33-C34	17.0	17.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	5.8	10.9	15.1	47.2	61.8	91.8	231.7	197.3	246.2	162.8
Pleura	C38.4	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	18.8	14.5	0.0
Thymus, heart & mediastinum	C37-C38.3	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.0	0.0	1.4	1.7	2.4	0.0	6.1	8.3	9.4	0.0	0.0
Bone	C40-C41	0.9	0.9	1.7	0.0	0.0	3.6	0.0	0.0	0.0	1.0	2.3	1.4	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.0	2.1	1.7	0.0	1.7	0.0	0.0	0.0	0.0	2.0	1.2	1.4	5.0	0.0	3.4	12.2	24.8	18.8	0.0	20.4
Melanoma of skin	C43	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.3	1.4	1.7	4.7	10.3	12.2	24.8	47.0	0.0	0.0
Breast	C50	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	20.4
Prostate	C61	17.8	20.4	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	1.2	2.7	8.4	26.0	82.4	140.8	289.7	272.5	173.8	305.3
Testis	C62	1.5	1.5	0.0	0.0	0.0	0.0	11.4	1.6	2.2	1.0	0.0	2.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	1.4	0.0	0.0	3.4	6.1	0.0	0.0	0.0	0.0
Urinary bladder	C67	4.7	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	6.8	5.0	9.4	24.0	49.0	49.7	47.0	29.0	0.0
Kidney & other urinary organs	C64-C66 & C68	5.3	5.4	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.8	8.4	18.9	17.2	49.0	16.6	65.8	72.4	0.0
Eye	C69	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	3.0	3.2	5.2	4.5	3.3	0.0	0.0	0.0	1.1	3.1	1.2	5.4	5.0	4.7	3.4	12.2	8.3	9.4	0.0	0.0
Thyroid	C73	2.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	3.1	2.3	5.4	5.0	2.4	3.4	12.2	8.3	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.6	1.7	1.5	0.0	0.0	0.0	1.6	1.1	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	17.0	17.4	12.0	9.1	8.3	5.3	9.5	11.0	7.7	10.2	13.9	8.2	23.5	40.1	54.9	36.7	91.0	112.8	57.9	61.1
Myeloid neoplasms	C92-C93	5.3	5.2	1.7	0.0	0.0	0.0	1.9	0.0	1.1	2.0	4.6	6.8	3.4	11.8	20.6	12.2	57.9	37.6	57.9	61.1
Others & unspecified	OTH	1.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.7	0.0	0.0	6.9	6.1	8.3	28.2	29.0	40.7
All sites	ALL	144.8	147.0	27.5	15.1	15.0	12.4	26.7	15.7	27.7	39.8	77.6	107.5	206.6	380.1	576.8	728.6	1241.5	1343.6	1274.3	1139.8

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C7: Incidence rates by primary site and five-year age group for Indian males, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	2.2	1.9	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.1	0.0	0.0	4.3	3.6	15.1	3.8	22.0	21.1	13.9	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	3.6	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	2.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.4	7.1	5.0	22.7	7.3	31.7	27.8	14.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	3.1	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	1.2	4.3	8.9	12.6	15.1	7.3	21.1	41.7	28.3
Nasopharynx	C11	1.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.6	1.4	5.3	7.6	7.6	7.3	0.0	0.0	0.0
Oesophagus	C15	2.7	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.3	8.9	10.1	22.7	14.6	10.6	13.9	28.3
Stomach	C16	8.5	6.7	0.0	0.0	1.6	0.0	0.0	0.0	2.8	4.3	4.2	14.5	10.0	16.0	17.7	37.9	43.9	42.2	97.2	56.6
Small intestines	C17	2.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.1	1.2	5.7	7.1	5.0	11.4	0.0	10.6	13.9	14.1
Colon	C18	13.6	11.4	0.0	0.0	1.6	1.8	0.0	5.4	0.0	2.1	7.3	7.3	18.6	39.1	27.8	64.4	124.5	63.3	111.1	141.4
Rectosigmoid & rectum	C19-C20	10.8	9.1	0.0	0.0	0.0	0.0	0.0	3.6	0.0	2.1	2.1	12.1	20.0	23.1	40.4	49.2	73.2	63.3	111.1	28.3
Anus	C21	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	5.0	3.8	7.3	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	13.6	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.1	6.0	24.3	24.9	63.1	79.5	87.9	126.7	97.2	113.1
Gallbladder & extrahepatic bile ducts	C23-C24	2.3	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.8	15.1	7.6	22.0	31.7	13.9	56.6
Pancreas	C25	5.2	4.3	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.1	1.0	2.4	10.0	12.4	17.7	30.3	14.6	52.8	41.7	42.4
Retropertoneum & peritoneum	C48	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	1.0	0.9	2.3	0.0	0.0	0.0	0.0	0.0	1.4	1.1	2.1	0.0	0.0	3.6	0.0	3.8	0.0	0.0	13.9	0.0
Larynx	C32	3.5	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.3	7.1	7.6	37.9	29.3	21.1	69.4	0.0
Lung (incl. trachea & bronchus)	C33-C34	21.3	19.0	0.0	0.0	0.0	0.0	0.0	1.8	1.4	1.1	1.0	9.7	14.3	53.3	73.2	121.2	219.7	179.4	222.2	254.5
Pleura	C38.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.5	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.9	0.7	0.0	0.0	1.6	0.0	0.0	0.0	0.0	1.1	0.0	1.2	0.0	7.1	0.0	3.8	0.0	0.0	0.0	0.0
Bone	C40-C41	0.8	0.8	0.0	0.0	1.6	0.0	5.4	0.0	0.0	1.1	1.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.9	2.9	2.3	0.0	1.6	3.5	0.0	1.8	1.4	1.1	1.0	1.2	5.7	3.6	7.6	15.1	14.6	10.6	13.9	0.0
Melanoma of skin	C43	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	7.6	7.3	0.0	0.0	0.0
Non-melanoma skin	C44	3.1	2.5	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	2.1	1.2	2.9	7.1	2.5	11.4	29.3	21.1	41.7	70.7
Breast	C50	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	1.8	2.5	0.0	0.0	10.6	0.0	0.0
Prostate	C61	22.1	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.8	14.3	32.0	73.2	155.2	256.3	242.8	361.1	183.8
Testis	C62	2.7	2.9	0.0	0.0	0.0	5.3	10.8	9.0	7.1	1.1	2.1	1.2	1.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0
Penis & other male genital organs	C60, C63	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.8	2.5	3.8	7.3	0.0	13.9	0.0
Urinary bladder	C67	4.3	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	4.8	4.3	5.3	15.1	15.1	29.3	52.8	27.8	84.8
Kidney & other urinary organs	C64-C66 & C68	8.0	6.3	0.0	1.5	0.0	0.0	0.0	0.0	1.4	1.1	9.4	12.1	10.0	21.3	15.1	45.4	29.3	42.2	27.8	56.6
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	4.1	3.7	4.6	1.5	0.0	1.8	3.6	1.8	1.4	1.1	5.2	4.8	7.1	10.7	7.6	3.8	14.6	0.0	13.9	14.1
Thyroid	C73	3.1	2.5	0.0	0.0	0.0	3.5	0.0	0.0	4.2	2.1	3.1	2.4	2.9	8.9	5.0	18.9	7.3	0.0	13.9	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	17.3	16.1	16.1	7.7	7.9	1.8	5.4	1.8	11.3	2.1	11.5	20.6	24.3	24.9	45.4	49.2	80.5	73.9	180.6	70.7
Myeloid neoplasms	C92-C93	6.6	5.2	0.0	0.0	1.6	0.0	0.0	3.6	2.8	5.4	6.3	3.6	10.0	8.9	15.1	11.4	29.3	63.3	138.9	0.0
Others & unspecified	OTH	3.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.6	4.3	7.1	10.1	11.4	0.0	31.7	55.6	28.3
All sites	ALL	175.9	152.0	25.3	10.8	19.0	19.3	25.2	28.9	39.5	34.3	70.0	129.5	215.6	375.1	527.4	870.8	1186.2	1224.4	1777.8	1286.6

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 1968-1972

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	23.5	0.0	0.0	123.6	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	4.3	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	7.7	22.0	35.2	23.5	177.5	0.0	0.0	0.0	483.1
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.7	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	123.6	226.2	0.0
Nasopharynx	C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	2.1	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.3	11.0	35.2	0.0	0.0	0.0	123.6	0.0	0.0	0.0
Stomach	C16	5.7	19.5	0.0	0.0	0.0	0.0	12.8	15.3	11.0	70.4	23.5	44.4	203.7	123.6	226.2	0.0	0.0	0.0	0.0
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	3.6	14.8	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	7.7	33.0	0.0	23.5	88.7	67.9	0.0	0.0	483.1
Rectosigmoid & rectum	C19-C20	2.5	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.3	22.0	0.0	70.5	0.0	0.0	0.0	0.0	0.0
Anus	C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	2.1	6.3	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	11.0	35.2	0.0	135.8	0.0	0.0	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5	0.0	0.0	0.0	0.0	0.0
Pancreas	C25	0.7	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	0.0	123.6	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	1.8	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	23.5	88.7	0.0	123.6	0.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.7	0.5	2.6	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	0.7	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	123.6	226.2	0.0	0.0
Breast	C50	8.9	25.6	0.0	0.0	0.0	0.0	0.0	5.8	15.1	19.2	38.3	33.0	35.2	70.5	44.4	67.9	247.2	0.0	483.1
Cervix uteri	C53	9.3	26.8	0.0	0.0	0.0	0.0	0.0	0.0	5.0	6.4	23.0	66.0	70.4	94.0	133.1	135.8	0.0	452.5	0.0
Placenta	C58	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	1.8	3.2	0.0	0.0	0.0	0.0	0.0	0.0	5.0	12.8	0.0	0.0	17.6	23.5	0.0	0.0	0.0	0.0	0.0
Ovary & fallopian tube	C56-C57.0	2.1	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.3	11.0	0.0	47.0	0.0	67.9	0.0	0.0	0.0
Vulva & vagina	C51-C52	1.1	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.0	44.4	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.4	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	123.6	0.0	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.4	0.3	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	3.2	11.0	0.0	0.0	0.0	0.0	3.8	5.8	5.0	0.0	7.7	11.0	17.6	0.0	44.4	67.9	0.0	0.0	483.1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	2.1	4.1	2.6	4.3	0.0	2.9	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	123.6	0.0	0.0
Myeloid neoplasms	C92-C93	1.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	17.6	23.5	0.0	0.0	0.0	0.0	0.0
Others & unspecified	OTH	1.4	2.2	0.0	0.0	2.3	0.0	3.8	0.0	0.0	0.0	0.0	11.0	0.0	23.5	0.0	0.0	0.0	0.0	0.0
All sites	ALL	60.1	181.9	5.2	4.3	6.8	2.9	15.1	11.7	40.4	76.7	161.0	253.0	369.7	540.4	665.5	746.8	1359.7	1131.2	1932.4

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 1973-1977

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+			
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Tongue	C01-C02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Major salivary gland (incl. parotid gland)	C07-C08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Mouth	C03-C06	2.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	6.4	0.0	0.0	34.6	61.0	0.0	89.0	0.0	311.5	0.0	0.0	
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.4	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	12.2	0.0	61.0	0.0	0.0	0.0	0.0	0.0	0.0	
Nasopharynx	C11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	3.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	4.4	6.2	6.4	8.6	12.2	0.0	91.5	47.0	0.0	0.0	0.0	0.0	0.0	0.0
Stomach	C16	4.1	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	12.8	25.9	12.2	17.3	91.5	0.0	0.0	166.9	0.0	0.0	0.0	0.0
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	1.4	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	17.3	30.5	0.0	89.0	0.0	0.0	0.0	0.0	0.0
Rectosigmoid & rectum	C19-C20	2.8	5.0	0.0	0.0	0.0	0.0	3.0	0.0	4.4	6.2	0.0	0.0	24.4	17.3	30.5	47.0	0.0	0.0	0.0	0.0	0.0	0.0
Anus	C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	3.1	5.1	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	43.1	12.2	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	0.7	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.0	0.0	166.9	0.0	0.0	0.0	0.0
Pancreas	C25	1.7	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	24.4	17.3	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	3.1	7.5	0.0	0.0	0.0	0.0	0.0	4.2	0.0	6.2	6.4	25.9	12.2	0.0	0.0	0.0	89.0	0.0	311.5	0.0	0.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	1.0	0.7	0.0	0.0	0.0	5.1	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.4	1.4	6.7	0.0	0.0	0.0	3.0	0.0	0.0	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.1	4.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	6.2	6.4	8.6	0.0	17.3	0.0	0.0	0.0	0.0	166.9	0.0	0.0	0.0
Breast	C50	14.1	26.5	0.0	0.0	0.0	0.0	3.0	0.0	8.8	30.8	32.0	94.8	48.8	86.5	122.0	94.0	89.0	166.9	0.0	0.0	0.0	0.0
Cervix uteri	C53	12.7	26.8	0.0	0.0	0.0	0.0	0.0	0.0	4.4	18.5	19.2	69.0	97.5	121.1	122.0	47.0	178.1	0.0	0.0	0.0	0.0	0.0
Placenta	C58	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	3.8	6.7	0.0	0.0	0.0	0.0	0.0	4.2	0.0	12.3	0.0	0.0	36.6	69.2	0.0	47.0	0.0	0.0	0.0	0.0	0.0	0.0
Ovary & fallopian tube	C56-C57.0	4.1	7.9	0.0	2.7	0.0	0.0	0.0	4.2	0.0	6.2	6.4	0.0	24.4	69.2	61.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vulva & vagina	C51-C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	0.3	0.4	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	3.4	4.8	0.0	0.0	0.0	2.6	6.0	4.2	0.0	12.3	0.0	25.9	0.0	0.0	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	2.8	4.5	6.7	2.7	2.5	0.0	0.0	0.0	0.0	0.0	0.0	8.6	12.2	17.3	0.0	0.0	0.0	166.9	0.0	0.0	0.0	0.0
Myeloid neoplasms	C92-C93	1.4	2.3	0.0	0.0	0.0	2.6	0.0	0.0	4.4	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Others & unspecified	OTH	3.1	6.3	0.0	0.0	0.0	0.0	0.0	4.2	0.0	12.3	12.8	0.0	0.0	34.6	0.0	47.0	0.0	166.9	0.0	0.0	0.0	0.0
All sites	ALL	76.4	153.2	13.3	5.5	2.5	10.3	18.1	29.5	44.0	135.6	121.6	336.3	341.4	570.9	731.9	422.9	534.3	1001.7	623.1	0.0	0.0	0.0

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 1978-1982

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.9	3.2	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	17.1	12.6	40.8	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	20.4	0.0	0.0	0.0	0.0
Mouth	C03-C06	4.1	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	26.7	8.5	25.1	40.8	0.0	127.9	0.0	199.2
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	2.2	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	0.0	17.1	12.6	20.4	66.7	0.0	0.0	0.0
Nasopharynx	C11	0.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0	33.4	0.0	0.0	0.0
Oesophagus	C15	1.9	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	6.7	8.5	12.6	0.0	33.4	0.0	115.3	0.0
Stomach	C16	6.6	15.9	0.0	0.0	0.0	0.0	0.0	3.0	0.0	5.8	16.1	6.7	0.0	25.1	81.7	166.8	63.9	346.0	0.0
Small intestines	C17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	6.6	17.4	0.0	0.0	0.0	2.3	4.8	0.0	3.7	0.0	5.4	6.7	0.0	62.9	81.7	66.7	63.9	0.0	597.6
Rectosigmoid & rectum	C19-C20	4.7	10.5	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	10.8	13.3	17.1	37.7	20.4	66.7	63.9	0.0	199.2
Anus	C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	1.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	25.1	20.4	0.0	0.0	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	6.7	0.0	0.0	0.0	33.4	63.9	0.0	0.0
Pancreas	C25	1.3	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.1	12.6	20.4	0.0	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	115.3	0.0
Lung (incl. trachea & bronchus)	C33-C34	2.5	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	8.5	25.1	40.8	0.0	127.9	0.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	1.3	1.9	0.0	0.0	0.0	2.3	2.4	0.0	0.0	0.0	5.4	0.0	0.0	0.0	0.0	33.4	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.9	0.9	3.8	0.0	0.0	2.3	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.5	4.8	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	5.4	13.3	8.5	0.0	20.4	66.7	0.0	0.0	0.0
Breast	C50	16.6	29.8	0.0	0.0	0.0	2.3	0.0	5.9	7.3	17.3	32.3	80.0	51.2	100.6	142.9	133.5	0.0	0.0	398.4
Cervix uteri	C53	16.9	28.6	0.0	0.0	0.0	0.0	0.0	3.0	3.7	23.0	32.3	66.7	85.3	125.7	102.1	133.5	63.9	230.7	0.0
Placenta	C58	0.3	0.2	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	1.9	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	8.5	25.1	0.0	66.7	0.0	0.0	0.0
Ovary & fallopian tube	C56-C57.0	3.8	4.5	0.0	0.0	2.8	0.0	0.0	3.0	3.7	5.8	16.1	0.0	34.1	12.6	0.0	0.0	0.0	0.0	0.0
Vulva & vagina	C51-C52	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	12.6	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	0.0	0.0	0.0	63.9	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	0.0	0.0	0.0	0.0	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.6	1.9	0.0	0.0	0.0	4.6	0.0	0.0	0.0	11.5	0.0	0.0	0.0	0.0	0.0	33.4	0.0	0.0	0.0
Thyroid	C73	1.6	1.1	0.0	0.0	2.8	2.3	2.4	3.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	2.5	3.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	16.1	13.3	0.0	25.1	0.0	0.0	0.0	0.0	0.0
Myeloid neoplasms	C92-C93	1.9	3.5	0.0	0.0	2.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1	0.0	66.7	0.0	0.0
Others & unspecified	OTH	3.4	6.7	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	25.6	12.6	81.7	0.0	63.9	0.0	0.0
All sites	ALL	93.3	175.7	3.8	0.0	8.3	18.2	11.9	29.7	33.1	97.9	156.1	260.1	332.7	590.8	735.1	1001.0	703.3	807.4	1394.4

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 1983-1987

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.6	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.7	0.0	13.2	22.2	37.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	2.7	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	8.7	39.5	44.4	111.1	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0
Nasopharynx	C11	0.3	0.2	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	2.1	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	5.3	13.2	17.4	13.2	0.0	37.0	0.0	0.0
Stomach	C16	4.5	9.1	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	15.9	0.0	26.1	52.6	88.9	37.0	0.0	130.5
Small intestines	C17	1.1	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	0.0	8.7	13.2	0.0	37.0	0.0	0.0
Colon	C18	4.5	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	5.3	0.0	17.4	52.6	44.4	0.0	162.1	261.1
Rectosigmoid & rectum	C19-C20	2.7	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	10.6	6.6	0.0	13.2	44.4	37.0	81.0	130.5
Anus	C21	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	1.6	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	0.0	17.4	0.0	0.0	0.0	81.0	261.1
Gallbladder & extrahepatic bile ducts	C23-C24	0.8	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	13.2	0.0	37.0	0.0	0.0
Pancreas	C25	0.8	1.3	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	22.2	0.0	0.0	0.0
Retropertoneum & peritoneum	C48	0.3	0.2	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	130.5
Lung (incl. trachea & bronchus)	C33-C34	2.7	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	5.3	0.0	8.7	39.5	0.0	111.1	81.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.8	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.1	0.9	2.8	0.0	0.0	2.6	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	1.3	2.5	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	5.3	6.6	0.0	0.0	22.2	37.0	0.0	0.0
Breast	C50	23.4	32.4	0.0	0.0	0.0	0.0	2.1	4.3	13.3	45.5	31.4	68.8	98.7	95.7	144.7	133.3	148.1	0.0	130.5
Cervix uteri	C53	9.6	12.2	0.0	0.0	0.0	0.0	0.0	4.3	2.7	17.5	26.2	58.2	26.3	34.8	13.2	22.2	74.1	0.0	0.0
Placenta	C58	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	2.4	3.1	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.5	5.2	0.0	6.6	17.4	39.5	0.0	0.0	0.0	0.0
Ovary & fallopian tube	C56-C57.0	7.7	9.4	2.8	0.0	0.0	0.0	2.1	4.3	0.0	28.0	10.5	26.5	19.7	26.1	26.3	0.0	0.0	162.1	0.0
Vulva & vagina	C51-C52	1.1	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	44.4	0.0	81.0	0.0
Urinary bladder	C67	0.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	6.6	0.0	0.0	22.2	0.0	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	0.8	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	74.1	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.9	2.0	0.0	3.6	3.2	0.0	2.1	2.1	2.7	0.0	0.0	0.0	0.0	8.7	0.0	22.2	0.0	0.0	0.0
Thyroid	C73	4.5	6.3	0.0	0.0	0.0	2.6	0.0	4.3	5.3	17.5	10.5	5.3	0.0	8.7	13.2	0.0	0.0	0.0	261.1
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	5.3	7.5	8.4	7.1	6.3	0.0	2.1	2.1	5.3	3.5	5.2	0.0	6.6	17.4	13.2	0.0	37.0	162.1	0.0
Myeloid neoplasms	C92-C93	1.3	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1	26.3	0.0	0.0	0.0	0.0
Others & unspecified	OTH	2.4	4.1	0.0	0.0	0.0	2.6	0.0	2.1	0.0	0.0	5.2	0.0	6.6	0.0	39.5	0.0	37.0	81.0	0.0
All sites	ALL	91.6	144.9	14.0	10.7	9.5	10.3	18.7	25.7	34.7	136.4	115.2	227.5	250.0	339.1	618.4	533.3	851.9	891.4	1305.5

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 1988-1992

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	
Lip	C00	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.2	25.9	0.0	0.0	
Tongue	C01-C02	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	78.4
Mouth	C03-C06	2.9	4.4	0.0	0.0	0.0	0.0	2.3	1.9	0.0	0.0	0.0	5.0	10.4	0.0	26.9	57.0	0.0	53.4	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.1	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.8	9.0	0.0	0.0	53.4	0.0	0.0
Nasopharynx	C11	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.9	0.0	0.0
Oesophagus	C15	2.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.2	26.4	26.9	28.5	25.9	0.0	0.0	0.0	0.0
Stomach	C16	5.2	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	6.4	10.0	10.4	33.0	9.0	57.0	25.9	106.7	78.4	0.0
Small intestines	C17	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	4.1	5.5	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.4	3.2	15.0	15.7	13.2	26.9	28.5	51.7	0.0	0.0	0.0
Rectosigmoid & rectum	C19-C20	3.4	6.1	0.0	0.0	0.0	0.0	0.0	1.9	0.0	2.4	0.0	5.0	0.0	6.6	9.0	57.0	155.1	0.0	0.0	0.0
Anus	C21	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.9	53.4	0.0	0.0
Liver & intrahepatic bile ducts	C22	1.4	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	9.0	14.2	0.0	106.7	78.4	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.0	10.4	0.0	9.0	0.0	0.0	0.0	0.0	0.0
Pancreas	C25	0.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	9.0	14.2	0.0	53.4	0.0	0.0
Retropertoneum & peritoneum	C48	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.5	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	14.2	0.0	53.4	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	2.7	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	10.0	5.2	13.2	9.0	14.2	77.6	0.0	0.0	0.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.7	0.5	0.0	2.8	0.0	0.0	0.0	1.9	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.7	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	5.0	0.0	6.6	44.8	14.2	51.7	53.4	0.0	0.0
Breast	C50	26.7	34.5	0.0	0.0	0.0	0.0	0.0	3.8	8.0	29.4	66.7	65.0	78.3	105.7	116.5	142.4	206.8	106.7	156.7	0.0
Cervix uteri	C53	7.2	8.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	9.8	22.2	20.0	31.3	26.4	9.0	14.2	51.7	106.7	0.0	0.0
Placenta	C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	4.5	7.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.9	3.2	5.0	10.4	26.4	44.8	0.0	77.6	0.0	78.4	0.0
Ovary & fallopian tube	C56-C57.0	6.3	7.6	0.0	0.0	0.0	0.0	2.3	3.8	4.0	2.4	6.4	10.0	31.3	39.6	17.9	28.5	51.7	0.0	0.0	0.0
Vulva & vagina	C51-C52	0.5	0.5	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	9.0	0.0	0.0	53.4	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	2.0	3.2	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.2	5.0	0.0	6.6	17.9	14.2	25.9	53.4	0.0	0.0
Eye	C69	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53.4	0.0	0.0
Brain & CNS	C70-C72	1.6	2.5	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	10.4	0.0	9.0	14.2	25.9	0.0	0.0	0.0
Thyroid	C73	3.8	3.6	0.0	0.0	3.2	0.0	0.0	1.9	2.0	7.3	15.9	5.0	10.4	13.2	9.0	0.0	0.0	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.5	7.5	2.3	2.8	0.0	0.0	0.0	1.9	0.0	4.9	3.2	5.0	5.2	19.8	17.9	28.5	77.6	0.0	156.7	0.0
Myeloid neoplasms	C92-C93	2.7	3.4	2.3	2.8	0.0	2.9	2.3	0.0	0.0	0.0	3.2	5.0	10.4	6.6	17.9	14.2	0.0	0.0	0.0	0.0
Others & unspecified	OTH	2.3	3.4	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.4	0.0	5.0	0.0	13.2	9.0	28.5	25.9	0.0	78.4	0.0
All sites	ALL	96.5	134.9	7.0	8.3	3.2	5.8	9.3	18.8	29.9	80.8	146.1	189.9	260.9	396.4	492.9	598.1	1008.3	907.2	705.3	0.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 1993-1997

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	0.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	3.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasopharynx	C11	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	1.3	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Stomach	C16	4.8	7.3	0.0	0.0	0.0	0.0	0.0	2.0	1.7	3.7	2.3	9.1	9.7	5.2	6.7	47.6	65.6	33.3	71.4	333.3
Small intestines	C17	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Colon	C18	6.7	9.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.7	0.0	18.1	0.0	31.3	20.1	66.7	98.4	0.0	285.7	0.0
Rectosigmoid & rectum	C19-C20	4.4	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	9.1	9.7	10.4	33.6	38.1	32.8	66.7	71.4	0.0
Anus	C21	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	1.3	1.7	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.3	0.0	0.0	5.2	6.7	9.5	16.4	33.3	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	2.1	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.0	4.9	0.0	20.1	38.1	0.0	33.3	0.0	0.0
Pancreas	C25	1.9	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	20.1	9.5	32.8	0.0	71.4	166.7
Retropertoneum & peritoneum	C48	0.8	1.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	9.5	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.4	0.3	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	3.3	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3.0	4.9	15.6	13.4	9.5	32.8	100.0	71.4	333.3
Pleura	C38.4	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.4	0.4	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.3	0.0	4.9	0.0	6.7	9.5	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	3.3	5.1	0.0	0.0	0.0	3.1	0.0	0.0	0.0	1.9	4.6	6.0	4.9	10.4	13.4	9.5	16.4	66.7	71.4	166.7
Breast	C50	35.8	39.6	0.0	0.0	0.0	0.0	2.6	0.0	18.7	26.1	66.7	90.6	77.7	130.2	167.8	133.3	213.1	200.0	214.3	0.0
Cervix uteri	C53	7.3	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.2	6.9	6.0	9.7	52.1	33.6	38.1	65.6	33.3	71.4	0.0
Placenta	C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	6.7	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5.1	9.3	2.3	9.1	19.4	31.3	20.1	47.6	49.2	66.7	0.0	0.0
Ovary & fallopian tube	C56-C57.0	9.8	10.7	2.0	0.0	0.0	0.0	2.6	5.9	8.5	9.3	0.0	30.2	48.5	20.8	33.6	38.1	49.2	0.0	0.0	0.0
Vulva & vagina	C51-C52	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kidney & other urinary organs	C64-C66 & C68	1.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	20.1	19.0	16.4	33.3	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	1.1	1.4	2.0	2.2	0.0	0.0	2.6	2.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	9.5	0.0	0.0	0.0	0.0
Thyroid	C73	4.2	3.5	0.0	0.0	0.0	0.0	2.6	9.9	1.7	9.3	9.2	9.1	9.7	0.0	0.0	9.5	0.0	0.0	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	4.6	5.3	4.0	0.0	0.0	0.0	0.0	2.0	3.4	3.7	6.9	3.0	4.9	15.6	26.8	19.0	32.8	33.3	0.0	0.0
Myeloid neoplasms	C92-C93	2.5	3.7	0.0	0.0	0.0	0.0	2.6	0.0	0.0	1.9	6.9	3.0	4.9	5.2	6.7	0.0	0.0	66.7	71.4	166.7
Others & unspecified	OTH	2.1	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.0	0.0	5.2	13.4	19.0	49.2	0.0	0.0	0.0
All sites	ALL	115.7	143.5	8.0	2.2	5.2	3.1	12.9	27.7	44.1	87.7	124.1	211.5	267.0	395.8	503.4	647.6	918.0	900.0	1000.0	1500.0

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 1998-2002

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.5	1.4	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.6	1.8	2.2	3.0	14.7	5.3	0.0	0.0	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	2.1	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.8	0.0	0.0	4.9	15.9	28.0	10.3	0.0	50.0	100.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	21.0	10.3	0.0	0.0	0.0
Nasopharynx	C11	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	1.8	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	4.9	10.6	7.0	0.0	83.3	50.0	100.0
Stomach	C16	5.5	6.1	0.0	0.0	0.0	0.0	0.0	0.0	3.3	4.7	0.0	8.9	3.0	24.5	26.5	55.9	51.5	20.8	0.0	0.0
Small intestines	C17	0.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	4.9	0.0	7.0	10.3	0.0	0.0	0.0
Colon	C18	6.9	9.1	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.1	1.8	6.7	6.0	24.5	21.2	62.9	92.8	83.3	0.0	300.0
Rectosigmoid & rectum	C19-C20	4.7	4.9	0.0	0.0	0.0	0.0	1.9	0.0	3.3	6.3	1.8	4.5	9.0	9.8	21.2	14.0	41.2	41.7	100.0	0.0
Anus	C21	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	10.3	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	2.3	3.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	15.9	7.0	20.6	83.3	50.0	200.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.6	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	10.6	7.0	41.2	0.0	0.0	200.0
Pancreas	C25	1.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4.9	0.0	28.0	20.6	41.7	50.0	0.0
Retropertoneum & peritoneum	C48	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.9	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	10.3	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	5.5	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.6	4.5	9.0	9.8	5.3	21.0	41.2	187.5	200.0	200.0
Pleura	C38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	5.3	0.0	0.0	0.0	0.0
Bone	C40-C41	0.6	0.9	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	20.8	50.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.6	0.7	1.9	0.0	2.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.4	2.7	0.0	0.0	0.0	0.0	2.6	0.0	3.3	0.0	1.8	4.5	6.0	4.9	5.3	0.0	10.3	41.7	100.0	0.0
Breast	C50	46.8	48.7	0.0	0.0	0.0	0.0	2.6	7.5	8.3	28.3	55.2	126.9	125.4	156.9	201.1	160.8	206.2	250.0	100.0	500.0
Cervix uteri	C53	6.1	6.8	0.0	0.0	0.0	0.0	2.6	0.0	1.7	3.1	5.3	8.9	11.9	29.4	42.3	14.0	30.9	62.5	50.0	0.0
Placenta	C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	7.9	8.4	0.0	0.0	0.0	0.0	0.0	1.9	0.0	3.1	5.3	22.3	20.9	29.4	37.0	35.0	72.2	0.0	50.0	0.0
Ovary & fallopian tube	C56-C57.0	9.5	9.0	0.0	0.0	0.0	0.0	0.0	5.6	8.3	7.9	10.7	22.3	26.9	24.5	21.2	42.0	20.6	62.5	50.0	0.0
Vulva & vagina	C51-C52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urinary bladder	C67	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	5.3	7.0	0.0	0.0	0.0	100.0
Kidney & other urinary organs	C64-C66 & C68	1.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.8	0.0	0.0	0.0	21.2	0.0	0.0	20.8	50.0	0.0
Eye	C69	0.2	0.2	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.3	2.3	3.9	1.8	0.0	2.5	0.0	0.0	5.0	3.1	0.0	2.2	0.0	14.7	0.0	7.0	0.0	0.0	0.0	0.0
Thyroid	C73	7.4	7.1	0.0	0.0	0.0	0.0	2.6	9.3	0.0	11.0	14.2	8.9	14.9	24.5	42.3	0.0	10.3	41.7	0.0	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.6	0.7	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	7.3	8.5	7.8	0.0	4.0	4.9	2.6	0.0	5.0	6.3	0.0	2.2	9.0	44.1	10.6	49.0	30.9	41.7	50.0	100.0
Myeloid neoplasms	C92-C93	3.4	3.5	0.0	3.6	0.0	4.9	0.0	0.0	0.0	6.3	3.6	2.2	3.0	9.8	21.2	14.0	0.0	20.8	0.0	0.0
Others & unspecified	OTH	2.6	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.0	4.9	10.6	14.0	51.5	20.8	0.0	200.0
All sites	ALL	136.8	152.1	17.5	5.4	8.1	12.3	12.8	29.9	39.6	92.8	117.4	236.1	265.7	460.8	560.8	622.4	793.8	1145.8	1000.0	2000.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 2003-2007

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	4.7	0.0	0.0	12.2	16.9	14.1	31.3	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.3	0.3	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	2.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.8	0.0	1.8	0.0	3.2	16.3	24.4	25.4	14.1	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	0.0	8.5	0.0	0.0	0.0
Nasopharynx	C11	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	8.5	0.0	0.0	0.0
Oesophagus	C15	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.8	0.0	0.0	0.0	0.0	0.0	0.0	8.5	14.1	31.3	0.0
Stomach	C16	4.5	4.9	0.0	0.0	0.0	0.0	3.3	3.3	1.5	3.2	1.6	7.3	2.3	6.4	16.3	30.5	25.4	70.4	31.3	125.0
Small intestines	C17	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	1.6	3.7	2.3	0.0	0.0	18.3	16.9	14.1	31.3	0.0
Colon	C18	7.1	7.1	0.0	0.0	0.0	0.0	3.3	3.2	3.2	11.0	16.4	19.1	16.4	19.1	5.4	18.3	67.8	154.9	31.3	62.5
Rectosigmoid & rectum	C19-C20	3.5	4.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.2	1.8	2.3	2.3	12.7	21.7	30.5	42.4	28.2	0.0	0.0
Anus	C21	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	2.8	3.3	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	10.9	24.4	33.9	56.3	62.5	0.0	0.0
Gallbladder & extrahepatic bile ducts	C23-C24	1.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.8	0.0	12.2	0.0	42.3	62.5	0.0	0.0
Pancreas	C25	2.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.6	0.0	6.4	10.9	12.2	25.4	42.3	62.5	0.0	0.0
Retropertoneum & peritoneum	C48	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.8	0.0	0.0	8.5	0.0	0.0	0.0	0.0
Lung (incl. trachea & bronchus)	C33-C34	4.1	4.4	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.7	11.7	6.4	10.9	24.4	33.9	0.0	156.3	62.5
Pleura	C38.4	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.5
Thymus, heart & mediastinum	C37-C38.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.7	0.8	0.0	1.7	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3.2	0.0	6.1	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	0.7	0.8	3.6	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	14.1	0.0	0.0	0.0
Melanoma of skin	C43	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	5.5	5.5	2.3	3.2	10.9	6.1	16.9	0.0	31.3	0.0
Breast	C50	53.2	50.4	0.0	0.0	1.8	0.0	2.2	3.3	7.4	31.6	84.7	128.4	147.2	175.2	163.0	201.2	161.0	197.2	125.0	375.0
Cervix uteri	C53	3.4	3.5	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	4.8	5.5	9.3	6.4	21.7	12.2	25.4	0.0	62.5	0.0
Placenta	C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	11.7	11.9	0.0	0.0	0.0	0.0	2.2	0.0	3.0	4.7	16.0	18.3	18.7	44.6	54.3	48.8	76.3	70.4	31.3	125.0
Ovary & fallopian tube	C56-C57.0	10.9	10.1	0.0	0.0	5.3	0.0	2.2	6.6	10.4	6.3	14.4	12.8	30.4	35.0	10.9	36.6	50.8	14.1	31.3	125.0
Vulva & vagina	C51-C52	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	6.4	0.0	6.1	0.0	14.1	0.0	0.0
Urinary bladder	C67	1.6	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	6.4	5.4	6.1	33.9	14.1	31.3	62.5
Kidney & other urinary organs	C64-C66 & C68	3.1	3.4	0.0	1.7	0.0	0.0	0.0	0.0	1.5	0.0	1.6	7.3	4.7	6.4	21.7	6.1	42.4	14.1	0.0	0.0
Eye	C69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.1	2.2	1.8	0.0	1.8	2.0	0.0	1.6	0.0	0.0	3.2	5.5	4.7	3.2	16.3	0.0	0.0	0.0	0.0	0.0
Thyroid	C73	5.5	4.8	0.0	0.0	0.0	0.0	4.9	4.4	11.1	11.2	9.2	9.2	9.3	6.4	16.3	18.3	8.5	0.0	31.3	0.0
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.4	0.5	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	8.5	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	8.5	9.2	3.6	5.2	1.8	8.1	4.3	1.6	5.9	0.0	3.2	5.5	7.0	25.5	21.7	73.2	42.4	56.3	62.5	0.0
Myeloid neoplasms	C92-C93	2.4	2.5	1.8	0.0	0.0	0.0	4.9	0.0	1.6	1.8	1.8	1.8	9.3	3.2	5.4	0.0	25.4	14.1	0.0	62.5
Others & unspecified	OTH	2.4	2.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.6	1.8	7.0	3.2	0.0	6.1	33.9	42.3	31.3	62.5
All sites	ALL	143.3	143.8	16.2	8.7	10.7	14.2	15.1	29.6	40.0	77.5	162.9	242.2	299.1	398.1	445.7	634.1	847.5	901.4	937.5	1125.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 2008-2012

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	1.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	3.2	0.0	0.0	3.4	5.7	20.1	0.0	0.0	0.0
Major salivary gland (incl. parotid gland)	C07-C08	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0
Mouth	C03-C06	1.9	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	2.4	20.1	5.7	20.1	19.6	18.2	34.7
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	5.7	13.4	0.0	18.2	34.7
Nasopharynx	C11	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	2.4	3.4	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	1.6	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	13.4	17.2	20.1	19.6	0.0	0.0
Stomach	C16	4.2	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.7	3.2	3.8	2.4	6.7	17.2	33.6	49.0	127.1	104.1
Small intestines	C17	1.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.9	7.3	6.7	11.5	6.7	19.6	18.2	0.0
Colon	C18	8.7	8.5	0.0	0.0	0.0	1.8	0.0	1.3	1.2	4.1	7.8	8.0	7.5	21.9	36.9	57.3	53.7	68.6	90.8	69.4
Rectosigmoid & rectum	C19-C20	5.3	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.6	6.4	7.5	24.4	23.5	28.7	20.1	39.2	18.2	104.1
Anus	C21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	3.0	2.9	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	1.6	0.0	2.4	16.8	0.0	26.9	68.6	72.6	69.4
Gallbladder & extrahepatic bile ducts	C23-C24	1.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	3.4	5.7	33.6	0.0	18.2	0.0
Pancreas	C25	3.5	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	1.9	7.3	10.1	5.7	47.0	29.4	54.5	173.6
Retropertoneum & peritoneum	C48	1.4	1.4	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	0.0	1.6	1.9	2.4	3.4	11.5	6.7	9.8	36.3	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0
Larynx	C32	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.7
Lung (incl. trachea & bronchus)	C33-C34	5.9	5.7	1.7	0.0	0.0	0.0	0.0	0.0	5.9	1.4	1.6	3.2	7.5	9.7	16.8	28.7	67.2	49.0	54.5	104.1
Pleura	C38.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	5.7	0.0	9.8	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bone	C40-C41	0.5	0.5	0.0	0.0	0.0	1.8	0.0	1.3	0.0	0.0	0.0	1.6	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	1.6	1.7	3.4	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	1.6	0.0	4.9	3.4	11.5	0.0	9.8	18.2	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	2.8	2.7	0.0	0.0	0.0	0.0	1.8	1.3	0.0	1.4	3.1	1.6	3.8	0.0	3.4	11.5	33.6	39.2	36.3	34.7
Breast	C50	65.5	58.4	0.0	0.0	0.0	0.0	0.0	4.0	16.6	32.9	90.9	106.2	178.9	209.5	248.5	206.4	228.3	284.2	308.6	208.3
Cervix uteri	C53	2.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.4	3.8	4.9	13.4	22.9	0.0	19.6	18.2	69.4
Placenta	C58	0.2	0.2	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	15.9	15.1	0.0	0.0	0.0	0.0	0.0	2.7	5.9	2.7	7.8	25.7	35.8	43.9	77.2	120.4	47.0	127.4	18.2	0.0
Ovary & fallopian tube	C56-C57.0	11.6	10.9	0.0	1.5	0.0	8.8	1.8	4.0	1.2	5.5	18.8	14.5	24.5	26.8	33.6	57.3	40.3	39.2	90.8	34.7
Vulva & vagina	C51-C52	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.4	10.1	0.0	0.0	9.8	0.0	0.0
Urinary bladder	C67	1.2	1.1	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.6	0.0	4.9	6.7	0.0	13.4	9.8	18.2	0.0
Kidney & other urinary organs	C64-C66 & C68	3.3	3.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	1.9	14.6	16.8	17.2	13.4	19.6	54.5	69.4
Eye	C69	0.5	0.8	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	2.7	2.5	1.7	1.5	0.0	0.0	0.0	1.3	0.0	4.1	0.0	1.6	3.8	7.3	3.4	5.7	20.1	9.8	72.6	0.0
Thyroid	C73	7.2	6.2	0.0	0.0	0.0	1.8	1.8	2.7	9.5	9.6	9.4	8.0	16.9	14.6	13.4	11.5	13.4	19.6	54.5	69.4
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	9.5	9.4	5.1	1.5	1.7	1.8	12.7	2.7	7.1	2.7	9.4	11.3	24.5	9.7	20.1	40.1	40.3	29.4	36.3	69.4
Myeloid neoplasms	C92-C93	5.6	5.1	1.7	0.0	0.0	3.5	0.0	1.3	5.9	4.1	7.8	6.4	9.4	9.7	10.1	17.2	33.6	29.4	36.3	0.0
Others & unspecified	OTH	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	3.2	5.6	4.9	13.4	0.0	26.9	9.8	0.0	34.7
All sites	ALL	176.6	165.5	22.2	4.6	1.7	21.1	21.8	24.3	53.2	80.8	181.8	234.9	346.4	455.6	644.7	728.0	886.4	1038.8	1288.8	1319.0

APPENDIX C: INCIDENCE RATES BY SITE AND FIVE-YEAR AGE GROUP, 1968 - 2017

Appendix C8: Incidence rates by primary site and five-year age group for Indian females, 2013-2017

Site	ICD 10	CR	ASR	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80+	85+
Lip	C00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tongue	C01-C02	2.7	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.2	3.3	17.6	5.1	7.1	12.6	15.2	0.0	19.2
Major salivary gland (incl. parotid gland)	C07-C08	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	1.6	1.7	2.0	0.0	0.0	0.0	7.6	0.0	0.0
Mouth	C03-C06	3.1	2.3	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.2	0.0	0.0	6.6	13.7	2.5	14.1	6.3	38.1	36.9	0.0
Pharynx (incl. tonsils, oropharynx & hypopharynx)	C09-C10, C12-C14.2	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.7	0.0	2.5	0.0	6.3	0.0	0.0	0.0
Nasopharynx	C11	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oesophagus	C15	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.3	0.0	0.0	0.0	6.3	0.0	12.3	0.0
Stomach	C16	5.1	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	7.1	3.2	8.3	15.7	20.3	17.6	18.9	7.6	24.6	38.3
Small intestines	C17	2.4	2.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.4	2.8	1.6	1.7	2.0	12.7	7.1	18.9	22.9	0.0	0.0
Colon	C18	11.8	9.1	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.4	2.8	4.9	16.6	27.4	27.9	56.4	69.3	83.8	135.4	172.5
Rectosigmoid & rectum	C19-C20	8.3	6.6	0.0	0.0	0.0	1.7	0.0	1.7	0.0	4.8	4.3	8.1	6.6	21.6	25.3	28.2	44.1	61.0	73.9	76.7
Anus	C21	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0
Liver & intrahepatic bile ducts	C22	3.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	1.7	3.9	10.1	10.6	25.2	76.2	61.5	57.5
Gallbladder & extrahepatic bile ducts	C23-C24	3.5	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	0.0	6.6	2.0	15.2	17.6	31.5	30.5	12.3	38.3
Pancreas	C25	6.0	5.1	0.0	0.0	1.6	0.0	0.0	1.7	1.3	0.0	1.4	1.6	0.0	5.9	35.5	24.7	37.8	45.7	61.5	115.0
Retropertoneum & peritoneum	C48	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.7	2.0	5.1	3.5	18.9	0.0	0.0	0.0
Nasal cavity, middle ear & accessory sinuses	C30-C31	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.6	1.7	0.0	0.0	0.0	0.0	0.0	0.0	19.2
Larynx	C32	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	12.3	0.0
Lung (incl. trachea & bronchus)	C33-C34	7.8	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	9.7	3.3	19.6	10.1	52.9	56.7	30.5	98.5	134.2
Pleura	C38.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thymus, heart & mediastinum	C37-C38.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0
Bone	C40-C41	0.8	0.7	0.0	0.0	4.7	0.0	0.0	0.0	1.3	2.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Connective & soft tissues (incl peripheral nerves)	C47 & C49	2.4	2.0	0.0	0.0	1.6	1.7	0.0	1.7	6.3	1.2	4.3	3.2	3.3	2.0	2.5	3.5	6.3	0.0	12.3	0.0
Melanoma of skin	C43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-melanoma skin	C44	3.4	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.3	9.8	0.0	10.6	18.9	22.9	73.9	57.5
Breast	C50	83.1	65.8	0.0	0.0	0.0	0.0	0.0	18.3	10.0	35.9	92.3	132.9	167.8	221.5	276.3	278.7	296.2	266.7	270.8	306.7
Cervix uteri	C53	5.2	4.3	0.0	0.0	0.0	0.0	0.0	1.7	2.5	0.0	5.7	17.8	8.3	5.9	10.1	10.6	25.2	7.6	36.9	76.7
Placenta	C58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Corpus uteri	C54	22.3	17.5	0.0	0.0	0.0	0.0	0.0	1.7	8.8	7.2	17.0	16.2	43.2	98.0	88.7	63.5	100.8	38.1	61.5	38.3
Ovary & fallopian tube	C56-C57.0	12.8	10.6	0.0	0.0	0.0	3.5	7.1	6.6	2.5	7.2	19.9	25.9	26.6	13.7	27.9	31.8	56.7	30.5	73.9	19.2
Vulva & vagina	C51-C52	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	5.1	3.5	0.0	7.6	0.0	0.0
Urinary bladder	C67	1.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	5.1	7.1	25.2	7.6	36.9	0.0
Kidney & other urinary organs	C64-C66 & C68	4.4	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	10.0	11.8	17.7	17.6	37.8	22.9	36.9	19.2
Eye	C69	0.1	0.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brain & CNS	C70-C72	3.6	4.1	11.4	4.6	3.1	0.0	1.8	3.3	1.3	1.2	2.8	1.6	1.7	2.0	5.1	7.1	6.3	38.1	0.0	19.2
Thyroid	C73	11.8	9.7	0.0	0.0	1.6	5.2	8.8	5.0	11.3	8.4	29.8	14.6	14.9	17.6	15.2	35.3	37.8	22.9	0.0	19.2
Adrenal gland, other endocrine glands & related structures	C74-C75.5	0.5	0.6	2.3	0.0	1.6	1.7	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	11.8	11.5	15.9	6.1	3.1	7.0	5.3	8.3	0.0	4.8	1.4	8.1	18.3	11.8	35.5	35.3	44.1	83.8	49.2	76.7
Myeloid neoplasms	C92-C93	4.7	3.9	0.0	0.0	0.0	5.2	3.5	0.0	5.0	3.6	2.8	6.5	3.3	7.8	10.1	17.6	6.3	38.1	24.6	0.0
Others & unspecified	OTH	1.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	3.9	2.5	7.1	0.0	15.2	0.0	57.5
All sites	ALL	229.2	186.5	31.8	10.7	17.3	26.2	26.5	53.1	55.2	96.8	201.7	270.7	372.1	544.9	676.8	772.6	1014.5	1021.1	1206.3	1361.2

APPENDIX D:
**LIFETIME RISK FOR TEN MOST FREQUENT
CANCERS IN MALES & FEMALES BY ETHNICITY
AND FIVE-YEAR PERIOD, 1968 - 2017**

APPENDIX D: LIFETIME RISK FOR TEN MOST FREQUENT CANCERS IN MALES & FEMALES BY ETHNICITY AND FIVE-YEAR PERIOD, 1968 - 2017

Period	Site	ICD-10	Chinese	Malay	Indian	All
1968-1972	Lung (incl. trachea & bronchus)	C33-C34	6.7%	1.9%	1.4%	5.8%
	Stomach	C16	5.1%	1.1%	2.1%	4.4%
	Liver & intrahepatic bile ducts	C22	3.8%	1.8%	1.2%	3.3%
	Nasopharynx	C11	1.9%	0.5%	0.1%	1.5%
	Colon & rectum	C18-C20	2.5%	0.8%	1.1%	2.2%
	Oesophagus	C15	2.2%	0.2%	0.8%	1.9%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.6%	0.5%	0.8%	0.6%
	Larynx	C32	1.0%	0.1%	0.6%	0.8%
	Non-melanoma skin	C44	0.6%	0.6%	0.5%	0.6%
	Urinary bladder	C67	0.7%	0.4%	0.4%	0.7%
	All sites		29.1%	10.8%	14.8%	26.0%
1973-1977	Lung (incl. trachea & bronchus)	C33-C34	8.0%	3.1%	2.7%	7.0%
	Stomach	C16	4.8%	1.1%	3.0%	4.2%
	Liver & intrahepatic bile ducts	C22	3.4%	2.3%	1.9%	3.1%
	Colon & rectum	C18-C20	3.0%	1.3%	1.9%	2.8%
	Nasopharynx	C11	1.8%	0.7%	0.2%	1.5%
	Oesophagus	C15	1.9%	0.1%	0.9%	1.7%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.6%	0.5%	0.6%	0.6%
	Non-melanoma skin	C44	0.8%	0.3%	0.3%	0.8%
	Larynx	C32	0.9%	0.5%	0.8%	0.8%
	Urinary bladder	C67	0.8%	0.3%	0.4%	0.7%
	All sites		30.3%	13.7%	18.7%	27.4%
1978-1982	Lung (incl. trachea & bronchus)	C33-C34	8.7%	3.0%	2.6%	7.5%
	Stomach	C16	4.1%	1.2%	1.9%	3.6%
	Liver & intrahepatic bile ducts	C22	3.5%	1.7%	1.6%	3.1%
	Colon & rectum	C18-C20	3.4%	1.3%	1.7%	3.0%
	Nasopharynx	C11	1.7%	0.4%	0.0%	1.4%
	Oesophagus	C15	1.5%	0.2%	1.2%	1.3%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.7%	0.7%	1.0%	0.7%
	Non-melanoma skin	C44	0.9%	0.3%	0.2%	0.8%
	Larynx	C32	0.9%	0.1%	1.1%	0.9%
	Urinary bladder	C67	0.8%	0.5%	0.9%	0.8%
	All sites		30.9%	13.5%	17.8%	27.7%
1983-1987	Lung (incl. trachea & bronchus)	C33-C34	7.8%	3.9%	2.4%	6.8%
	Colon & rectum	C18-C20	3.9%	1.6%	1.9%	3.4%
	Stomach	C16	3.8%	0.7%	1.9%	3.2%
	Liver & intrahepatic bile ducts	C22	3.0%	1.7%	1.1%	2.6%
	Nasopharynx	C11	1.8%	0.5%	0.1%	1.5%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.9%	1.1%	1.1%	1.0%
	Oesophagus	C15	1.2%	0.1%	0.4%	1.0%
	Non-melanoma skin	C44	0.9%	0.2%	0.3%	0.8%
	Prostate	C61	0.7%	1.1%	1.2%	0.8%
	Urinary bladder	C67	0.8%	0.5%	0.5%	0.8%
	All sites		29.5%	15.1%	15.9%	26.4%
1988-1992	Lung (incl. trachea & bronchus)	C33-C34	7.1%	4.2%	1.7%	6.1%
	Colon & rectum	C18-C20	4.7%	2.2%	1.4%	4.0%
	Stomach	C16	3.3%	1.0%	1.2%	2.7%
	Liver & intrahepatic bile ducts	C22	2.5%	1.3%	0.9%	2.2%
	Nasopharynx	C11	1.9%	0.7%	0.0%	1.6%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.9%	1.3%	0.8%	0.9%
	Prostate	C61	1.0%	1.0%	0.8%	1.0%
	Non-melanoma skin	C44	1.0%	0.5%	0.3%	0.9%
	Urinary bladder	C67	0.8%	0.7%	0.4%	0.8%
	Oesophagus	C15	0.9%	0.1%	0.6%	0.8%
	All sites		29.0%	16.3%	12.4%	25.6%

APPENDIX D: LIFETIME RISK FOR TEN MOST FREQUENT CANCERS IN MALES & FEMALES BY ETHNICITY AND FIVE-YEAR PERIOD, 1968 - 2017

Period	Site	ICD-10	Chinese	Malay	Indian	All
1993-1997	Lung (incl. trachea & bronchus)	C33-C34	6.6%	3.8%	1.3%	5.6%
	Colon & rectum	C18-C20	5.0%	2.4%	1.2%	4.3%
	Stomach	C16	2.9%	0.8%	0.9%	2.4%
	Liver & intrahepatic bile ducts	C22	2.4%	1.8%	0.7%	2.1%
	Nasopharynx	C11	1.6%	0.7%	0.1%	1.4%
	Prostate	C61	1.5%	1.1%	1.1%	1.4%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1.1%	1.5%	0.8%	1.1%
	Non-melanoma skin	C44	1.1%	0.4%	0.4%	1.0%
	Urinary bladder	C67	0.8%	0.6%	0.5%	0.8%
	Oesophagus	C15	0.8%	0.1%	0.3%	0.7%
	All sites		29.4%	16.8%	11.2%	25.8%
1998-2002	Lung (incl. trachea & bronchus)	C33-C34	5.8%	4.1%	1.4%	5.1%
	Colon & rectum	C18-C20	5.1%	2.6%	1.8%	4.4%
	Liver & intrahepatic bile ducts	C22	2.5%	1.4%	0.8%	2.1%
	Stomach	C16	2.3%	0.7%	0.9%	2.0%
	Prostate	C61	2.0%	1.9%	1.1%	1.9%
	Nasopharynx	C11	1.3%	0.6%	0.2%	1.1%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1.2%	2.0%	0.8%	1.3%
	Non-melanoma skin	C44	1.1%	0.5%	0.2%	1.0%
	Urinary bladder	C67	0.8%	0.8%	0.5%	0.8%
	Kidney & other urinary organs	C64-C66, C68	0.7%	0.4%	0.2%	0.6%
	All sites		28.0%	18.7%	11.8%	25.2%
2003-2007	Lung (incl. trachea & bronchus)	C33-C34	5.0%	4.0%	2.1%	4.7%
	Colon & rectum	C18-C20	5.0%	2.9%	2.1%	4.5%
	Prostate	C61	3.0%	2.0%	2.0%	2.9%
	Liver & intrahepatic bile ducts	C22	2.3%	1.5%	1.1%	2.1%
	Stomach	C16	1.7%	0.6%	1.1%	1.5%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1.4%	1.9%	1.1%	1.5%
	Nasopharynx	C11	1.3%	0.8%	0.1%	1.2%
	Non-melanoma skin	C44	1.0%	0.4%	0.4%	1.0%
	Urinary bladder	C67	0.7%	0.6%	0.6%	0.7%
	Kidney & other urinary organs	C64-C66, C68	0.8%	0.6%	0.6%	0.7%
	All sites		27.5%	18.7%	15.6%	25.8%
2008-2012	Colon & rectum	C18-C20	4.8%	3.3%	2.5%	4.5%
	Lung (incl. trachea & bronchus)	C33-C34	4.1%	3.9%	2.2%	3.9%
	Prostate	C61	3.7%	2.3%	2.6%	3.5%
	Liver & intrahepatic bile ducts	C22	2.1%	1.8%	1.1%	2.0%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1.5%	2.5%	1.7%	1.7%
	Non-melanoma skin	C44	1.2%	0.4%	0.3%	1.2%
	Stomach	C16	1.4%	0.5%	1.0%	1.3%
	Nasopharynx	C11	1.1%	0.7%	0.1%	0.9%
	Kidney & other urinary organs	C64-C66, C68	1.0%	0.7%	0.6%	0.9%
	Myeloid neoplasms	C92-C93	0.7%	0.9%	0.6%	0.7%
	All sites		26.6%	20.7%	16.9%	25.6%
2013-2017	Colon & rectum	C18-C20	4.7%	3.6%	2.6%	4.5%
	Lung (incl. trachea & bronchus)	C33-C34	3.6%	4.3%	2.4%	3.6%
	Prostate	C61	4.2%	2.5%	2.6%	4.0%
	Liver & intrahepatic bile ducts	C22	2.1%	1.7%	1.4%	2.0%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1.6%	2.8%	1.5%	1.8%
	Non-melanoma skin	C44	1.1%	0.5%	0.3%	1.2%
	Stomach	C16	1.2%	0.6%	0.7%	1.1%
	Kidney & other urinary organs	C64-C66, C68	1.1%	0.8%	0.7%	1.1%
	Myeloid neoplasms	C92-C93	0.8%	1.1%	0.5%	0.8%
	Nasopharynx	C11	0.9%	0.6%	0.2%	0.8%
	All sites		26.6%	22.8%	17.3%	25.9%

APPENDIX D: LIFETIME RISK FOR TEN MOST FREQUENT CANCERS IN MALES & FEMALES BY ETHNICITY AND FIVE-YEAR PERIOD, 1968 - 2017

Period	Site	ICD-10	Chinese	Malay	Indian	All
1968-1972	Female breast	C50	2.1%	1.8%	2.6%	2.2%
	Cervix uteri	C53	2.0%	1.1%	2.8%	1.9%
	Stomach	C16	2.2%	1.0%	2.5%	2.1%
	Lung (incl. trachea & bronchus)	C33-C34	2.1%	0.9%	1.1%	2.0%
	Colon & rectum	C18-C20	1.8%	0.6%	1.6%	1.7%
	Liver & intrahepatic bile ducts	C22	0.9%	0.8%	0.9%	0.9%
	Nasopharynx	C11	0.7%	0.0%	0.0%	0.6%
	Ovary & fallopian tube	C56-C57.0	0.6%	0.6%	0.7%	0.6%
	Oesophagus	C15	0.8%	0.4%	0.8%	0.8%
	Thyroid	C73	0.4%	0.5%	0.8%	0.5%
	All sites		17.7%	10.4%	20.1%	17.3%
1973-1977	Female breast	C50	2.4%	1.5%	3.0%	2.3%
	Colon & rectum	C18-C20	2.5%	1.1%	1.3%	2.3%
	Cervix uteri	C53	2.0%	0.8%	3.1%	1.9%
	Lung (incl. trachea & bronchus)	C33-C34	2.4%	0.9%	0.6%	2.2%
	Stomach	C16	2.0%	0.8%	0.9%	1.9%
	Nasopharynx	C11	0.7%	0.2%	0.0%	0.6%
	Ovary & fallopian tube	C56-C57.0	0.6%	1.1%	0.8%	0.6%
	Liver & intrahepatic bile ducts	C22	0.9%	0.3%	0.5%	0.9%
	Non-melanoma skin	C44	0.5%	0.2%	0.3%	0.5%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.4%	0.3%	0.3%	0.4%
	All sites		18.4%	10.6%	16.1%	17.7%
1978-1982	Female breast	C50	2.8%	2.3%	2.8%	2.8%
	Colon & rectum	C18-C20	3.0%	1.5%	2.4%	2.8%
	Lung (incl. trachea & bronchus)	C33-C34	2.7%	0.7%	0.9%	2.4%
	Cervix uteri	C53	1.8%	1.1%	3.2%	1.8%
	Stomach	C16	1.7%	0.8%	1.9%	1.7%
	Ovary & fallopian tube	C56-C57.0	0.9%	1.0%	0.4%	0.9%
	Non-melanoma skin	C44	0.7%	0.3%	0.6%	0.7%
	Nasopharynx	C11	0.8%	0.2%	0.2%	0.6%
	Liver & intrahepatic bile ducts	C22	0.8%	0.6%	0.3%	0.8%
	Thyroid	C73	0.4%	0.5%	0.1%	0.4%
	All sites		19.7%	12.6%	18.9%	19.0%
1983-1987	Female breast	C50	3.3%	2.3%	3.7%	3.2%
	Colon & rectum	C18-C20	3.2%	1.2%	1.3%	3.0%
	Lung (incl. trachea & bronchus)	C33-C34	2.6%	1.6%	0.8%	2.4%
	Cervix uteri	C53	1.8%	0.9%	1.3%	1.7%
	Stomach	C16	1.7%	0.7%	1.0%	1.6%
	Ovary & fallopian tube	C56-C57.0	0.9%	0.9%	0.8%	0.9%
	Nasopharynx	C11	0.7%	0.1%	0.0%	1.0%
	Non-melanoma skin	C44	0.8%	0.2%	0.3%	0.7%
	Thyroid	C73	0.5%	0.5%	0.3%	0.5%
	Liver & intrahepatic bile ducts	C22	0.8%	0.6%	0.2%	0.7%
	All sites		20.7%	12.6%	15.4%	19.6%
1988-1992	Female breast	C50	4.1%	3.5%	3.9%	4.0%
	Colon & rectum	C18-C20	3.5%	1.5%	1.9%	3.2%
	Lung (incl. trachea & bronchus)	C33-C34	2.3%	1.2%	0.6%	2.1%
	Cervix uteri	C53	1.7%	1.2%	0.9%	1.6%
	Stomach	C16	1.5%	0.6%	0.8%	1.4%
	Ovary & fallopian tube	C56-C57.0	1.1%	0.9%	0.9%	1.0%
	Non-melanoma skin	C44	0.8%	0.4%	0.6%	0.8%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.7%	1.0%	0.8%	0.7%
	Nasopharynx	C11	0.7%	0.2%	0.1%	0.6%
	Thyroid	C73	0.6%	0.6%	0.3%	0.6%
	All sites		21.5%	14.6%	15.6%	20.4%

APPENDIX D: LIFETIME RISK FOR TEN MOST FREQUENT CANCERS IN MALES & FEMALES BY ETHNICITY AND FIVE-YEAR PERIOD, 1968 - 2017

Period	Site	ICD-10	Chinese	Malay	Indian	All
1993-1997	Female breast	C50	4.6%	3.7%	4.5%	4.6%
	Colon & rectum	C18-C20	3.7%	2.0%	1.8%	3.4%
	Lung (incl. trachea & bronchus)	C33-C34	2.3%	1.2%	0.4%	2.1%
	Cervix uteri	C53	1.6%	1.1%	1.1%	1.5%
	Stomach	C16	1.4%	0.5%	0.7%	1.3%
	Ovary & fallopian tube	C56-C57.0	1.1%	1.2%	1.2%	1.1%
	Non-melanoma skin	C44	0.8%	0.4%	0.4%	0.8%
	Corpus uteri	C54	0.9%	0.9%	0.9%	0.9%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.7%	0.8%	0.6%	0.7%
	Thyroid	C73	0.6%	0.5%	0.3%	0.5%
	All sites		21.9%	16.0%	15.8%	20.9%
1998-2002	Female breast	C50	6.1%	4.4%	5.3%	5.9%
	Colon & rectum	C18-C20	3.5%	2.1%	1.7%	3.2%
	Lung (incl. trachea & bronchus)	C33-C34	1.9%	1.3%	0.6%	1.7%
	Ovary & fallopian tube	C56-C57.0	1.1%	1.4%	1.0%	1.1%
	Cervix uteri	C53	1.2%	0.8%	0.7%	1.1%
	Stomach	C16	1.2%	0.4%	0.8%	1.0%
	Corpus uteri	C54	1.1%	0.9%	1.1%	1.1%
	Non-melanoma skin	C44	0.8%	0.5%	0.2%	0.7%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.8%	1.1%	0.9%	0.8%
	Thyroid	C73	0.6%	0.7%	0.7%	0.6%
	All sites		22.2%	17.1%	16.1%	21.2%
2003-2007	Female breast	C50	6.4%	5.8%	5.4%	6.3%
	Colon & rectum	C18-C20	3.5%	2.2%	1.3%	3.2%
	Lung (incl. trachea & bronchus)	C33-C34	1.9%	1.3%	0.5%	1.8%
	Corpus uteri	C54	1.3%	1.3%	1.4%	1.3%
	Ovary & fallopian tube	C56-C57.0	1.2%	1.3%	1.1%	1.2%
	Cervix uteri	C53	1.0%	1.0%	0.4%	1.0%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.9%	1.5%	1.0%	1.0%
	Stomach	C16	0.9%	0.3%	0.5%	0.8%
	Non-melanoma skin	C44	0.7%	0.3%	0.2%	0.7%
	Thyroid	C73	0.6%	0.7%	0.5%	0.6%
	All sites		22.6%	18.9%	15.8%	21.7%
2008-2012	Female breast	C50	6.9%	6.1%	6.5%	6.8%
	Colon & rectum	C18-C20	3.2%	2.5%	1.6%	3.0%
	Lung (incl. trachea & bronchus)	C33-C34	1.8%	1.3%	0.7%	1.7%
	Corpus uteri	C54	1.5%	1.3%	1.8%	1.5%
	Ovary & fallopian tube	C56-C57.0	1.3%	1.4%	1.2%	1.3%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	0.9%	1.5%	0.9%	1.0%
	Non-melanoma skin	C44	0.8%	0.3%	0.3%	0.7%
	Stomach	C16	0.8%	0.4%	0.4%	0.7%
	Thyroid	C73	0.8%	0.7%	0.6%	0.8%
	Cervix uteri	C53	0.8%	0.7%	0.3%	0.7%
	All sites		0.3%	20.1%	18.1%	22.4%
2013-2017	Female breast	C50	7.7%	7.1%	7.5%	7.6%
	Colon & rectum	C18-C20	3.1%	3.0%	1.8%	3.0%
	Lung (incl. trachea & bronchus)	C33-C34	1.8%	1.3%	0.7%	1.7%
	Corpus uteri	C54	1.9%	1.9%	2.1%	1.9%
	Ovary & fallopian tube	C56-C57.0	1.2%	1.8%	1.1%	1.3%
	Lymphoid neoplasms	C81-C85, C88, C90-C91, C96	1.1%	1.9%	1.0%	1.2%
	Non-melanoma skin	C44	0.8%	0.4%	0.2%	0.8%
	Thyroid	C73	1.0%	0.8%	1.0%	1.0%
	Stomach	C16	0.7%	0.3%	0.5%	0.6%
	Cervix uteri	C53	0.7%	0.8%	0.4%	0.7%
	All sites		24.5%	23.6%	20.4%	24.2%

APPENDIX E:
**RELATIVE SURVIVAL AND OBSERVED
SURVIVAL BY STAGE, PERIOD, SITE AND
AGE GROUP, 1968 - 2017**

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age group	Relative Survival (%)												Stage: Local			
		1968-1972			1973-1977			1978-1982			1983-1987						
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		10yr		
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	69.6	31.7	50.0	39.2	43.4	(23.7-62.4)											
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	92.0	57.5-103.6	114.9	(114.9-114.9)													
Nasopharynx	15-44	98.0	74.0	80.3	66.2	71.9	53.4	69.3	61.7	57.1	(44.6-67.9)						
	45-54	83.8	44.4	53.9	45.1	51.6	36.3	83.0	56.6	43.8	(24.6-62.6)						
	55-64	77.0	77.0	85.7	59.3	78.9	94.1	57.8	52.3	*							
	65-74	47.6-92.2	*	*	*	*	*	*	*	*							
	75+	*	*	*	*	*	*	*	*	*							
All ages	82.2	60.3	91.0	47.4	53.7	36.8	72.0	62.1	37.5	(27.4-48.1)							
Oesophagus	15-44	33.7	30.5	35.8	32.2	32.2	32.2	32.2	32.2	32.2	32.2	32.2	32.2	32.2	32.2	32.2	32.2
	45-54	21.1	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4	20.4
	55-64	19.5	10.2	16.4	16.4	16.4	16.4	16.4	16.4	16.4	16.4	16.4	16.4	16.4	16.4	16.4	16.4
	65-74	12.5	17.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
	75+	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3
All ages	66.9	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8
Stomach	15-44	54.7	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0
	45-54	40.1	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6
	55-64	34.3	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8
	65-74	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8	18.8
	75+	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7
All ages	26.7-40.9	10.7-22.8	31.3-46.0	9.7-22.3	21.5	18.9	23.6	17.5-30.3	15.3-28.5	21.5	18.9	23.6	17.5-30.3	15.3-28.5	21.5	18.9	23.6

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Stage: Regional				
		1968-1972			1973-1977			1978-1982			1983-1987							
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	1yr	3yr		5yr	10yr		
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	47.4 (20.4-70.9)	*	*	*	*	*	*	47.6 (16.3-74.3)	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	53.0 (32.3-70.8)	*	*	54.5 (32.9-72.6)	*	*	*	38.0 (18.4-58.5)	*	*	*	*	*	*
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	62.0 (24.8-87.1)	*	*	79.8 (72.4-85.4)	43.6 (35.9-51.1)	33.4 (26.4-40.6)	23.0 (16.8-29.9)	85.0 (78.0-89.9)	48.6 (40.3-56.5)	39.0 (31.2-46.8)	28.5 (21.4-35.9)			
Nasopharynx	15-44	75.6 (67.3-82.0)	40.9 (30.5-51.0)	44.3 (36.5-51.8)	80.9 (74.3-86.0)	33.3 (25.9-41.0)	79.8 (72.4-85.4)	43.6 (35.9-51.1)	33.4 (26.4-40.6)	23.0 (16.8-29.9)	85.0 (78.0-89.9)	48.6 (40.3-56.5)	39.0 (31.2-46.8)	28.5 (21.4-35.9)				
	45-54	66.3 (55.3-75.3)	24.8 (15.0-35.9)	40.5 (30.4-50.4)	71.2 (61.3-79.0)	29.9 (20.3-40.2)	80.5 (71.8-86.8)	44.0 (34.3-53.3)	28.3 (19.7-37.6)	15.0 (8.3-23.7)	73.5 (63.7-81.2)	44.1 (34.1-53.7)	27.9 (19.6-36.8)	11.0 (5.6-18.6)				
	55-64	58.1 (44.7-69.5)	26.2 (13.7-40.9)	18.6 (10.0-29.4)	55.1 (42.4-66.2)	12.4 (5.8-21.8)	63.0 (46.5-76.0)	32.6 (19.4-46.8)	10.9 (3.7-23.1)	*	57.6 (43.2-69.7)	32.2 (19.3-46.1)	28.8 (16.1-43.1)	*				
	65-74	38.4 (19.4-57.8)	*	*	48.3 (26.5-68.0)	*	58.7 (34.2-77.7)	*	*	*	55.2 (31.8-74.3)	*	*	*				
	75+	*	*	*	60.1 (54.8-65.1)	17.5 (13.5-22.0)	65.2 (60.0-69.9)	31.2 (26.3-36.4)	20.8 (16.4-25.5)	11.6 (8.1-15.7)	73.1 (68.0-77.6)	27.3 (22.6-32.4)	19.5 (15.5-24.0)	13.2 (9.6-17.3)				
	All ages	*	*	*	41.6 (14.0-67.7)	*	12.7 (1.9-34.4)	*	*	*	28.8 (8.2-53.8)	*	*	*				
Oesophagus	15-44	13.2 (3.3-30.0)	*	*	41.6 (14.0-67.7)	*	12.7 (1.9-34.4)	*	*	*	28.8 (8.2-53.8)	*	*	*				
	45-54	4.0 (0.5-13.9)	*	*	11.6 (4.4-22.8)	*	12.9 (4.3-26.5)	*	*	*	22.7 (9.1-40.1)	*	*	*				
	55-64	18.5 (5.8-37.1)	*	*	11.7 (5.1-21.3)	*	13.0 (5.4-24.3)	*	*	*	22.8 (9.0-40.7)	*	*	*				
	65-74	13.2 (0.7-46.2)	*	*	6.8 (0.5-26.4)	*	9.0 (0.6-34.2)	*	*	*	3.0 (0.5-10.4)	*	*	*				
	75+	*	*	*	11.9 (7.1-18.1)	*	11.5 (6.3-18.3)	*	*	*	17.7 (10.9-26.0)	*	*	*				
	All ages	43.4 (27.3-58.5)	*	14.4 (5.9-26.6)	37.5 (23.4-51.6)	18.1 (6.6-34.2)	54.3 (30.9-72.9)	48.9 (25.2-69.0)	18.1 (6.6-34.2)	31.6 (18.8-45.3)	46.5 (31.8-60.0)	22.6 (11.6-36.0)	22.4 (14.5-31.5)	16.3 (8.7-26.4)				
Stomach	15-44	35.4 (23.5-47.4)	*	8.3 (4.0-14.7)	28.5 (17.7-40.2)	8.3 (4.0-14.7)	44.7 (35.4-53.6)	13.7 (7.8-21.3)	8.3 (3.7-15.4)	7.6 (4.0-12.9)	46.2 (37.6-57.2)	31.6 (18.8-45.3)	22.6 (11.6-36.0)	11.4 (7.2-16.9)				
	45-54	27.1 (19.7-35.0)	8.3 (4.0-14.7)	13.6 (8.1-20.6)	31.5 (23.6-39.8)	13.6 (8.1-20.6)	44.7 (35.4-53.6)	13.7 (7.8-21.3)	8.3 (3.7-15.4)	7.6 (4.0-12.9)	46.2 (37.6-57.2)	31.6 (18.8-45.3)	22.6 (11.6-36.0)	11.4 (7.2-16.9)				
	55-64	21.3 (13.0-31.0)	*	8.1 (2.3-19.3)	16.4 (11.0-22.7)	8.1 (2.3-19.3)	20.6 (14.6-27.4)	9.1 (5.2-14.4)	7.6 (4.0-12.9)	21.7 (11.5-34.2)	47.7 (37.6-57.2)	31.6 (18.8-45.3)	22.6 (11.6-36.0)	11.4 (7.2-16.9)				
	65-74	19.5 (4.8-42.8)	*	6.2 (4.0-8.9)	8.1 (2.3-19.3)	6.2 (4.0-8.9)	28.9 (24.4-33.5)	10.9 (8.0-14.5)	8.3 (5.6-11.7)	39.1 (33.5-44.7)	47.7 (37.6-57.2)	31.6 (18.8-45.3)	22.6 (11.6-36.0)	11.4 (7.2-16.9)				
	75+	*	*	6.2 (4.0-8.9)	8.1 (2.3-19.3)	6.2 (4.0-8.9)	28.9 (24.4-33.5)	10.9 (8.0-14.5)	8.3 (5.6-11.7)	39.1 (33.5-44.7)	47.7 (37.6-57.2)	31.6 (18.8-45.3)	22.6 (11.6-36.0)	11.4 (7.2-16.9)				
	All ages	*	*	6.2 (4.0-8.9)	8.1 (2.3-19.3)	6.2 (4.0-8.9)	28.9 (24.4-33.5)	10.9 (8.0-14.5)	8.3 (5.6-11.7)	39.1 (33.5-44.7)	47.7 (37.6-57.2)	31.6 (18.8-45.3)	22.6 (11.6-36.0)	11.4 (7.2-16.9)				

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Distant				
		1968-1972			1973-1977			1978-1982			1983-1987							
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	1yr	3yr		5yr	10yr		
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Major salivary gland (incl. parotid gland)	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Nasopharynx	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	5.3 (0.1-31.1)	*	29.6 (5.3-60.6)	*	47.8 (22.7-69.4)	*	34.0 (13.4-56.0)	*	54.0 (22.7-77.5)	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Oesophagus	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	12.8 (2.1-33.6)	*	2.9 (0.4-10.6)	*	1.5 (0.1-10.0)	*	8.5 (1.3-25.3)	*	8.1 (2.7-17.4)	*	*	*	*	*	*	*	*
Stomach	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	15-44	4.4 (0.3-18.3)	*	14.1 (6.1-25.4)	*	8.2 (1.6-22.1)	*	36.9 (10.8-64.0)	*	14.2 (5.0-28.1)	*	*	*	*	*	*	*	*
	45-54	5.7 (1.5-14.2)	*	8.2 (2.6-18.0)	*	11.3 (5.0-20.5)	*	7.5 (3.4-13.9)	*	6.7 (3.2-11.8)	*	*	*	*	*	*	*	*
All ages	55-64	5.5 (1.9-11.8)	*	3.1 (1.3-6.4)	*	2.5 (0.9-5.5)	*	13.8 (4.5-28.7)	*	8.0 (4.2-9.5)	*	*	*	*	*	*	*	*
	65-74	6.7 (2.2-14.9)	*	2.5 (1.1-5.1)	*	7.1 (3.5-12.6)	*	1.1 (0.2-4.1)	*	1.3 (0.5-2.9)	*	*	*	*	*	*	*	*
	75+	8.9 (0.6-33.9)	*	0.1 (0.0-1.2)	*	2.5 (1.5-3.8)	*	8.0 (5.5-11.1)	*	1.3 (0.5-2.9)	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)								
		1988-1992					1993-1997					1998-2002								
		1yr	3yr	5yr	10yr	10yr	3yr	5yr	10yr	10yr	3yr	5yr	10yr	3yr	5yr	10yr				
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	77.2	62.7	62.7	71.5	37.7	32.3	44.7	45.9	44.7	71.5	45.9	44.7	68.2	41.2	38.2	68.2	50.1-81.0	23.2-58.3	20.9-55.4	
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	100.2	100.6	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	(100.2-100.2)	(100.6-100.6)	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	4+A11+B112:S144	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	117.8	89.7	89.7	84.9	86.8	78.6	88.7	88.7	102.4	83.7	88.7	102.4	79.8	77.3	76.7	57.9-91.1	55.3-89.5	54.5-89.1		
Nasopharynx	15-44	97.9	89.7	84.9	67.0	86.8	78.6	86.1	86.1	78.8	96.5	86.1	78.8	96.3	85.7	78.0	64.3	64.3	62.8	
	45-54	91.2-99.6	79.9-95.1	73.5-91.9	53.3-77.8	78.7-92.0	69.3-85.4	89.3	89.3	80.6	89.3	89.3	80.6	89.3	89.3	89.3	89.3	89.3	89.3	
	55-64	98.5	88.5	86.5	67.8	89.1	82.1	86.9	86.9	80.6	96.3	86.9	80.6	95.9	85.7	78.7	64.6	64.6	64.6	
	65-74	86.7-100.3	72.5-96.1	69.0-95.6	45.4-84.4	77.9-95.2	69.4-90.5	88.1-99.1	88.1-99.1	73.1	92.5	75.0	73.1	91.5	72.4	68.2	59.5	72.1	72.1	
	75+	78.2-101.0	57.5-95.0	47.3-94.1	*	80.2-99.0	50.1-85.8	79.8-97.8	60.0-85.6	57.3-84.8	99.0	77.8	65.6	96.1	70.6	55.1	43.6-72.3	52.8-87.6	57.9-92.6	53.5-79.2
All ages	43.8-92.0	*	*	*	60.3-100.0	45.6-99.2	77.8-102.4	53.6-93.5	38.2-87.1	97.4	72.2	68.8	95.5	67.6	61.1	27.8	37.0	92.2-97.4	61.6-72.9	55.1-66.6
Oesophagus	15-44	77.7	73.4	58.8	37.4	81.5	77.2	81.5	77.2	68.8	97.4	72.2	68.8	95.5	67.6	61.1	37.0	37.0	61.1	
	45-54	*	*	*	*	81.5	77.2	81.5	77.2	68.8	97.4	72.2	68.8	95.5	67.6	61.1	37.0	37.0	61.1	
	55-64	27.9	*	*	*	20.0	*	20.0	*	*	52.8	*	*	52.6	*	*	*	*	*	
	65-74	11.4-47.3	*	*	*	6.5-38.8	*	6.5-38.8	*	*	68.0	*	*	67.3	*	*	*	*	*	
	75+	9.2-42.0	*	*	*	19.5-49.7	*	19.5-49.7	*	*	46.9	*	*	45.3	*	*	*	*	*	
All ages	16.1-35.9	3.8-16.7	3.8-16.7	14.3-31.6	14.3-31.6	14.3-31.6	14.3-31.6	14.3-31.6	17.8	48.0	23.4	17.8	45.7	20.8	15.2	20.8	13.3-27.3	13.3-27.3	8.8-23.3	
Stomach	15-44	76.0	89.1	89.1	89.1	65.8	54.3	65.8	54.3	81.3	71.2	71.5	81.1	70.8	70.8	70.8	81.1	70.8	70.8	
	45-54	42.6-91.7	*	*	*	38.8-83.3	28.8-74.4	38.8-83.3	28.8-74.4	52.4-93.6	43.9-87.1	44.1-87.5	52.4-93.6	43.9-87.1	43.9-87.1	43.9-87.1	43.9-87.1	43.9-87.1	43.9-87.1	
	55-64	75.8	63.2	55.5	43.3	71.6	67.8	71.6	67.8	85.8	65.7	49.7	85.8	64.8	64.8	48.4	52.2	85.4	64.8	
	65-74	51.0-83.5	39.0-80.5	32.2-74.3	22.5-63.6	48.4-86.2	43.9-84.1	48.4-86.2	43.9-84.1	63.9-94.6	45.2-80.3	30.6-66.4	63.9-94.6	45.2-80.3	44.5-79.2	29.8-64.8	34.7	85.5	65.9-94.2	44.5-79.2
	75+	33.2-58.8	21.9-51.5	21.2-48.6	13.3-41.4	46.4-72.4	46.0-73.5	46.4-72.4	46.0-73.5	74.3	61.0	55.6	74.3	61.0	54.9	45.8	28.6	72.0	73.9-92.2	62.8-84.0
All ages	59.0	43.7	40.9	33.7	49.6	46.6	49.6	46.6	66.3	53.9	49.2	66.3	53.9	46.7	39.0	26.0	42.6	56.8-67.6	41.2-52.0	33.8-44.3

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-2002

Site	Age Group	Relative Survival (%)												Observed Survival (%)				Stage: Regional	
		1988-1992				1993-1997				1998-2002				1998-2002					
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr		
Tongue	15-44	*	*	*	*	*	*	*	*	100.1	100.1	100.1	100.0	100.0	100.0	100.0	*	*	
	45-54	*	*	*	*	*	*	*	*	79.2	79.2	79.2	78.9	78.9	78.9	78.9	*	*	
	55-64	*	*	*	*	*	*	*	*	61.2	61.2	61.2	60.5	60.5	60.5	60.5	*	*	
	65-74	*	*	*	*	*	*	*	*	69.0	69.0	69.0	68.0	68.0	68.0	68.0	*	*	
	75+	*	*	*	*	*	*	*	*	42.6	42.6	42.6	41.2	41.2	41.2	41.2	*	*	
All ages	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	31.3	31.3	
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	46.5	46.5	46.5	46.5	46.5	46.5	46.5	*	*	
	45-54	*	*	*	*	*	*	*	*	93.3	93.3	93.3	93.3	93.3	93.3	93.3	*	*	
	55-64	*	*	*	*	*	*	*	*	89.4	89.4	89.4	89.4	89.4	89.4	89.4	*	*	
	65-74	*	*	*	*	*	*	*	*	82.2	82.2	82.2	82.2	82.2	82.2	82.2	*	*	
	75+	*	*	*	*	*	*	*	*	72.7	72.7	72.7	72.7	72.7	72.7	72.7	*	*	
All ages	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	97.7	97.7	
Nasopharynx	15-44	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3	92.3
	45-54	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4	85.4
	55-64	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0	85.0
	65-74	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9	62.9
	75+	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7
All ages	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8
Oesophagus	15-44	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5
	45-54	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6	33.6
	55-64	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3	13.3
	65-74	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
	75+	26.2	26.2	26.2	26.2	26.2	26.2	26.2	26.2	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5	17.5
All ages	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
Stomach	15-44	52.9	52.9	52.9	52.9	52.9	52.9	52.9	52.9	71.1	71.1	71.1	71.1	71.1	71.1	71.1	71.1	71.1	71.1
	45-54	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2
	55-64	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
	65-74	27.8	27.8	27.8	27.8	27.8	27.8	27.8	27.8	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2
	75+	40.9	40.9	40.9	40.9	40.9	40.9	40.9	40.9	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5
All ages	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7	35.7

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-2002

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		1988-1992				1993-1997				1998-2002				1998-2002				
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All-Ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Major salivary gland (incl. parotid gland)	15-44	55.7 (31.0-74.7)	*	*	20.7 (4.8-44.1)	*	62.3 (32.0-82.2)	*	62.2 (32.0-82.1)	*	62.2 (32.0-82.1)	*	62.2 (32.0-82.1)	*	62.2 (32.0-82.1)	*	62.2 (32.0-82.1)	*
	45-54	63.3 (33.1-82.9)	*	*	28.8 (9.8-51.3)	*	47.7 (24.1-68.2)	*	47.6 (24.0-67.9)	*	47.6 (24.0-67.9)	*	47.6 (24.0-67.9)	*	47.6 (24.0-67.9)	*	47.6 (24.0-67.9)	*
	55-64	*	*	*	43.2 (13.1-71.0)	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All-Ages	40.8 (27.3-54.0)	*	*	19.2 (10.2-30.4)	*	42.7 (27.8-57.0)	*	41.3 (26.9-55.2)	*	41.3 (26.9-55.2)	*	41.3 (26.9-55.2)	*	41.3 (26.9-55.2)	*	41.3 (26.9-55.2)	*	
Nasopharynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	14.4 (3.0-34.4)	*	*	19.0 (5.7-38.3)	*	34.9 (15.5-55.3)	*	34.5 (15.4-54.7)	*	34.5 (15.4-54.7)	*	34.5 (15.4-54.7)	*	34.5 (15.4-54.7)	*	34.5 (15.4-54.7)	*
	65-74	*	*	*	33.9 (12.9-57.0)	*	8.0 (2.2-18.9)	*	7.8 (2.1-18.3)	*	7.8 (2.1-18.3)	*	7.8 (2.1-18.3)	*	7.8 (2.1-18.3)	*	7.8 (2.1-18.3)	*
	75+	*	*	*	*	*	12.5 (1.6-36.7)	*	10.6 (1.3-31.1)	*	10.6 (1.3-31.1)	*	10.6 (1.3-31.1)	*	10.6 (1.3-31.1)	*	10.6 (1.3-31.1)	*
All-Ages	7.5 (2.1-17.8)	*	*	23.4 (12.8-35.9)	*	21.4 (12.5-32.0)	*	20.2 (11.8-30.2)	*	20.2 (11.8-30.2)	*	20.2 (11.8-30.2)	*	20.2 (11.8-30.2)	*	20.2 (11.8-30.2)	*	
Oesophagus	15-44	12.7 (3.2-28.8)	*	*	16.7 (3.6-38.3)	*	25.1 (8.8-45.7)	*	25.1 (8.7-45.6)	*	25.1 (8.7-45.6)	*	25.1 (8.7-45.6)	*	25.1 (8.7-45.6)	*	25.1 (8.7-45.6)	*
	45-54	7.2 (1.2-21.1)	*	*	20.9 (6.7-40.3)	*	11.5 (4.1-22.9)	*	11.4 (4.1-22.8)	*	11.4 (4.1-22.8)	*	11.4 (4.1-22.8)	*	11.4 (4.1-22.8)	*	11.4 (4.1-22.8)	*
	55-64	16.1 (8.7-25.4)	*	*	12.4 (6.3-20.6)	*	19.5 (10.6-30.3)	*	19.2 (10.5-30.0)	*	19.2 (10.5-30.0)	*	19.2 (10.5-30.0)	*	19.2 (10.5-30.0)	*	19.2 (10.5-30.0)	*
	65-74	10.0 (5.2-16.6)	*	*	13.3 (7.5-20.8)	*	10.9 (6.2-17.1)	*	10.6 (6.0-16.5)	*	10.6 (6.0-16.5)	*	10.6 (6.0-16.5)	*	10.6 (6.0-16.5)	*	10.6 (6.0-16.5)	*
	75+	8.4 (3.2-16.9)	*	*	8.0 (3.8-14.4)	*	11.2 (6.1-18.1)	*	10.0 (5.5-16.2)	*	10.0 (5.5-16.2)	*	10.0 (5.5-16.2)	*	10.0 (5.5-16.2)	*	10.0 (5.5-16.2)	*
All-Ages	10.7 (7.5-14.7)	*	*	12.7 (9.3-16.7)	*	13.7 (10.3-17.6)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	
Stomach	15-44	10.7 (7.5-14.7)	*	*	12.7 (9.3-16.7)	*	13.7 (10.3-17.6)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*
	45-54	10.7 (7.5-14.7)	*	*	12.7 (9.3-16.7)	*	13.7 (10.3-17.6)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*
	55-64	10.7 (7.5-14.7)	*	*	12.7 (9.3-16.7)	*	13.7 (10.3-17.6)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*
	65-74	10.7 (7.5-14.7)	*	*	12.7 (9.3-16.7)	*	13.7 (10.3-17.6)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*
	75+	10.7 (7.5-14.7)	*	*	12.7 (9.3-16.7)	*	13.7 (10.3-17.6)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*
All-Ages	10.7 (7.5-14.7)	*	*	12.7 (9.3-16.7)	*	13.7 (10.3-17.6)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	13.1 (9.9-16.8)	*	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007			2008-2012			2013-2017			2013-2017							
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr					
Tongue	15-44	*	*	*	*	*	*	100.1	93.3	*	100.0	93.1	*					
	45-54	100.3 (100.3-100.3)	*	100.3 (100.3-100.3)	100.9 (100.9-100.9)	101.7 (101.7-101.7)	*	(100.1-100.1)	(60.3-99.3)	*	(100.0-100.0)	(60.1-99.0)	*					
	55-64	*	*	100.8 (100.8-100.8)	90.4 (41.2-101.0)	*	100.8 (100.8-100.8)	96.8 (67.8-101.7)	92.4 (63.4-101.5)	100.0 (100.0-100.0)	94.3 (66.1-99.2)	88.2 (60.6-96.9)	*					
	65-74	*	*	*	*	*	102.1 (102.1-102.1)	*	*	*	*	*	*					
	75+	103.7 (103.7-103.7)	*	104.4 (104.4-104.4)	98.5 (77.9-107.8)	107.7 (85.2-117.8)	97.5 (86.4-101.8)	89.0 (73.0-99.2)	96.0 (78.0-107.8)	93.5 (82.8-97.6)	78.5 (64.4-87.5)	76.8 (62.4-86.3)	*					
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*					
	45-54	*	*	*	*	*	*	*	*	*	*	*	*					
	55-64	*	*	*	*	*	*	*	*	*	*	*	*					
	65-74	*	*	*	*	*	*	*	*	*	*	*	*					
	75+	*	*	*	*	*	*	*	*	*	*	*	*					
Nasopharynx	15-44	100.1 (100.1-100.1)	95.3 (69.1-99.7)	109.7 (109.7-109.7)	119.4 (119.4-119.4)	101.9 (101.9-101.9)	102.3 (77.6-106.0)	108.0 (82.0-111.9)	96.0 (72.9-99.5)	100.0 (100.0-100.0)	96.0 (72.9-99.5)	96.0 (72.9-99.5)	96.0 (72.9-99.5)					
	45-54	100.3 (100.3-100.3)	91.8 (69.0-98.6)	96.3 (72.0-100.4)	87.3 (67.2-96.2)	100.3 (100.3-100.3)	100.9 (100.9-100.9)	101.6 (101.6-101.6)	95.0 (69.3-99.3)	100.0 (100.0-100.0)	95.0 (69.3-99.3)	89.1 (62.9-97.2)	89.1 (62.9-97.2)					
	55-64	91.8 (69.0-98.6)	85.6 (55.9-97.5)	92.7 (67.5-98.5)	87.5 (64.1-98.4)	87.3 (55.0-98.0)	69.8 (32.2-91.7)	85.7 (54.0-96.2)	65.7 (30.3-86.2)	85.7 (54.0-96.2)	65.7 (30.3-86.2)	65.7 (30.3-86.2)	65.7 (30.3-86.2)					
	65-74	*	*	*	*	*	*	*	*	*	*	*	*					
	75+	99.7 (93.1-101.2)	92.1 (80.9-98.3)	90.4 (79.8-96.6)	90.5 (79.5-97.5)	93.9 (83.8-98.4)	80.3 (67.5-89.3)	72.9 (58.9-83.7)	92.2 (82.2-96.7)	76.4 (64.1-84.9)	67.2 (54.3-77.2)	67.2 (54.3-77.2)	67.2 (54.3-77.2)					
Oesophagus	15-44	*	*	*	*	*	*	*	*	*	*	*	*					
	45-54	100.4 (100.4-100.4)	89.3 (68.8-98.3)	101.2 (101.2-101.2)	77.8 (43.6-93.6)	94.0 (63.2-99.4)	88.2 (58.9-97.6)	88.9 (59.3-98.4)	87.4 (58.3-96.7)	93.7 (63.1-99.1)	87.4 (58.3-96.7)	87.4 (58.3-96.7)	87.4 (58.3-96.7)					
	55-64	98.4 (83.4-100.7)	95.4 (76.4-103.9)	97.8 (70.0-92.1)	89.1 (72.4-97.8)	99.3 (90.9-100.5)	95.6 (85.3-99.8)	91.2 (78.2-98.0)	93.4 (83.3-97.5)	96.6 (90.3-99.8)	93.4 (83.3-97.5)	93.4 (83.3-97.5)	93.4 (83.3-97.5)					
	65-74	94.1 (81.2-99.5)	90.7 (76.9-98.8)	97.8 (70.0-92.1)	73.1 (58.3-85.1)	91.4 (81.9-96.5)	86.3 (74.3-94.3)	83.4 (69.0-93.8)	80.6 (69.4-88.1)	89.6 (80.3-94.7)	80.6 (69.4-88.1)	80.6 (69.4-88.1)	80.6 (69.4-88.1)					
	75+	90.7 (76.9-98.8)	86.6 (69.8-98.8)	91.1 (78.5-91.1)	77.4 (57.8-94.7)	94.5 (84.3-100.3)	78.5 (62.9-91.0)	67.9 (50.4-84.1)	63.7 (46.7-70.1)	88.3 (78.7-93.7)	63.7 (46.7-70.1)	63.7 (46.7-70.1)	63.7 (46.7-70.1)					
Stomach	15-44	100.3 (100.3-100.3)	101.2 (101.2-101.2)	100.3 (100.3-100.3)	100.3 (100.3-100.3)	101.2 (101.2-101.2)	100.3 (100.3-100.3)	88.2 (58.9-97.6)	88.9 (59.3-98.4)	93.7 (63.1-99.1)	87.4 (58.3-96.7)	87.4 (58.3-96.7)	87.4 (58.3-96.7)					
	45-54	98.4 (83.4-100.7)	95.4 (76.4-103.9)	97.8 (70.0-92.1)	89.1 (72.4-97.8)	99.3 (90.9-100.5)	95.6 (85.3-99.8)	91.2 (78.2-98.0)	93.4 (83.3-97.5)	96.6 (90.3-99.8)	93.4 (83.3-97.5)	93.4 (83.3-97.5)	93.4 (83.3-97.5)					
	55-64	94.1 (81.2-99.5)	90.7 (76.9-98.8)	97.8 (70.0-92.1)	73.1 (58.3-85.1)	91.4 (81.9-96.5)	86.3 (74.3-94.3)	83.4 (69.0-93.8)	80.6 (69.4-88.1)	89.6 (80.3-94.7)	80.6 (69.4-88.1)	80.6 (69.4-88.1)	80.6 (69.4-88.1)					
	65-74	90.7 (76.9-98.8)	86.6 (69.8-98.8)	91.1 (78.5-91.1)	77.4 (57.8-94.7)	94.5 (84.3-100.3)	78.5 (62.9-91.0)	67.9 (50.4-84.1)	63.7 (46.7-70.1)	88.3 (78.7-93.7)	63.7 (46.7-70.1)	63.7 (46.7-70.1)	63.7 (46.7-70.1)					
	75+	95.4 (89.8-98.8)	86.6 (69.8-98.8)	96.6 (91.9-99.4)	79.7 (71.1-87.0)	94.9 (90.6-97.7)	87.2 (80.7-92.3)	81.4 (73.6-88.0)	92.2 (88.0-95.0)	80.1 (74.1-84.8)	80.1 (74.1-84.8)	80.1 (74.1-84.8)	80.1 (74.1-84.8)					

* refers to cells where estimates are not computed due to insufficient sample size

Stage II

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017					
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr			
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	65.5 (32.6-85.9)	74.6 (52.9-88.6)	69.2 (46.5-85.8)	64.6 (37.8-85.7)	73.6 (50.1-87.8)	76.2 (51.8-90.8)	61.6 (37.4-80.9)	72.3 (49.2-86.2)	55.1 (33.4-72.3)										
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	102.9 (102.9-102.9)	102.6 (102.6-102.6)	97.0 (74.2-105.0)	88.9 (59.6-103.7)	102.6 (102.6-102.6)	104.5 (89.2-109.8)	90.2 (59.4-106.2)	100.0 (100.0-100.0)	94.6 (62.6-99.3)	76.5 (50.4-90.1)									
Nasopharynx	15-44	100.1 (100.1-100.1)	92.2 (76.7-97.7)	92.6 (78.3-97.8)	87.5 (73.5-94.6)	100.1 (100.1-100.1)	95.4 (82.2-99.0)	90.3 (75.4-96.6)	100.0 (100.0-100.0)	95.2 (82.0-98.8)	89.8 (75.0-96.1)								
	45-54	98.1 (91.7-99.8)	94.8 (84.7-98.8)	91.4 (81.9-96.3)	86.8 (76.9-93.0)	98.2 (86.3-100.0)	96.7 (85.2-99.8)	93.7 (81.9-98.6)	97.9 (86.1-99.7)	95.9 (84.4-98.9)	92.2 (80.6-97.0)								
	55-64	96.6 (86.0-100.5)	88.8 (68.2-97.5)	90.7 (79.3-96.7)	88.9 (76.5-96.1)	96.8 (85.9-99.7)	83.6 (68.1-92.6)	78.6 (62.4-89.3)	96.1 (85.3-99.0)	81.7 (66.5-90.5)	75.4 (59.8-85.6)								
	65-74	97.9 (73.7-101.9)	103.6 (78.0-107.9)	87.7 (65.5-99.0)	85.8 (62.2-100.0)	97.7 (77.0-101.0)	95.5 (69.5-103.1)	93.3 (63.0-105.4)	96.2 (75.8-99.5)	90.4 (65.8-97.6)	83.8 (56.6-94.6)								
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	99.8 (96.8-100.9)	93.7 (87.0-97.9)	79.4 (72.8-84.8)	75.6 (68.6-81.5)	99.6 (96.2-100.8)	93.5 (87.1-97.7)	90.5 (83.2-95.9)	98.1 (94.7-99.3)	88.6 (82.5-92.6)	83.6 (76.8-88.6)									
Oesophagus	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	73.8 (47.3-88.7)	56.7 (30.1-76.6)	28.8 (11.3-49.5)	*	45.2 (18.7-68.7)	*	*	44.8 (18.5-68.2)	*	*	*	*	*	*	*	*		
	65-74	44.3 (18.3-68.2)	77.1 (48.2-92.0)	*	*	71.5 (46.2-87.0)	*	*	70.0 (45.2-85.2)	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	54.2 (23.6-78.8)	*	*	50.7 (22.1-73.7)	*	*	*	*	*	*	*	*		
All ages	94.1 (63.5-99.4)	77.2 (42.1-93.1)	57.6 (22.3-82.0)	71.1 (48.1-86.4)	100.3 (100.3-100.3)	87.2 (55.9-97.4)	87.9 (56.4-98.2)	100.0 (100.0-100.0)	86.3 (55.4-96.4)	86.3 (55.4-96.4)									
Stomach	15-44	94.1 (63.5-99.4)	77.2 (42.1-93.1)	57.6 (22.3-82.0)	71.1 (48.1-86.4)	100.3 (100.3-100.3)	87.2 (55.9-97.4)	87.9 (56.4-98.2)	100.0 (100.0-100.0)	86.3 (55.4-96.4)	86.3 (55.4-96.4)								
	45-54	95.3 (67.3-100.1)	67.3 (44.1-84.5)	70.6 (52.2-84.3)	54.2 (35.4-71.2)	88.8 (76.7-96.4)	64.8 (45.1-79.4)	60.7 (39.5-77.2)	86.9 (71.3-94.3)	63.2 (44.0-77.4)	58.0 (37.8-73.7)								
	55-64	94.3 (78.3-100.1)	59.3 (33.1-82.0)	60.6 (40.6-78.7)	39.1 (20.9-60.0)	85.8 (69.6-91.2)	74.9 (52.0-92.6)	64.8 (36.2-87.9)	87.9 (64.7-89.7)	66.5 (52.3-77.4)	56.8 (42.4-68.8)								
	65-74	77.6 (56.1-91.2)	69.7 (48.6-80.3)	70.4 (44.0-84.7)	54.6 (36.2-79.0)	89.4 (82.5-94.2)	74.0 (64.8-81.7)	68.8 (58.5-77.8)	86.8 (80.1-91.4)	68.0 (59.6-75.1)	41.6 (24.0-58.4)								
	75+	90.6 (82.3-95.7)	69.7 (56.6-80.3)	70.4 (60.2-79.0)	54.6 (36.2-79.0)	89.4 (82.5-94.2)	74.0 (64.8-81.7)	68.8 (58.5-77.8)	86.8 (80.1-91.4)	68.0 (59.6-75.1)	41.6 (24.0-58.4)								

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Appendix E1: Relative and observed survival by period, site, and age group for males, 2003-2017												Stage III			
		2003-2007				2008-2012				2013-2017				Observed Survival (%)			
		1Yr	3Yr	5Yr	5yr	1Yr	3Yr	5Yr	5yr	1Yr	3Yr	5Yr	5yr	1Yr	3Yr	5Yr	
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	90.6 (47.3-99.3)	*	*	*	*	89.9 (47.0-98.5)	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	63.8 (35.8-83.0)	85.9 (64.0-96.0)	72.5 (44.9-90.1)	30.4 (14.2-49.3)	81.3 (56.4-93.9)	34.2 (16.6-53.3)	79.0 (54.8-91.2)	31.7 (15.4-49.4)	26.7 (12.4-43.3)								
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	88.1 (54.7-98.5)	97.8 (91.3-99.5)	90.7 (82.7-95.2)	82.0 (72.7-88.4)	102.0 (102.0-102.0)	94.4 (57.7-103.8)	100.0 (100.0-100.0)	88.8 (54.3-97.7)									
Nasopharynx	15-44	98.1 (92.3-99.6)	93.0 (84.5-97.0)	90.7 (82.7-95.2)	82.0 (72.7-88.4)	100.1 (100.1-100.1)	96.7 (86.7-99.4)	100.0 (100.0-100.0)	88.1 (77.5-93.9)	96.7 (86.7-99.4)	96.7 (86.7-99.4)	96.7 (86.7-99.4)	96.4 (86.5-99.1)	88.1 (77.5-93.9)	96.4 (86.5-99.1)	96.4 (86.5-99.1)	88.1 (77.5-93.9)
	45-54	97.5 (91.8-99.4)	90.5 (80.6-95.8)	93.6 (86.7-97.2)	86.8 (78.4-92.4)	98.3 (92.6-99.8)	91.6 (84.3-95.8)	98.0 (92.4-99.5)	90.8 (83.6-94.9)	91.6 (84.3-95.8)	91.6 (84.3-95.8)	91.6 (84.3-95.8)	90.8 (83.6-94.9)	90.8 (83.6-94.9)	90.8 (83.6-94.9)	90.8 (83.6-94.9)	82.5 (74.3-88.4)
	55-64	92.6 (82.0-97.3)	75.2 (58.0-86.7)	87.8 (77.9-94.0)	73.1 (60.1-82.9)	99.5 (92.2-100.5)	91.8 (83.6-96.6)	99.5 (92.2-100.5)	89.6 (81.6-94.3)	79.2 (69.1-86.8)	91.8 (83.6-96.6)	91.8 (83.6-96.6)	89.6 (81.6-94.3)	89.6 (81.6-94.3)	89.6 (81.6-94.3)	89.6 (81.6-94.3)	75.9 (66.2-83.1)
	65-74	99.3 (91.8-102.1)	86.4 (62.3-98.7)	99.5 (83.8-102.0)	75.4 (54.8-90.4)	88.8 (69.2-95.3)	73.4 (53.0-87.3)	88.8 (69.2-95.3)	85.1 (67.9-93.5)	58.1 (38.0-75.4)	73.4 (53.0-87.3)	73.4 (53.0-87.3)	85.1 (67.9-93.5)	85.1 (67.9-93.5)	85.1 (67.9-93.5)	85.1 (67.9-93.5)	51.5 (33.6-66.8)
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	90.8 (86.7-93.9)	80.3 (74.1-85.3)	81.6 (76.7-85.8)	73.5 (67.8-78.6)	94.3 (90.8-96.7)	82.9 (77.8-87.1)	94.3 (90.8-96.7)	71.2 (65.5-76.4)	65.9 (60.6-70.7)	82.9 (77.8-87.1)	82.9 (77.8-87.1)	92.5 (89.1-94.8)	92.5 (89.1-94.8)	92.5 (89.1-94.8)	92.5 (89.1-94.8)	65.9 (60.6-70.7)	
Oesophagus	15-44	50.2 (18.4-75.6)	59.2 (31.0-79.2)	59.2 (31.0-79.2)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	44.9 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	44.9 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)
	45-54	47.8 (24.7-67.9)	59.5 (41.4-73.8)	59.5 (41.4-73.8)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	50.6 (37.0-62.7)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	50.6 (37.0-62.7)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)
	55-64	53.2 (25.3-75.4)	68.4 (47.2-82.9)	68.4 (47.2-82.9)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	42.9 (30.0-55.1)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	42.9 (30.0-55.1)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	18.5 (9.2-30.3)
	65-74	24.2 (6.8-48.2)	44.6 (19.7-68.2)	44.6 (19.7-68.2)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	25.5 (12.5-40.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	25.5 (12.5-40.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)
	75+	42.0 (29.6-54.1)	56.8 (45.9-66.4)	56.8 (45.9-66.4)	15.3 (7.4-26.2)	15.3 (7.4-26.2)	15.3 (7.4-26.2)	15.3 (7.4-26.2)	43.4 (35.5-51.1)	18.4 (12.4-25.3)	18.4 (12.4-25.3)	43.4 (35.5-51.1)	42.2 (34.5-49.6)	43.4 (35.5-51.1)	17.1 (11.6-23.6)	17.1 (11.6-23.6)	8.5 (4.6-13.8)
All ages	81.9 (44.8-95.3)	90.8 (49.3-98.9)	90.8 (49.3-98.9)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	
Stomach	15-44	50.2 (18.4-75.6)	59.2 (31.0-79.2)	59.2 (31.0-79.2)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	44.9 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	44.9 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)	45.0 (21.5-66.1)
	45-54	47.8 (24.7-67.9)	59.5 (41.4-73.8)	59.5 (41.4-73.8)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	50.6 (37.0-62.7)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	50.6 (37.0-62.7)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)	51.0 (37.3-63.1)
	55-64	53.2 (25.3-75.4)	68.4 (47.2-82.9)	68.4 (47.2-82.9)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	42.9 (30.0-55.1)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	42.9 (30.0-55.1)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	43.7 (30.6-56.2)	18.5 (9.2-30.3)
	65-74	24.2 (6.8-48.2)	44.6 (19.7-68.2)	44.6 (19.7-68.2)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	25.5 (12.5-40.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	25.5 (12.5-40.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)	27.3 (13.4-43.6)
	75+	42.0 (29.6-54.1)	56.8 (45.9-66.4)	56.8 (45.9-66.4)	15.3 (7.4-26.2)	15.3 (7.4-26.2)	15.3 (7.4-26.2)	15.3 (7.4-26.2)	43.4 (35.5-51.1)	18.4 (12.4-25.3)	18.4 (12.4-25.3)	43.4 (35.5-51.1)	42.2 (34.5-49.6)	43.4 (35.5-51.1)	17.1 (11.6-23.6)	17.1 (11.6-23.6)	8.5 (4.6-13.8)
All ages	81.9 (44.8-95.3)	90.8 (49.3-98.9)	90.8 (49.3-98.9)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	88.6 (74.4-95.3)	

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)						Observed Survival (%)								
		2003-2007			2008-2012			2013-2017			2018-2017					
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr			
Tongue		53.0 (17.9-79.2)	*	72.2 (36.3-90.1)	*	51.3 (27.6-71.0)	*	51.2 (16.8-77.8)	*	42.0 (23.7-59.4)	*	51.1 (16.7-77.7)	*	41.6 (23.5-58.8)	*	37.9 (20.5-55.3)
	45-54	74.5 (45.2-89.8)	*	68.8 (45.4-83.8)	*	31.3 (13.8-50.9)	*	66.5 (45.5-81.0)	*	43.8 (28.5-58.3)	*	66.3 (45.4-80.8)	*	42.7 (27.8-56.8)	*	37.4 (23.0-51.7)
	55-64	66.4 (39.5-83.7)	*	78.1 (57.1-89.9)	*	*	*	59.7 (43.4-72.7)	*	26.4 (12.4-43.0)	*	59.2 (43.1-72.2)	*	42.7 (27.8-56.8)	*	*
	65-74	49.0 (27.5-67.7)	*	44.2 (25.4-61.7)	*	*	*	53.0 (36.1-67.6)	*	*	*	52.0 (35.4-66.2)	*	24.8 (11.7-40.4)	*	*
	75+	52.3 (20.5-78.9)	*	46.5 (21.5-69.3)	*	*	*	50.5 (28.8-69.5)	*	*	*	47.7 (27.2-65.7)	*	*	*	*
	All ages	57.4 (45.1-66.0)	*	56.9 (46.7-65.9)	*	30.9 (21.3-41.1)	*	55.1 (46.5-62.9)	*	36.2 (27.7-44.9)	*	53.7 (45.3-61.3)	*	33.7 (25.8-41.7)	*	27.9 (20.3-35.9)
Major salivary gland (incl. parotid gland)																
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	70.8 (39.4-86.2)	*	*	*	70.3 (39.1-87.6)	*	*	*	*
	55-64	*	*	*	*	*	*	71.8 (34.7-90.8)	*	*	*	70.8 (34.2-89.4)	*	*	*	*
	65-74	*	*	*	*	*	*	48.5 (18.5-74.9)	*	*	*	45.6 (17.4-70.2)	*	*	*	*
	75+	*	*	*	*	*	*	66.6 (50.4-78.9)	*	39.2 (23.7-54.8)	*	64.9 (49.1-76.9)	*	36.2 (21.9-50.6)	*	25.7 (13.6-39.7)
	All ages	87.3 (64.8-98.8)	*	76.9 (59.0-88.3)	*	56.5 (37.2-72.8)	*	68.8 (49.0-89.3)	*	61.6 (48.8-72.2)	*	66.8 (46.6-70.1)	*	61.5 (48.6-72.0)	*	59.1 (46.4-69.7)
	15-44	94.7 (87.7-97.8)	*	73.1 (61.0-82.1)	*	68.8 (57.8-77.5)	*	86.8 (75.4-93.2)	*	87.6 (75.4-93.2)	*	86.8 (75.3-93.1)	*	63.2 (48.8-72.0)	*	48.5 (40.4-56.0)
	45-54	84.3 (76.8-89.6)	*	88.5 (78.0-92.5)	*	67.8 (60.1-74.3)	*	87.6 (80.8-92.2)	*	63.8 (55.2-71.2)	*	87.4 (80.5-92.0)	*	63.2 (54.8-70.5)	*	48.5 (37.7)
	55-64	71.2 (60.8-79.4)	*	81.4 (73.6-87.1)	*	62.2 (52.5-70.6)	*	81.4 (69.7-82.7)	*	50.5 (42.4-58.1)	*	76.4 (69.2-82.1)	*	49.3 (41.4-56.7)	*	37.7 (30.2-45.1)
	65-74	53.0 (36.6-67.2)	*	75.3 (62.1-84.8)	*	41.7 (27.5-55.6)	*	68.3 (56.6-77.6)	*	41.0 (29.8-52.0)	*	67.0 (55.6-76.2)	*	38.5 (28.0-48.9)	*	25.4 (16.4-35.4)
	75+	57.6 (28.4-80.3)	*	47.0 (24.4-67.6)	*	*	*	44.7 (24.8-63.4)	*	71.5 (67.2-75.4)	*	70.3 (66.0-74.1)	*	42.4 (40.4-49.1)	*	35.2 (31.1-39.3)
	All ages	74.6 (69.8-78.9)	*	78.5 (74.4-82.0)	*	52.3 (47.4-57.0)	*	71.5 (67.2-75.4)	*	46.8 (42.2-51.2)	*	70.3 (66.0-74.1)	*	44.8 (40.4-49.1)	*	35.2 (31.1-39.3)
Nasopharynx																
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	16.7 (2.7-41.5)	*	18.6 (7.4-33.9)	*	*	*	13.2 (3.5-29.6)	*	*	*	13.2 (3.5-29.5)	*	*	*	*
	55-64	17.3 (7.6-30.2)	*	19.2 (10.8-29.5)	*	*	*	28.3 (16.9-40.8)	*	*	*	28.1 (16.8-40.5)	*	*	*	*
	65-74	26.7 (13.6-41.9)	*	15.3 (7.5-25.9)	*	*	*	30.8 (19.6-42.9)	*	*	*	30.2 (19.2-42.0)	*	*	*	*
	75+	0.0 (0.0-0.0)	*	12.9 (4.9-25.2)	*	*	*	10.1 (3.6-20.7)	*	*	*	9.4 (3.3-19.4)	*	*	*	*
	All ages	17.8 (11.1-25.7)	*	16.3 (11.5-21.8)	*	*	*	21.0 (15.4-27.3)	*	*	*	20.5 (15.0-26.6)	*	*	*	*
	15-44	37.1 (19.6-54.7)	*	50.6 (31.6-66.8)	*	33.2 (16.3-51.2)	*	33.4 (16.2-51.7)	*	*	*	33.4 (16.2-51.6)	*	*	*	*
	45-54	31.4 (20.5-42.9)	*	45.6 (32.3-58.0)	*	13.5 (6.5-23.0)	*	28.6 (18.7-39.3)	*	*	*	28.5 (18.6-39.2)	*	*	*	*
	55-64	39.7 (29.2-50.0)	*	38.9 (30.3-47.5)	*	9.4 (5.1-15.4)	*	32.0 (24.3-40.0)	*	7.9 (3.9-13.8)	*	31.8 (24.2-39.7)	*	7.7 (3.8-13.4)	*	*
	65-74	32.7 (25.9-39.8)	*	21.0 (15.5-27.0)	*	5.7 (3.1-9.5)	*	24.5 (18.2-31.4)	*	7.0 (3.6-11.8)	*	24.0 (17.8-30.8)	*	6.5 (3.4-11.0)	*	*
	75+	20.6 (14.3-27.7)	*	15.4 (10.9-20.7)	*	4.4 (2.2-7.9)	*	12.6 (8.8-17.1)	*	3.3 (1.5-6.3)	*	11.7 (8.2-15.9)	*	2.7 (1.2-5.1)	*	*
	All ages	31.1 (27.0-35.2)	*	28.3 (24.7-32.1)	*	8.6 (6.5-11.0)	*	23.4 (20.1-26.8)	*	6.7 (4.9-9.0)	*	22.7 (19.5-26.0)	*	6.2 (4.5-8.3)	*	3.7 (2.4-5.4)

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Stage: Local			
		1968-1972			1973-1977			1978-1982			1983-1987						
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr		10Yr		
Colon	15-44	100.3 (100.3-100.3)	*	67.8 (35.3-86.5)	43.2 (16.5-67.8)	*	*	*	*	88.7 (60.5-97.7)	85.1 (57.1-96.8)	87.2 (58.5-99.2)	*	94.5 (66.1-99.4)	*	*	*
	45-54	63.2 (35.2-81.9)	*	79.9 (48.9-93.6)	65.4 (34.0-85.7)	51.8 (23.0-75.9)	88.7 (57.1-96.8)	85.1 (57.1-96.8)	87.2 (58.5-99.2)	95.8 (70.3-100.0)	70.3 (40.3-88.0)	58.1 (29.4-79.7)	50.3 (24.3-74.0)	95.8 (70.3-100.0)	70.3 (40.3-88.0)	58.1 (29.4-79.7)	50.3 (24.3-74.0)
	55-64	69.5 (40.0-87.3)	*	85.4 (58.4-96.5)	49.3 (24.6-71.3)	*	60.7 (42.5-75.5)	60.7 (42.5-75.5)	40.0 (22.7-57.8)	71.1 (53.9-83.2)	60.7 (42.5-75.5)	40.0 (22.7-57.8)	*	93.2 (77.0-99.1)	72.9 (52.0-87.2)	59.0 (37.9-76.9)	*
	65-74	71.0 (45.3-87.9)	*	58.3 (39.7-73.7)	51.9 (30.2-72.3)	*	62.2 (43.2-77.2)	52.2 (32.8-70.3)	45.4 (26.1-65.8)	84.5 (69.1-93.8)	73.1 (54.3-87.8)	71.8 (49.8-90.6)	*	84.5 (69.1-93.8)	73.1 (54.3-87.8)	71.8 (49.8-90.6)	*
	75+	*	*	45.5 (16.1-74.7)	*	*	40.6 (15.6-66.7)	*	*	66.9 (43.5-84.8)	53.9 (27.9-80.4)	*	*	66.9 (43.5-84.8)	53.9 (27.9-80.4)	*	*
	All ages	*	*	63.1 (51.7-72.9)	42.2 (30.6-54.0)	41.8 (29.2-55.0)	61.0 (50.9-69.8)	47.7 (37.3-57.9)	39.5 (29.2-50.4)	81.5 (73.5-87.8)	66.0 (55.7-75.4)	57.9 (46.2-69.3)	48.6 (34.4-64.0)	81.5 (73.5-87.8)	66.0 (55.7-75.4)	57.9 (46.2-69.3)	48.6 (34.4-64.0)
	15-44	82.8 (46.6-95.6)	*	70.8 (39.6-88.0)	46.2 (21.0-68.4)	*	77.6 (36.1-94.0)	*	*	100.3 (100.3-100.3)	69.0 (36.6-87.5)	*	*	100.3 (100.3-100.3)	69.0 (36.6-87.5)	*	*
45-54	54.4 (25.0-76.8)	*	66.2 (41.8-82.5)	41.2 (18.1-63.5)	*	81.7 (57.6-93.1)	59.0 (35.2-77.1)	*	96.7 (75.5-100.1)	68.4 (40.6-85.8)	57.4 (30.5-78.0)	*	96.7 (75.5-100.1)	68.4 (40.6-85.8)	57.4 (30.5-78.0)	*	
55-64	57.3 (35.6-74.4)	*	66.5 (50.5-78.6)	34.8 (20.4-50.1)	*	82.2 (66.2-91.6)	49.3 (33.3-64.1)	43.1 (26.8-59.3)	91.4 (76.2-97.9)	72.9 (54.5-86.0)	57.9 (39.4-74.0)	57.6 (35.7-78.4)	91.4 (76.2-97.9)	72.9 (54.5-86.0)	57.9 (39.4-74.0)	57.6 (35.7-78.4)	
65-74	41.7 (18.0-64.8)	*	61.0 (43.4-75.3)	30.2 (13.4-50.5)	*	77.2 (61.6-88.0)	57.1 (39.9-72.8)	46.2 (25.4-68.3)	75.5 (61.4-85.8)	62.2 (45.9-76.5)	48.6 (32.6-64.8)	*	75.5 (61.4-85.8)	62.2 (45.9-76.5)	48.6 (32.6-64.8)	*	
75+	39.0 (10.7-70.6)	*	48.3 (18.0-77.4)	*	*	78.1 (44.6-98.7)	*	*	82.5 (59.7-97.0)	66.5 (37.0-93.9)	*	*	82.5 (59.7-97.0)	66.5 (37.0-93.9)	*	*	
All ages	*	*	60.4 (51.0-68.9)	37.1 (27.1-47.5)	31.7 (20.8-44.3)	79.0 (70.4-86.0)	51.3 (41.4-60.9)	47.8 (36.9-58.8)	84.8 (77.6-90.4)	66.4 (56.6-75.3)	55.3 (44.5-65.9)	48.0 (34.1-63.0)	84.8 (77.6-90.4)	66.4 (56.6-75.3)	55.3 (44.5-65.9)	48.0 (34.1-63.0)	
15-44	2.2 (0.2-10.0)	*	4.5 (1.7-9.5)	*	*	1.2 (0.3-3.7)	*	*	4.0 (1.0-10.4)	*	*	*	4.0 (1.0-10.4)	*	*	*	
45-54	11.8 (5.8-20.1)	*	3.4 (1.3-7.1)	*	*	2.4 (0.9-5.3)	*	*	4.1 (1.6-8.3)	*	*	*	4.1 (1.6-8.3)	*	*	*	
55-64	9.8 (5.4-15.8)	*	1.0 (0.4-2.1)	1.0 (0.4-2.3)	*	3.0 (1.5-5.3)	*	*	5.8 (2.8-10.3)	*	*	*	5.8 (2.8-10.3)	*	*	*	
65-74	11.5 (5.4-20.3)	*	1.3 (0.5-3.0)	*	*	1.5 (0.6-3.0)	*	*	2.0 (0.8-4.4)	*	*	*	2.0 (0.8-4.4)	*	*	*	
75+	13.8 (2.3-36.6)	*	0.3 (0.0-1.7)	*	*	4.7 (1.2-12.2)	*	*	1.7 (0.3-5.5)	*	*	*	1.7 (0.3-5.5)	*	*	*	
All ages	*	*	1.2 (0.7-1.8)	0.6 (0.3-1.0)	0.4 (0.2-0.8)	2.7 (1.8-3.8)	0.5 (0.2-1.1)	*	3.0 (1.9-4.4)	0.5 (0.2-1.2)	*	*	3.0 (1.9-4.4)	0.5 (0.2-1.2)	*	*	
15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
45-54	72.2 (41.0-89.1)	*	72.4 (35.9-90.7)	*	*	94.1 (61.5-99.9)	88.0 (55.5-98.8)	*	94.0 (60.8-99.9)	76.8 (46.8-92.3)	46.6 (21.7-69.2)	*	94.0 (60.8-99.9)	76.8 (46.8-92.3)	46.6 (21.7-69.2)	*	
55-64	88.4 (71.8-96.3)	57.9 (37.4-75.0)	87.1 (61.9-97.2)	55.1 (30.7-75.4)	48.7 (25.9-70.1)	84.8 (62.0-95.3)	51.4 (29.9-70.3)	41.8 (21.6-62.4)	83.8 (55.3-95.8)	51.0 (26.6-72.2)	49.2 (24.7-71.7)	*	83.8 (55.3-95.8)	51.0 (26.6-72.2)	49.2 (24.7-71.7)	*	
65-74	77.7 (56.9-90.7)	54.1 (24.3-81.0)	56.4 (34.9-74.2)	36.6 (18.9-56.1)	25.8 (11.6-44.5)	67.2 (46.6-82.4)	44.9 (24.1-65.8)	*	84.5 (61.6-96.4)	60.9 (37.2-81.1)	40.5 (19.1-64.5)	*	84.5 (61.6-96.4)	60.9 (37.2-81.1)	40.5 (19.1-64.5)	*	
75+	*	*	*	*	*	50.6 (16.6-80.6)	*	*	50.6 (16.6-80.6)	*	*	*	50.6 (16.6-80.6)	*	*	*	
All ages	*	*	77.1 (63.6-86.9)	41.4 (28.3-54.8)	29.0 (17.7-42.0)	67.0 (55.6-76.5)	54.3 (41.9-66.0)	36.3 (24.3-49.4)	78.2 (66.4-87.1)	48.7 (36.3-60.8)	40.1 (28.0-53.0)	42.6 (27.6-59.7)	78.2 (66.4-87.1)	48.7 (36.3-60.8)	40.1 (28.0-53.0)	42.6 (27.6-59.7)	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Regional		
		1968-1972			1973-1977			1978-1982			1983-1987					
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr			
Colon	15-44	63.3 (38.0-80.7)	*	81.1 (52.0-93.7)	*	52.4 (25.7-73.6)	*	52.4 (25.7-73.6)	*	52.4 (25.7-73.6)	*	76.9 (55.6-89.0)	62.4 (39.3-79.0)	*	*	
	45-54	63.9 (41.7-79.7)	*	51.8 (30.7-69.7)	51.8 (30.7-69.7)	76.3 (54.2-89.0)	37.7 (17.7-58.0)	76.3 (54.2-89.0)	37.7 (17.7-58.0)	27.8 (11.5-47.2)	23.7 (9.4-42.5)	70.5 (49.3-84.3)	45.3 (26.0-63.0)	37.4 (19.1-56.2)	*	
	55-64	43.4 (24.1-61.6)	*	45.5 (28.7-61.0)	33.4 (18.3-49.8)	67.5 (51.9-79.3)	42.1 (27.0-56.8)	67.5 (51.9-79.3)	42.1 (27.0-56.8)	30.9 (16.3-47.5)	*	*	90.5 (79.5-96.3)	55.8 (39.8-69.7)	40.7 (25.3-56.3)	*
	65-74	29.2 (11.9-49.6)	*	39.4 (21.1-57.8)	*	62.4 (47.5-74.7)	40.5 (25.4-56.1)	62.4 (47.5-74.7)	40.5 (25.4-56.1)	*	*	*	58.0 (43.6-70.4)	40.7 (27.0-54.9)	40.7 (25.9-56.5)	*
	75+	*	*	27.9 (5.8-59.2)	*	2.1 (0.1-12.4)	*	2.1 (0.1-12.4)	*	*	*	57.4 (35.8-75.9)	*	*	*	
	All ages	*	*	42.0 (32.8-51.2)	33.2 (24.1-42.9)	41.7 (33.9-49.5)	26.0 (19.2-33.4)	41.7 (33.9-49.5)	26.0 (19.2-33.4)	17.0 (11.1-24.3)	13.2 (7.5-20.7)	13.2 (7.5-20.7)	67.8 (60.5-74.3)	49.8 (41.3-58.1)	42.9 (33.7-52.4)	44.7 (32.8-57.4)
						66.6 (37.5-84.5)	*	66.6 (37.5-84.5)	*	52.3 (23.5-74.8)	*	52.3 (23.5-74.8)	56.5 (28.0-77.5)	*	*	*
Rectosigmoid & rectum	15-44	14.4 (2.3-36.9)	*	70.6 (33.4-89.9)	*	68.1 (47.4-82.2)	43.4 (24.8-60.9)	68.1 (47.4-82.2)	36.1 (18.6-54.4)	*	36.1 (18.6-54.4)	66.4 (48.3-79.5)	37.6 (20.9-54.4)	*	*	
	45-54	57.6 (33.4-76.2)	*	45.8 (27.6-62.6)	*	70.4 (51.2-83.6)	34.9 (18.8-52.1)	70.4 (51.2-83.6)	*	*	*	80.7 (60.6-91.7)	58.1 (35.9-76.0)	39.6 (18.9-61.0)	*	
	55-64	38.6 (18.5-59.2)	*	36.2 (16.7-56.7)	*	52.4 (32.4-69.7)	18.2 (6.9-34.6)	52.4 (32.4-69.7)	*	*	*	69.8 (51.1-83.3)	44.9 (25.9-63.7)	*	*	
	65-74	*	*	*	*	41.7 (15.0-69.5)	*	41.7 (15.0-69.5)	*	*	*	37.1 (14.3-62.0)	*	*	*	
	75+	*	*	41.9 (30.7-52.9)	29.6 (18.5-42.2)	55.4 (45.4-64.6)	28.6 (19.8-38.3)	55.4 (45.4-64.6)	21.9 (13.5-32.0)	21.9 (13.5-32.0)	21.9 (13.5-32.0)	61.3 (51.9-69.7)	38.1 (28.5-47.9)	22.6 (14.2-32.7)	15.6 (7.1-28.5)	
All ages	5.9 (0.4-23.6)	*	0.1 (0.0-1.7)	*	0.0 (0.0-0.5)	*	0.0 (0.0-0.5)	*	*	*	6.0 (0.8-19.5)	*	*	*		
Liver & Intrahepatic bile ducts	15-44	3.1 (0.0-20.4)	*	0.9 (0.1-4.8)	*	0.5 (0.0-2.7)	*	0.5 (0.0-2.7)	*	*	*	6.4 (1.1-18.6)	*	*	*	
	45-54	2.2 (0.2-10.2)	*	0.4 (0.1-1.8)	*	0.7 (0.1-3.0)	*	0.7 (0.1-3.0)	*	*	*	2.3 (0.5-7.1)	*	*	*	
	55-64	0.0 (0.0-0.0)	*	0.1 (0.0-0.8)	*	0.4 (0.1-2.0)	*	0.4 (0.1-2.0)	*	*	*	1.5 (0.3-5.1)	*	*	*	
	65-74	*	*	*	*	0.0 (0.0-0.3)	*	0.0 (0.0-0.3)	*	*	*	0.9 (0.0-6.4)	*	*	*	
	75+	*	*	0.1 (0.0-0.2)	*	0.2 (0.1-0.5)	*	0.2 (0.1-0.5)	*	*	*	2.0 (0.9-4.0)	*	*	*	
	All ages	*	*	0.1 (0.0-0.2)	*	0.2 (0.1-0.5)	*	0.2 (0.1-0.5)	*	*	*	2.0 (0.9-4.0)	*	*	*	
						8.1 (0.8-27.4)	*	8.1 (0.8-27.4)	*	8.1 (0.8-27.4)	*	17.4 (4.2-38.3)	35.1 (11.0-61.0)	17.4 (4.2-38.3)	*	*
Pancreas	15-44	15.7 (2.5-39.7)	*	2.3 (0.1-12.6)	*	2.3 (0.1-12.7)	*	2.3 (0.1-12.7)	*	*	*	7.4 (0.9-24.3)	*	*	*	
	45-54	*	*	*	*	2.8 (0.6-8.6)	*	2.8 (0.6-8.6)	*	*	*	11.4 (5.3-20.2)	*	*	*	
	55-64	29.3 (11.9-49.4)	*	66.1 (45.4-81.0)	*	58.7 (36.4-75.9)	29.5 (13.3-48.4)	58.7 (36.4-75.9)	*	*	57.4 (28.3-78.7)	*	*	*		
	65-74	43.9 (19.8-66.8)	*	55.1 (31.3-74.7)	*	62.0 (36.4-80.9)	*	62.0 (36.4-80.9)	*	*	26.8 (8.3-50.3)	*	*	*		
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	*	*	58.9 (43.8-71.8)	21.1 (10.8-34.4)	47.1 (34.6-59.0)	26.0 (15.5-38.2)	47.1 (34.6-59.0)	28.3 (16.3-42.9)	28.3 (16.3-42.9)	28.3 (16.3-42.9)	45.2 (29.9-59.7)	31.6 (17.6-47.6)	33.9 (18.2-52.4)	*		

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Distant			
		1968-1972			1973-1977			1978-1982			1983-1987						
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		10yr		
Colon	15-44	*	*	*	*	*	*	*	*	*	*	48.4 (19.8-72.3)	*	*	*	*	
	45-54	*	*	*	29.2 (8.4-54.2)	*	46.8 (23.1-67.6)	*	*	*	*	43.7 (20.3-65.3)	*	*	*	*	
	55-64	22.1 (5.4-46.1)	*	*	23.8 (10.4-40.5)	*	33.2 (13.4-54.8)	*	*	*	*	26.0 (11.9-42.6)	*	*	*	*	
	65-74	35.5 (12.0-61.2)	*	*	9.0 (2.2-22.0)	*	27.4 (13.1-44.2)	*	*	*	*	19.6 (9.8-32.0)	*	*	*	*	
	75+	*	*	*	*	*	3.8 (0.2-19.3)	*	*	*	*	21.3 (7.1-41.4)	*	*	*	*	
	All ages	*	*	*	10.8 (5.6-18.0)	*	21.4 (13.6-30.4)	9.9 (4.6-17.7)	*	*	*	26.2 (18.8-34.3)	7.6 (3.6-13.6)	*	*	*	*
	15-44	15.9 (1.7-43.9)	*	*	*	*	40.4 (16.2-63.8)	*	*	*	*	32.1 (13.4-52.6)	*	*	*	*	
Rectosigmoid & rectum	45-54	29.8 (10.1-53.1)	*	*	22.2 (8.4-40.1)	*	28.0 (12.7-45.7)	*	*	*	28.6 (9.3-52.3)	*	*	*	*	*	
	55-64	16.9 (1.8-46.6)	*	*	5.9 (0.9-18.6)	*	31.2 (11.6-53.8)	*	*	*	32.1 (21.0-43.8)	12.9 (5.4-24.2)	*	*	*	*	
	65-74	*	*	*	22.6 (12.4-35.0)	*	0.5 (0.0-2.4)	*	*	*	2.1 (0.1-10.2)	*	*	*	*	*	
	75+	*	*	*	0.1 (0.0-0.8)	*	1.4 (0.3-4.7)	*	*	*	2.6 (0.4-9.0)	*	*	*	*	*	
Liver & intrahepatic bile ducts	15-44	5.3 (0.4-21.5)	*	*	0.1 (0.0-0.8)	*	0.7 (0.1-3.0)	*	*	*	0.1 (0.0-0.5)	*	*	*	*	*	
	45-54	2.9 (0.0-19.4)	*	*	1.1 (0.2-3.9)	*	0.0 (0.0-0.5)	*	*	*	0.8 (0.0-5.1)	*	*	*	*	*	
	55-64	2.3 (0.2-10.6)	*	*	0.0 (0.0-0.5)	*	0.1 (0.0-0.3)	*	*	*	0.9 (0.4-1.9)	*	*	*	*	*	
	65-74	2.6 (0.0-17.9)	*	*	0.1 (0.0-0.4)	*	0.1 (0.0-0.3)	*	*	*	0.9 (0.4-1.9)	*	*	*	*	*	
Pancreas	15-44	0.0 (0.0-0.0)	*	*	0.6 (0.0-7.3)	*	0.1 (0.0-0.3)	*	*	*	0.9 (0.0-6.9)	*	*	*	*	*	
	45-54	*	*	*	0.6 (0.0-7.3)	*	0.1 (0.0-0.3)	*	*	*	0.7 (0.0-5.5)	*	*	*	*	*	
	55-64	*	*	*	*	*	0.1 (0.0-1.7)	*	*	*	0.9 (0.0-6.0)	*	*	*	*	*	
	65-74	*	*	*	*	*	1.0 (0.0-8.7)	*	*	*	3.9 (0.2-18.4)	*	*	*	*	*	
	75+	*	*	*	1.7 (0.2-6.1)	*	0.4 (0.0-1.6)	*	*	*	1.3 (0.3-3.7)	*	*	*	*	*	
Larynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)					Stage: Local
		1988-1992				1993-1997				1998-2002				1998-2002					
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr		
Colon	15-44	96.5	93.2	77.9	*	78.3	95.1	88.3	67.0	100.2	94.7	94.2	89.9	100.0	94.2	94.2	87.7		
	45-54	91.3	79.5	72.1	67.2	90.3	94.7	92.1	81.1	96.1	91.7	90.5	81.1	95.7	90.5	77.8	75.7		
	55-64	91.1	80.9	70.2	56.1	88.7	88.7	73.2	77.4	96.4	91.4	87.8	77.4	95.3	87.8	79.1	63.5		
	65-74	84.0	80.5	71.0	77.9	81.6	81.6	54.2	89.0	94.8	90.9	81.5	70.9	91.8	81.5	66.5	41.0		
	75+	84.8	79.3	63.3	*	80.6	80.6	57.9	86.5	86.5	96.3	67.1	139.5	77.4	67.1	51.0	28.6		
	All ages	87.3	80.7	69.9	71.2	84.7	84.7	83.3	83.3	92.9	92.4	86.7	86.6	88.3	79.3	66.4	48.2		
	15-44	89.9	77.3	71.6	55.6	88.0	88.0	70.9	67.0	97.6	93.5	89.4	71.9	97.4	92.9	88.5	70.1		
	45-54	87.7	61.8	48.5	40.2	90.7	90.7	58.8	58.8	97.3	85.2	84.1	70.1	96.9	84.1	65.3	65.3		
	55-64	89.7	70.6	67.0	59.6	88.0	88.0	58.8	58.8	98.2	85.9	82.7	71.6	97.1	82.7	74.5	59.2		
	65-74	82.5	68.1	60.8	51.7	75.3	75.3	70.1	70.1	93.1	89.2	80.1	73.4	90.1	80.1	68.6	43.2		
75+	96.7	83.9	71.2	29.3	79.1	79.1	47.2	93.0	87.7	78.9	54.5	100.8	77.8	54.5	45.9	20.5			
All ages	90.0	73.4	64.7	69.2	79.2	79.2	70.2	70.2	93.2	84.9	72.9	75.9	88.5	72.9	63.0	42.8			
15-44	26.7	*	41.6	*	15.9	*	*	*	52.0	37.5	26.7	26.7	51.9	37.3	26.5	*			
45-54	16.9	*	34.1	*	15.3	*	*	*	42.8	28.5	19.9	19.9	42.6	28.1	19.4	*			
55-64	20.5	*	24.0	*	24.0	*	*	*	45.7	27.1	18.1	18.1	45.2	26.1	16.8	*			
65-74	13.5	*	24.1	*	8.6	*	*	*	31.2	16.5	11.9	11.9	30.6	14.8	9.9	*			
All ages	29.7	*	18.8	*	10.2	*	*	*	25.3	15.5	11.1	11.1	22.5	11.1	*	*			
15-44	90.8	*	87.1	*	87.6	87.6	88.1	88.1	100.4	94.8	96.0	96.0	100.0	93.5	93.5	*			
45-54	100.6	*	95.8	*	86.9	86.9	86.9	86.9	98.2	92.4	92.4	82.6	97.1	88.9	86.0	67.8			
55-64	98.0	95.8	90.5	89.4	83.0	83.0	83.0	83.0	93.9	70.6	61.3	54.8	91.0	63.6	50.8	32.4			
65-74	86.5	89.4	90.5	89.4	83.0	83.0	83.0	83.0	93.9	70.6	61.3	54.8	91.0	63.6	50.8	32.4			
75+	69.1	*	94.1	*	72.0	72.0	72.0	72.0	91.3	64.7	47.0	31.4	83.6	47.0	36.5	18.6			
All ages	82.8	76.0	74.2	51.4	82.9	82.9	78.7	68.7	94.4	76.9	68.2	66.2	90.3	66.2	54.2	40.8			

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)											Observed Survival (%)					
		1988-1992			1993-1997			1998-2002			1998-2002			1998-2002				
		1Yr	3Yr	10Yr	1Yr	3Yr	5Yr	10Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr			
Colon	15-44	86.0 (69.4-94.0)	62.0 (43.4-76.2)	54.3 (35.2-70.2)	93.3 (80.4-97.9)	74.1 (57.7-85.0)	71.5 (54.6-83.2)	67.8 (48.7-81.5)	86.0 (71.3-93.5)	68.3 (52.3-80.0)	60.8 (45.0-73.3)	54.7 (38.9-68.1)	85.8 (71.2-93.4)	67.9 (52.0-79.6)	60.2 (44.6-72.7)	53.4 (38.0-66.6)		
	45-54	90.0 (76.9-96.0)	66.2 (48.3-79.4)	62.8 (43.6-77.5)	87.9 (74.6-94.6)	69.0 (53.9-80.2)	62.5 (47.4-74.8)	54.5 (37.9-69.3)	97.9 (90.6-99.8)	80.5 (67.8-88.8)	61.4 (45.5-74.2)	48.7 (33.2-62.9)	97.5 (90.9-99.4)	79.4 (66.8-87.6)	59.9 (44.4-72.3)	45.5 (31.0-58.9)		
	55-64	79.9 (67.6-88.1)	65.9 (52.5-76.9)	57.4 (43.2-70.0)	89.6 (81.0-94.7)	66.8 (54.5-76.8)	51.9 (39.2-63.6)	43.8 (29.8-58.1)	87.8 (80.9-92.7)	71.2 (62.2-78.7)	54.1 (43.9-63.5)	48.7 (36.9-60.3)	86.8 (79.9-91.6)	68.5 (60.8-75.7)	50.3 (40.8-59.0)	39.9 (30.9-49.4)		
	65-74	77.3 (66.1-85.6)	60.2 (46.4-72.4)	57.9 (42.9-61.3)	87.2 (78.5-93.2)	64.1 (52.7-74.2)	50.0 (37.9-61.9)	56.8 (39.3-75.4)	84.2 (76.9-90.6)	69.9 (60.1-78.3)	61.9 (51.0-72.0)	55.5 (40.2-71.2)	81.6 (73.8-87.2)	63.0 (54.2-70.6)	51.1 (42.1-59.4)	32.7 (23.7-42.0)		
	75+	75.2 (59.4-87.4)	62.0 (42.4-80.9)	65.4 (40.1-92.0)	72.1 (58.3-83.1)	60.7 (43.5-77.4)	59.2 (38.1-81.9)	*	72.9 (61.8-82.1)	58.1 (45.3-70.6)	56.3 (40.6-72.8)	*	65.6 (55.6-73.9)	41.3 (32.2-50.2)	30.2 (21.8-39.0)	*		
	All ages	79.0 (73.4-83.8)	62.3 (51.1-69.1)	55.8 (47.5-64.1)	83.4 (78.8-87.4)	64.0 (57.8-69.9)	54.6 (47.7-61.3)	51.6 (42.1-61.6)	83.2 (79.9-86.6)	67.4 (62.4-72.2)	58.1 (52.2-63.7)	48.0 (40.5-55.7)	79.3 (75.5-82.6)	58.3 (53.9-62.5)	45.1 (40.6-49.5)	28.2 (23.8-32.7)		
	15-44	83.2 (65.9-92.4)	51.8 (32.4-68.3)	48.0 (28.4-65.6)	90.3 (77.7-96.2)	54.2 (38.3-67.8)	40.8 (26.0-55.3)	35.0 (19.4-51.6)	97.6 (89.4-99.7)	72.5 (59.3-82.2)	57.0 (41.9-69.7)	48.3 (32.3-63.1)	97.1 (89.9-99.3)	71.5 (58.5-81.0)	55.5 (40.8-67.9)	44.8 (29.9-58.5)		
	45-54	76.8 (64.3-85.6)	43.3 (29.1-57.0)	29.5 (16.1-44.8)	90.0 (82.2-94.8)	64.0 (53.0-73.3)	48.6 (36.7-59.9)	*	91.6 (84.9-95.6)	78.2 (69.2-85.2)	68.4 (58.1-77.1)	57.8 (44.6-69.9)	90.6 (81.5-91.5)	75.4 (66.7-82.1)	63.8 (54.2-71.9)	48.0 (37.1-58.1)		
	55-64	76.3 (60.2-87.4)	47.0 (27.9-65.4)	44.4 (24.3-65.2)	72.6 (62.0-81.1)	51.4 (39.4-62.8)	36.8 (24.1-50.4)	*	84.0 (74.5-90.6)	51.2 (39.9-61.7)	40.5 (29.4-51.9)	26.1 (14.8-40.3)	81.5 (72.2-87.9)	46.2 (36.1-55.7)	33.5 (24.3-43.0)	15.6 (8.9-24.1)		
	65-74	76.4 (55.5-91.3)	*	*	78.7 (62.9-90.6)	69.8 (49.3-88.9)	64.6 (37.0-94.7)	*	72.1 (58.4-83.0)	48.4 (32.8-64.3)	42.2 (24.4-63.0)	*	64.6 (52.4-74.4)	34.3 (23.3-45.6)	22.1 (12.8-33.0)	*		
75+	77.2 (70.4-83.0)	43.0 (34.4-51.6)	38.7 (29.5-48.3)	80.8 (75.7-85.2)	59.5 (52.9-65.8)	46.8 (39.3-54.4)	41.8 (31.4-53.1)	84.1 (79.6-87.8)	59.1 (53.3-64.6)	50.0 (43.8-56.2)	40.2 (32.5-48.4)	80.2 (75.0-83.8)	51.9 (46.8-56.7)	40.0 (35.0-44.9)	24.2 (19.6-29.1)			
Liver & Intrahepatic bile ducts	15-44	4.6 (0.5-16.1)	*	*	7.4 (1.5-19.8)	*	*	*	9.0 (1.1-27.3)	*	*	*	8.9 (1.1-27.3)	*	*	*		
	45-54	5.1 (0.6-17.8)	*	*	11.2 (2.9-25.7)	*	*	5.3 (1.6-12.6)	*	*	*	5.3 (1.6-12.5)	*	*	*	*		
	55-64	9.4 (3.2-19.9)	*	*	3.8 (1.0-9.7)	*	*	5.4 (1.4-13.8)	*	*	*	1.0 (0.2-3.8)	*	*	*	*		
	65-74	3.5 (0.7-10.5)	*	*	11.6 (4.8-21.9)	*	*	1.0 (0.2-3.9)	*	*	*	1.1 (0.2-4.9)	*	*	*	*		
	75+	*	*	*	2.9 (0.3-11.9)	*	*	1.3 (0.2-4.9)	*	*	*	1.1 (0.2-4.5)	*	*	*	*		
	All ages	6.8 (3.5-11.5)	*	*	6.5 (3.7-10.3)	*	*	2.7 (1.4-4.9)	*	1.9 (0.8-3.7)	*	*	2.6 (1.3-4.7)	1.6 (0.7-3.3)	*	*		
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	16.0 (2.9-38.8)	*	*	46.0 (23.4-66.1)	*	*	*	*	45.5 (23.1-65.4)	*	*	*		
	55-64	9.6 (1.2-28.9)	*	*	20.3 (6.2-40.3)	*	*	13.1 (2.9-31.1)	*	*	*	12.7 (2.9-30.2)	12.7 (2.9-30.2)	*	*	*		
	65-74	16.1 (7.1-28.5)	*	*	17.2 (8.6-28.4)	*	*	17.3 (9.8-26.6)	*	*	*	16.4 (9.3-25.3)	16.4 (9.3-25.3)	*	*	*		
15-44	*	*	*	89.6 (44.4-98.9)	*	*	89.6 (44.4-98.9)	*	*	*	*	*	*	*	*			
45-54	*	*	*	79.1 (58.2-90.8)	41.0 (20.2-61.5)	*	60.2 (34.1-79.0)	47.0 (24.8-66.9)	47.0 (24.8-66.9)	46.2 (24.2-66.0)	59.6 (33.7-78.1)	45.3 (23.9-64.5)	45.3 (23.9-64.5)	*	*			
55-64	69.0 (45.0-84.6)	33.5 (14.1-54.9)	*	74.4 (53.3-87.9)	44.1 (23.2-64.7)	*	79.5 (57.8-91.7)	56.8 (34.7-75.4)	56.8 (34.7-75.4)	46.2 (24.2-66.0)	77.2 (56.2-89.0)	51.3 (31.4-68.1)	38.4 (20.1-56.5)	*	*			
65-74	63.8 (35.0-83.5)	*	*	56.5 (22.0-83.7)	42.6 (29.9-55.3)	*	56.2 (25.8-81.4)	49.6 (26.8-77.5)	49.6 (26.8-77.5)	40.0 (26.8-54.0)	62.5 (49.7-73.0)	42.1 (30.6-53.2)	42.1 (30.6-53.2)	*	*			
75+	*	*	*	72.5 (60.8-81.7)	27.4 (15.5-41.6)	*	66.5 (52.8-77.5)	66.5 (52.8-77.5)	49.6 (36.0-62.7)	40.0 (26.8-54.0)	35.2 (20.2-52.8)	62.5 (49.7-73.0)	42.1 (30.6-53.2)	30.7 (20.5-41.4)	22.5 (12.9-33.8)			
All ages	54.6 (38.3-68.8)	25.8 (11.9-43.1)	*	72.5 (60.8-81.7)	42.6 (29.9-55.3)	27.4 (15.5-41.6)	66.5 (52.8-77.5)	66.5 (52.8-77.5)	49.6 (36.0-62.7)	40.0 (26.8-54.0)	35.2 (20.2-52.8)	62.5 (49.7-73.0)	42.1 (30.6-53.2)	30.7 (20.5-41.4)	22.5 (12.9-33.8)			

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1988-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)												
		1988-1992					1993-1997					1998-2002					1998-2002							
		1Yr	3Yr	5Yr	10Yr	10Yr	1Yr	3Yr	5Yr	10Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr					
Colon	15-44	31.5	(9.9-56.2)	*	54.0	(25.3-75.9)	*	15.8	(6.4-29.1)	*	50.4	(27.9-69.2)	*	31.0	(17.4-45.6)	*	50.3	(27.9-69.1)	*					
	45-54	47.4	(23.7-68.0)	*	45.5	(29.4-63.3)	*	11.2	(4.5-21.5)	*	50.4	(35.2-63.8)	*	15.1	(8.6-23.2)	*	50.2	(35.1-63.5)	*					
	55-64	36.4	(23.2-49.8)	*	52.5	(39.4-64.2)	*	11.4	(4.0-20.8)	*	41.6	(30.2-52.5)	*	12.6	(7.5-19.1)	*	41.0	(29.8-51.9)	7.0					
	65-74	30.6	(19.0-43.1)	12.1	51.3	(40.3-61.5)	*	24.6	(14.0-37.2)	*	32.9	(24.7-41.4)	*	8.2	(3.8-15.2)	*	31.8	(23.9-40.0)	7.0					
	75+	31.7	(18.4-46.5)	*	43.7	(31.4-59.9)	*	11.3	(7.3-16.3)	(5.4-14.5)	9.3	(4.3-14.5)	*	34.5	(29.6-39.6)	(10.6-17.8)	33.0	(28.3-37.9)	(9.4-15.8)	8.0				
	All ages	34.1	(21.1-41.2)	(5.6-15.9)	*	61.3	(45.4-73.9)	*	21.7	(10.4-35.7)	*	60.0	(43.3-73.3)	*	27.1	(14.5-41.5)	*	59.7	(43.1-72.9)	26.7				
	15-44	40.9	(20.7-60.4)	*	61.3	(45.4-73.9)	*	37.3	(24.2-50.4)	(7.7-30.0)	17.2	(7.7-30.0)	*	42.6	(30.5-54.2)	(9.1-28.6)	41.2	(29.6-52.5)	(8.2-25.9)	*				
	45-54	50.9	(32.3-67.0)	*	36.1	(22.2-50.4)	(6.6-30.5)	24.7	(12.4-39.6)	14.9	(7.7-34.0)	7.7	46.8	(40.0-53.4)	(13.9-24.8)	19.0	(8.6-38.5)	45.0	(38.5-51.3)	(12.6-22.5)	11.0			
	55-64	23.3	(10.7-38.9)	*	34.1	(10.3-62.0)	10.7	36.8	(29.9-43.8)	(9.6-21.4)	17	(0.7-7.2)	*	11.2	(4.2-22.1)	*	10.5	(2.2-26.3)	11.1	(4.2-22.0)	*			
	75+	33.0	(24.1-42.2)	(5.2-38.8)	*	1.8	(0.1-10.1)	*	5.6	(0.8-18.1)	*	3.0	(0.6-8.8)	*	7.4	(2.7-15.5)	*	8.3	(2.6-15.3)	7.3	(2.6-15.3)	*		
Liver & intrahepatic bile ducts	15-44	1.8	(0.1-10.1)	*	1.7	(0.2-7.2)	*	1.7	(0.2-7.2)	*	1.7	(0.2-7.2)	*	1.7	(0.2-7.2)	*	1.7	(0.2-7.2)	*	1.7	(0.2-7.2)	*		
	45-54	6.9	(0.8-22.7)	*	5.6	(0.8-18.1)	*	3.0	(0.6-8.8)	*	3.2	(0.7-7.8)	*	3.1	(0.7-11.8)	*	3.4	(0.5-10.4)	*	2.8	(0.4-9.4)	*		
	55-64	5.2	(1.1-14.6)	*	4.4	(0.5-15.4)	*	3.7	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*		
	65-74	4.4	(0.5-15.4)	*	3.7	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*		
	75+	2.1	(0.1-14.0)	*	3.8	(1.6-7.6)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*		
	All ages	3.8	(1.6-7.6)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*	3.4	(0.7-11.8)	*		
	15-44	1.4	(0.1-9.0)	*	8.2	(1.3-23.5)	*	8.2	(1.3-23.5)	*	8.2	(1.3-23.5)	*	8.2	(1.3-23.5)	*	12.1	(3.9-25.3)	12.0	(3.9-25.2)	*	12.0	(3.9-25.2)	*
	45-54	3.1	(0.5-13.9)	*	9.5	(2.7-21.7)	*	9.5	(2.7-21.7)	*	9.5	(2.7-21.7)	*	9.5	(2.7-21.7)	*	5.8	(1.6-14.2)	5.7	(1.5-14.1)	*	5.7	(1.5-14.1)	*
	55-64	31.5	(8.5-58.9)	*	1.8	(0.2-7.1)	*	1.8	(0.2-7.1)	*	1.8	(0.2-7.1)	*	1.8	(0.2-7.1)	*	9.0	(3.2-18.8)	8.8	(3.1-18.2)	*	8.8	(3.1-18.2)	*
	65-74	10.2	(4.2-19.2)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	0.2	(0.0-1.3)	0.1	(0.0-1.2)	*	0.1	(0.0-1.2)	*
75+	10.2	(4.2-19.2)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	5.0	(2.7-8.3)	4.8	(2.6-8.0)	*	4.8	(2.6-8.0)	*	
All ages	10.2	(4.2-19.2)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	7.6	(3.7-13.3)	*	5.0	(2.7-8.3)	4.8	(2.6-8.0)	*	4.8	(2.6-8.0)	*	
15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 2003-2017

Site	Age Group	2003-2007					2008-2012					2013-2017					Stage I Observed Survival (%)				
		1yr	3yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Colon	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	100.0	88.4				
	45-54	100.4 (100.4-100.4)	101.3 (101.3-101.3)	98.1 (85.3-100.0)	98.9 (86.0-100.8)	96.1 (79.4-100.7)	100.1 (100.1-100.1)	100.3 (100.3-100.3)	88.9 (42.0-98.8)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	88.4 (41.7-98.3)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	97.5 (83.6-99.6)	97.5 (83.6-99.6)	88.4 (41.7-98.3)				
	55-64	98.9 (86.4-100.7)	101.2 (88.5-103.2)	98.9 (83.0-100.4)	101.0 (85.0-102.5)	95.5 (85.0-100.8)	96.3 (91.8-98.6)	96.3 (88.8-97.9)	93.1 (86.3-97.4)	93.0 (86.3-97.4)	93.1 (86.3-97.4)	93.1 (86.3-97.4)	93.1 (86.3-97.4)	93.1 (86.3-97.4)	92.2 (86.7-95.5)	92.2 (86.7-95.5)	88.9 (82.4-93.1)				
	65-74	95.4 (86.0-96.7)	99.4 (88.1-104.9)	98.6 (92.7-100.9)	96.3 (88.4-101.2)	94.6 (84.3-101.7)	99.3 (95.1-100.9)	100.5 (94.7-103.5)	102.1 (94.6-106.5)	97.4 (83.3-99.0)	97.4 (83.3-99.0)	97.4 (83.3-99.0)	97.4 (83.3-99.0)	97.4 (83.3-99.0)	94.3 (88.8-97.1)	94.3 (88.8-97.1)	90.7 (84.1-94.6)				
	75+	98.3 (85.6-104.2)	100.7 (76.1-115.5)	99.2 (91.8-103.1)	95.1 (82.7-104.3)	88.3 (70.9-103.2)	93.6 (86.0-98.5)	88.7 (77.9-97.4)	81.8 (68.3-93.9)	94.3 (80.5-92.2)	94.3 (80.5-92.2)	94.3 (80.5-92.2)	94.3 (80.5-92.2)	94.3 (80.5-92.2)	87.1 (82.9-78.6)	87.1 (82.9-78.6)	55.7 (46.5-64.0)				
	All ages	98.1 (93.7-100.5)	100.5 (93.4-104.8)	98.9 (96.2-100.5)	97.7 (93.6-100.9)	93.9 (88.0-98.8)	97.1 (94.6-98.8)	95.3 (91.6-98.3)	92.5 (87.7-96.6)	95.4 (91.9-96.1)	95.4 (91.9-96.1)	95.4 (91.9-96.1)	95.4 (91.9-96.1)	95.4 (91.9-96.1)	87.1 (83.7-89.8)	87.1 (83.7-89.8)	79.2 (75.1-82.7)				
	15-44	*	*	100.1 (100.1-100.1)	78.8 (38.3-94.5)	*	100.1 (100.1-100.1)	100.3 (100.3-100.3)	95.9 (71.9-99.9)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	95.4 (71.5-99.3)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	95.4 (91.9-96.1)	95.4 (91.9-96.1)	95.4 (91.9-96.1)				
	45-54	100.4 (100.4-100.4)	*	100.3 (100.3-100.3)	99.1 (87.8-100.8)	97.6 (85.3-100.9)	100.3 (100.3-100.3)	97.9 (89.3-100.2)	96.8 (86.8-100.2)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	95.1 (85.3-98.4)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	97.0 (88.4-99.2)	97.0 (88.4-99.2)	95.1 (85.3-98.4)				
	55-64	97.4 (87.2-100.1)	96.2 (81.4-101.2)	100.8 (100.8-100.8)	101.5 (93.9-102.6)	100.5 (90.9-103.7)	97.3 (91.9-99.5)	95.3 (88.5-98.8)	96.2 (89.1-100.2)	96.6 (91.3-98.7)	96.6 (91.3-98.7)	92.0 (85.1-95.8)	93.0 (86.4-96.4)	93.0 (86.4-96.4)	91.3 (84.5-95.2)	91.3 (84.5-95.2)	85.3 (77.0-90.7)				
	65-74	94.9 (82.9-99.8)	84.7 (65.6-96.3)	98.5 (90.7-101.1)	98.8 (88.4-103.8)	103.9 (92.1-110.0)	98.6 (93.2-100.7)	97.4 (90.1-101.6)	96.3 (86.9-102.4)	96.7 (91.5-98.8)	96.7 (91.5-98.8)	85.3 (77.0-90.7)	91.3 (84.5-95.2)	91.3 (84.5-95.2)	91.3 (84.5-95.2)	91.3 (84.5-95.2)	85.3 (77.0-90.7)				
75+	86.9 (68.0-97.7)	90.9 (55.5-111.9)	98.5 (88.7-103.3)	101.9 (86.8-111.8)	108.1 (86.2-124.2)	94.7 (85.3-100.1)	100.5 (88.3-108.7)	101.2 (84.6-114.1)	89.2 (80.3-94.2)	89.2 (80.3-94.2)	69.2 (57.8-78.0)	82.1 (72.1-88.8)	82.1 (72.1-88.8)	82.1 (72.1-88.8)	82.1 (72.1-88.8)	69.2 (57.8-78.0)					
All ages	94.2 (88.7-97.7)	91.8 (82.5-98.3)	99.2 (96.2-100.9)	98.7 (93.9-102.1)	100.9 (94.9-105.6)	97.5 (95.0-99.2)	98.1 (94.6-100.8)	97.6 (92.8-101.5)	95.1 (92.7-96.8)	95.1 (92.7-96.8)	83.5 (79.5-86.9)	90.3 (87.0-92.8)	90.3 (87.0-92.8)	90.3 (87.0-92.8)	90.3 (87.0-92.8)	83.5 (79.5-86.9)					
15-44	*	*	98.2 (86.2-100.0)	86.8 (73.3-94.0)	79.1 (60.9-90.0)	87.8 (59.2-96.9)	83.0 (55.6-94.4)	83.2 (55.8-94.6)	87.7 (59.1-96.8)	87.7 (59.1-96.8)	82.7 (72.4)	82.7 (72.4)	82.7 (72.4)	82.7 (72.4)	82.7 (72.4)	82.7 (72.4)					
45-54	100.3 (100.3-100.3)	*	98.2 (86.2-100.0)	86.8 (73.3-94.0)	79.1 (60.9-90.0)	87.2 (59.2-96.9)	86.4 (55.6-94.4)	73.7 (55.8-94.6)	96.9 (88.1-99.2)	96.9 (88.1-99.2)	72.4 (58.3-82.4)	85.6 (73.1-92.5)	85.6 (73.1-92.5)	85.6 (73.1-92.5)	85.6 (73.1-92.5)	72.4 (58.3-82.4)					
55-64	88.7 (60.2-97.7)	*	91.2 (83.7-95.5)	71.2 (59.1-80.6)	58.3 (41.4-72.5)	94.1 (89.8-96.8)	79.5 (72.7-84.9)	63.9 (55.7-71.1)	93.4 (89.2-96.1)	93.4 (89.2-96.1)	61.0 (48.0-84.8)	77.5 (70.9-82.8)	77.5 (70.9-82.8)	77.5 (70.9-82.8)	77.5 (70.9-82.8)	61.0 (48.0-84.8)					
65-74	91.3 (84.1-99.7)	*	91.0 (82.4-96.0)	91.0 (80.4-97.7)	63.0 (43.2-79.4)	92.7 (87.5-96.1)	78.6 (70.5-85.1)	63.9 (53.9-72.7)	91.0 (85.9-94.3)	91.0 (85.9-94.3)	56.9 (48.0-84.8)	73.8 (66.3-80.0)	73.8 (66.3-80.0)	73.8 (66.3-80.0)	73.8 (66.3-80.0)	56.9 (48.0-84.8)					
75+	*	*	97.5 (84.3-102.9)	76.9 (52.4-94.8)	*	93.1 (85.7-98.0)	71.1 (59.0-81.6)	61.3 (46.5-75.6)	87.2 (80.3-91.9)	87.2 (80.3-91.9)	43.0 (32.6-53.0)	57.9 (48.1-66.5)	57.9 (48.1-66.5)	57.9 (48.1-66.5)	57.9 (48.1-66.5)	43.0 (32.6-53.0)					
All ages	93.1 (82.0-98.5)	75.9 (49.4-92.8)	94.4 (90.5-97.0)	81.4 (74.6-87.1)	71.0 (61.1-79.6)	93.2 (90.6-95.3)	78.2 (73.9-82.1)	66.1 (60.9-71.1)	90.7 (88.2-92.8)	90.7 (88.2-92.8)	57.8 (53.2-62.1)	72.0 (68.0-75.5)	72.0 (68.0-75.5)	72.0 (68.0-75.5)	72.0 (68.0-75.5)	57.8 (53.2-62.1)					
15-44	*	*	*	*	*	91.7 (53.2-99.0)	81.0 (41.1-95.6)	*	91.5 (53.1-98.8)	91.5 (53.1-98.8)	*	80.3 (40.7-94.8)	80.3 (40.7-94.8)	80.3 (40.7-94.8)	80.3 (40.7-94.8)	*					
45-54	*	*	*	*	*	93.7 (60.1-99.8)	66.3 (35.7-85.7)	*	93.0 (59.6-99.0)	93.0 (59.6-99.0)	*	64.6 (34.8-83.5)	64.6 (34.8-83.5)	64.6 (34.8-83.5)	64.6 (34.8-83.5)	*					
55-64	*	*	78.8 (36.0-95.8)	*	*	83.6 (63.2-93.8)	82.6 (60.4-95.0)	*	82.0 (62.1-92.1)	82.0 (62.1-92.1)	*	77.7 (56.8-89.3)	77.7 (56.8-89.3)	77.7 (56.8-89.3)	77.7 (56.8-89.3)	*					
65-74	*	*	*	*	*	46.2 (20.2-70.0)	*	*	43.6 (19.0-66.0)	43.6 (19.0-66.0)	*	61.6 (49.0-72.0)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	*					
75+	72.0 (33.7-91.8)	71.4 (50.5-85.2)	71.4 (50.5-85.2)	78.2 (66.3-86.6)	78.2 (66.3-86.6)	65.2 (51.8-76.2)	65.2 (51.8-76.2)	64.1 (49.8-76.2)	64.1 (49.8-76.2)	64.1 (49.8-76.2)	58.5 (45.4-69.5)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	58.5 (45.4-69.5)					
All ages	72.0 (33.7-91.8)	71.4 (50.5-85.2)	71.4 (50.5-85.2)	78.2 (66.3-86.6)	78.2 (66.3-86.6)	65.2 (51.8-76.2)	65.2 (51.8-76.2)	64.1 (49.8-76.2)	64.1 (49.8-76.2)	64.1 (49.8-76.2)	58.5 (45.4-69.5)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	61.6 (49.0-72.0)	58.5 (45.4-69.5)					
15-44	100.4 (100.4-100.4)	*	100.4 (100.4-100.4)	101.2 (101.2-101.2)	95.6 (63.6-101.2)	100.3 (100.3-100.3)	89.8 (72.1-97.4)	86.6 (31.7-99.7)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	84.8 (31.1-97.7)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	84.8 (31.1-97.7)					
45-54	92.7 (71.8-98.9)	89.2 (64.8-98.7)	100.9 (100.9-100.9)	99.5 (81.3-102.4)	98.2 (79.4-103.6)	97.8 (82.0-100.3)	89.8 (72.1-97.4)	88.2 (69.5-97.3)	97.2 (81.5-99.6)	97.2 (81.5-99.6)	72.7 (66.6-93.2)	87.8 (70.5-95.2)	87.8 (70.5-95.2)	87.8 (70.5-95.2)	87.8 (70.5-95.2)	72.7 (66.6-93.2)					
55-64	98.6 (76.5-102.2)	81.5 (53.6-96.9)	102.4 (102.4-102.4)	103.4 (78.6-107.5)	96.2 (68.6-107.6)	98.3 (84.0-101.7)	94.2 (76.2-102.0)	82.1 (59.0-86.5)	97.3 (82.3-99.6)	97.3 (82.3-99.6)	83.4 (66.3-85.5)	88.1 (71.2-95.4)	88.1 (71.2-95.4)	88.1 (71.2-95.4)	88.1 (71.2-95.4)	83.4 (66.3-85.5)					
65-74	93.2 (88.4-102.9)	*	96.0 (76.0-103.5)	82.2 (56.5-100.6)	92.5 (62.1-115.2)	105.1 (105.1-105.1)	100.1 (74.0-112.1)	95.1 (62.8-117.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	66.3 (43.7-81.5)	83.4 (61.7-93.4)	83.4 (61.7-93.4)	83.4 (61.7-93.4)	83.4 (61.7-93.4)	66.3 (43.7-81.5)					
75+	96.0 (87.7-98.9)	87.9 (75.0-96.5)	99.5 (92.7-101.8)	95.8 (86.4-101.6)	94.6 (83.8-102.3)	100.7 (95.1-102.0)	94.5 (85.3-100.3)	89.5 (77.8-98.2)	98.4 (92.8-99.6)	98.4 (92.8-99.6)	76.0 (66.1-83.3)	86.8 (78.4-92.1)	86.8 (78.4-92.1)	86.8 (78.4-92.1)	86.8 (78.4-92.1)	76.0 (66.1-83.3)					
All ages	96.0 (87.7-98.9)	87.9 (75.0-96.5)	99.5 (92.7-101.8)	95.8 (86.4-101.6)	94.6 (83.8-102.3)	100.7 (95.1-102.0)	94.5 (85.3-100.3)	89.5 (77.8-98.2)	98.4 (92.8-99.6)	98.4 (92.8-99.6)	76.0 (66.1-83.3)	86.8 (78.4-92.1)	86.8 (78.4-92.1)	86.8 (78.4-92.1)	86.8 (78.4-92.1)	76.0 (66.1-83.3)					

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site		Appendix E1: Relative and observed survival by period, site, and age group for males, 2003-2017												Stage II								
		2003-2007				2008-2012				2013-2017				Observed Survival (%)								
		1yr	3yr	1yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr					
Colon		95.7 (72.5-99.5)	96.0 (72.7-99.8)	96.4 (76.4-99.6)	92.8 (70.6-97.1)	98.8 (70.6-97.1)	92.8 (73.3-98.4)	95.6 (83.4-98.8)	96.4 (83.4-97.1)	96.9 (90.8-100.1)	96.7 (77.0-99.8)	92.7 (72.4-98.6)	92.7 (84.3-97.2)	92.7 (85.7-97.7)	93.8 (85.7-97.7)	96.7 (90.5-99.8)	92.9 (84.9-96.8)	96.3 (86.9-94.1)	92.2 (76.1-96.2)	92.2 (81.0-89.6)	92.2 (71.7-82.3)	
Rectosigmoid & rectum		85.4 (67.3-99.0)	87.5 (68.8-91.6)	86.5 (68.8-91.6)	70.7 (69.6-89.3)	64.8 (69.6-89.3)	80.8 (80.8-95.7)	70.7 (80.8-95.7)	70.7 (80.8-95.7)	96.0 (85.9-96.5)	86.0 (73.1-96.2)	73.0 (67.8-86.1)	73.0 (67.8-86.1)	86.0 (73.1-96.2)	86.0 (73.1-96.2)	89.1 (84.3-94.6)	70.2 (59.6-78.5)	70.2 (59.6-78.5)	70.2 (60.2-76.3)	70.2 (51.1-80.5)	70.2 (39.4-80.5)	70.2 (62.8-85.5)
Liver & Intrahepatic bile ducts		91.7 (62.6-99.1)	81.0 (64.1-90.6)	81.0 (64.1-90.6)	57.2 (37.3-73.2)	57.2 (37.3-73.2)	56.7 (37.0-72.4)	56.3 (43.4-67.5)	59.1 (47.6-62.6)	87.9 (80.8-91.9)	62.1 (47.0-74.2)	54.5 (39.5-67.4)	54.5 (39.5-67.4)	58.9 (50.5-66.5)	58.9 (50.5-66.5)	86.8 (80.2-91.2)	57.5 (49.3-64.9)	57.5 (49.3-64.9)	57.5 (28.1-47.4)	57.5 (15.3-33.1)	57.5 (34.6-44.2)	57.5 (38.8-66.2)
Pancreas		70.2 (33.0-89.5)	91.9 (59.9-99.1)	76.4 (57.9-87.7)	42.9 (18.2-67.6)	42.9 (18.2-67.6)	42.9 (18.2-67.6)	42.9 (18.2-67.6)	42.9 (18.2-67.6)	72.1 (50.2-85.7)	17.5 (5.9-34.2)	17.5 (5.9-34.2)	17.5 (5.9-34.2)	40.3 (26.8-53.4)	40.3 (26.8-53.4)	80.5 (68.9-88.2)	39.3 (26.2-52.2)	39.3 (26.2-52.2)	39.3 (8.3-32.5)	39.3 (5.4-24.7)	39.3 (15.5-27.2)	39.3 (8.7-19.3)
Larynx		63.1 (47.5-75.5)	60.0 (49.1-69.5)	60.0 (49.1-69.5)	21.9 (13.0-32.3)	21.9 (13.0-32.3)	21.9 (13.0-32.3)	21.9 (13.0-32.3)	21.9 (13.0-32.3)	63.5 (56.5-69.7)	22.6 (16.6-29.2)	15.0 (9.7-21.5)	15.0 (9.7-21.5)	22.6 (16.6-29.2)	22.6 (16.6-29.2)	61.9 (55.1-68.0)	52.9 (45.0-57.4)	52.9 (45.0-57.4)	52.9 (13.5)	52.9 (8.7-19.3)	52.9 (8.7-19.3)	52.9 (13.5)
All ages		96.2 (85.2-100.8)	85.3 (66.6-97.1)	85.3 (66.6-97.1)	75.1 (59.6-86.8)	75.1 (59.6-86.8)	75.1 (59.6-86.8)	75.1 (59.6-86.8)	75.1 (59.6-86.8)	96.8 (85.1-101.3)	88.5 (73.1-98.5)	83.0 (65.0-96.3)	83.0 (65.0-96.3)	88.5 (73.1-98.5)	88.5 (73.1-98.5)	93.1 (81.9-97.5)	78.2 (64.7-87.1)	78.2 (64.7-87.1)	78.2 (46.0-92.6)	78.2 (38.1-82.4)	78.2 (53.2-78.8)	78.2 (53.2-78.8)

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007						2008-2012						2013-2017				
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		
Colon	15-44	100.1 (100.1-100.1)	85.7 (61.4-95.4)	70.6 (54.1-82.2)	81.5 (67.1-90.1)	87.0 (73.1-94.1)	95.6 (83.2-98.9)	95.6 (83.2-98.9)	77.4 (62.8-87.0)	87.0 (73.1-94.1)	88.8 (72.9-93.8)	95.5 (83.2-98.9)	86.8 (72.9-93.8)	76.9 (62.3-86.5)				
	45-54	90.3 (82.0-95.0)	73.9 (60.2-83.7)	76.9 (67.4-84.1)	81.4 (72.7-87.7)	87.8 (79.6-93.0)	96.8 (91.2-99.0)	96.8 (91.2-99.0)	80.6 (71.4-87.4)	87.8 (79.6-93.0)	86.9 (78.9-92.1)	96.5 (91.0-98.7)	86.9 (78.9-92.1)	79.2 (70.1-85.8)				
	55-64	92.9 (87.2-96.3)	78.8 (69.0-86.1)	73.4 (66.0-79.6)	81.5 (75.1-86.6)	84.4 (78.5-88.8)	96.6 (93.2-98.5)	96.6 (93.2-98.5)	77.7 (71.4-83.0)	84.4 (78.5-88.8)	82.3 (76.9-86.5)	95.9 (92.5-97.8)	82.3 (76.9-86.5)	74.2 (68.2-79.3)				
	65-74	87.7 (81.7-92.1)	66.3 (56.8-74.7)	65.5 (57.3-73.0)	79.2 (72.2-85.0)	83.6 (77.7-88.4)	93.9 (90.0-96.6)	93.9 (90.0-96.6)	74.6 (67.3-81.0)	83.6 (77.7-88.4)	78.2 (72.7-82.8)	92.1 (88.2-94.7)	78.2 (72.7-82.8)	65.8 (59.4-71.5)				
	75+	75.1 (66.2-82.5)	59.9 (46.9-72.2)	58.2 (46.8-69.4)	69.8 (60.2-78.6)	70.8 (62.1-78.7)	88.6 (82.6-93.2)	88.6 (82.6-93.2)	63.5 (53.2-73.5)	70.8 (62.1-78.7)	57.5 (50.5-64.0)	82.9 (77.3-87.3)	57.5 (50.5-64.0)	43.8 (36.7-50.7)				
	All ages	86.5 (83.2-89.4)	69.7 (64.4-74.5)	67.0 (62.7-71.2)	77.3 (73.6-80.7)	80.6 (77.3-83.6)	93.2 (91.1-95.0)	93.2 (91.1-95.0)	72.9 (69.0-76.6)	80.6 (77.3-83.6)	73.8 (70.7-76.6)	90.5 (88.4-92.2)	73.8 (70.7-76.6)	62.8 (59.4-66.0)				
	15-44	93.2 (80.2-97.8)	76.3 (58.7-87.2)	44.6 (28.5-59.6)	63.4 (44.7-77.3)	83.4 (66.5-92.4)	91.9 (76.7-97.4)	91.9 (76.7-97.4)	77.9 (60.3-88.5)	83.4 (66.5-92.4)	83.2 (66.3-92.1)	91.8 (76.6-97.3)	83.2 (66.3-92.1)	77.5 (59.9-88.0)				
	45-54	92.5 (85.2-96.4)	75.6 (63.0-84.5)	58.1 (48.6-66.5)	70.0 (60.8-77.5)	89.5 (82.3-94.0)	97.9 (93.0-99.5)	97.9 (93.0-99.5)	79.8 (70.9-86.4)	89.5 (82.3-94.0)	88.6 (81.5-93.1)	97.6 (92.8-99.2)	88.6 (81.5-93.1)	78.4 (69.6-84.9)				
	55-64	89.3 (82.7-93.7)	65.0 (53.5-74.5)	65.7 (57.5-72.9)	80.3 (73.6-85.7)	87.8 (81.9-94.4)	97.5 (94.6-99.0)	97.5 (94.6-99.0)	68.5 (61.9-74.4)	87.8 (81.9-94.4)	76.9 (71.3-81.6)	96.8 (93.9-98.3)	76.9 (71.3-81.6)	65.6 (59.2-71.2)				
	65-74	86.0 (78.8-91.2)	72.0 (61.4-80.9)	56.4 (47.7-64.6)	66.3 (58.1-73.6)	76.7 (69.7-82.5)	92.6 (88.3-95.6)	92.6 (88.3-95.6)	64.8 (56.4-72.3)	76.7 (69.7-82.5)	72.0 (65.5-77.5)	90.9 (86.6-93.9)	72.0 (65.5-77.5)	57.6 (50.2-64.3)				
75+	80.3 (69.3-88.7)	64.5 (49.0-78.6)	38.6 (26.3-52.1)	63.7 (50.9-75.4)	60.0 (48.5-70.7)	82.1 (73.1-88.9)	82.1 (73.1-88.9)	45.9 (33.6-58.6)	60.0 (48.5-70.7)	49.5 (40.0-58.4)	77.2 (68.8-83.7)	49.5 (40.0-58.4)	32.5 (23.8-41.5)					
All ages	86.6 (83.0-89.5)	69.1 (63.4-74.3)	52.9 (48.2-57.4)	68.8 (64.5-72.8)	74.1 (70.4-77.5)	91.0 (88.5-93.0)	91.0 (88.5-93.0)	62.8 (58.5-66.9)	74.1 (70.4-77.5)	68.4 (65.0-71.6)	88.6 (86.2-90.5)	68.4 (65.0-71.6)	54.9 (51.1-58.4)					
15-44	52.1 (22.9-74.9)	44.7 (18.5-68.2)	*	44.7 (18.5-68.2)	*	71.5 (40.9-88.2)	71.5 (40.9-88.2)	71.5 (40.8-88.1)	71.5 (40.8-88.1)	*	71.5 (40.8-88.1)	71.5 (40.8-88.1)	*					
45-54	51.9 (32.6-68.2)	45.2 (33.2-56.5)	14.8 (7.4-24.7)	23.6 (14.4-34.1)	7.2 (2.6-14.9)	29.1 (19.0-39.9)	29.1 (19.0-39.9)	29.0 (26.1-44.8)	7.2 (2.6-14.9)	7.1 (2.6-14.8)	29.0 (19.0-39.8)	7.1 (2.6-14.8)	*					
55-64	56.3 (41.7-68.7)	37.6 (22.9-52.4)	11.9 (9.9-18.5)	19.5 (13.3-26.6)	20.2 (14.8-26.3)	36.8 (33.1-46.4)	36.8 (33.1-46.4)	14.1 (9.3-20.0)	20.2 (14.8-26.3)	19.8 (14.4-25.7)	39.5 (32.9-46.1)	19.8 (14.4-25.7)	13.5 (8.8-19.1)					
65-74	30.3 (19.2-42.2)	32.9 (25.0-41.1)	10.7 (5.6-18.0)	14.5 (8.7-21.9)	15.2 (10.5-20.8)	30.7 (24.3-37.3)	30.7 (24.3-37.3)	11.1 (6.9-16.4)	15.2 (10.5-20.8)	14.2 (9.8-19.5)	30.1 (23.8-36.6)	14.2 (9.8-19.5)	9.8 (6.1-14.5)					
75+	38.3 (20.2-56.8)	24.5 (16.7-33.3)	12.8 (5.2-19.2)	10.9 (5.2-19.2)	10.3 (6.2-15.6)	22.6 (17.2-28.4)	22.6 (17.2-28.4)	8.4 (4.4-14.1)	10.3 (6.2-15.6)	8.4 (5.1-12.7)	21.2 (16.2-26.6)	8.4 (5.1-12.7)	5.8 (3.1-9.9)					
All ages	42.7 (35.3-49.9)	29.9 (21.8-38.6)	17.0 (9.6-16.5)	17.0 (13.6-20.8)	15.5 (12.8-18.5)	32.1 (28.6-35.7)	32.1 (28.6-35.7)	11.6 (9.1-14.4)	15.5 (12.8-18.5)	14.4 (11.8-17.1)	31.2 (27.8-34.7)	14.4 (11.8-17.1)	10.2 (8.0-12.7)					
15-44	*	45.8 (23.4-65.8)	*	45.8 (23.4-65.8)	*	60.9 (35.2-79.1)	60.9 (35.2-79.1)	60.7 (35.1-78.8)	*	60.7 (35.1-78.8)	60.7 (35.1-78.8)	60.7 (35.1-78.8)	*					
45-54	*	47.7 (29.8-63.7)	*	47.7 (29.8-63.7)	*	42.0 (23.6-59.5)	42.0 (23.6-59.5)	41.7 (23.5-59.0)	*	41.7 (23.5-59.0)	41.7 (23.5-59.0)	41.7 (23.5-59.0)	*					
55-64	54.5 (18.4-81.4)	46.3 (29.1-62.1)	*	46.3 (29.1-62.1)	*	41.1 (24.6-57.2)	41.1 (24.6-57.2)	40.3 (24.1-56.0)	*	40.3 (24.1-56.0)	40.3 (24.1-56.0)	40.3 (24.1-56.0)	*					
65-74	57.2 (37.2-73.4)	45.2 (35.0-55.0)	5.0 (1.7-11.4)	5.0 (1.7-11.4)	13.2 (8.8-21.8)	41.9 (32.7-51.0)	41.9 (32.7-51.0)	41.0 (31.9-49.8)	13.2 (8.8-21.8)	12.4 (6.4-20.4)	41.0 (31.9-49.8)	12.4 (6.4-20.4)	*					
All ages	87.7 (73.1-95.7)	73.6 (50.2-89.9)	61.1 (45.5-74.9)	64.2 (48.5-76.7)	74.9 (61.8-85.1)	90.5 (80.9-96.1)	90.5 (80.9-96.1)	64.8 (49.3-78.2)	74.9 (61.8-85.1)	68.4 (56.5-77.7)	87.8 (78.5-93.2)	68.4 (56.5-77.7)	54.8 (41.7-66.2)					
15-44	*	*	*	*	70.1 (32.3-89.9)	90.0 (46.4-98.8)	90.0 (46.4-98.8)	70.1 (32.3-89.9)	70.1 (32.3-89.9)	69.3 (31.9-88.9)	89.7 (46.3-98.5)	69.3 (31.9-88.9)	*					
45-54	89.8 (63.1-98.1)	101.0 (101.0-101.0)	63.7 (36.4-83.1)	72.6 (44.4-89.2)	87.4 (62.3-97.4)	91.4 (68.3-96.3)	91.4 (68.3-96.3)	80.9 (50.9-95.5)	87.4 (62.3-97.4)	85.3 (60.8-91.2)	90.7 (67.8-97.6)	85.3 (60.8-91.2)	77.3 (48.6-91.2)					
55-64	81.4 (39.9-97.2)	77.1 (42.8-93.3)	*	73.8 (38.9-93.8)	77.9 (53.1-92.4)	84.8 (62.7-95.0)	84.8 (62.7-95.0)	54.0 (23.8-79.3)	77.9 (53.1-92.4)	73.6 (50.2-87.2)	83.4 (61.6-93.4)	73.6 (50.2-87.2)	48.6 (21.4-71.3)					
65-74	84.8 (49.9-100.6)	65.7 (42.8-82.7)	*	38.5 (17.8-61.7)	38.5 (17.8-61.7)	94.4 (71.7-103.1)	94.4 (71.7-103.1)	55.9 (27.9-81.5)	38.5 (17.8-61.7)	43.8 (21.9-63.9)	87.8 (66.7-95.9)	43.8 (21.9-63.9)	*					
75+	87.7 (73.1-95.7)	81.5 (50.2-89.9)	61.1 (45.5-74.9)	64.2 (48.5-76.7)	74.9 (61.8-85.1)	90.5 (80.9-96.1)	90.5 (80.9-96.1)	64.8 (49.3-78.2)	74.9 (61.8-85.1)	68.4 (56.5-77.7)	87.8 (78.5-93.2)	68.4 (56.5-77.7)	54.8 (41.7-66.2)					
All ages	87.7 (73.1-95.7)	81.5 (50.2-89.9)	61.1 (45.5-74.9)	64.2 (48.5-76.7)	74.9 (61.8-85.1)	90.5 (80.9-96.1)	90.5 (80.9-96.1)	64.8 (49.3-78.2)	74.9 (61.8-85.1)	68.4 (56.5-77.7)	87.8 (78.5-93.2)	68.4 (56.5-77.7)	54.8 (41.7-66.2)					

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E.1: Relative and observed survival by period, site, and age group for males, 2003-2017

Site	Age Group	2003-2007						2008-2012						2013-2017						Stage IV						
		1yr		3yr		5yr		1yr		3yr		5yr		1yr		3yr		5yr		1yr		3yr		5yr		
		Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	Survival (%)	95% CI	
Colon	15-44	33.4	(16.4-51.4)	*	45.2	(22.8-65.2)	*	67.9	(49.7-80.7)	24.9	(11.1-41.4)	*	67.9	(49.6-80.7)	24.8	(11.1-41.3)	*	67.9	(49.6-80.7)	24.8	(11.1-41.3)	*	67.9	(49.6-80.7)	24.8	(11.1-41.3)
	45-54	47.3	(34.3-59.2)	*	57.8	(46.5-67.5)	16.1	(8.4-26.0)	65.5	(54.5-74.4)	26.4	(18.1-35.5)	11.3	(5.8-18.8)	26.1	(17.9-35.1)	65.3	(54.3-74.2)	26.1	(17.9-35.1)	65.3	(54.3-74.2)	26.1	(17.9-35.1)	65.3	(54.3-74.2)
	55-64	56.4	(46.9-64.8)	23.6	(14.6-33.8)	52.3	(44.7-59.4)	19.7	(14.0-26.2)	63.2	(56.5-69.2)	23.6	(18.2-29.6)	11.1	(7.0-16.2)	62.7	(56.1-68.7)	23.1	(17.7-28.8)	62.7	(56.1-68.7)	23.1	(17.7-28.8)	62.7	(56.1-68.7)	
	65-74	40.8	(32.5-49.0)	*	38.9	(31.5-46.3)	11.5	(7.0-17.2)	48.3	(42.1-54.2)	16.5	(11.9-21.8)	10.1	(6.1-15.1)	47.3	(41.3-53.1)	15.5	(11.2-20.5)	47.3	(41.3-53.1)	15.5	(11.2-20.5)	47.3	(41.3-53.1)		
	75+	34.6	(24.9-44.7)	*	25.4	(19.4-31.8)	6.8	(3.5-11.8)	23.3	(18.1-29.0)	4.8	(2.6-8.1)	*	21.8	(16.9-27.0)	3.9	(2.1-6.6)	21.8	(16.9-27.0)	3.9	(2.1-6.6)	21.8	(16.9-27.0)	3.9	(2.1-6.6)	
	All ages	43.0	(38.2-47.7)	14.5	(10.4-19.2)	13.6	(9.8-18.4)	9.9	(7.4-12.8)	47.6	(44.1-51.0)	16.4	(13.8-19.1)	7.8	(5.9-9.9)	46.3	(42.9-49.6)	15.3	(12.9-17.8)	46.3	(42.9-49.6)	15.3	(12.9-17.8)	46.3	(42.9-49.6)	
	15-44	61.2	(35.4-79.3)	*	46.9	(26.3-65.1)	*	55.1	(33.0-72.6)	55.1	(33.0-72.6)	28.3	(11.2-48.3)	*	55.0	(32.9-72.5)	28.2	(11.2-48.2)	55.0	(32.9-72.5)	28.2	(11.2-48.2)	55.0	(32.9-72.5)	28.2	(11.2-48.2)
45-54	46.8	(33.9-56.8)	16.9	(7.3-30.1)	58.8	(46.9-68.9)	30.0	(19.7-40.9)	68.0	(55.9-77.4)	24.6	(15.6-34.6)	15.9	(8.9-24.6)	67.8	(55.7-77.2)	24.3	(15.4-34.3)	67.8	(55.7-77.2)	24.3	(15.4-34.3)	67.8	(55.7-77.2)		
55-64	57.4	(45.5-67.7)	16.6	(7.7-28.6)	58.3	(49.1-66.4)	27.5	(19.6-36.0)	69.7	(61.9-76.2)	27.9	(20.8-35.4)	19.8	(13.7-26.9)	69.2	(61.5-75.6)	27.2	(20.3-34.6)	69.2	(61.5-75.6)	27.2	(20.3-34.6)	69.2	(61.5-75.6)		
65-74	40.0	(28.5-51.4)	10.4	(3.6-21.7)	54.3	(44.6-63.1)	13.7	(7.4-22.0)	51.0	(42.4-59.0)	18.7	(12.4-26.0)	10.0	(5.2-16.8)	50.1	(41.6-58.0)	17.6	(11.7-24.4)	50.1	(41.6-58.0)	17.6	(11.7-24.4)	50.1	(41.6-58.0)		
75+	39.6	(25.9-53.3)	*	44.9	(32.4-56.9)	7.8	(2.5-17.8)	36.6	(26.2-47.1)	8.1	(3.5-15.1)	*	34.1	(24.5-44.0)	6.6	(2.9-12.5)	34.1	(24.5-44.0)	6.6	(2.9-12.5)	34.1	(24.5-44.0)	6.6	(2.9-12.5)		
All ages	46.2	(40.1-52.1)	14.4	(9.7-20.0)	52.6	(47.5-57.4)	17.6	(13.6-22.1)	53.2	(48.6-57.7)	18.7	(15.2-22.5)	11.3	(8.5-14.5)	51.8	(47.3-56.1)	17.4	(14.2-20.9)	51.8	(47.3-56.1)	17.4	(14.2-20.9)	51.8	(47.3-56.1)		
15-44	31.6	(12.9-52.3)	*	9.5	(1.9-24.8)	*	24.4	(6.0-49.4)	24.4	(6.0-49.4)	*	9.5	(1.9-24.8)	24.4	(6.0-49.4)	*	9.5	(1.9-24.8)	24.4	(6.0-49.4)	*	9.5	(1.9-24.8)	24.4	(6.0-49.4)	
45-54	12.7	(4.9-24.3)	*	10.8	(5.3-18.4)	*	18.4	(11.2-27.0)	18.4	(11.2-27.0)	9.5	(4.7-16.4)	18.4	(11.2-26.9)	9.4	(4.7-16.3)	18.4	(11.2-26.9)	9.4	(4.7-16.3)	18.4	(11.2-26.9)	9.4	(4.7-16.3)		
55-64	12.9	(6.6-21.4)	*	9.7	(6.1-14.4)	*	10.0	(6.8-14.0)	10.0	(6.8-14.0)	3.7	(1.7-6.7)	10.0	(6.8-13.9)	3.6	(1.7-6.6)	10.0	(6.8-13.9)	3.6	(1.7-6.6)	10.0	(6.8-13.9)	3.6	(1.7-6.6)		
65-74	9.9	(4.0-19.0)	*	12.9	(8.0-19.1)	*	11.3	(7.9-15.3)	11.3	(7.9-15.3)	4.1	(2.2-6.8)	11.1	(7.8-15.0)	3.8	(2.1-6.3)	11.1	(7.8-15.0)	3.8	(2.1-6.3)	11.1	(7.8-15.0)	3.8	(2.1-6.3)		
75+	12.7	(5.6-23.0)	*	12.6	(7.0-19.9)	*	4.8	(2.8-7.7)	4.8	(2.8-7.7)	4.8	(2.2-6.8)	4.5	(2.6-7.1)	4.5	(2.6-7.1)	4.5	(2.6-7.1)	4.5	(2.6-7.1)	4.5	(2.6-7.1)	4.5	(2.6-7.1)		
All ages	13.3	(9.5-17.8)	7.0	(3.8-11.5)	11.5	(9.0-14.4)	3.2	(1.8-5.3)	10.1	(8.2-12.2)	3.6	(2.5-4.9)	2.8	(1.9-4.1)	3.3	(2.3-4.5)	9.8	(8.0-11.9)	3.3	(2.3-4.5)	9.8	(8.0-11.9)	3.3	(2.3-4.5)		
15-44	28.0	(7.7-53.2)	*	36.9	(16.5-57.6)	*	53.7	(19.1-79.3)	53.7	(19.1-79.3)	*	36.9	(16.5-57.6)	53.7	(19.1-79.2)	*	36.9	(16.5-57.6)	53.7	(19.1-79.2)	*	36.9	(16.5-57.6)	53.7	(19.1-79.2)	
45-54	15.2	(6.9-26.5)	*	21.1	(11.9-32.1)	*	16.0	(8.6-25.5)	16.0	(8.6-25.5)	*	16.0	(8.6-25.4)	16.0	(8.6-25.4)	*	16.0	(8.6-25.4)	16.0	(8.6-25.4)	*	16.0	(8.6-25.4)	16.0	(8.6-25.4)	
55-64	17.3	(9.5-27.0)	*	10.6	(6.4-16.1)	*	18.4	(13.3-24.2)	18.4	(13.3-24.2)	6.5	(3.3-11.3)	18.3	(13.2-24.0)	6.3	(3.2-11.0)	18.3	(13.2-24.0)	6.3	(3.2-11.0)	18.3	(13.2-24.0)	6.3	(3.2-11.0)		
65-74	12.2	(6.3-20.3)	*	4.4	(2.4-7.1)	*	5.1	(3.1-8.0)	5.1	(3.1-8.0)	5.1	(3.3-11.3)	5.0	(3.0-7.8)	5.0	(3.0-7.8)	5.0	(3.0-7.8)	5.0	(3.0-7.8)	5.0	(3.0-7.8)	5.0	(3.0-7.8)		
75+	4.1	(0.8-12.4)	*	3.7	(1.6-7.2)	*	3.0	(1.6-5.1)	3.0	(1.6-5.1)	*	3.0	(1.5-4.8)	2.8	(1.5-4.8)	*	3.0	(1.5-4.8)	2.8	(1.5-4.8)	*	3.0	(1.5-4.8)	2.8	(1.5-4.8)	
All ages	12.6	(8.9-17.0)	*	8.7	(6.6-11.1)	*	9.6	(7.7-11.9)	9.6	(7.7-11.9)	4.2	(2.9-5.9)	9.4	(7.5-11.6)	4.0	(2.8-5.6)	9.4	(7.5-11.6)	4.0	(2.8-5.6)	9.4	(7.5-11.6)	4.0	(2.8-5.6)		
15-44	88.2	(59.8-97.2)	*	84.6	(59.1-94.9)	*	52.3	(28.4-72.7)	73.4	(49.7-89.2)	62.4	(34.6-81.4)	56.7	(29.6-77.1)	73.2	(43.6-89.0)	61.8	(34.2-80.6)	73.2	(43.6-89.0)	61.8	(34.2-80.6)	73.2	(43.6-89.0)		
45-54	66.2	(47.0-80.0)	*	81.5	(62.8-91.7)	*	75.4	(41.0-80.0)	83.8	(69.6-91.9)	55.2	(39.3-68.7)	48.4	(32.5-62.9)	83.1	(69.1-91.2)	53.8	(38.3-67.0)	83.1	(69.1-91.2)	53.8	(38.3-67.0)	83.1	(69.1-91.2)		
55-64	82.5	(64.8-92.6)	58.5	(36.7-76.4)	36.9	(22.5-51.7)	19.9	(9.7-33.3)	87.9	(73.2-95.5)	59.6	(42.4-73.9)	50.9	(33.3-67.2)	86.1	(71.7-93.5)	55.6	(39.6-69.0)	86.1	(71.7-93.5)	55.6	(39.6-69.0)	86.1	(71.7-93.5)		
65-74	61.6	(38.3-80.1)	53.7	(34.4-70.6)	30.3	(14.4-49.7)	56.8	(37.8-72.8)	56.8	(37.8-72.8)	38.6	(18.6-60.6)	52.7	(35.1-67.5)	31.4	(15.1-49.2)	52.7	(35.1-67.5)	31.4	(15.1-49.2)	52.7	(35.1-67.5)	31.4	(15.1-49.2)		
75+	75.4	(65.7-83.0)	43.9	(32.6-54.9)	66.4	(56.8-74.5)	45.4	(35.6-55.0)	77.5	(69.6-83.8)	57.7	(48.6-66.1)	48.6	(38.7-58.1)	75.1	(67.4-81.2)	53.5	(45.0-61.2)	75.1	(67.4-81.2)	53.5	(45.0-61.2)	75.1	(67.4-81.2)		
All ages	75.4	(65.7-83.0)	43.9	(32.6-54.9)	66.4	(56.8-74.5)	45.4	(35.6-55.0)	77.5	(69.6-83.8)	57.7	(48.6-66.1)	48.6	(38.7-58.1)	75.1	(67.4-81.2)	53.5	(45.0-61.2)	75.1	(67.4-81.2)	53.5	(45.0-61.2)	75.1	(67.4-81.2)		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Stage: Local	
		1968-1972			1973-1977			1978-1982			1983-1987				
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr		10Yr
Lung (incl. trachea & bronchus)	15-44	16.2 (3.4-37.7)	*	66.4 (37.2-84.5)	*	38.8 (17.2-60.2)	*	12.8 (6.3-21.1)	*	41.2 (19.2-62.1)	*	20.8 (11.4-32.2)	*	16.4 (7.7-27.9)	17.5 (8.3-29.9)
	45-54	29.3 (18.6-41.0)	*	31.5 (22.1-41.4)	9.2 (4.1-17.0)	29.5 (19.4-40.3)	12.5 (6.3-21.1)	43.0 (30.9-54.5)	12.8 (6.4-21.5)	36.1 (28.4-43.9)	20.8 (11.4-32.2)	16.4 (7.7-27.9)	17.5 (8.3-29.9)		
	55-64	26.0 (19.9-32.6)	5.2 (2.2-10.1)	22.4 (17.7-27.4)	5.3 (3.0-8.7)	26.0 (19.9-32.5)	10.5 (6.5-15.7)	6.7 (3.5-11.3)	36.1 (28.4-43.9)	6.7 (3.5-11.3)	9.5 (5.4-15.1)	7.3 (3.8-12.6)			
	65-74	19.1 (13.3-25.7)	*	21.7 (17.0-26.7)	5.2 (2.7-8.8)	21.6 (17.3-26.3)	6.9 (4.3-10.4)	5.1 (2.7-8.8)	24.0 (18.8-29.6)	5.1 (2.7-8.8)	5.2 (2.9-8.6)	4.0 (2.0-7.2)			
	75+	23.4 (10.7-39.7)	*	21.2 (11.4-33.4)	*	10.0 (5.4-16.4)	*	*	16.6 (11.1-23.0)	4.9 (2.0-9.9)	*	*			
	All ages	*	*	26.2 (22.9-29.6)	7.9 (5.9-10.4)	20.9 (17.9-24.0)	8.5 (6.5-10.8)	6.0 (4.2-8.2)	27.5 (24.0-31.2)	8.7 (6.5-11.2)	6.2 (4.3-8.5)	8.7 (6.5-11.2)	6.2 (4.3-8.5)	5.7 (3.7-8.2)	
		80.1 (40.9-94.7)	*	78.7 (47.4-92.7)	*	83.7 (57.5-94.5)	60.8 (31.7-80.8)	*	92.8 (58.4-99.1)	81.0 (51.6-93.7)	76.4 (48.1-90.8)				
Bone	15-44	*	*	85.0 (56.6-96.7)	63.8 (36.7-83.4)	96.3 (68.0-101.2)	64.1 (34.0-85.1)	*	98.5 (27.9-102.4)	53.0 (27.9-74.4)	53.6 (28.1-75.8)				
	45-54	*	*	*	*	*	*	*	*	*					
	55-64	*	*	*	*	*	*	*	*	*					
	65-74	*	*	*	*	*	*	*	*	*					
	75+	*	*	*	*	*	*	*	*	*					
All ages	*	*	94.5 (60.2-102.1)	93.5 (57.1-107.9)	86.3 (60.2-97.0)	59.0 (33.0-79.3)	*	61.6 (40.4-77.8)	43.3 (22.8-63.6)	43.1 (21.6-65.4)					
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	72.2 (36.3-90.1)	63.6 (29.6-84.8)	*	87.7 (58.7-96.9)	*	*				
	45-54	*	*	*	*	*	*	*	*	*					
	55-64	*	*	*	*	*	*	*	*	*					
	65-74	*	*	*	*	*	*	*	*	*					
	75+	*	*	*	*	*	*	*	*	*					
All ages	*	*	94.5 (60.2-102.1)	93.5 (57.1-107.9)	86.3 (60.2-97.0)	59.0 (33.0-79.3)	*	61.6 (40.4-77.8)	43.3 (22.8-63.6)	43.1 (21.6-65.4)					
Melanoma of skin	15-44	100.2 (100.2-100.2)	*	93.1 (59.2-99.2)	86.6 (55.0-97.0)	78.8 (46.2-93.5)	93.3 (73.9-98.9)	93.9 (74.4-99.5)	100.2 (100.2-100.2)	100.7 (101.3-101.3)	101.3 (78.5-103.0)				
	45-54	86.5 (54.4-97.1)	*	90.5 (65.3-98.2)	86.1 (58.5-97.4)	81.3 (51.6-96.0)	84.4 (64.1-94.6)	86.3 (65.6-96.8)	97.9 (82.1-100.3)	91.9 (72.6-99.0)	86.1 (65.2-96.6)	73.9 (49.2-91.0)			
	55-64	71.1 (49.1-85.5)	55.4 (32.0-75.0)	92.5 (74.9-99.0)	79.6 (56.5-93.4)	73.5 (47.5-91.7)	95.4 (78.4-102.7)	95.4 (73.6-104.1)	93.5 (82.1-116.7)	96.1 (85.0-100.0)	92.5 (77.1-100.2)	78.6 (59.9-91.8)	75.5 (53.3-94.1)		
	65-74	94.5 (66.3-103.2)	*	100.0 (83.6-104.6)	101.6 (79.2-112.6)	118.2 (92.1-131.0)	95.7 (79.6-106.0)	102.5 (82.1-116.7)	103.9 (82.1-116.7)	99.1 (87.0-103.3)	103.9 (88.0-111.9)	96.3 (75.2-111.5)	85.8 (54.7-116.6)		
	75+	82.3 (44.4-103.6)	*	101.2 (71.1-113.4)	107.0 (65.0-137.2)	113.2 (74.3-146.1)	79.5 (52.2-102.6)	113.2 (74.3-146.1)	133.9 (87.3-175.5)	104.0 (87.3-111.1)	107.4 (79.3-127.5)	133.9 (93.3-166.0)	*		
All ages	*	*	96.9 (89.5-101.5)	94.7 (82.7-104.1)	93.6 (77.6-107.3)	89.1 (80.6-96.0)	98.0 (87.7-106.6)	81.6 (61.6-101.4)	100.0 (95.3-102.9)	100.7 (92.7-106.9)	100.3 (89.6-109.4)	89.7 (73.8-105.1)			

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Stage: Regional							
		1968-1972			1973-1977			1978-1982			1983-1987										
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		10yr						
Lung (incl. trachea & bronchus)	15-44	29.8 (11.6-50.8)	*	25.5 (12.3-41.0)	*	38.4 (22.3-54.4)	*	35.9 (19.2-53.0)	*	10.3 (4.7-18.5)	*	8.2 (4.0-14.2)	*	17.0 (12.7-21.8)	*	12.4 (8.8-16.6)	*	3.2 (1.5-6.1)	*	1.7 (0.6-3.8)	*
	45-54	17.2 (9.3-27.1)	*	17.0 (10.3-25.3)	*	32.8 (23.2-42.8)	*	25.5 (17.5-34.2)	*	6.2 (3.4-10.1)	*	3.1 (1.4-6.0)	*	3.4 (1.6-6.4)	*	13.8 (11.5-16.4)	*	3.0 (2.0-4.4)	*	2.1 (1.2-3.3)	*
	55-64	12.0 (7.6-17.6)	*	15.6 (11.5-20.2)	*	5.7 (3.2-9.3)	*	17.0 (12.7-21.8)	*	7.7 (5.1-11.0)	*	4.6 (1.7-9.8)	*	2.1 (1.1-3.4)	*	13.8 (11.5-16.4)	*	3.0 (2.0-4.4)	*	2.1 (1.2-3.3)	*
	65-74	16.8 (9.9-25.4)	*	8.7 (5.7-12.5)	*	3.0 (1.3-6.1)	*	7.7 (5.1-11.0)	*	1.3 (0.5-2.9)	*	3.4 (1.6-6.4)	*	3.0 (2.3-5.1)	*	13.8 (11.5-16.4)	*	3.0 (2.0-4.4)	*	2.1 (1.2-3.3)	*
	75+	3.5 (0.1-23.4)	*	1.5 (0.3-5.2)	*	9.3 (7.4-11.5)	*	12.9 (10.6-15.4)	*	3.5 (2.3-5.1)	*	2.1 (1.1-3.4)	*	2.1 (1.1-3.4)	*	13.8 (11.5-16.4)	*	3.0 (2.0-4.4)	*	2.1 (1.2-3.3)	*
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Melanoma of skin	15-44	*	*	32.1 (11.5-55.4)	*	*	*	66.3 (40.2-83.9)	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	89.3 (42.9-99.0)	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	80.0 (56.6-93.8)	70.1 (44.5-90.6)	61.2 (33.4-88.0)	53.8 (29.4-76.3)	50.7 (25.1-76.7)	51.5 (27.9-75.4)	60.3 (31.9-90.1)	51.5 (27.9-75.4)	60.3 (31.9-90.1)	51.5 (27.9-75.4)	60.3 (31.9-90.1)	51.5 (27.9-75.4)	60.3 (31.9-90.1)	51.5 (27.9-75.4)	60.3 (31.9-90.1)	51.5 (27.9-75.4)	60.3 (31.9-90.1)	51.5 (27.9-75.4)	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Distant
		1968-1972			1973-1977			1978-1982			1983-1987			
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	
Lung (incl. trachea & bronchus)	15-44	15.0 (3.7-33.6)	*	9.7 (2.5-23.0)	*	1.6 (0.1-8.2)	*	11.7 (3.2-26.4)	*	*	*	*	*	*
	45-54	5.9 (1.3-15.8)	*	1.3 (0.4-3.7)	*	2.4 (0.8-5.4)	*	7.3 (3.5-12.9)	*	*	*	*	*	*
	55-64	1.7 (0.2-6.3)	*	1.2 (0.5-2.6)	*	2.2 (1.0-4.1)	*	5.5 (3.2-8.7)	*	*	*	*	*	*
	65-74	4.5 (1.2-11.4)	*	0.9 (0.3-2.3)	*	2.0 (0.9-3.9)	*	5.7 (3.3-9.1)	*	*	*	*	*	*
	75+	10.8 (0.6-39.4)	*	0.0 (0.0-0.6)	*	2.8 (0.7-7.7)	*	3.1 (1.1-6.8)	*	*	*	*	*	*
All ages	*	*	0.8 (0.4-1.4)	*	2.3 (1.5-3.4)	*	5.4 (4.0-7.1)	*	*	*	*	*	*	
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		1988-1992				1993-1997				1998-2002				1998-2002				
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	
Lung (incl. trachea & bronchus)	15-44	38.5	*	*	*	53.8	*	*	*	80.9	*	*	*	80.8	*	*	*	
		(11.9-65.2)				(25.1-75.8)				(51.7-93.5)				(51.7-93.4)				
	45-54	51.0	24.2	17.5	*	52.6	27.6	24.9	*	73.1	46.7	46.7	72.8	54.7	45.6	*		
		(34.2-65.6)	(12.3-38.2)	(7.7-30.7)		(35.9-66.8)	(14.7-42.1)	(12.5-39.6)		(59.4-82.9)	(40.8-68.0)	(32.1-60.2)		(59.4-82.6)	(40.2-67.1)	(31.3-58.7)		
	55-64	37.8	21.0	14.7	10.4	58.2	28.5	21.3	16.6	62.9	37.2	27.4	19.6	62.2	35.7	25.6	16.2	
		(30.5-45.2)	(14.8-28.0)	(9.3-21.4)	(4.9-18.4)	(50.3-65.3)	(21.4-36.0)	(14.6-28.9)	(9.9-25.1)	(54.7-70.4)	(29.4-45.0)	(20.5-34.9)	(12.7-27.8)	(53.7-69.5)	(28.3-43.3)	(19.1-32.5)	(10.5-23.0)	
	65-74	28.9	12.7	5.9	*	36.2	19.0	17.1	*	45.9	24.4	18.0	*	44.5	22.0	14.9	*	
		(23.1-35.0)	(8.3-18.1)	(2.9-10.6)		(30.2-42.3)	(14.0-24.7)	(11.9-23.2)		(39.8-51.9)	(19.2-30.0)	(13.2-23.5)		(38.5-50.2)	(17.3-27.0)	(10.9-19.4)		
	75+	12.9	*	*	*	32.9	12.8	*	*	35.5	19.6	14.8	*	31.7	13.9	7.9	*	
		(8.5-18.3)				(26.1-39.9)	(7.6-19.8)			(28.8-42.3)	(13.9-26.2)	(9.1-22.2)		(25.8-37.8)	(9.9-18.6)	(4.9-11.9)		
All ages	27.9	12.5	7.7	4.1	42.6	21.0	17.8	14.0	51.3	30.7	23.6	18.2	48.9	27.0	19.1	12.1		
	(24.3-31.6)	(9.7-15.6)	(5.5-10.4)	(2.4-6.5)	(38.7-48.5)	(17.7-24.6)	(14.4-21.5)	(10.1-18.7)	(47.4-55.2)	(27.0-34.4)	(20.1-27.3)	(14.3-22.7)	(45.1-52.6)	(23.8-30.3)	(16.3-22.2)	(9.5-15.1)		
Bone	15-44	*	*	*	87.3	100.1	*	*	*	*	*	*	*	*	*	*	*	
					(55.9-97.6)	(100.1-100.1)												
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	72.9	74.6	74.6	33.1	88.9	55.4	55.4	54.5	88.3	73.9	73.9	73.9	88.3	73.9	73.9	73.9		
	(46.9-88.9)	(48.0-90.9)	(46.9-88.9)	(12.3-55.9)	(76.2-98.1)	(36.4-71.1)	(36.4-71.1)	(35.7-69.9)	(41.4-98.3)	(68.0-99.9)	(48.3-88.2)	(48.3-88.2)	(41.4-98.3)	(68.0-99.9)	(48.3-88.2)	(45.6-86.4)		
Connective & soft tissues (incl. peripheral nerves)	15-44	92.5	84.5	70.3	*	100.2	80.9	81.3	74.2	80.1	75.7	75.9	79.9	75.3	75.3	75.3	75.3	
		(57.0-99.1)	(50.1-96.3)	(38.4-88.2)		(100.2-100.2)	(51.4-93.7)	(51.6-94.1)	(43.1-90.8)	(55.2-92.1)	(50.9-89.3)	(51.0-89.6)	(51.5-90.4)	(55.1-91.9)	(50.6-88.9)	(50.6-88.9)	(50.6-88.9)	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	102.2	92.6	71.1	*	91.1	73.5	61.4	47.5	94.0	70.5	63.1	71.1	90.2	63.4	54.3	54.3		
	(80.6-103.6)	(72.8-102.6)	(46.9-88.9)		(76.2-98.1)	(54.0-87.8)	(41.2-78.8)	(26.1-69.4)	(82.2-99.7)	(53.7-83.6)	(45.4-78.1)	(51.2-88.0)	(78.7-95.6)	(48.3-75.2)	(39.1-67.2)	(39.1-67.2)		
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	100.2	96.8	97.3	98.9	100.2	97.9	98.4	96.1	100.2	97.6	98.1	99.3	100.0	97.1	97.1	97.1		
	(100.2-100.2)	(76.6-100.1)	(77.0-100.6)	(78.2-102.2)	(100.2-100.2)	(83.1-100.2)	(83.5-100.7)	(78.1-101.0)	(100.2-100.2)	(89.4-99.8)	(89.8-100.2)	(91.0-101.6)	(100.0-100.0)	(88.9-99.3)	(88.9-99.3)	(88.9-99.3)		
15-44	100.6	99.2	94.7	91.4	100.5	100.1	101.6	100.2	100.4	96.8	96.5	96.3	100.0	95.5	94.1	90.1		
	(100.6-100.6)	(83.8-101.6)	(78.1-100.8)	(69.3-102.3)	(100.5-100.5)	(90.1-101.6)	(91.5-103.1)	(82.1-106.6)	(100.4-100.4)	(89.6-99.6)	(88.5-99.9)	(85.1-101.9)	(100.0-100.0)	(88.5-96.3)	(86.4-97.5)	(79.7-95.3)		
45-54	100.0	95.1	93.2	93.2	99.7	101.1	94.7	87.8	97.4	91.5	89.6	83.5	96.3	88.1	83.4	68.9		
	(90.7-101.4)	(83.6-100.7)	(79.7-101.1)	(72.2-107.9)	(94.5-101.1)	(94.5-103.6)	(83.8-101.3)	(71.1-100.6)	(92.4-99.6)	(84.5-96.1)	(81.5-95.3)	(71.7-93.0)	(91.4-98.4)	(81.3-92.5)	(75.9-88.8)	(59.2-76.8)		
55-64	98.0	96.5	101.5	79.7	97.9	95.5	101.0	81.0	98.5	98.0	95.8	93.6	95.3	88.1	78.8	56.1		
	(85.9-102.2)	(80.9-105.4)	(82.6-113.7)	(51.1-108.0)	(91.6-101.1)	(85.6-102.2)	(88.0-110.2)	(55.2-105.8)	(93.9-100.9)	(91.4-102.5)	(87.0-102.6)	(76.3-108.8)	(90.9-97.6)	(82.1-92.2)	(71.6-84.4)	(45.7-65.2)		
65-74	101.5	108.6	115.5	*	106.8	122.2	129.9	107.5	97.1	110.4	126.1	110.7	84.6	70.4	56.5	18.9		
	(89.0-108.1)	(87.1-124.4)	(83.6-143.4)		(100.1-110.6)	(108.2-132.6)	(104.0-152.0)	(51.8-180.9)	(89.9-102.3)	(98.8-120.2)	(108.6-141.9)	(67.4-162.3)	(78.3-89.2)	(63.0-76.6)	(48.7-63.6)	(11.5-27.6)		
75+	100.0	100.5	102.1	96.8	101.7	105.5	107.8	96.5	98.1	99.9	102.0	98.2	92.6	83.3	74.3	51.4		
	(96.0-102.5)	(93.8-105.7)	(93.2-109.6)	(81.3-111.8)	(99.3-103.3)	(101.1-109.0)	(101.0-113.6)	(83.6-108.8)	(95.7-100.0)	(96.2-103.1)	(97.1-105.5)	(89.0-107.0)	(90.3-94.3)	(80.2-85.9)	(70.8-77.6)	(46.5-56.0)		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1988-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)				
		1988-1992					1993-1997					1998-2002				
		1yr	3yr	5yr	10yr	15yr	1yr	3yr	5yr	10yr	15yr	1yr	3yr	5yr	10yr	15yr
Lung (incl. trachea & bronchus)	15-44	27.9 (12.8-45.3)	*	*	*	50.7 (34.9-64.6)	*	9.8 (3.4-20.3)	50.4 (32.1-66.2)	*	50.3 (32.0-66.1)	9.8 (3.4-20.2)	*	50.3 (32.0-66.1)	9.8 (3.4-20.2)	*
	45-54	30.8 (21.1-41.0)	*	*	*	48.0 (37.6-57.7)	12.5 (6.2-21.2)	16.0 (9.6-23.9)	52.6 (42.3-62.0)	12.2 (6.6-19.5)	52.4 (42.1-61.7)	15.8 (9.4-23.6)	11.8 (6.4-19.0)	52.4 (42.1-61.7)	15.8 (9.4-23.6)	11.8 (6.4-19.0)
	55-64	29.6 (23.1-36.5)	8.8 (4.8-14.3)	*	*	32.5 (26.9-38.3)	8.5 (5.1-12.9)	5.5 (2.9-9.3)	40.7 (34.1-47.2)	11.4 (7.5-16.3)	40.2 (33.7-46.7)	13.1 (9.1-17.9)	10.6 (7.0-15.1)	40.2 (33.7-46.7)	13.1 (9.1-17.9)	10.6 (7.0-15.1)
	65-74	11.9 (8.3-16.2)	2.7 (1.1-5.5)	*	*	28.4 (23.7-33.2)	8.5 (5.5-12.3)	4.8 (3.0-7.3)	27.9 (23.4-32.5)	4.8 (3.0-7.3)	27.0 (22.6-31.5)	7.1 (5.0-9.7)	4.0 (2.4-6.0)	27.0 (22.6-31.5)	7.1 (5.0-9.7)	4.0 (2.4-6.0)
	75+	11.2 (6.6-17.2)	*	*	*	12.8 (8.9-17.4)	4.9 (2.1-9.4)	6.8 (3.8-11.3)	15.5 (11.4-20.1)	6.8 (3.8-11.3)	13.9 (10.2-18.1)	5.2 (3.1-8.0)	3.9 (2.2-6.5)	13.9 (10.2-18.1)	5.2 (3.1-8.0)	3.9 (2.2-6.5)
	All ages	18.5 (15.7-21.6)	5.6 (3.8-7.7)	4.7 (3.0-6.9)	4.2 (2.5-6.6)	27.8 (24.9-30.7)	7.9 (6.1-10.1)	5.0 (3.4-7.0)	30.8 (27.9-33.8)	7.7 (6.1-9.6)	29.5 (26.7-32.4)	8.8 (7.2-10.5)	6.4 (5.0-7.9)	29.5 (26.7-32.4)	8.8 (7.2-10.5)	6.4 (5.0-7.9)
	15-44	57.6 (22.9-81.4)	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	15-44	*	*	*	*	63.1 (30.1-84.5)	*	*	*	*	*	*	*	*	*	
45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	15-44	*	*	*	*	29.2 (2.9-67.9)	*	*	*	*	*	*	*	*	*	
45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	15-44	96.0 (72.9-103.0)	90.5 (63.1-105.3)	107.6 (75.1-125.2)	91.7 (46.1-134.8)	91.5 (68.6-101.4)	93.8 (63.6-110.8)	81.0 (43.6-110.1)	60.3 (37.5-78.1)	46.4 (25.4-66.7)	48.1 (25.7-70.7)	36.8 (19.7-54.2)	40.0 (21.9-57.5)	56.8 (35.3-73.5)	64 (40.0-88.0)	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1988-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)							
		1988-1992					1993-1997					1998-2002							
		1yr	3yr	5yr	10yr	10yr	3yr	5yr	10yr	10yr	3yr	5yr	10yr	3yr	5yr	10yr			
Lung (incl. trachea & bronchus)	15-44	3.3 (0.3-13.9)	*	*	*	32.6 (19.0-46.9)	*	*	*	27.6 (16.5-39.9)	*	*	*	27.5 (16.5-39.8)	*	*	*		
	45-54	14.7 (8.2-23.0)	*	*	*	28.5 (19.3-38.4)	*	*	*	33.7 (24.9-42.8)	*	*	*	33.6 (24.8-42.6)	*	*	*		
	55-64	6.3 (3.9-9.3)	*	*	*	18.2 (13.3-23.7)	5.4 (2.3-10.3)	*	*	18.6 (14.5-23.0)	2.6 (1.2-5.1)	*	*	18.4 (14.3-22.8)	2.5 (1.1-4.9)	*	*	*	
	65-74	6.5 (3.8-10.3)	*	*	*	13.3 (9.9-17.1)	*	*	*	12.9 (10.0-16.2)	2.2 (1.1-3.8)	*	*	12.5 (9.7-15.7)	2.0 (1.0-3.4)	1.8 (0.9-3.2)	*	*	*
	75+	4.0 (1.5-8.3)	*	*	*	6.6 (3.9-10.3)	*	*	*	6.7 (4.5-9.5)	2.2 (0.9-4.5)	*	*	6.0 (4.0-8.5)	1.6 (0.7-3.2)	*	*	*	
	All ages	6.3 (4.8-8.2)	*	*	*	15.2 (12.9-17.7)	3.0 (1.8-4.8)	*	*	15.3 (13.3-17.4)	3.6 (2.6-4.8)	3.0 (2.1-4.2)	*	14.6 (12.8-16.6)	3.2 (2.3-4.3)	2.5 (1.7-3.5)	*	*	*
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Melanoma of skin	15-44	*	*	*	*	45.7 (13.5-74.1)	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	20.3 (4.1-45.7)	*	*	*	*	*	*	*	*	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007			2008-2012			2013-2017			2018-2017			2013-2017					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Lung (incl. trachea & bronchus)	15-44	91.4 (52.5-98.8)	* (62.7-99.2)	93.9 (62.8-99.4)	86.0 (53.1-96.8)	89.7 (46.1-98.6)	89.9 (46.3-99.0)	89.6 (46.0-98.5)	90.1 (46.3-99.0)	89.6 (46.0-98.5)	89.6 (46.0-98.5)	89.6 (46.0-98.5)	89.6 (46.0-98.5)	89.6 (46.0-98.5)	89.6 (46.0-98.5)	89.6 (46.0-98.5)			
	45-54	95.4 (69.8-99.7)	81.4 (50.0-94.7)	89.9 (70.0-97.4)	77.8 (55.4-90.5)	100.3 (100.3-100.3)	84.6 (65.7-93.9)	100.0 (100.0-100.0)	69.7 (48.7-83.8)	83.8 (65.1-93.0)	83.8 (65.1-93.0)	83.8 (65.1-93.0)	83.8 (65.1-93.0)	83.8 (65.1-93.0)	83.8 (65.1-93.0)	83.8 (65.1-93.0)			
	55-64	88.7 (78.6-94.5)	73.3 (53.3-84.1)	81.0 (70.4-88.6)	70.7 (58.6-80.3)	98.8 (93.2-100.3)	79.5 (69.1-87.1)	98.1 (92.6-99.5)	69.8 (58.3-79.1)	77.6 (67.4-84.9)	77.6 (67.4-84.9)	77.6 (67.4-84.9)	77.6 (67.4-84.9)	77.6 (67.4-84.9)	77.6 (67.4-84.9)	77.6 (67.4-84.9)			
	65-74	78.0 (68.0-85.5)	61.2 (43.0-72.5)	86.9 (78.7-92.5)	51.7 (40.7-52.1)	96.4 (91.6-99.0)	83.2 (74.7-89.7)	94.6 (89.8-97.1)	67.4 (56.8-76.6)	77.9 (70.0-84.0)	77.9 (70.0-84.0)	77.9 (70.0-84.0)	77.9 (70.0-84.0)	77.9 (70.0-84.0)	77.9 (70.0-84.0)	77.9 (70.0-84.0)			
	75+	65.9 (52.7-76.9)	39.6 (23.5-56.7)	82.7 (73.0-90.0)	34.6 (22.8-47.8)	93.1 (86.4-97.7)	63.1 (52.5-72.9)	87.6 (81.3-91.9)	60.0 (47.3-72.2)	52.2 (34.1-52.0)	52.2 (34.1-52.0)	52.2 (34.1-52.0)	52.2 (34.1-52.0)	52.2 (34.1-52.0)	52.2 (34.1-52.0)	52.2 (34.1-52.0)			
All ages	80.5 (75.0-85.1)	63.7 (56.0-70.7)	69.4 (63.5-74.7)	56.7 (50.3-62.8)	96.0 (93.2-98.0)	76.7 (71.6-81.3)	93.2 (90.5-95.2)	67.3 (61.4-72.8)	70.4 (65.7-74.6)	70.4 (65.7-74.6)	70.4 (65.7-74.6)	70.4 (65.7-74.6)	70.4 (65.7-74.6)	70.4 (65.7-74.6)	70.4 (65.7-74.6)				
Bone	15-44	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.0 (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)			
	45-54	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)			
	55-64	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)			
	65-74	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)			
	75+	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)			
All ages	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	* (100.0-100.0)	101.1 (101.1-101.1)	72.3 (46.6-88.2)	100.0 (100.0-100.0)	96.6 (77.4-99.9)	96.8 (77.4-99.9)	96.8 (77.4-99.9)	96.6 (77.1-99.5)	96.5 (77.1-99.5)	96.5 (77.1-99.5)	96.5 (77.1-99.5)	96.4 (77.1-99.5)				
Connective & soft tissue (incl. peripheral nerves)	15-44	* (100.0-100.0)	* (100.0-100.0)	91.5 (50.0-99.6)	82.0 (42.8-96.4)	100.3 (100.3-100.3)	100.9 (100.9-100.9)	100.0 (100.0-100.0)	96.0 (96.0-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)			
	45-54	* (100.0-100.0)	* (100.0-100.0)	94.7 (65.0-99.9)	96.2 (66.0-101.4)	100.7 (100.7-100.7)	98.4 (77.3-101.8)	100.0 (100.0-100.0)	96.0 (74.7-102.2)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)	96.1 (75.5-99.4)			
	55-64	* (100.0-100.0)	* (100.0-100.0)	91.6 (46.5-100.8)	97.6 (71.3-101.2)	96.9 (71.3-101.2)	75.8 (41.5-94.4)	72.4 (37.5-94.6)	95.1 (89.9-99.3)	70.9 (33.0-83.3)	70.9 (33.0-83.3)	70.9 (33.0-83.3)	70.9 (33.0-83.3)	70.9 (33.0-83.3)	70.9 (33.0-83.3)	70.9 (33.0-83.3)			
	65-74	* (100.0-100.0)	* (100.0-100.0)	89.1 (73.3-97.4)	86.3 (67.8-97.1)	98.7 (92.1-100.7)	91.4 (81.8-97.2)	97.2 (90.7-99.1)	91.1 (80.2-97.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)			
	75+	96.2 (71.7-100.6)	87.9 (61.4-100.0)	93.4 (81.7-98.5)	89.1 (73.3-97.4)	98.7 (92.1-100.7)	91.4 (81.8-97.2)	97.2 (90.7-99.1)	91.1 (80.2-97.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)	87.3 (78.1-92.9)			
All ages	100.1 (100.1-100.1)	100.3 (100.3-100.3)	100.3 (100.3-100.3)	100.6 (100.6-100.6)	100.1 (100.1-100.1)	102.5 (102.5-102.5)	102.8 (92.2-107.3)	102.9 (85.4-100.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)				
Melanoma of skin	15-44	100.1 (100.1-100.1)	* (100.1-100.1)	100.3 (100.3-100.3)	100.6 (100.6-100.6)	100.1 (100.1-100.1)	102.5 (102.5-102.5)	102.8 (92.2-107.3)	91.9 (81.2-105.3)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)	95.0 (73.2-99.2)			
	45-54	100.3 (100.3-100.3)	101.0 (101.0-101.0)	101.0 (101.0-101.0)	101.8 (101.8-101.8)	100.3 (100.3-100.3)	100.9 (100.9-100.9)	100.0 (100.0-100.0)	98.3 (85.4-100.2)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)			
	55-64	101.1 (101.1-101.1)	103.6 (103.6-103.6)	100.8 (100.8-100.8)	91.8 (75.5-99.5)	98.7 (90.5-101.5)	102.0 (99.0-102.5)	102.9 (99.2-104.1)	99.5 (96.2-104.1)	99.5 (96.2-104.1)	99.5 (96.2-104.1)	99.5 (96.2-104.1)	99.5 (96.2-104.1)	99.5 (96.2-104.1)	99.5 (96.2-104.1)	99.5 (96.2-104.1)			
	65-74	102.7 (102.7-102.7)	109.1 (109.1-109.1)	99.8 (95.6-101.4)	96.3 (83.6-104.2)	100.1 (98.0-101.3)	100.2 (96.4-102.6)	103.2 (98.5-106.5)	98.3 (96.0-99.3)	93.7 (90.2-96.0)	93.7 (90.2-96.0)	93.7 (90.2-96.0)	93.7 (90.2-96.0)	93.7 (90.2-96.0)	93.7 (90.2-96.0)	93.7 (90.2-96.0)			
	75+	106.6 (83.9-110.2)	102.2 (65.7-122.3)	99.8 (94.8-103.0)	97.4 (75.4-115.4)	101.4 (98.4-103.5)	98.0 (92.0-103.2)	101.4 (91.2-95.9)	96.9 (91.2-95.9)	76.7 (72.0-80.8)	76.7 (72.0-80.8)	76.7 (72.0-80.8)	76.7 (72.0-80.8)	76.7 (72.0-80.8)	76.7 (72.0-80.8)	76.7 (72.0-80.8)			
All ages	102.8 (97.7-103.8)	104.2 (93.7-109.4)	100.1 (98.4-101.3)	96.9 (90.5-101.9)	100.2 (96.7-102.8)	100.7 (99.5-101.5)	100.3 (98.1-102.1)	101.0 (98.1-103.5)	90.7 (88.7-92.3)	90.7 (88.7-92.3)	90.7 (88.7-92.3)	90.7 (88.7-92.3)	90.7 (88.7-92.3)	90.7 (88.7-92.3)	90.7 (88.7-92.3)				

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)		
		2003-2007			2008-2012			2013-2017			2013-2017					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Lung (incl. trachea & bronchus)	15-44	83.7 (57.0-94.7)	70.3 (33.4-89.5)	*	100.3 (100.3-100.3)	86.3 (53.7-97.1)	*	100.0 (100.0-100.0)	85.4 (53.2-96.1)	*	100.0 (100.0-100.0)	85.4 (53.2-96.1)	*			
	45-54	78.6 (59.6-89.6)	77.6 (61.0-88.0)	60.2 (42.8-74.2)	87.0 (70.7-94.8)	62.0 (45.0-75.4)	56.2 (39.4-70.5)	86.3 (70.1-94.0)	60.4 (43.8-73.4)	53.7 (37.7-67.4)	86.3 (70.1-94.0)	60.4 (43.8-73.4)	53.7 (37.7-67.4)			
	55-64	62.4 (47.7-74.3)	32.3 (17.0-49.2)	20.3 (10.9-32.2)	71.0 (60.0-79.7)	34.5 (24.0-45.4)	19.7 (10.9-30.8)	69.7 (58.8-78.2)	32.4 (22.5-42.7)	17.6 (9.7-27.4)	69.7 (58.8-78.2)	32.4 (22.5-42.7)	17.6 (9.7-27.4)			
	65-74	38.5 (19.9-57.5)	45.7 (31.9-58.8)	*	68.2 (58.6-77.7)	33.2 (22.3-45.0)	18.0 (9.4-31.3)	63.9 (53.1-72.9)	27.3 (18.4-37.0)	12.8 (6.0-22.3)	63.9 (53.1-72.9)	27.3 (18.4-37.0)	12.8 (6.0-22.3)			
	75+	62.4 (53.4-70.3)	30.2 (20.6-40.6)	33.1 (25.2-41.5)	77.2 (70.7-82.6)	48.1 (40.9-55.1)	35.4 (28.4-42.6)	74.9 (68.6-80.1)	44.4 (37.7-50.9)	31.4 (25.2-37.8)	74.9 (68.6-80.1)	44.4 (37.7-50.9)	31.4 (25.2-37.8)			
All ages																
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*			
All ages																
Connective & soft tissue (incl. peripheral nerves)	15-44	*	*	*	100.1 (100.1-100.1)	100.2 (100.2-100.2)	*	100.0 (100.0-100.0)	100.0 (100.0-100.0)	*	100.0 (100.0-100.0)	100.0 (100.0-100.0)	*			
	45-54	*	*	*	100.7 (100.7-100.7)	102.6 (102.6-102.6)	*	100.0 (100.0-100.0)	90.0 (35.4-102.6)	90.0 (35.4-102.6)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	85.8 (33.8-97.9)			
	55-64	*	*	*	105.0 (105.0-105.0)	89.2 (71.9-97.8)	*	100.0 (100.0-100.0)	80.0 (59.3-93.0)	80.0 (59.3-93.0)	100.0 (100.0-100.0)	85.1 (68.6-93.3)	74.0 (54.9-86.0)			
	65-74	*	*	*	94.0 (73.7-100.1)	79.6 (52.8-94.0)	*	101.5 (101.5-101.5)	89.2 (71.9-97.8)	80.0 (59.3-93.0)	100.0 (100.0-100.0)	85.1 (68.6-93.3)	74.0 (54.9-86.0)			
	75+	*	*	*	94.3 (69.2-100.5)	69.4 (39.0-89.0)	*	97.3 (72.3-100.9)	67.2 (43.4-83.8)	69.1 (44.6-86.1)	96.0 (71.3-99.5)	64.0 (41.3-79.9)	64.0 (41.3-79.9)			
All ages																
Melanoma of skin	15-44	*	*	*	93.4 (60.3-99.3)	94.0 (60.7-100.0)	*	100.3 (100.3-100.3)	88.5 (41.0-98.6)	88.7 (41.1-98.9)	88.1 (40.8-96.2)	88.1 (40.8-96.2)	88.1 (40.8-96.2)			
	45-54	*	*	*	100.9 (100.9-100.9)	96.0 (63.2-101.8)	*	92.8 (77.8-98.2)	91.2 (67.2-98.5)	86.5 (61.2-96.6)	90.3 (66.6-97.5)	90.3 (66.6-97.5)	84.9 (60.1-94.9)			
	55-64	*	*	*	98.7 (78.6-102.0)	104.5 (83.2-107.9)	*	99.6 (92.5-101.5)	88.9 (76.8-96.5)	86.7 (72.7-96.5)	92.0 (82.6-93.3)	80.8 (63.9-90.4)	77.4 (59.7-88.1)			
	65-74	*	*	*	92.6 (81.3-99.6)	79.3 (59.8-94.6)	*	97.2 (90.1-101.7)	87.9 (76.4-97.6)	85.3 (70.3-98.8)	89.1 (82.6-93.3)	67.4 (58.6-74.8)	55.0 (45.3-63.7)			
	75+	98.8 (41.5-103.9)	97.0 (91.6-100.0)	93.4 (84.6-99.3)	96.9 (93.2-99.3)	87.7 (81.7-92.7)	85.4 (78.2-91.6)	93.0 (80.8-101.3)	87.7 (81.7-92.7)	85.4 (78.2-91.6)	93.6 (80.0-95.9)	79.0 (73.5-83.4)	72.1 (66.1-77.3)			
All ages																

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	2003-2007						2008-2012						2013-2017						Stage III								
		1yr		3yr		5yr		1yr		3yr		5yr		1yr		3yr		5yr		1yr		3yr		5yr				
		Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI			
Lung (incl. trachea & bronchus)	15-44	50.1	(27.2-69.3)	*	71.7	(47.6-86.2)	53.0	(28.3-72.8)	*	62.8	(37.7-80.2)	42.3	(20.5-62.7)	37.1	(16.6-57.9)	62.8	(37.6-80.1)	42.2	(20.5-62.5)	36.8	(16.5-57.5)	62.8	(37.6-80.1)	42.2	(20.5-62.5)	36.8	(16.5-57.5)	
	45-54	68.5	(66.4-77.9)	19.4	67.2	(57.4-75.3)	30.7	(21.4-40.6)	16.4	68.4	(55.7-78.1)	35.6	(25.0-46.5)	29.6	(19.9-40.0)	68.2	(55.6-77.9)	35.3	(24.7-46.0)	29.1	(19.6-39.2)	68.2	(55.6-77.9)	35.3	(24.7-46.0)	29.1	(19.6-39.2)	
	55-64	52.7	(44.7-60.2)	17.8	58.1	(51.2-64.3)	25.3	(19.6-31.4)	16.9	52.6	(46.8-58.1)	31.2	(25.0-37.7)	18.2	(13.0-24.1)	64.5	(58.0-70.4)	30.5	(24.4-36.8)	17.4	(12.4-23.0)	64.5	(58.0-70.4)	30.5	(24.4-36.8)	17.4	(12.4-23.0)	
	65-74	44.8	(39.0-50.6)	14.2	45.3	(39.6-50.8)	16.1	(12.2-20.5)	11.3	44.8	(46.8-58.1)	21.1	(16.5-26.3)	12.0	(8.2-16.5)	51.6	(45.9-57.0)	19.8	(15.4-24.6)	10.6	(7.3-14.6)	51.6	(45.9-57.0)	19.8	(15.4-24.6)	10.6	(7.3-14.6)	
	75+	22.6	(17.2-28.5)	6.6	31.5	(26.1-37.1)	8.1	(4.9-12.2)	*	35.5	(29.6-41.5)	12.0	(8.2-16.7)	6.0	(3.2-10.1)	33.3	(27.8-39.0)	9.9	(6.7-13.8)	4.2	(2.2-7.0)	33.3	(27.8-39.0)	9.9	(6.7-13.8)	4.2	(2.2-7.0)	
All ages	43.7	(40.1-47.2)	15.3	48.4	(45.1-51.6)	19.6	(17.0-22.4)	13.2	43.7	(48.4-55.2)	22.9	(20.0-25.9)	14.9	(12.5-17.6)	50.4	(47.1-53.7)	21.3	(18.5-24.1)	13.3	(11.1-15.7)	50.4	(47.1-53.7)	21.3	(18.5-24.1)	13.3	(11.1-15.7)		
Bone	15-44	*		*	*		*		*		*		*		*		*		*		*		*		*			
	45-54	*		*	*		*		*		*		*		*		*		*		*		*		*			
	55-64	*		*	*		*		*		*		*		*		*		*		*		*		*			
	65-74	*		*	*		*		*		*		*		*		*		*		*		*		*			
	75+	*		*	*		*		*		*		*		*		*		*		*		*		*			
All ages	*		*	*		*		*		*		*		*		*		*		*		*		*				
Connective & soft tissues (incl. peripheral nerves)	15-44	82.7	(63.7-95.1)	*	93.1	(71.4-99.9)	50.6	(27.8-70.3)	*	83.1	(56.4-94.3)	60.9	(32.2-80.6)	*	83.1	(56.3-94.2)	60.8	(32.1-80.4)	*	83.1	(56.3-94.2)	60.8	(32.1-80.4)	*	83.1	(56.3-94.2)	60.8	(32.1-80.4)
	45-54	*		*	*		*		*		*		*		*		*		*		*		*		*			
	55-64	*		*	*		*		*		*		*		*		*		*		*		*		*			
	65-74	*		*	*		*		*		*		*		*		*		*		*		*		*			
	75+	*		*	93.7	(38.6-105.3)	*		*	89.4	(48.7-95.8)	*		*	75.0	(46.4-89.8)	*		*	87.8	(59.3-96.8)	*		*	57.4	(26.4-79.4)	*	53.3
All ages	82.7	(63.7-95.1)	*	93.7	(71.4-99.9)	50.6	(27.8-70.3)	*	80.7	(59.6-88.3)	63.9	(50.2-75.1)	58.7	(43.1-72.2)	79.5	(68.6-87.0)	61.1	(48.0-71.8)	53.3	(39.2-65.5)	79.5	(68.6-87.0)	61.1	(48.0-71.8)	53.3	(39.2-65.5)		
Melanoma of skin	15-44	*		*	*		*		*		*		*		*		*		*		*		*		*			
	45-54	*		*	*		*		*		*		*		*		*		*		*		*		*			
	55-64	*		*	*		*		*		*		*		*		*		*		*		*		*			
	65-74	*		*	*		*		*		*		*		*		*		*		*		*		*			
	75+	*		*	96.6	(49.5-101.1)	*		*	86.1	(64.9-95.6)	40.1	(20.0-59.8)	*	84.9	(63.9-94.2)	38.9	(19.4-58.0)	*	84.9	(63.9-94.2)	38.9	(19.4-58.0)	*	84.9	(63.9-94.2)	38.9	(19.4-58.0)
All ages	*		*	96.6	(49.5-101.1)	*		*	86.1	(64.9-95.6)	40.1	(20.0-59.8)	*	84.9	(63.9-94.2)	38.9	(19.4-58.0)	*	84.9	(63.9-94.2)	38.9	(19.4-58.0)	*	84.9	(63.9-94.2)	38.9	(19.4-58.0)	
Non-melanoma skin cancer	15-44	*		*	*		*		*		*		*		*		*		*		*		*		*			
	45-54	*		*	*		*		*		*		*		*		*		*		*		*		*			
	55-64	*		*	100.8	(100.8-100.8)	*		*		*		*		*		*		*		*		*		*			
	65-74	*		*	*		*		*		*		*		*		*		*		*		*		*			
	75+	*		*	*		*		*		*		*		*		*		*		*		*		*			
All ages	*		*	79.8	(55.0-92.8)	59.1	(32.9-79.8)	*	98.9	(65.0-103.8)	107.3	(70.5-112.6)	97.3	(51.6-115.6)	94.7	(62.2-99.4)	94.7	(62.2-99.4)	78.9	(41.9-93.8)	94.7	(62.2-99.4)	94.7	(62.2-99.4)	78.9	(41.9-93.8)		

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007				2008-2012				2013-2017				2013-2017			2013-2017		
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Lung (incl. trachea & bronchus)	15-44	45.9 (32.2-58.5)	*	32.2 (22.3-42.4)	*	67.6 (53.7-78.1)	30.9 (18.4-44.2)	67.5 (53.6-78.1)	30.8 (18.4-44.1)	67.5 (53.6-78.1)	30.8 (18.4-44.1)	67.5 (53.6-78.1)	30.8 (18.4-44.1)	67.5 (53.6-78.1)	30.8 (18.4-44.1)	67.5 (53.6-78.1)			
	45-54	34.2 (27.5-40.9)	6.8 (3.2-12.2)	38.4 (32.6-44.0)	11.2 (7.4-15.7)	48.3 (42.2-54.1)	15.5 (11.4-20.2)	48.2 (42.1-54.0)	15.4 (11.3-20.0)	48.2 (42.1-54.0)	15.5 (11.4-20.2)	48.2 (42.1-54.0)	15.4 (11.3-20.0)	48.2 (42.1-54.0)	15.5 (11.4-20.2)	48.2 (42.1-54.0)			
	55-64	27.5 (23.1-32.0)	7.0 (4.1-11.0)	36.7 (32.7-40.8)	8.0 (5.6-10.8)	36.2 (32.8-39.6)	3.0 (1.6-5.2)	36.2 (32.8-39.6)	3.0 (1.6-5.2)	36.2 (32.8-39.6)	3.0 (1.6-5.2)	36.2 (32.8-39.6)	3.0 (1.6-5.2)	36.2 (32.8-39.6)	3.0 (1.6-5.2)	36.2 (32.8-39.6)			
	65-74	21.2 (18.1-24.5)	5.0 (3.0-7.8)	20.7 (18.1-23.5)	3.7 (2.6-5.2)	27.6 (24.9-30.3)	2.2 (1.3-3.5)	27.6 (24.9-30.3)	2.2 (1.3-3.5)	27.6 (24.9-30.3)	2.2 (1.3-3.5)	27.6 (24.9-30.3)	2.2 (1.3-3.5)	27.6 (24.9-30.3)	2.2 (1.3-3.5)	27.6 (24.9-30.3)			
	75+	13.9 (10.8-17.3)	*	8.4 (6.9-10.2)	0.9 (0.4-1.8)	14.1 (12.2-16.1)	*	14.1 (12.2-16.1)	2.5 (1.8-3.3)	14.1 (12.2-16.1)	2.5 (1.8-3.3)	14.1 (12.2-16.1)	2.5 (1.8-3.3)	14.1 (12.2-16.1)	2.5 (1.8-3.3)	14.1 (12.2-16.1)			
All ages	23.9 (21.9-26.0)	5.8 (4.4-7.4)	23.0 (21.4-24.6)	4.6 (3.8-5.6)	30.2 (28.6-31.8)	9.3 (8.3-10.4)	30.2 (28.6-31.8)	9.3 (8.3-10.4)	30.2 (28.6-31.8)	9.3 (8.3-10.4)	30.2 (28.6-31.8)	9.3 (8.3-10.4)	30.2 (28.6-31.8)	9.3 (8.3-10.4)	30.2 (28.6-31.8)				
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	68.7 (31.2-88.6)	*	40.0 (14.6-64.6)	*	40.0 (14.6-64.6)	*	40.0 (14.6-64.6)	*	40.0 (14.6-64.6)	*	40.0 (14.6-64.6)	*	40.0 (14.6-64.6)			
	45-54	*	*	34.8 (9.4-62.5)	*	48.1 (23.0-69.6)	*	47.8 (22.8-69.1)	*	47.8 (22.8-69.1)	*	47.8 (22.8-69.1)	*	47.8 (22.8-69.1)	*	47.8 (22.8-69.1)			
	55-64	*	*	*	*	24.7 (6.0-50.1)	*	24.2 (5.8-49.2)	*	24.2 (5.8-49.2)	*	24.2 (5.8-49.2)	*	24.2 (5.8-49.2)	*	24.2 (5.8-49.2)			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	58.1 (30.4-78.6)	*	46.0 (30.3-60.5)	*	37.0 (23.8-50.3)	7.1 (2.3-15.9)	36.5 (23.5-49.7)	6.8 (2.2-16.1)	36.5 (23.5-49.7)	6.8 (2.2-16.1)	36.5 (23.5-49.7)	6.8 (2.2-16.1)	36.5 (23.5-49.7)	6.8 (2.2-16.1)	36.5 (23.5-49.7)				
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	80.8 (42.0-99.7)	*	73.3 (38.1-90.5)	*	73.3 (38.1-90.5)	*	73.3 (38.1-90.5)	*	73.3 (38.1-90.5)	*	73.3 (38.1-90.5)			
All ages	*	*	58.4 (35.7-76.2)	*	64.3 (43.6-79.7)	31.7 (16.1-49.3)	61.8 (41.9-76.7)	28.0 (14.3-43.5)	61.8 (41.9-76.7)	28.0 (14.3-43.5)	61.8 (41.9-76.7)	28.0 (14.3-43.5)	61.8 (41.9-76.7)	28.0 (14.3-43.5)	61.8 (41.9-76.7)				

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Local			
		1968-1972			1973-1977			1978-1982			1983-1987						
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr		10Yr		
Prostate	15-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	75.9 (40.1-93.2)	*	81.6 (41.1-96.9)	78.4 (39.3-98.0)	*	88.2 (56.5-98.6)	73.2 (37.7-93.4)	*	84.2 (56.1-96.0)	58.1 (28.7-80.7)	49.3 (22.0-74.5)	*	*	*	*	*
	65-74	79.2 (41.8-97.2)	*	85.3 (62.1-97.4)	65.5 (38.3-87.6)	*	86.5 (67.4-96.7)	62.6 (40.2-81.5)	*	91.8 (75.3-99.7)	81.2 (59.1-96.7)	62.9 (38.9-84.7)	*	*	*	*	*
	75+	76.6 (30.3-103.0)	*	81.7 (42.8-104.2)	*	94.1 (68.5-105.9)	59.4 (30.3-88.1)	*	83.2 (65.5-95.7)	75.5 (50.7-97.9)	51.3 (42.3-110.4)	*	*	*	*	*	*
	All ages	*	*	70.3 (53.2-83.4)	63.8 (44.7-81.0)	59.4 (39.1-79.3)	86.3 (74.7-94.0)	57.9 (42.4-72.3)	44.2 (27.3-62.5)	89.1 (79.7-95.5)	64.2 (51.5-75.7)	51.3 (37.6-65.3)	30.1 (13.5-53.3)	100.6 (100.6-100.6)	101.0 (101.0-101.0)	102.4 (102.4-102.4)	*
Testis	15-44	89.1 (43.4-98.6)	*	77.0 (44.2-92.0)	*	93.2 (59.8-99.1)	68.5 (39.9-95.7)	*	100.2 (100.2-100.2)	100.6 (100.6-100.6)	101.0 (101.0-101.0)	102.4 (102.4-102.4)	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Urinary bladder	15-44	*	*	*	*	100.2 (100.2-100.2)	*	100.2 (100.2-100.2)	91.7 (53.4-99.0)	92.2 (53.6-99.5)	74.4 (38.7-91.7)	*	*	*	*	*	
	45-54	84.9 (50.3-96.7)	*	75.7 (47.0-90.6)	48.9 (22.5-71.5)	*	100.8 (100.8-100.8)	81.1 (49.0-95.3)	67.7 (36.0-87.8)	100.8 (60.7-101.8)	97.8 (62.2-104.3)	*	*	*	*	*	
	55-64	71.6 (43.0-88.5)	*	86.5 (70.2-95.0)	69.4 (48.5-84.7)	59.7 (33.8-81.1)	78.5 (60.3-89.7)	54.6 (36.4-70.3)	45.2 (28.0-62.1)	94.6 (75.7-100.1)	83.9 (62.2-96.0)	72.4 (48.9-89.4)	52.1 (27.3-77.0)	*	*	*	*
	65-74	54.4 (35.1-71.1)	*	48.7 (27.6-67.7)	30.4 (14.2-49.9)	26.7 (11.2-47.5)	77.8 (61.7-88.8)	59.3 (40.7-75.7)	53.0 (28.8-76.8)	92.0 (79.1-98.8)	87.1 (67.1-100.5)	77.3 (53.7-96.7)	*	*	*	*	*
	75+	*	*	46.9 (13.1-79.7)	*	73.6 (43.9-94.1)	73.6 (43.9-94.1)	73.6 (43.9-94.1)	73.6 (43.9-94.1)	69.4 (50.0-84.7)	59.7 (35.6-83.9)	43.5 (18.0-77.1)	*	*	*	*	*
Kidney (incl. renal pelvis, ureter & urethra)	All ages	*	*	62.9 (51.5-72.7)	43.5 (32.1-55.1)	35.3 (23.7-48.0)	80.4 (71.4-87.5)	64.9 (53.4-75.3)	56.4 (43.1-69.6)	84.9 (76.9-91.0)	77.2 (66.7-86.3)	67.4 (55.3-78.7)	54.6 (39.2-70.8)	*	*	*	*
	15-44	*	*	*	*	*	100.7 (100.7-100.7)	*	100.7 (100.7-100.7)	91.8 (47.0-100.8)	*	*	*	*	*	*	
	45-54	*	*	*	*	*	68.9 (35.9-88.0)	*	68.9 (35.9-88.0)	92.8 (51.8-100.8)	*	*	*	*	*	*	
	55-64	*	*	*	*	*	36.2 (13.5-60.5)	*	36.2 (13.5-60.5)	56.9 (26.8-79.7)	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Thyroid	All ages	*	*	62.6 (34.9-82.0)	42.6 (21.0-63.9)	42.3 (20.3-65.1)	78.8 (62.9-89.7)	86.8 (67.7-100.0)	83.9 (68.2-93.6)	86.2 (66.9-99.8)	77.9 (55.1-97.1)	54.6 (39.2-70.8)	*	*	*	*	*
	15-44	*	*	100.2 (100.2-100.2)	*	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.5 (100.5-100.5)	100.2 (100.2-100.2)	95.1 (67.9-100.2)	95.5 (67.9-100.2)	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-1987

Site	Age group	Relative Survival (%)												Stage: Regional				
		1968-1972			1973-1977			1978-1982			1983-1987							
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		10yr			
Prostate	15-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	27.1 (4.7-59.3)	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	77.4 (42.5-95.6)	*	*	33.0 (11.6-57.9)	*	*	*	*	*	*	*	*	*	*	*
Testis	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	23.1 (4.5-50.4)	*	*	*	21.3 (3.1-50.5)	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	18.0 (3.5-42.2)	*	*	*	67.1 (31.7-89.0)	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	20.3 (7.1-38.6)	*	*	41.5 (20.0-62.6)	*	*	*	*	*	*	*	41.5 (20.1-64.2)	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	11.2 (1.2-34.2)	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	25.8 (9.6-46.2)	*	*	53.4 (28.7-74.0)	*	*	*	*	44.6 (22.9-65.1)	23.6 (8.9-43.6)	*	*	*	*	*
Thyroid	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	76.8 (46.0-93.0)	*	82.2 (49.2-99.4)	*	42.2 (22.5-61.1)	37.1 (17.9-57.5)	30.2 (13.2-50.5)	33.5 (13.5-55.6)	*	*	*	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Distant	
		1968-1972			1973-1977			1978-1982			1983-1987				
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr
Prostate	15-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	76.7 (47.6-91.8)	67.9 (38.5-87.6)	*	*
	65-74	*	*	*	*	*	*	61.5 (19.8-88.6)	*	*	*	55.8 (32.4-74.9)	*	*	*
	75+	*	*	*	*	*	*	86.9 (35.8-108.4)	*	*	*	53.1 (24.2-87.3)	*	*	*
	All ages	*	*	*	*	*	*	53.8 (31.5-72.8)	*	*	*	56.2 (36.0-73.0)	44.7 (23.9-51.9)	37.5	*
Testis	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Urinary bladder	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Kidney (incl. renal pelvis, ureter & urethra)	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	7.4 (1.0-23.5)	*	*	*	*	*	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Thyroid	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	3.6 (0.3-15.0)	*	*	*	*	10.6 (3.4-22.8)	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)													
		1988-1992				1993-1997				1998-2002				1998-2002													
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr										
Prostate	15-54	61.6				89.7				97.9				80.2				96.6				77.0				70.1	
	55-64	(26.8-84.2)				(41.7-99.9)				(79.5-100.8)				(58.0-92.7)				(78.5-99.5)				(45.8-85.1)				(45.8-85.1)	
	65-74	78.3				95.0				98.8				73.9				95.8				66.5				54.1	
		(48.4-93.8)				(71.2-102.1)				(86.8-102.1)				(53.7-88.4)				(84.1-98.9)				(48.3-79.6)				(36.1-69.1)	
	75+	85.2				87.5				84.0				58.1				75.5				41.5				32.1	
		(47.9-105.8)				(63.8-100.8)				(61.7-97.4)				(33.6-81.5)				(55.5-87.5)				(24.0-58.2)				(16.6-48.6)	
	All ages	81.2				92.8				91.5				68.8				87.9				60.4				48.1	
		(64.5-92.1)				(46.5-86.8)				(83.6-96.4)				(57.0-78.9)				(80.4-92.7)				(50.0-69.2)				(37.7-57.7)	
	15-44	*				*				*				*				*				*				*	
	45-54	*				*				*				*				*				*				*	
55-64	70.9				53.3				69.4				55.1				68.5				45.7				55.7		
	(38.9-88.8)				(18.2-79.8)				(40.8-86.5)				(18.8-82.5)				(40.3-85.4)				45.7				(27.1-76.9)		
65-74	54.3				42.8				61.7				51.6				59.5				45.7				50.2		
	(24.4-77.8)				(16.1-68.1)				(38.3-79.1)				(27.9-72.8)				(36.9-76.4)				(24.7-64.5)				(25.0-71.0)		
75+	32.2				63.1				53.7				27.3				48.3				19.7				47.0		
	(10.2-58.4)				(36.9-83.3)				(30.9-73.5)				(10.4-50.0)				(27.8-66.2)				(7.5-36.0)				(27.2-64.6)		
All ages	51.1				62.0				58.4				40.3				55.5				34.4				29.0		
	(34.2-66.2)				(45.5-75.4)				(44.6-70.2)				(27.1-53.9)				(42.4-66.8)				(23.1-46.0)				(18.7-40.0)		
15-44	*				*				*				*				*				*				*		
45-54	*				75.4				75.2				56.4				74.9				55.7				55.7		
					(46.7-90.2)				(41.0-91.5)				(27.8-78.7)				(40.8-91.1)				(27.1-76.9)				(27.1-76.9)		
55-64	*				58.2				80.9				63.7				80.0				61.3				50.2		
					(34.8-76.0)				(50.6-94.1)				(34.8-83.5)				(50.0-93.0)				(33.5-80.4)				(25.0-71.0)		
65-74	45.0				64.2				78.0				57.0				75.5				51.4				47.0		
	(16.0-71.5)				(35.4-83.9)				(57.3-90.3)				(34.6-75.8)				(55.5-87.5)				(31.3-68.4)				(27.2-64.6)		
75+	*				55.5				48.0				*			43.6				*	*			*	*		
					(20.5-83.9)				(22.3-71.4)				(20.3-65.0)				(20.3-65.0)				43.6				38.6		
All ages	60.6				63.0				67.3				51.2				64.2				45.5				38.6		
	(39.4-77.3)				(50.2-77.7)				(55.7-76.8)				(38.9-62.7)				(53.2-73.2)				45.5				(27.9-49.2)		
15-44	*				100.2				100.6				100.6				100.0				100.0				100.0		
					(100.2-100.2)				(100.6-100.6)				(101.0-101.0)				(100.0-100.0)				100.0				100.0		
45-54	*				*				*				*				100.0				100.0				100.0		
					(100.4-100.4)				(100.4-100.4)				(100.4-100.4)				(100.0-100.0)				100.0				100.0		
55-64	*				93.7				93.7				83.3				92.7				80.3				80.3		
					(59.1-100.0)				(52.4-96.7)				(52.4-96.7)				(58.4-98.9)				(50.5-93.2)				(50.5-93.2)		
65-74	*				*				*				*				*				*				*		
					(94.5-96.6)				(84.9-73.3)				(62.5-86.9)				(66.4-86.8)				70.6				67.0		
75+	28.8				88.4				88.4				55.7				78.6				78.6				67.0		
	(9.4-52.1)				(71.5-96.6)				(71.5-96.6)				(34.9-73.3)				(66.4-86.8)				70.6				67.0		
All ages	28.8				88.4				88.4				55.7				78.6				78.6				67.0		
	(9.4-52.1)				(71.5-96.6)				(71.5-96.6)				(34.9-73.3)				(66.4-86.8)				70.6				67.0		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E1: Relative and observed survival by period, site, and age group for males, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)									
		1988-1992					1993-1997					1998-2002					1998-2002				
		1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	
Prostate	15-54	*	*	*	*	*	89.3	31.7	(15.1-50.1)	*	*	81.9	47.6	31.7	*	*	81.0	45.8	29.6	*	
	55-64	74.8	(48.7-89.5)	*	*	*	(68.1-97.5)	*	*	(66.4-90.0)	*	*	(31.3-62.5)	(17.3-47.6)	*	*	(65.6-90.0)	(30.2-60.1)	(16.1-44.4)	*	
	65-74	77.0	(32.6-69.3)	*	*	*	79.8	39.9	(17.8-47.0)	*	*	86.6	53.4	42.6	*	*	83.7	47.8	34.6	*	
	75+	85.6	(37.6-81.6)	*	*	*	(67.8-86.3)	53.8	28.4	(13.8-48.4)	*	*	(77.4-92.8)	40.4	*	*	(74.8-89.7)	(37.3-57.5)	(24.7-44.7)	*	
	All ages	79.7	(68.8-96.8)	31.9	(37.5-70.3)	34.1	(63.8-87.1)	72.9	21.2	(13.3-30.8)	*	*	(79.6-97.4)	50.8	41.5	*	*	(71.5-87.5)	(25.3-43.7)	(13.8-30.4)	*
		(68.3-88.2)	(37.5-66.0)	(18.4-47.9)	(26.4-42.3)	(65.5-79.2)	(80.8-90.5)	(43.7-57.8)	(33.8-49.3)			(77.5-86.7)	(38.0-50.3)	(26.5-38.7)							
Testis	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	9.0	(0.9-30.4)	*	*	20.1	(4.5-44.2)	*	*	*	*	19.5	(4.3-42.7)	*	*	
	All ages	46.5	(24.3-66.8)	*	*	*	50.0	(23.6-73.0)	*	*	22.5	(11.1-36.6)	*	*	*	*	21.5	(10.6-34.9)	*	*	
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	57.9	(23.1-81.7)	*	*	42.5	(20.3-63.2)	*	*	*	*	42.3	(20.2-62.9)	*	*	
	55-64	19.6	(3.8-44.7)	*	*	*	4.4	(0.5-16.5)	*	*	20.4	(5.6-41.6)	*	*	*	*	20.2	(5.5-41.2)	*	*	
	65-74	17.5	(3.0-42.6)	*	*	*	22.3	(7.4-42.5)	*	*	19.1	(7.5-34.8)	*	*	*	*	18.4	(7.3-33.6)	*	*	
	75+	*	*	*	*	*	14.3	(2.1-39.1)	*	*	10.7	(1.8-29.2)	*	*	*	*	9.8	(1.7-26.8)	*	*	
	All ages	19.4	(8.1-34.5)	*	*	*	20.6	(11.4-31.8)	*	*	20.9	(13.2-29.8)	*	*	*	*	20.1	(12.7-28.7)	*	*	
Thyroid	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	*	*	61.0	(25.8-84.2)	*	*	77.6	(37.9-94.9)	*	*	*	*	75.6	(36.9-92.5)	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007			2008-2012			2013-2017			2013-2017							
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr					
Prostate	15-54	*	100.3	*	*	100.3	101.0	101.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	55-64	*	100.8	*	96.0	100.3	99.1	101.3	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	(92.6-98.5)	
	65-74	*	101.3	*	103.2	101.5	104.5	105.0	105.0	99.7	99.7	99.7	99.7	99.7	99.7	99.7	(88.9-96.0)	
	75+	*	104.0	*	116.5	104.1	106.3	111.8	111.8	88.5	88.5	88.5	88.5	88.5	88.5	88.5	(70.8-86.8)	
	All ages	103.8	111.7	113.1	104.5	104.5	113.1	104.5	104.5	99.4	99.4	99.4	99.4	99.4	99.4	99.4	(88.5-93.6)	
Testis	15-44	100.1	100.3	98.6	98.4	98.6	98.6	100.2	100.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	45-54	*	100.3	101.6	100.9	101.6	101.6	101.6	89.2	89.2	89.2	89.2	89.2	89.2	89.2	89.2	(59.5-96.8)	
	55-64	*	100.3	100.3	100.9	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	(100.0-100.0)	
	65-74	*	100.3	100.3	100.9	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	(100.0-100.0)	
	75+	*	100.3	100.3	100.9	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	100.3	(100.0-100.0)	
Urinary bladder	15-44	100.2	100.5	98.8	99.7	100.4	100.6	88.4	88.4	88.4	88.4	88.4	88.4	88.4	88.4	88.4	(75.4-90.7)	
	45-54	100.4	101.2	92.7	87.4	93.6	88.7	74.5	74.5	74.5	74.5	74.5	74.5	74.5	74.5	73.2	(47.2-87.8)	
	55-64	96.2	94.0	92.0	85.1	97.5	94.6	89.4	89.4	96.8	96.8	96.8	96.8	96.8	96.8	96.8	(85.5-92.2)	
	65-74	96.4	78.3	94.9	92.2	97.6	89.7	82.0	82.0	95.7	95.7	95.7	95.7	95.7	95.7	95.7	(72.6-90.8)	
	75+	97.8	81.7	95.1	80.1	96.0	88.5	82.2	82.2	89.5	89.5	89.5	89.5	89.5	89.5	89.5	(59.9-81.8)	
	All ages	97.3	88.1	94.2	87.9	96.7	91.0	84.5	84.5	93.6	93.6	93.6	93.6	93.6	93.6	93.6	(42.1-64.7)	
	15-44	100.1	100.4	98.1	94.0	100.1	100.3	98.2	98.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(64.7-76.5)	
	45-54	98.1	92.2	96.3	97.3	99.3	97.1	90.2	90.2	99.1	99.1	99.1	99.1	99.1	99.1	99.1	(84.3-99.7)	
	55-64	100.9	103.1	96.2	94.1	100.2	97.0	95.1	95.1	99.5	99.5	99.5	99.5	99.5	99.5	99.5	(80.4-93.6)	
	65-74	100.0	106.2	102.3	97.8	98.2	93.4	85.6	85.6	96.4	96.4	96.4	96.4	96.4	96.4	96.4	(85.1-94.6)	
Kidney (incl. renal pelvis, ureter & urethra)	75+	99.0	100.5	108.7	92.0	91.8	71.6	67.0	67.0	86.7	86.7	86.7	86.7	86.7	86.7	86.7	(67.5-82.9)	
	All ages	99.6	102.4	100.9	96.4	97.1	88.5	83.4	83.4	94.7	94.7	94.7	94.7	94.7	94.7	94.7	(36.2-58.7)	
	15-44	100.1	100.3	97.5	97.7	100.1	100.2	100.2	100.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(68.7-76.3)	
	45-54	100.3	100.3	101.1	101.1	100.3	96.9	97.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	55-64	100.3	100.3	101.1	101.1	100.3	96.9	97.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	65-74	100.3	100.3	101.1	101.1	100.3	96.9	97.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	75+	100.3	100.3	101.1	101.1	100.3	96.9	97.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	All ages	95.6	97.0	98.9	102.6	100.1	97.9	98.7	98.7	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	(75.2-99.4)
	15-44	95.6	97.0	98.9	102.6	100.1	97.9	98.7	98.7	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	(75.2-99.4)
	45-54	95.6	97.0	98.9	102.6	100.1	97.9	98.7	98.7	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	(75.2-99.4)
Thyroid	55-64	100.3	100.3	101.1	101.1	100.3	96.9	97.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	65-74	100.3	100.3	101.1	101.1	100.3	96.9	97.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	75+	100.3	100.3	101.1	101.1	100.3	96.9	97.7	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	All ages	95.6	97.0	98.9	102.6	100.1	97.9	98.7	98.7	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	(78.9-99.5)
	75+	95.6	97.0	98.9	102.6	100.1	97.9	98.7	98.7	98.9	98.9	98.9	98.9	98.9	98.9	98.9	98.9	(81.5-91.5)

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Prostate	15-54	100.4 (100.4-100.4)	101.3 (101.3-101.3)	99.7 (93.0-101.5)	100.3 (100.3-100.3)	98.8 (92.1-100.5)	99.7 (93.0-101.5)	100.3 (100.3-100.3)	101.0 (101.0-101.0)	100.6 (93.2-101.7)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	98.8 (91.5-99.8)				
	55-64	101.1 (101.1-101.1)	102.0 (97.5-103.1)	101.4 (98.8-103.0)	100.9 (100.9-100.9)	101.2 (99.5-102.1)	101.4 (98.8-103.0)	100.9 (100.9-100.9)	101.9 (100.1-102.4)	102.2 (100.0-103.5)	99.7 (98.0-100.0)	99.7 (98.0-100.0)	99.2 (97.5-99.7)	99.2 (97.5-99.7)	97.3 (95.2-98.5)				
	65-74	101.4 (99.8-102.1)	104.8 (101.7-106.6)	105.0 (102.2-107.3)	100.9 (99.7-101.6)	102.8 (100.8-104.3)	105.0 (102.2-107.3)	100.9 (99.7-101.6)	102.4 (100.5-103.8)	103.0 (100.2-105.1)	99.4 (98.5-99.8)	99.4 (98.5-99.8)	96.0 (94.2-97.2)	96.0 (94.2-97.2)	91.1 (88.7-93.0)				
	75+	102.1 (98.2-104.4)	102.9 (93.8-109.8)	108.7 (101.2-115.2)	105.1 (103.0-106.0)	107.7 (103.0-111.5)	108.7 (101.2-115.2)	105.1 (103.0-106.0)	106.7 (102.3-110.0)	103.6 (97.4-109.4)	95.8 (93.4-97.3)	95.8 (93.4-97.3)	88.1 (84.5-90.9)	88.1 (84.5-90.9)	73.2 (68.5-77.3)				
	All ages	101.3 (100.2-102.0)	102.9 (100.4-104.7)	104.2 (102.2-106.0)	102.0 (101.4-102.4)	103.1 (101.7-104.2)	104.2 (102.2-106.0)	102.0 (101.4-102.4)	103.4 (102.0-104.5)	102.8 (100.8-104.5)	98.3 (97.4-98.8)	98.3 (97.4-98.8)	94.6 (93.3-95.6)	94.6 (93.3-95.6)	88.2 (86.5-89.7)				
Testis	15-44	100.1 (100.1-100.1)	*	100.4 (100.4-100.4)	100.1 (100.1-100.1)	100.2 (100.2-100.2)	100.4 (100.4-100.4)	100.1 (100.1-100.1)	100.2 (100.2-100.2)	100.4 (100.4-100.4)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*					
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	87.5 (66.9-97.4)	90.1 (64.4-98.0)	56.4 (31.4-76.3)	90.1 (64.4-98.0)	66.0 (40.5-83.2)	56.4 (31.4-76.3)	90.1 (64.4-98.0)	69.5 (36.2-88.7)	59.6 (29.7-81.4)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	67.8 (35.3-86.5)	67.8 (35.3-86.5)	56.9 (28.4-77.7)				
	55-64	84.5 (66.1-96.4)	84.8 (76.3-100.5)	68.0 (43.6-86.6)	95.1 (83.9-100.4)	68.8 (46.4-84.9)	68.0 (43.6-86.6)	95.1 (83.9-100.4)	67.0 (47.2-81.7)	46.8 (26.1-66.5)	84.9 (69.4-92.9)	84.9 (69.4-92.9)	63.1 (44.5-77.0)	63.1 (44.5-77.0)	41.6 (23.2-59.1)				
	65-74	84.6 (61.3-97.8)	74.9 (58.6-87.0)	52.5 (31.7-73.7)	74.9 (58.6-87.0)	48.4 (30.4-66.1)	52.5 (31.7-73.7)	74.9 (58.6-87.0)	52.8 (35.4-69.4)	39.7 (22.8-58.5)	79.7 (65.5-88.5)	79.7 (65.5-88.5)	41.9 (28.1-55.1)	41.9 (28.1-55.1)	27.4 (15.7-40.3)				
	75+	87.7 (75.0-95.1)	67.2 (47.4-82.6)	65.9 (53.6-76.6)	89.4 (81.0-94.9)	68.4 (57.4-77.7)	65.9 (53.6-76.6)	89.4 (81.0-94.9)	65.4 (54.0-75.2)	53.2 (41.6-64.1)	84.9 (76.5-90.4)	84.9 (76.5-90.4)	59.5 (49.1-68.4)	59.5 (49.1-68.4)	45.9 (35.9-55.3)				
All ages	100.4 (100.4-100.4)	101.2 (101.2-101.2)	94.4 (59.1-100.9)	100.3 (100.3-100.3)	101.1 (101.1-101.1)	94.4 (59.1-100.9)	100.3 (100.3-100.3)	87.4 (64.5-96.4)	84.0 (60.9-94.7)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	86.5 (63.8-95.4)	86.5 (63.8-95.4)	82.4 (59.8-93.0)					
Kidney (incl. renal pelvis, ureter & urethra)	15-44	100.4 (100.4-100.4)	101.2 (101.2-101.2)	94.4 (59.1-100.9)	100.3 (100.3-100.3)	101.1 (101.1-101.1)	94.4 (59.1-100.9)	100.3 (100.3-100.3)	87.4 (64.5-96.4)	84.0 (60.9-94.7)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	86.5 (63.8-95.4)	86.5 (63.8-95.4)	82.4 (59.8-93.0)				
	45-54	101.0 (101.0-101.0)	91.1 (42.4-101.5)	76.7 (49.7-92.0)	98.2 (83.9-100.4)	93.0 (75.2-99.4)	76.7 (49.7-92.0)	98.2 (83.9-100.4)	95.1 (81.1-100.0)	80.7 (63.4-91.4)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	92.7 (79.2-97.6)	92.7 (79.2-97.6)	77.2 (60.7-87.4)				
	55-64	102.6 (102.6-102.6)	93.7 (67.3-101.5)	99.4 (65.3-110.3)	96.4 (87.3-101.5)	93.7 (61.5-103.9)	99.4 (65.3-110.3)	96.4 (87.3-101.5)	88.6 (64.8-99.4)	77.0 (50.1-94.1)	92.8 (74.3-98.2)	92.8 (74.3-98.2)	83.3 (60.9-93.5)	83.3 (60.9-93.5)	68.5 (44.6-83.7)				
	65-74	102.8 (102.8-102.8)	92.8 (74.4-101.9)	90.2 (76.9-99.4)	98.1 (91.4-101.0)	90.1 (79.0-97.5)	90.2 (76.9-99.4)	98.1 (91.4-101.0)	83.1 (73.2-90.6)	76.8 (65.7-86.0)	95.3 (89.1-98.0)	95.3 (89.1-98.0)	76.6 (67.4-83.4)	76.6 (67.4-83.4)	66.7 (57.1-74.7)				
	All ages	100.3 (100.3-100.3)	100.3 (100.3-100.3)	101.0 (101.0-101.0)	100.3 (100.3-100.3)	101.0 (101.0-101.0)	101.0 (101.0-101.0)	100.3 (100.3-100.3)	81.0 (51.8-95.3)	101.6 (101.6-101.6)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	77.5 (49.5-91.1)	77.5 (49.5-91.1)	70.0 (44.3-85.6)				
Thyroid	15-44	100.9 (100.9-100.9)	*	95.0 (68.5-103.1)	101.4 (101.4-101.4)	104.1 (104.1-104.1)	95.0 (68.5-103.1)	101.4 (101.4-101.4)	81.0 (51.8-95.3)	75.8 (47.9-92.6)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	77.5 (49.5-91.1)	77.5 (49.5-91.1)	70.0 (44.3-85.6)				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	100.9 (100.9-100.9)	*	95.0 (68.5-103.1)	101.4 (101.4-101.4)	104.1 (104.1-104.1)	95.0 (68.5-103.1)	101.4 (101.4-101.4)	81.0 (51.8-95.3)	75.8 (47.9-92.6)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	77.5 (49.5-91.1)	77.5 (49.5-91.1)	70.0 (44.3-85.6)					

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Prostate	15-54	*	*	*	100.4	101.1	*	100.3	100.3	95.5	96.4	100.0	94.4	94.4	94.4				
		(101.1-101.1)	(84.2-102.4)	(101.4-100.4)	(100.4-100.4)	(101.1-101.1)	*	(100.3-100.3)	(100.3-100.3)	(67.3-100.3)	(67.9-101.2)	(100.0-100.0)	(66.5-99.2)	(66.5-99.2)	(66.5-99.2)				
	55-64	101.1	98.5	99.5	99.5	101.6	104.2	100.8	100.8	101.1	99.8	100.0	98.4	98.4	95.1				
		(101.1-101.1)	(84.2-102.4)	(91.2-100.7)	(91.2-100.7)	(93.2-102.8)	(95.6-105.5)	(100.8-100.8)	(100.8-100.8)	(96.3-102.3)	(92.8-102.8)	(100.0-100.0)	(93.8-99.6)	(93.8-99.6)	(88.4-97.9)				
	65-74	102.7	99.4	102.3	102.3	104.3	106.1	101.4	101.4	104.1	107.5	99.4	97.4	97.4	94.9				
		(102.7-102.7)	(85.0-105.3)	(102.3-102.3)	(102.3-102.3)	(98.5-106.6)	(97.7-110.5)	(99.6-101.9)	(99.6-101.9)	(101.0-105.6)	(102.8-110.1)	(97.6-99.8)	(94.5-98.8)	(94.5-98.8)	(90.8-97.2)				
75+	98.2	90.2	100.2	100.2	84.8	79.8	102.2	102.2	91.9	88.2	96.8	76.8	76.8	63.2					
		(84.5-103.8)	(66.0-105.9)	(90.4-104.2)	(90.4-104.2)	(68.5-97.1)	(59.8-97.0)	(97.7-104.2)	(81.2-100.1)	(73.0-100.9)	(92.5-98.7)	(67.8-83.6)	(67.8-83.6)	(52.3-72.3)					
	100.7	97.4	100.7	100.7	97.0	97.0	101.4	101.4	98.3	98.5	98.8	90.6	90.6	85.7					
All ages	(97.1-102.1)	(90.2-102.1)	(98.3-101.9)	(98.3-101.9)	(92.0-100.7)	(90.5-102.0)	(100.1-102.0)	(100.1-102.0)	(95.2-100.8)	(94.4-101.9)	(97.5-99.4)	(87.7-92.9)	(87.7-92.9)	(82.0-88.6)					
Testis	15-44	87.1	*	92.0	92.0	86.8	86.9	96.5	93.3	89.7	96.5	93.1	93.1	89.4					
		(57.6-96.7)	*	(71.4-98.0)	(71.4-98.0)	(63.7-95.7)	(63.8-95.8)	(77.4-99.5)	(75.4-98.4)	(70.9-96.7)	(77.4-99.5)	(75.3-98.2)	(75.3-98.2)	(70.7-96.5)					
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*					
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*					
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*					
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*					
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*						
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*					
	45-54	*	*	90.5	90.5	*	*	100.7	100.7	45.6	*	100.0	44.5	44.5					
		(49.0-92.9)	(46.8-97.9)	(46.8-97.9)	(46.8-97.9)	(34.7-91.3)	(34.7-91.3)	(46.4-89.1)	(46.4-89.1)	(18.4-89.9)	(100.7-100.7)	(100.0-100.0)	(17.9-68.3)	(17.9-68.3)					
	65-74	78.0	*	72.1	72.1	*	*	73.5	73.5	72.0	72.0	58.6	58.6	*					
		(78.0-78.0)	(49.0-92.9)	(34.7-91.3)	(34.7-91.3)	(46.4-89.1)	(46.4-89.1)	(36.9-82.3)	(36.9-82.3)	78.2	78.2	58.6	58.6	58.6					
	75+	49.6	*	54.6	54.6	*	*	63.0	63.0	*	*	58.6	58.6	*					
All ages	74.2	66.3	76.1	76.1	39.6	31.9	78.2	78.2	49.5	49.9	75.6	45.8	45.8						
	(66.9-85.9)	(46.4-81.7)	(58.8-87.4)	(58.8-87.4)	(23.1-56.2)	(17.1-48.4)	(63.0-88.3)	(63.0-88.3)	(34.5-63.4)	(34.3-64.5)	(60.9-86.3)	(31.9-58.6)	(31.9-58.6)						
Kidney (incl. renal pelvis, ureter & urethra)	15-44	90.6	77.0	94.3	94.3	84.7	72.9	100.1	100.1	91.5	73.0	91.2	91.2	72.6					
		(66.6-97.9)	(47.3-91.8)	(78.3-98.8)	(78.3-98.8)	(65.9-94.0)	(51.3-86.6)	(100.1-100.1)	(100.1-100.1)	(52.2-99.0)	(37.1-90.8)	(100.0-100.0)	(52.0-98.7)	(52.0-98.7)					
	45-54	100.9	103.0	90.2	90.2	80.3	65.7	90.7	90.7	74.7	93.8	96.0	96.0	92.2					
		(100.9-100.9)	(103.0-103.0)	(74.9-96.7)	(74.9-96.7)	(62.7-90.8)	(46.2-80.3)	(78.2-96.4)	(78.2-96.4)	(59.4-85.4)	(73.6-99.7)	(100.0-100.0)	(75.0-99.4)	(75.0-99.4)					
	55-64	93.3	75.6	93.8	93.8	94.0	83.9	98.5	98.5	85.3	72.9	96.7	96.7	70.4					
		(76.1-99.6)	(51.0-91.4)	(81.2-99.0)	(81.2-99.0)	(79.5-101.4)	(76.5-103.9)	(88.9-101.0)	(88.9-101.0)	(71.3-94.2)	(56.8-85.5)	(87.3-99.2)	(67.1-88.5)	(67.1-88.5)					
65-74	69.2	*	93.8	93.8	70.4	70.4	82.6	82.6	76.5	65.7	77.6	62.4	62.4						
	(32.3-92.0)	(64.8-102.9)	(64.8-102.9)	(64.8-102.9)	(37.5-94.6)	(37.5-94.6)	(66.4-92.9)	(66.4-92.9)	(55.1-92.9)	(39.0-89.9)	(62.4-87.2)	(44.9-75.7)	(44.9-75.7)						
75+	86.8	70.2	93.6	93.6	81.8	75.1	90.8	90.8	80.8	72.5	88.1	73.8	73.8						
All ages	(77.2-93.1)	(56.0-81.5)	(87.6-97.3)	(87.6-97.3)	(73.0-88.7)	(64.4-84.1)	(85.3-94.7)	(85.3-94.7)	(73.2-87.1)	(63.6-80.4)	(82.8-91.9)	(66.8-79.5)	(66.8-79.5)						
Thyroid	15-44	*	*	100.3	100.3	101.0	*	95.2	95.2	95.8	96.4	95.0	95.0	95.0					
		(101.1-101.1)	(84.2-102.4)	(100.3-100.3)	(100.3-100.3)	(101.0-101.0)	*	(69.4-99.5)	(69.4-99.5)	(69.8-100.1)	(70.3-100.8)	(69.2-99.3)	(69.2-99.3)	(69.2-99.3)					
	45-54	100.7	99.4	100.7	100.7	95.8	95.8	100.7	100.7	99.1	96.4	96.8	96.8	92.4					
		(100.7-100.7)	(85.0-105.3)	(100.7-100.7)	(100.7-100.7)	(63.9-101.4)	(63.9-101.4)	(100.7-100.7)	(100.7-100.7)	(81.3-101.9)	(75.6-102.3)	(100.0-100.0)	(79.5-99.5)	(79.5-99.5)					
	55-64	101.9	101.9	101.9	101.9	*	*	101.7	101.7	105.8	101.4	100.0	100.0	100.0					
		(101.9-101.9)	(101.9-101.9)	(101.9-101.9)	(101.9-101.9)	*	*	(101.7-101.7)	(101.7-101.7)	(105.8-105.8)	(57.1-109.9)	(100.0-100.0)	(100.0-100.0)	(100.0-100.0)					
65-74	92.5	101.5	101.5	101.5	102.9	105.8	100.7	100.7	103.2	104.1	99.3	98.5	98.5						
	(47.5-100.4)	(101.5-101.5)	(101.5-101.5)	(101.5-101.5)	(89.2-104.4)	(91.6-107.2)	(90.6-101.4)	(90.6-101.4)	(94.6-104.5)	(94.5-107.1)	(89.3-100.0)	(90.3-99.8)	(90.3-99.8)						
All ages	92.5	101.5	101.5	101.5	102.9	105.8	100.7	100.7	103.2	104.1	99.3	98.5	98.5						
	(47.5-100.4)	(101.5-101.5)	(101.5-101.5)	(101.5-101.5)	(89.2-104.4)	(91.6-107.2)	(90.6-101.4)	(90.6-101.4)	(94.6-104.5)	(94.5-107.1)	(89.3-100.0)	(90.3-99.8)	(90.3-99.8)						

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E1: Relative and observed survival by period, site, and age group for males, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017		2013-2017		
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr
Prostate	15-54	92.7 (56.9-99.3)	*	49.8 (25.6-70.4)	56.3 (32.2-74.9)	96.6 (76.5-99.8)	96.8 (77.9-99.8)	72.1 (51.2-85.4)	96.5 (77.7-99.5)	50.1 (30.3-67.3)	71.4 (50.7-84.6)	49.2 (29.8-66.0)						
	55-64	90.8 (61.6-95.8)	59.0 (44.0-71.5)	48.2 (37.9-57.9)	69.5 (60.3-77.2)	92.8 (87.0-96.2)	94.3 (90.3-96.9)	66.5 (61.4-74.5)	93.6 (89.6-96.1)	50.2 (42.5-57.6)	66.7 (59.9-72.6)	47.8 (40.4-54.9)						
	65-74	88.8 (62.2-93.5)	62.6 (51.3-72.5)	42.0 (34.4-49.5)	59.9 (52.7-66.6)	89.3 (84.5-92.9)	92.4 (89.3-94.7)	90.5 (87.5-92.8)	70.6 (65.5-75.2)	54.5 (48.3-60.4)	66.0 (61.2-70.3)	48.0 (42.6-53.2)						
	75+	80.0 (71.8-86.6)	59.2 (46.2-71.4)	35.1 (27.6-43.1)	47.7 (40.7-54.7)	85.5 (80.4-89.7)	84.9 (81.1-88.2)	79.1 (75.6-82.2)	56.6 (51.2-61.9)	42.4 (36.2-48.9)	45.6 (41.3-49.8)	28.7 (24.5-33.1)						
	All ages	87.7 (83.8-91.0)	54.7 (47.8-61.3)	43.0 (38.4-47.7)	58.1 (53.8-62.2)	90.4 (87.8-92.6)	91.2 (89.3-92.9)	88.5 (86.6-90.1)	66.2 (63.0-69.2)	49.1 (45.5-52.6)	60.6 (57.7-63.4)	42.3 (39.2-45.4)						
Testis	15-44	*	*	*	*	*	*	*	*	*	*							
	45-54	*	*	*	*	*	*	*	*	*	*							
	55-64	*	*	*	*	*	*	*	*	*	*							
	65-74	*	*	*	*	*	*	*	*	*	*							
	75+	*	*	*	*	*	*	*	*	*	*							
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*							
	45-54	43.0 (17.8-66.3)	62.1 (31.6-82.1)	*	*	*	*	*	*	*	*							
	55-64	77.2 (34.4-94.4)	45.0 (18.6-66.6)	*	61.2 (38.6-77.8)	*	*	*	60.7 (38.3-77.1)	*	*	*						
	65-74	61.8 (29.8-83.4)	27.4 (13.0-44.2)	*	28.6 (16.0-42.7)	*	*	*	28.1 (15.7-41.8)	*	*	*						
	75+	30.4 (11.1-53.4)	24.7 (11.0-41.7)	*	30.9 (17.5-45.6)	*	*	*	28.9 (16.3-42.6)	*	*	*						
Kidney (incl. renal pelvis, ureter & urethra)	All ages	53.1 (37.8-66.5)	35.6 (25.6-45.8)	12.1 (6.0-20.4)	43.3 (34.0-52.3)	17.8 (10.8-26.3)	15.1 (8.4-23.7)	16.5 (10.0-24.5)	13.7 (7.6-21.6)									
	15-44	39.2 (13.2-64.8)	66.9 (42.9-82.6)	*	70.0 (33.1-89.2)	*	*	70.0 (33.0-89.1)	*	*	*							
	45-54	48.8 (32.1-63.7)	51.1 (36.4-64.1)	25.5 (13.8-39.0)	43.2 (30.1-55.6)	15.8 (7.4-27.1)	15.6 (7.3-26.9)	43.1 (30.0-55.5)	15.6 (7.3-26.9)	*	*							
	55-64	40.8 (26.7-54.5)	48.3 (36.2-59.5)	19.3 (10.6-29.9)	41.5 (31.3-51.3)	24.1 (15.6-33.5)	23.5 (15.3-32.7)	41.2 (31.1-50.9)	23.5 (15.3-32.7)	16.4 (9.3-25.3)	*							
	65-74	44.3 (27.9-59.7)	40.4 (28.7-51.8)	22.4 (12.4-34.3)	39.4 (29.4-49.3)	19.6 (11.9-28.7)	18.4 (11.2-26.9)	38.7 (28.8-48.4)	18.4 (11.2-26.9)	12.3 (6.3-20.5)	*							
Thyroid	75+	36.0 (16.6-56.6)	27.4 (16.1-40.1)	*	36.5 (25.2-48.0)	17.3 (9.0-28.3)	17.3 (9.0-28.3)	33.8 (23.4-44.5)	14.2 (7.4-23.3)	*	*							
	All ages	41.5 (33.5-49.3)	19.5 (12.1-28.4)	8.3 (5.0-12.8)	41.1 (35.6-46.5)	19.4 (15.1-24.1)	12.7 (8.9-17.2)	39.8 (34.5-45.1)	17.9 (14.0-22.3)	11.2 (7.9-15.2)	*							
	15-44	*	*	*	*	*	*	*	*	*	*							
	45-54	100.3 (100.3-100.3)	85.4 (65.3-94.4)	82.4 (61.9-92.8)	85.4 (65.3-94.4)	83.0 (62.4-93.4)	81.6 (61.4-91.9)	85.1 (65.1-94.1)	81.6 (61.4-91.9)	81.6 (61.4-91.9)	81.6 (61.4-91.9)							
	55-64	84.2 (48.7-96.5)	82.0 (53.0-94.4)	58.2 (26.6-81.7)	92.1 (70.2-98.5)	93.7 (71.4-100.2)	91.4 (69.7-97.8)	91.4 (69.7-97.8)	91.4 (69.7-97.8)	76.8 (52.9-89.7)	*							
All ages	65-74	61.5 (25.9-84.7)	80.2 (47.8-94.7)	77.8 (44.8-95.7)	77.2 (44.4-81.4)	69.6 (33.7-74.1)	64.9 (43.6-79.9)	52.3 (31.6-69.5)	56.5 (31.6-75.4)	66.5 (46.5-87.6)	66.5 (46.5-87.6)							
	75+	77.8 (59.4-89.0)	77.3 (58.1-89.5)	77.1 (60.3-88.7)	81.9 (71.1-89.3)	78.2 (66.6-86.9)	72.4 (60.1-82.2)	80.3 (69.6-87.5)	73.9 (62.9-82.1)	66.5 (55.2-75.6)	66.5 (55.2-75.6)							
	All ages	77.8 (59.4-89.0)	77.3 (58.1-89.5)	77.1 (60.3-88.7)	81.9 (71.1-89.3)	78.2 (66.6-86.9)	72.4 (60.1-82.2)	80.3 (69.6-87.5)	73.9 (62.9-82.1)	66.5 (55.2-75.6)	66.5 (55.2-75.6)							

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Stage: Local					
		1968-1972			1973-1977			1978-1982			1983-1987								
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	3yr	5yr		10yr				
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	*	102.5 (102.5-102.5)	*	*	89.1 (57.5-99.6)	*	*	*	*	90.5 (53.4-102.4)	109.2 (64.4-123.5)	*	*	*	*	*	
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	100.2 (100.2-100.2)	*	88.0 (67.1-96.1)	73.8 (50.1-87.6)	69.0 (44.9-84.4)	92.5 (73.0-98.2)	89.2 (69.6-96.7)	76.6 (54.3-89.2)	66.2 (41.8-82.8)	83.3 (63.9-92.9)	80.6 (61.3-91.2)	73.0 (51.7-86.5)	*	*	*	*	*		
Nasopharynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	97.3 (84.4-101.3)	83.2 (65.1-95.3)	76.2 (53.9-92.8)	98.8 (86.6-100.8)	78.9 (63.6-89.1)	33.2 (19.9-48.1)	88.6 (76.2-95.8)	71.0 (56.0-82.5)	54.5 (35.9-71.1)	*	*	*	*	*	*	*	*	*	
Oesophagus	15-44	48.5 (21.2-71.5)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	18.0 (4.4-39.1)	38.9 (20.1-57.6)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	17.1 (5.8-33.7)	13.0 (4.7-25.8)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	0.0 (0.0-0.0)	16.4 (9.3-25.4)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	0.0 (0.0-0.0)	16.4 (9.3-25.4)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	33.9 (18.7-60.4)	39.7 (18.7-60.4)	37.3 (17.1-58.1)	11.4 (3.0-26.5)	33.4 (23.0-44.2)	14.4 (4.4-34.3)	23.6 (14.4-34.3)	16.0 (8.0-26.9)	32.7 (23.1-42.9)	25.7 (16.5-36.4)	35.5 (26.4-44.8)	29.0 (20.3-38.6)	21.3 (11.6-34.0)	*	*	*	*	*	
Stomach	15-44	33.0 (18.0-49.0)	21.0 (8.5-37.5)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)
	45-54	33.0 (18.0-49.0)	21.0 (8.5-37.5)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)
	55-64	33.0 (18.0-49.0)	21.0 (8.5-37.5)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)
	65-74	33.0 (18.0-49.0)	21.0 (8.5-37.5)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)
	75+	33.0 (18.0-49.0)	21.0 (8.5-37.5)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)
All ages	33.0 (18.0-49.0)	21.0 (8.5-37.5)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	30.1 (9.3-56.1)	

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Stage: Regional			
		1968-1972			1973-1977			1978-1982			1983-1987						
		1yr	3yr	5yr	1yr	3yr	5yr	10yr	10yr	10yr	10yr	5yr	10yr				
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Major salivary gland (incl. parotid gland)	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Nasopharynx	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	15-44	87.4 (75.3-93.9)	47.1 (29.5-62.9)	85.7 (76.2-91.7)	60.1 (48.1-70.2)	45.5 (33.3-56.9)	90.5 (81.0-95.4)	56.7 (45.3-66.7)	42.0 (31.2-52.5)	29.0 (19.4-39.5)	88.5 (77.3-94.4)	62.8 (48.6-74.0)	47.0 (33.9-59.1)	36.0 (24.3-47.9)			
	45-54	85.7 (65.6-94.7)	80.0 (63.7-89.7)	80.0 (63.7-89.7)	22.4 (9.8-38.2)	83.3 (67.9-91.9)	61.3 (44.4-74.7)	56.1 (38.8-70.5)	91.4 (75.1-97.5)	58.0 (39.9-72.6)	91.4 (75.1-97.5)	58.0 (39.9-72.6)	36.1 (21.2-51.3)	14.2 (5.9-26.0)			
	55-64	64.6 (40.9-81.1)	71.1 (48.2-85.5)	71.1 (48.2-85.5)	33.5 (16.7-51.5)	22.5 (8.8-40.4)	75.0 (51.9-88.5)	30.2 (12.4-50.8)	74.4 (48.2-89.0)	37.1 (17.4-57.5)	74.4 (48.2-89.0)	37.1 (17.4-57.5)	26.1 (10.3-45.8)	*			
Oesophagus	65-74	60.4 (23.9-85.2)	54.9 (19.2-81.5)	54.9 (19.2-81.5)	*	85.0 (55.9-97.3)	85.0 (55.9-97.3)	*	92.6 (47.3-101.7)	92.6 (47.3-101.7)	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*				
	All ages	*	*	*	*	*	*	*	*	*	*	*	*				
	15-44	15.5 (2.5-39.1)	70.1 (62.0-77.0)	70.1 (62.0-77.0)	35.2 (27.2-43.4)	27.3 (19.7-35.5)	76.2 (68.9-82.1)	36.9 (29.6-44.3)	29.4 (22.4-36.8)	19.5 (13.0-27.1)	78.2 (70.3-84.4)	48.9 (40.2-57.2)	29.4 (22.0-37.4)	15.8 (10.1-22.7)			
	45-54	12.7 (2.1-33.3)	7.1 (0.5-26.7)	7.1 (0.5-26.7)	*	7.1 (0.5-26.7)	7.1 (0.5-26.7)	*	7.1 (0.5-26.7)	7.1 (0.5-26.7)	*	*	*	*			
Stomach	65-74	4.3 (0.1-26.7)	2.9 (0.2-13.0)	2.9 (0.2-13.0)	*	10.6 (1.2-32.7)	10.6 (1.2-32.7)	*	16.1 (5.6-31.6)	16.1 (5.6-31.6)	*	*	*				
	75+	18.4 (7.8-32.5)	34.1 (19.5-49.3)	34.1 (19.5-49.3)	*	27.9 (12.4-45.8)	13.1 (4.4-26.7)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)				
	All ages	18.4 (7.8-32.5)	34.1 (19.5-49.3)	34.1 (19.5-49.3)	*	27.9 (12.4-45.8)	13.1 (4.4-26.7)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)	47.4 (27.6-64.9)				
	15-44	28.5 (14.6-44.2)	30.4 (16.8-45.3)	30.4 (16.8-45.3)	6.5 (2.2-14.4)	34.6 (22.2-47.4)	20.5 (11.0-32.1)	15.1 (6.9-26.4)	50.8 (34.4-65.2)	23.4 (11.1-38.4)	50.8 (34.4-65.2)	23.4 (11.1-38.4)	21.6 (9.8-36.7)	12.9 (7.5-19.9)			
	45-54	22.2 (9.8-38.0)	11.8 (3.0-27.6)	11.8 (3.0-27.6)	8.1 (4.8-12.7)	5.6 (2.8-9.9)	31.1 (18.1-45.4)	8.7 (3.6-16.8)	45.1 (32.3-57.3)	25.3 (12.7-40.6)	45.1 (32.3-57.3)	25.3 (12.7-40.6)	17.5 (9.7-21.2)	12.9 (7.5-19.9)			

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Distant							
		1968-1972			1973-1977			1978-1982			1983-1987										
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	3yr	5yr		10yr						
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Nasopharynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	*	38.7 (15.5-62.0)	*	*	*	*	23.0 (3.8-51.8)	*	*	*	*	*	*	*	*	*	*				
Oesophagus	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	16.3 (4.6-34.3)	17.8 (5.1-36.8)	4.5 (0.6-15.4)	24.3 (8.3-44.8)	17.4 (3.6-39.9)	3.0 (0.3-12.0)	10.8 (2.9-24.6)	26.0 (10.3-45.1)	8.3 (2.8-17.8)	7.8 (2.9-15.8)	3.6 (0.7-11.2)	9.3 (5.8-13.9)	24.3 (8.3-44.8)	26.0 (10.3-45.1)	8.3 (2.8-17.8)	7.8 (2.9-15.8)	3.6 (0.7-11.2)	9.3 (5.8-13.9)			
Stomach	15-44	16.3 (4.6-34.3)	17.8 (5.1-36.8)	4.5 (0.6-15.4)	24.3 (8.3-44.8)	17.4 (3.6-39.9)	3.0 (0.3-12.0)	10.8 (2.9-24.6)	26.0 (10.3-45.1)	8.3 (2.8-17.8)	7.8 (2.9-15.8)	3.6 (0.7-11.2)	9.3 (5.8-13.9)	24.3 (8.3-44.8)	26.0 (10.3-45.1)	8.3 (2.8-17.8)	7.8 (2.9-15.8)	3.6 (0.7-11.2)	9.3 (5.8-13.9)		
	45-54	17.4 (3.6-39.9)	3.0 (0.3-12.0)	10.8 (2.9-24.6)	26.0 (10.3-45.1)	8.3 (2.8-17.8)	7.8 (2.9-15.8)	3.6 (0.7-11.2)	9.3 (5.8-13.9)	24.3 (8.3-44.8)	26.0 (10.3-45.1)	8.3 (2.8-17.8)	7.8 (2.9-15.8)	3.6 (0.7-11.2)	9.3 (5.8-13.9)	24.3 (8.3-44.8)	26.0 (10.3-45.1)	8.3 (2.8-17.8)	7.8 (2.9-15.8)	3.6 (0.7-11.2)	9.3 (5.8-13.9)
	55-64	9.5 (2.7-21.4)	4.2 (0.9-11.6)	15.1 (5.6-29.0)	8.4 (3.0-17.5)	2.0 (0.2-8.5)	7.4 (4.2-11.7)	4.6 (2.4-7.9)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)
	65-74	8.6 (2.2-20.8)	2.8 (0.6-8.0)	8.4 (3.0-17.5)	2.0 (0.2-8.5)	7.4 (4.2-11.7)	4.6 (2.4-7.9)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	
	75+	16.1 (2.6-41.3)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	
All ages	*	4.6 (2.4-7.9)	*	7.4 (4.2-11.7)	*	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)	5.6 (1.2-15.6)	16.1 (2.2-20.8)			

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1988-2002

Site	Age Group	1988-1992					1993-1997					1998-2002					Observed Survival (%)				
		1yr	3yr	5yr	10yr	15yr	1yr	3yr	5yr	10yr	15yr	1yr	3yr	5yr	10yr	15yr	1988-2002	1988-2002	1988-2002	1988-2002	
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Major salivary gland (incl. parotid gland)	All ages	87.2 (62.3-97.4)	55.3 (30.0-76.9)	*	*	*	87.8 (60.3-98.6)	86.4 (53.7-101.8)	*	*	92.9 (67.6-101.0)	86.7 (60.5-100.2)	84.5 (57.1-100.8)	*	*	89.4 (65.0-97.1)	78.3 (54.7-90.6)	72.6 (49.1-86.6)	*	*	
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Nasopharynx	All ages	84.5 (34.2-99.1)	67.5 (30.1-92.1)	*	68.2 (23.0-117.0)	94.2 (53.5-101.2)	94.2 (53.5-101.2)	86.4 (30.1-92.1)	97.5 (30.1-92.1)	82.4 (30.1-92.1)	98.8 (81.5-101.8)	87.3 (63.0-99.3)	95.0 (68.5-108.1)	*	97.8 (79.9-99.8)	80.8 (58.3-91.9)	80.8 (58.3-91.9)	80.8 (58.3-91.9)	*	*	
	15-44	97.3 (81.9-99.7)	94.7 (79.6-98.9)	86.4 (66.3-95.2)	83.8 (63.2-93.9)	82.4 (67.5-91.0)	90.5 (76.3-96.5)	82.4 (67.5-91.0)	97.5 (83.1-99.7)	90.5 (76.3-96.5)	100.1 (100.1-100.1)	100.2 (100.2-100.2)	96.9 (77.9-99.9)	88.7 (71.4-96.2)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	
	45-54	100.3 (100.3-100.3)	80.9 (50.7-94.1)	81.7 (51.2-95.0)	77.9 (47.1-94.0)	82.9 (58.6-94.3)	97.1 (76.6-100.4)	97.1 (76.6-100.4)	100.3 (100.3-100.3)	97.1 (76.6-100.4)	100.2 (100.2-100.2)	100.7 (101.3-101.3)	101.3 (101.3-101.3)	97.6 (68.9-102.5)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	
	55-64	95.8 (70.4-100.1)	85.4 (57.3-96.9)	76.7 (42.4-94.3)	*	92.5 (63.0-101.6)	95.3 (61.4-101.4)	92.5 (63.0-101.6)	93.7 (60.3-99.7)	95.3 (61.4-101.4)	100.5 (100.5-100.5)	101.7 (103.3-103.3)	103.3 (103.3-103.3)	79.4 (46.8-96.8)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	
	65-74	*	*	*	*	102.3 (102.3-102.3)	85.2 (42.3-101.5)	85.2 (42.3-101.5)	102.3 (102.3-102.3)	85.2 (42.3-101.5)	*	*	*	*	*	*	*	*	*	*	*
Oesophagus	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	100.0 (92.7-101.8)	94.2 (83.7-99.7)	85.3 (70.9-94.7)	57.7 (41.3-72.4)	78.6 (68.4-86.9)	90.1 (81.6-96.1)	90.1 (81.6-96.1)	93.1 (86.0-97.3)	90.1 (81.6-96.1)	101.0 (101.0-101.0)	86.8 (76.4-93.6)	89.3 (78.4-96.6)	71.2 (58.2-82.3)	100.0 (100.0-100.0)	82.9 (73.0-89.5)	82.2 (72.2-88.9)	82.2 (72.2-88.9)	82.2 (72.2-88.9)	82.2 (72.2-88.9)	59.3 (48.5-68.6)
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Stomach	65-74	35.6 (19.5-52.8)	40.7 (17.3-54.9)	17.3 (7.5-30.9)	18.4 (7.9-32.7)	17.3 (7.5-30.9)	17.3 (7.5-30.9)	17.3 (7.5-30.9)	17.3 (7.5-30.9)	19.3 (5.2-40.8)	19.3 (5.2-40.8)	26.0 (13.0-41.5)	22.8 (10.3-38.7)	*	37.7 (21.8-53.6)	24.4 (12.2-38.9)	20.5 (9.2-34.8)	*	*	*	
	All ages	89.1 (43.8-98.5)	65.2 (40.0-82.2)	48.8 (34.2-78.3)	46.7 (35.5-81.3)	48.8 (35.5-81.3)	51.9 (39.9-66.6)	42.8 (33.9-55.8)	48.8 (35.5-81.3)	42.8 (33.9-55.8)	83.4 (59.4-93.0)	75.6 (53.2-88.6)	76.1 (53.5-89.1)	77.7 (54.7-91.0)	83.2 (61.3-93.3)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	
	15-44	85.8 (61.7-95.4)	65.2 (40.0-82.2)	48.8 (34.2-78.3)	46.7 (35.5-81.3)	48.8 (35.5-81.3)	51.9 (39.9-66.6)	42.8 (33.9-55.8)	48.8 (35.5-81.3)	42.8 (33.9-55.8)	83.4 (59.4-93.0)	75.6 (53.2-88.6)	76.1 (53.5-89.1)	77.7 (54.7-91.0)	83.2 (61.3-93.3)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	75.1 (52.9-87.9)	
	45-54	68.0 (45.8-82.8)	50.9 (29.1-66.3)	43.8 (27.1-64.7)	43.8 (32.8-62.0)	43.8 (32.8-62.0)	51.9 (39.9-66.6)	42.8 (33.9-55.8)	43.8 (27.1-64.7)	42.8 (33.9-55.8)	91.1 (74.0-97.4)	80.5 (62.1-91.0)	80.5 (62.1-91.0)	65.7 (42.8-83.1)	90.6 (73.3-96.9)	78.9 (60.9-89.3)	73.5 (55.4-85.2)	73.5 (55.4-85.2)	73.5 (55.4-85.2)	73.5 (55.4-85.2)	
	55-64	65.9 (48.5-79.0)	35.2 (22.7-50.9)	22.7 (12.0-36.1)	*	29.7 (16.2-46.6)	29.7 (16.2-46.6)	29.7 (16.2-46.6)	29.7 (16.2-46.6)	29.7 (16.2-46.6)	50.8 (37.3-64.4)	39.7 (28.6-51.1)	30.4 (19.0-43.5)	*	47.3 (37.1-56.9)	32.4 (23.3-41.7)	21.4 (13.4-30.6)	*	*	*	
Stage: Local	All ages	57.9 (49.3-65.7)	41.5 (33.2-49.8)	39.1 (30.6-47.9)	40.3 (30.7-50.4)	48.7 (39.6-57.6)	48.7 (39.6-57.6)	48.7 (39.6-57.6)	48.7 (39.6-57.6)	72.3 (65.8-77.9)	56.1 (49.0-62.8)	50.3 (42.9-57.6)	50.3 (42.9-57.6)	40.3 (30.9-50.1)	70.0 (63.7-75.5)	51.7 (45.1-57.8)	44.2 (37.6-50.5)	44.2 (37.6-50.5)	44.2 (37.6-50.5)	44.2 (37.6-50.5)	30.3 (23.2-37.6)

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1988-2002

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		1988-1992			1993-1997			1998-2002			1998-2002			1998-2002					
		1Yr	3Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr			
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	*	53.6	87.4	85.4	57.5-97.8	87.4	85.4	57.5-97.8	87.4	85.4	57.5-97.8	87.4	85.4	57.5-97.8	87.4	85.4	57.5-97.8		
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	64.4	38.5-83.5	65.3	38.5-83.5	65.3	38.5-83.5	65.3	38.5-83.5	65.3	38.5-83.5	65.3	38.5-83.5	65.3	38.5-83.5	65.3	38.5-83.5	65.3	38.5-83.5	
Nasopharynx	15-44	91.8	75.5	62.2	48.0	70.6	57.8	35.3	93.4	87.9	74.5	66.7	93.3	87.7	74.2	66.1			
	45-54	82.5-96.3	63.4-84.1	48.6-73.2	34.1-60.7	59.0-79.4	46.0-68.0	24.2-46.6	84.7-97.2	77.9-93.6	62.4-83.3	53.9-76.8	84.7-97.2	77.7-93.4	62.1-82.9	53.3-76.1			
	55-64	94.7	65.3	47.5	31.7	82.9	66.2	50.2	93.7	69.1	59.3	42.2	93.6	68.7	58.6	40.9			
	65-74	79.5-98.9	46.7-78.9	29.0-64.1	15.0-50.3	66.6-92.0	48.2-79.5	31.6-66.7	81.6-98.1	52.4-81.0	42.6-72.8	26.5-57.3	81.4-97.9	52.1-80.5	42.1-72.0	25.7-55.5			
	75+	100.9	100.9	*	*	78.8	73.0	*	100.5	92.3	84.8	64.6	100.0	90.6	82.0	59.0			
All ages	92.8	50.5-101.1	82.7	44.3-96.7	71.3	69.3	33.2-86.4	77.4	65.2	52.1	36.4-85.1	76.1	61.9	58.8-92.8	33.2-77.6				
Oesophagus	15-44	85.6	48.5	29.9	18.5	64.0	50.6	37.4	85.4	69.0	54.7	36.5	83.9	66.2	51.3	32.5			
	45-54	78.4-90.8	39.7-56.9	22.1-38.1	12.2-26.0	56.2-71.0	42.3-58.5	28.6-46.6	79.3-90.0	61.7-75.5	47.0-62.0	28.7-44.5	77.9-88.4	59.2-72.4	44.1-58.1	25.6-39.7			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	16.0	16.0	*	*	26.0	27.4	9.0-50.8	27.4	27.4	25.1	8.2-46.5	25.1	25.1	8.2-46.5	25.1			
	75+	34.4	34.4	*	*	27.3	49.2	28.0-67.8	49.2	49.2	27.1-65.7	47.7	47.7	27.1-65.7	47.7	27.1-65.7			
All ages	46.4	25.8-64.7	44.4	48.7-85.0	49.5	26.6-68.9	33.6	63.6	50.3	42.1	22.1-61.0	63.5	50.2	41.9	22.1-61.0				
Stomach	15-44	74.5	44.4	*	*	55.1	31.6	56.4	56.4	31.6	*	*	56.3	31.4	*	*			
	45-54	49.0-88.6	22.3-64.5	*	*	32.9-72.6	23.8	37.2-71.8	37.3	16.5-47.8	*	*	37.2-71.6	16.4-47.5	*	*			
	55-64	55.5	24.3	11.0	3.8-22.9	65.4	33.5	23.8	53.6	37.3	32.3	28.0	53.3	36.5	31.2	25.2			
	65-74	40.7-68.1	13.3-37.1	17.7	9.3-28.7	49.7-77.4	19.9-47.8	12.1-38.0	36.6-68.1	22.5-52.2	18.8-46.9	14.4-43.9	36.3-67.6	22.0-51.1	18.1-45.2	12.9-39.5			
	75+	64.0	29.0	*	*	47.8	27.7	26.3	57.0	29.9	20.4	*	56.0	28.3	18.5	*			
All ages	51.0-74.6	18.5-40.7	9.3-28.7	9.3-28.7	35.8-59.0	17.8-38.6	16.2-37.9	43.4-68.5	19.0-41.8	11.5-31.2	11.8	29.5	14.7	8.4	8.4				
All ages	51.3	18.5-30.9	16.8	9.3-21.7	24.5	24.5	14.2-28.5	47.6	28.5	21.4	15.9	46.3	26.4	18.9	11.9				
All ages	44.1-58.1	11.6-22.8	43.8-57.0	23.7-36.4	18.4-31.3	18.4-31.3	14.2-28.5	40.9-54.1	22.7-34.5	16.3-27.0	10.8-21.9	39.7-52.6	21.0-32.0	14.4-23.9	8.1-16.4				

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)									
		1988-1992					1993-1997					1998-2002					1998-2002				
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr				
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Nasopharynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	All ages	44.2 (22.7-64.1)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Oesophagus	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
	All ages	5.4 (1.1-14.9)	13.5 (3.8-29.4)	24.2 (12.1-38.7)	24.2 (12.0-38.6)	24.2 (12.1-38.7)	13.5 (3.8-29.4)	24.2 (12.1-38.7)	24.2 (12.0-38.6)	24.2 (12.1-38.7)	13.5 (3.8-29.4)	24.2 (12.1-38.7)	24.2 (12.0-38.6)	24.2 (12.1-38.7)	13.5 (3.8-29.4)	24.2 (12.1-38.7)	24.2 (12.0-38.6)				
Stomach	15-44	5.4 (1.1-14.9)	14.2 (7.9-26.0)	24.5 (13.3-43.7)	34.2 (18.2-50.8)	24.5 (13.3-43.7)	14.2 (7.9-26.0)	24.5 (13.3-43.7)	24.5 (13.3-43.7)	14.2 (7.9-26.0)	24.5 (13.3-43.7)	24.5 (13.3-43.7)	24.5 (13.3-43.7)	14.2 (7.9-26.0)	24.5 (13.3-43.7)	24.5 (13.3-43.7)	24.5 (13.3-43.7)				
	45-54	14.2 (7.9-26.0)	30.5 (16.3-55.2)	34.2 (18.2-50.8)	34.2 (18.2-50.8)	34.2 (18.2-50.8)	14.2 (7.9-26.0)	30.5 (16.3-55.2)	34.2 (18.2-50.8)	34.2 (18.2-50.8)	34.2 (18.2-50.8)	34.2 (18.2-50.8)	34.2 (18.2-50.8)	14.2 (7.9-26.0)	30.5 (16.3-55.2)	34.2 (18.2-50.8)	34.2 (18.2-50.8)				
	55-64	12.0 (6.4-23.7)	9.2 (4.8-18.8)	21.3 (11.1-40.1)	21.3 (11.1-40.1)	21.3 (11.1-40.1)	12.0 (6.4-23.7)	9.2 (4.8-18.8)	21.3 (11.1-40.1)	21.3 (11.1-40.1)	21.3 (11.1-40.1)	21.3 (11.1-40.1)	21.3 (11.1-40.1)	12.0 (6.4-23.7)	9.2 (4.8-18.8)	21.3 (11.1-40.1)	21.3 (11.1-40.1)				
	65-74	9.6 (5.1-17.5)	8.7 (4.5-17.5)	17.0 (8.5-37.4)	17.0 (8.5-37.4)	17.0 (8.5-37.4)	9.6 (5.1-17.5)	8.7 (4.5-17.5)	17.0 (8.5-37.4)	17.0 (8.5-37.4)	17.0 (8.5-37.4)	17.0 (8.5-37.4)	17.0 (8.5-37.4)	9.6 (5.1-17.5)	8.7 (4.5-17.5)	17.0 (8.5-37.4)	17.0 (8.5-37.4)				
	75+	4.8 (2.2-13.2)	9.4 (4.8-19.5)	8.7 (4.5-17.5)	8.7 (4.5-17.5)	8.7 (4.5-17.5)	4.8 (2.2-13.2)	9.4 (4.8-19.5)	8.7 (4.5-17.5)	8.7 (4.5-17.5)	8.7 (4.5-17.5)	8.7 (4.5-17.5)	8.7 (4.5-17.5)	4.8 (2.2-13.2)	9.4 (4.8-19.5)	8.7 (4.5-17.5)	8.7 (4.5-17.5)				
	All ages	8.9 (5.4-13.4)	15.3 (10.1-21.7)	17.5 (12.8-22.9)	17.5 (12.8-22.9)	17.5 (12.8-22.9)	8.9 (5.4-13.4)	15.3 (10.1-21.7)	17.5 (12.8-22.9)	17.5 (12.8-22.9)	17.5 (12.8-22.9)	17.5 (12.8-22.9)	8.9 (5.4-13.4)	15.3 (10.1-21.7)	17.5 (12.8-22.9)	17.5 (12.8-22.9)					

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)								
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017		2013-2017						
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr						
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	100.0	100.0	100.0	91.0	100.0	100.0	90.7	(50.0-98.6)		
	45-54	*	*	*	100.2	100.6	*	100.2	100.0	*	88.7	88.7	100.0	100.0	100.0	88.7	100.0	100.0	87.9	(40.0-98.2)		
	55-64	*	*	*	91.4	(51.6-99.1)	*	100.4	100.4	83.0	76.0	76.0	100.0	100.0	100.0	81.9	81.9	81.9	74.2	(39.7-90.9)		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	102.4	(102.4-102.4)	99.4	(82.1-101.9)	102.2	(85.8-107.2)	90.7	(68.5-103.7)	102.6	(102.6-102.6)	94.4	(78.6-101.7)	97.0	(79.7-105.9)	100.0	100.0	100.0	85.6	(70.3-93.3)			
Major salivary gland (incl. parotid gland)	15-44	*	*	*	100.0	100.1	*	100.0	100.0	100.1	100.2	100.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	(100.0-100.0)	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	101.0	(101.0-101.0)	70.0	(41.3-88.1)	102.7	(102.7-102.7)	99.7	(82.2-105.9)	103.2	(85.1-109.6)	103.2	(85.1-109.6)	100.0	100.0	100.0	91.7	91.7	91.7	91.7	(75.6-97.3)		
Nasopharynx	15-44	*	*	*	100.2	92.6	100.4	100.4	100.4	100.4	100.4	100.4	100.2	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	
	45-54	100.2	(100.2-100.2)	*	*	*	(53.9-100.0)	100.2	100.2	101.2	101.2	102.2	102.2	102.2	102.2	102.2	102.2	100.0	100.0	100.0	100.0	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	85.6	(67.0-94.5)	86.7	(67.8-95.7)	100.5	(100.5-100.5)	101.6	(101.6-101.6)	84.8	(65.5-94.7)	86.6	(65.8-98.2)	87.4	(66.4-99.2)	82.3	(63.6-92.0)	79.1	79.1	79.1	79.1	(60.1-89.7)	
Oesophagus	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	100.2	(100.2-100.2)	100.2	(100.2-100.2)	100.2	(100.2-100.2)	100.2	(100.2-100.2)	100.2	(100.2-100.2)	100.2	(100.2-100.2)	100.2	(100.2-100.2)	100.2	(100.2-100.2)	100.2	100.0	100.0	100.0	100.0	(100.0-100.0)
Stomach	15-44	*	*	*	100.2	90.1	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0	
	45-54	100.2	(100.2-100.2)	*	100.2	(64.8-97.9)	84.4	(58.1-96.8)	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	
	55-64	100.5	(100.5-100.5)	91.6	(66.9-101.2)	86.7	(73.5-94.8)	83.9	(52.8-87.2)	83.9	83.9	83.9	83.9	83.9	83.9	83.9	83.9	83.9	83.9	83.9	83.9	
	65-74	93.5	(72.4-99.7)	74.1	(51.4-90.9)	89.9	(78.2-97.0)	89.9	(78.2-97.0)	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9
	75+	88.2	(71.2-97.1)	89.9	(78.2-97.0)	89.9	(78.2-97.0)	89.9	(78.2-97.0)	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9
All ages	86.6	(86.6-98.6)	88.2	(88.2-97.7)	89.9	(88.2-97.7)	89.9	(88.2-97.7)	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	89.9	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)										Observed Survival (%)					
		2003-2007		2008-2012		2013-2017		2013-2017		2013-2017		2013-2017					
		1Yr	3Yr	1Yr	3Yr	1Yr	3Yr	1Yr	3Yr	1Yr	3Yr	1Yr	3Yr	5Yr			
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	58.3 (27.1-80.6)	*	*	*	94.2 (68.3-100.5)	88.7 (61.2-99.9)	91.4 (63.1-103.0)	92.2 (66.9-98.4)	83.9 (57.9-94.5)	83.9 (57.9-94.5)	83.9 (57.9-94.5)	83.9 (57.9-94.5)		
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	101.4 (101.4-101.4)	102.5 (102.5-102.5)	*	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	101.6 (101.6-101.6)	108.8 (108.8-108.8)	103.2 (103.2-103.2)	113.8 (113.8-113.8)	102.6 (102.6-102.6)	107.7 (107.7-107.7)	102.6 (102.6-102.6)	107.7 (107.7-107.7)	96.8 (70.1-107.7)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	85.3 (61.8-94.9)		
Nasopharynx	15-44	100.1 (100.1-100.1)	100.2 (100.2-100.2)	100.1 (100.1-100.1)	83.5 (61.3-93.7)	100.1 (100.1-100.1)	93.6 (61.9-99.2)	93.7 (61.9-99.2)	93.7 (61.9-99.2)	100.0 (100.0-100.0)	93.4 (61.7-99.0)	93.4 (61.7-99.0)	93.4 (61.7-99.0)	93.4 (61.7-99.0)			
	45-54	100.2 (100.2-100.2)	91.6 (68.5-98.4)	100.2 (100.2-100.2)	101.1 (101.1-101.1)	100.6 (100.6-100.6)	100.6 (100.6-100.6)	100.6 (100.6-100.6)	101.0 (101.0-101.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)			
	55-64	100.5 (100.5-100.5)	96.1 (68.4-100.8)	100.5 (100.5-100.5)	91.4 (64.5-99.7)	95.5 (65.7-100.6)	95.5 (65.7-100.6)	95.5 (65.7-100.6)	94.1 (101.3-101.3)	94.1 (56.1-101.2)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	91.9 (54.8-98.8)			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*			
	All ages	101.7 (101.7-101.7)	92.8 (80.4-99.5)	100.9 (100.9-100.9)	80.2 (68.8-88.5)	101.3 (101.3-101.3)	104.0 (96.1-105.2)	101.3 (101.3-101.3)	104.0 (96.1-105.2)	94.7 (83.7-101.4)	100.0 (100.0-100.0)	98.7 (91.2-99.8)	98.7 (91.2-99.8)	86.0 (76.0-92.1)			
Oesophagus	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	83.5 (41.0-99.7)	95.8 (60.9-101.5)	94.5 (62.4-100.9)	66.2 (35.9-86.6)	62.9 (31.8-83.7)	20.8 (6.3-41.3)	62.9 (31.8-83.7)	20.8 (6.3-41.3)	61.3 (30.9-81.5)	61.3 (30.9-81.5)	19.7 (6.0-39.3)	19.7 (6.0-39.3)	19.7 (6.0-39.3)			
	All ages	89.5 (77.9-95.8)	55.3 (39.0-69.3)	84.4 (74.2-91.2)	62.0 (48.7-73.3)	85.3 (76.7-91.3)	79.2 (69.2-86.8)	85.3 (76.7-91.3)	79.2 (69.2-86.8)	75.9 (64.9-84.8)	83.2 (74.8-89.1)	74.5 (65.2-81.7)	74.5 (65.2-81.7)	68.7 (58.7-76.7)			
Stomach	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	82.6 (46.3-95.5)	*	*	*	96.7 (76.8-99.9)	93.0 (71.8-99.1)	93.9 (72.5-100.2)	96.3 (76.5-99.5)	91.8 (70.9-97.9)	91.8 (70.9-97.9)	91.8 (70.9-97.9)			
	55-64	100.6 (100.6-100.6)	95.7 (66.1-100.8)	92.3 (55.1-99.2)	47.0 (23.0-69.2)	84.7 (66.0-93.9)	80.7 (61.0-92.2)	84.7 (66.0-93.9)	80.7 (61.0-92.2)	79.9 (59.2-92.8)	83.7 (65.3-92.9)	77.6 (58.7-88.6)	77.6 (58.7-88.6)	74.2 (55.0-86.2)			
	65-74	70.8 (45.8-87.1)	70.8 (45.8-87.1)	72.9 (52.7-86.7)	39.3 (16.9-64.5)	70.4 (54.3-82.5)	54.1 (35.8-71.0)	70.4 (54.3-82.5)	54.1 (35.8-71.0)	50.1 (30.0-70.3)	66.4 (51.3-77.8)	45.5 (30.1-59.7)	45.5 (30.1-59.7)	36.6 (21.9-51.4)			
	75+	89.5 (77.9-95.8)	55.3 (39.0-69.3)	84.4 (74.2-91.2)	62.0 (48.7-73.3)	85.3 (76.7-91.3)	79.2 (69.2-86.8)	85.3 (76.7-91.3)	79.2 (69.2-86.8)	75.9 (64.9-84.8)	83.2 (74.8-89.1)	74.5 (65.2-81.7)	74.5 (65.2-81.7)	68.7 (58.7-76.7)			
	All ages	89.5 (77.9-95.8)	55.3 (39.0-69.3)	84.4 (74.2-91.2)	62.0 (48.7-73.3)	85.3 (76.7-91.3)	79.2 (69.2-86.8)	85.3 (76.7-91.3)	79.2 (69.2-86.8)	75.9 (64.9-84.8)	83.2 (74.8-89.1)	74.5 (65.2-81.7)	74.5 (65.2-81.7)	68.7 (58.7-76.7)			

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007				2008-2012				2013-2017				2013-2017				
		1yr	3yr	5yr	All ages	1yr	3yr	5yr	All ages	1yr	3yr	5yr	All ages	1yr	3yr	5yr		
Tongue	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	*	79.5 (48.5-94.0)	67.6 (35.1-89.0)	64.1 (32.2-84.3)	*	63.6 (31.9-83.6)	*	*	*	*	*	*	*	
	All ages	*	*	*	*	93.5 (64.7-102.3)	97.8 (67.7-107.0)	93.0 (58.4-101.3)	77.5 (47.0-94.9)	90.0 (56.5-98.1)	71.1 (43.2-87.1)	72.9 (42.4-93.0)	64.2 (37.3-81.9)	*	*	*	*	
Major salivary gland (incl. parotid gland)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	*	91.4 (68.9-98.0)	95.5 (82.6-99.0)	100.1 (100.1-100.1)	100.2 (100.1-100.1)	99.5 (82.6-99.0)	100.0 (100.0-100.0)	100.3 (100.3-100.3)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)
	All ages	*	*	*	*	91.4 (68.9-98.0)	95.5 (82.6-99.0)	100.1 (100.1-100.1)	100.2 (100.1-100.1)	99.5 (82.6-99.0)	100.0 (100.0-100.0)	100.3 (100.3-100.3)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)
Nasopharynx	15-44	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	45-54	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	55-64	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	65-74	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	75+	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	All ages	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	All ages	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
Oesophagus	15-44	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	45-54	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	55-64	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	65-74	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	75+	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	All ages	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	All ages	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
Stomach	15-44	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	45-54	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	55-64	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	65-74	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	75+	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	All ages	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	
	All ages	82.5 (54.8-94.2)	88.3 (70.9-90.8)	91.3 (77.9-96.8)	93.8 (75.5-89.8)	96.1 (89.7-98.9)	97.9 (92.9-99.9)	97.9 (92.9-99.9)	96.4 (89.8-100.0)	96.5 (91.6-98.6)	92.5 (86.2-96.0)	95.4 (87.9-100.0)	89.9 (82.8-94.1)	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)										Observed Survival (%)					
		2003-2007					2008-2012					2013-2017					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr				
Tongue	15-44	*	*	*	88.8	(43.0-98.4)	*	*	*	88.8	(43.0-98.3)	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	76.2	(54.4-88.7)	59.8	(35.4-77.7)	75.9	(54.2-88.4)	59.0	(35.0-76.7)	*	*			
	65-74	*	*	*	58.3	(26.9-80.5)	*	*	57.6	(26.6-79.5)	*	*	*	*			
	75+	*	*	*	43.2	(12.5-72.5)	*	*	41.2	(11.9-69.2)	*	*	*	*			
	All ages	63.3	(40.3-79.9)	79.3	(57.3-91.6)	51.2	(30.1-69.5)	47.7	(26.4-67.2)	64.4	(50.9-75.3)	32.8	(20.7-45.6)	31.4	(19.8-43.7)	30.2	(18.8-42.4)
Major salivary gland (incl. parotid gland)	15-44	*	*	*	89.2	(43.8-98.6)	*	*	89.0	(43.7-98.4)	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*			
	All ages	92.1	(71.7-98.0)	81.6	(57.5-92.9)	89.0	(65.5-98.6)	82.2	(62.3-92.3)	93.1	(59.4-94.6)	43.1	(22.4-63.0)	41.1	(21.3-59.9)	37.7	(18.8-56.6)
Nasopharynx	15-44	93.6	(76.4-98.5)	81.2	(59.7-92.1)	92.4	(69.5-96.3)	81.3	(62.3-92.3)	88.1	(75.0-99.3)	66.2	(46.2-80.3)	93.0	(58.5-93.2)	79.2	(55.4-87.7)
	45-54	90.4	(65.9-97.9)	74.2	(47.9-89.1)	85.7	(70.7-93.5)	74.3	(64.2-91.0)	89.3	(71.3-95.5)	63.8	(45.4-77.5)	88.0	(74.9-98.2)	88.0	(59.4-90.0)
	55-64	74.2	(47.9-89.1)	42.5	(18.3-65.8)	74.9	(57.5-86.2)	52.7	(33.3-69.1)	95.7	(75.7-95.6)	45.9	(19.4-69.8)	88.9	(71.2-95.3)	71.0	(39.8-70.1)
	65-74	62.2	(32.0-83.7)	58.3	(25.3-82.5)	74.3	(60.5-86.2)	42.5	(18.3-65.8)	95.7	(75.7-95.6)	45.9	(19.4-69.8)	88.9	(71.2-95.3)	71.0	(39.8-70.1)
	75+	84.4	(65.9-97.9)	59.6	(46.6-70.6)	81.0	(69.5-96.3)	63.1	(51.1-70.9)	80.0	(72.3-85.8)	50.7	(41.6-59.3)	94.7	(75.4-95.2)	44.2	(20.6-62.2)
	All ages	51.3	(25.9-72.3)	51.3	(25.9-72.3)	31.5	(13.2-52.0)	63.1	(54.1-70.9)	80.0	(72.3-85.8)	50.7	(41.6-59.3)	94.7	(75.4-95.2)	44.2	(20.6-62.2)
Oesophagus	15-44	*	*	*	19.8	(4.7-43.3)	19.8	(4.7-43.3)	9.1	(2.1-22.5)	8.6	(2.0-21.3)	*	*	*	*	
	45-54	*	*	*	31.5	(13.2-52.0)	31.5	(13.2-52.0)	20.0	(9.4-33.6)	19.6	(9.2-32.9)	*	*	*	*	
	55-64	*	*	*	19.3	(8.2-33.9)	19.3	(8.2-33.9)	29.2	(14.5-45.6)	29.2	(14.5-45.6)	*	*	*	*	
	65-74	*	*	*	47.8	(34.3-60.1)	47.8	(34.3-60.1)	54.1	(37.6-67.9)	54.0	(37.6-67.8)	*	*	*	*	
	75+	*	*	*	34.6	(24.5-44.9)	34.6	(24.5-44.9)	39.3	(29.4-49.2)	39.2	(29.2-49.0)	7.8	(3.2-15.2)	7.7	(3.2-15.0)	
	All ages	51.3	(25.9-72.3)	51.3	(25.9-72.3)	31.5	(13.2-52.0)	63.1	(54.1-70.9)	80.0	(72.3-85.8)	50.7	(41.6-59.3)	94.7	(75.4-95.2)	44.2	(20.6-62.2)
Stomach	15-44	44.0	(28.0-59.0)	26.3	(15.2-38.7)	39.4	(26.1-52.5)	40.4	(29.4-51.1)	25.2	(16.6-34.8)	34.4	(29.1-39.8)	5.8	(2.9-10.0)	5.3	(2.5-12.1)
	45-54	40.4	(29.4-51.1)	25.2	(16.6-34.8)	34.4	(29.1-39.8)	5.8	(2.9-10.0)	5.3	(2.5-12.1)	6.1	(3.4-7.8)	4.1	(2.5-6.3)		
	55-64	40.4	(29.4-51.1)	25.2	(16.6-34.8)	34.4	(29.1-39.8)	5.8	(2.9-10.0)	5.3	(2.5-12.1)	6.1	(3.4-7.8)	4.1	(2.5-6.3)		
	65-74	40.4	(29.4-51.1)	25.2	(16.6-34.8)	34.4	(29.1-39.8)	5.8	(2.9-10.0)	5.3	(2.5-12.1)	6.1	(3.4-7.8)	4.1	(2.5-6.3)		
	75+	40.4	(29.4-51.1)	25.2	(16.6-34.8)	34.4	(29.1-39.8)	5.8	(2.9-10.0)	5.3	(2.5-12.1)	6.1	(3.4-7.8)	4.1	(2.5-6.3)		
	All ages	40.4	(29.4-51.1)	25.2	(16.6-34.8)	34.4	(29.1-39.8)	5.8	(2.9-10.0)	5.3	(2.5-12.1)	6.1	(3.4-7.8)	4.1	(2.5-6.3)		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Stage: Local		
		1968-1972			1973-1977			1978-1982			1983-1987					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	3yr	5yr		10yr	
Colon	15-44	*	*	*	87.1 (57.3-96.7)	*	100.1 (100.1-100.1)	81.9 (44.3-95.4)	100.1 (100.1-100.1)	*	*	93.4 (59.9-99.4)	84.7 (49.6-96.6)	100.1 (100.1-100.1)	*	
	45-54	58.7 (27.2-80.6)	*	*	81.3 (52.1-93.9)	72.6 (40.0-90.0)	96.2 (73.7-99.9)	75.0 (51.5-88.7)	95.2 (69.0-99.7)	66.0 (42.0-82.7)	*	91.4 (66.8-98.9)	82.2 (56.6-94.5)	80.0 (52.7-95.1)	80.0 (52.7-95.1)	*
	55-64	60.9 (34.5-79.7)	*	*	82.9 (59.4-94.0)	48.3 (25.2-68.9)	86.5 (71.2-94.3)	66.9 (48.9-80.5)	84.4 (70.4-92.5)	57.9 (38.5-74.1)	*	68.4 (52.2-80.5)	65.5 (48.7-78.9)	60.9 (40.9-78.3)	60.9 (40.9-78.3)	*
	65-74	49.9 (26.9-69.9)	*	*	65.9 (41.8-82.7)	54.5 (29.3-76.3)	61.9 (44.6-75.7)	56.0 (37.6-72.3)	79.8 (63.8-89.9)	54.7 (34.4-73.8)	*	62.8 (44.5-77.9)	56.9 (37.9-74.1)	52.6 (28.7-78.3)	52.6 (28.7-78.3)	*
	75+	35.1 (11.9-62.5)	*	*	40.1 (12.6-69.6)	*	35.5 (17.3-55.4)	*	69.9 (47.0-86.6)	*	*	77.8 (50.2-99.0)	*	*	*	*
	All ages	*	*	*	67.5 (55.7-77.3)	50.2 (37.3-62.4)	65.6 (56.6-73.5)	49.1 (39.8-58.2)	80.4 (72.8-86.5)	41.8 (32.3-51.6)	43.7 (31.1-57.1)	72.0 (62.7-80.0)	66.1 (55.7-75.5)	63.7 (50.1-76.7)	63.7 (50.1-76.7)	*
Rectosigmoid & rectum	15-44	*	*	*	*	*	75.7 (47.5-90.2)	55.8 (28.5-76.3)	100.2 (100.2-100.2)	*	*	58.0 (26.7-80.0)	52.6 (23.6-75.3)	100.2 (100.2-100.2)	*	
	45-54	68.2 (39.3-85.6)	*	*	75.9 (47.6-90.5)	28.3 (8.5-52.7)	81.4 (57.3-92.8)	58.6 (34.9-76.6)	88.9 (68.8-96.5)	*	49.5 (28.1-68.0)	45.8 (24.9-64.8)	*	*	*	
	55-64	72.7 (50.1-86.8)	46.3 (22.9-67.8)	*	77.9 (56.2-90.1)	52.1 (29.7-71.2)	89.1 (71.9-96.5)	62.2 (42.5-77.5)	96.7 (84.6-100.0)	36.0 (18.9-54.0)	32.1 (14.6-53.0)	81.3 (64.7-91.5)	65.8 (47.3-80.2)	65.6 (41.1-85.5)	65.6 (41.1-85.5)	*
	65-74	*	*	*	73.1 (47.7-88.6)	*	80.2 (63.1-90.9)	61.4 (42.4-77.3)	89.5 (72.7-97.6)	56.9 (35.3-76.5)	*	77.7 (57.6-91.7)	59.3 (38.8-77.5)	*	*	*
	75+	*	*	*	37.8 (11.6-66.4)	*	61.5 (37.3-80.5)	44.7 (20.8-70.6)	85.9 (66.3-97.8)	*	57.0 (30.1-82.5)	55.8 (26.2-87.6)	*	*	*	
	All ages	*	*	*	63.6 (51.6-73.6)	40.1 (28.0-52.4)	75.5 (66.9-82.5)	54.8 (44.9-64.1)	90.1 (83.4-94.9)	39.5 (29.1-50.3)	30.6 (18.7-44.7)	68.4 (58.6-77.1)	57.6 (47.2-67.5)	45.0 (31.3-59.7)	45.0 (31.3-59.7)	*
Liver & intrahepatic bile ducts	15-44	*	*	*	*	*	45.7 (12.4-74.6)	*	45.7 (12.4-74.6)	*	*	*	*	*	*	
	45-54	5.0 (0.3-20.7)	*	*	7.5 (1.2-21.5)	*	8.5 (0.9-27.7)	*	8.5 (0.9-27.7)	*	*	*	*	*	*	
	55-64	22.1 (8.0-40.5)	*	*	8.7 (2.3-20.5)	*	26.8 (9.7-47.6)	*	26.8 (9.7-47.6)	*	7.8 (1.9-19.4)	*	*	*	*	
	65-74	14.8 (4.2-31.8)	*	*	3.9 (1.0-10.5)	*	3.4 (0.8-9.5)	*	3.4 (0.8-9.5)	*	5.7 (1.2-15.9)	*	*	*	*	
	75+	5.1 (0.4-21.4)	*	*	0.0 (0.0-0.1)	*	0.0 (0.0-0.1)	*	0.0 (0.0-0.1)	*	0.8 (0.1-4.6)	*	*	*	*	
	All ages	*	*	*	2.1 (0.9-4.4)	*	4.9 (2.2-9.0)	*	4.9 (2.2-9.0)	*	4.6 (2.1-8.7)	*	*	*	*	
Pancreas	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	18.5 (3.8-42.3)	*	14.9 (2.4-38.5)	*	14.9 (2.4-38.5)	*	39.1 (15.3-63.1)	*	*	*	*	
Larynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	41.1 (12.5-69.5)	*	84.3 (45.0-100.0)	*	84.3 (45.0-100.0)	*	82.7 (51.2-97.6)	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Stage: Regional		
		1968-1972			1973-1977			1978-1982			1983-1987					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	3yr	5yr		10yr	
Colon	15-44	69.4 (37.4-87.4)	*	69.3 (37.5-87.2)	*	57.2 (35.3-74.1)	*	83.1 (64.0-92.7)	45.0 (25.0-63.2)	37.1 (18.7-55.7)	*	83.1 (64.0-92.7)	45.0 (25.0-63.2)	37.1 (18.7-55.7)	*	
	45-54	72.9 (42.4-89.2)	*	57.4 (36.6-73.8)	37.4 (19.3-55.8)	74.5 (53.6-87.1)	49.4 (29.8-66.5)	79.3 (62.5-89.2)	59.4 (41.4-73.7)	49.9 (31.9-65.7)	*	79.3 (62.5-89.2)	59.4 (41.4-73.7)	49.9 (31.9-65.7)	*	
	55-64	41.6 (21.2-61.0)	*	65.8 (45.3-80.4)	48.7 (29.0-66.4)	64.0 (47.2-76.9)	36.3 (21.6-51.6)	76.8 (61.6-86.8)	37.2 (22.9-51.7)	31.7 (17.7-47.1)	26.2 (12.6-43.1)	28.5 (14.2-46.0)	76.8 (61.6-86.8)	37.2 (22.9-51.7)	31.7 (17.7-47.1)	26.2 (12.6-43.1)
	65-74	46.2 (14.1-74.8)	*	45.0 (27.5-61.3)	*	54.5 (39.4-67.6)	22.8 (12.3-35.6)	69.3 (57.0-79.0)	47.8 (32.4-62.3)	*	39.8 (17.7-66.9)	*	69.3 (57.0-79.0)	47.8 (32.4-62.3)	*	39.8 (17.7-66.9)
	75+	20.5 (3.2-49.7)	*	7.6 (0.7-26.3)	*	31.7 (14.2-51.8)	*	54.8 (37.4-70.1)	34.5 (17.5-54.0)	*	*	*	54.8 (37.4-70.1)	34.5 (17.5-54.0)	*	*
All ages	*	*	40.7 (31.5-49.9)	27.6 (19.3-36.8)	51.8 (43.8-59.3)	29.0 (21.9-36.7)	68.4 (61.7-74.3)	41.3 (33.8-48.8)	35.0 (27.0-43.3)	33.8 (24.4-44.3)	22.5 (14.5-32.3)	68.4 (61.7-74.3)	41.3 (33.8-48.8)	35.0 (27.0-43.3)	33.8 (24.4-44.3)	
Rectosigmoid & rectum	15-44	*	*	44.6 (18.3-68.2)	*	46.7 (23.0-67.4)	*	68.6 (36.4-87.1)	*	*	*	68.6 (36.4-87.1)	*	*	*	
	45-54	66.8 (39.7-84.3)	*	44.4 (22.9-64.2)	*	61.5 (41.1-76.9)	*	76.1 (53.7-89.1)	37.2 (18.2-56.6)	*	*	76.1 (53.7-89.1)	37.2 (18.2-56.6)	*	*	
	55-64	37.4 (13.7-62.3)	*	52.2 (30.0-71.0)	*	54.1 (37.3-68.6)	32.3 (17.1-49.3)	75.3 (56.2-87.7)	30.9 (15.6-48.2)	*	*	75.3 (56.2-87.7)	30.9 (15.6-48.2)	*	*	
	65-74	*	*	45.5 (12.5-78.0)	*	47.4 (19.5-73.9)	*	43.4 (22.7-63.7)	*	*	*	43.4 (22.7-63.7)	*	*	*	
	75+	*	*	49.9 (37.4-61.5)	21.9 (12.2-33.8)	54.1 (44.2-63.2)	31.8 (22.2-42.2)	65.1 (54.6-74.0)	30.3 (21.0-40.4)	21.0 (12.8-30.9)	*	65.1 (54.6-74.0)	30.3 (21.0-40.4)	21.0 (12.8-30.9)	*	
All ages	*	*	1.5 (0.2-5.8)	*	3.2 (0.7-9.3)	*	1.8 (0.3-5.9)	*	*	*	1.8 (0.3-5.9)	*	*	*		
Liver & intrahepatic bile ducts	15-44	*	*	6.9 (0.6-25.1)	*	0.9 (0.0-7.0)	*	3.2 (0.2-15.9)	*	*	*	3.2 (0.2-15.9)	*	*	*	
	45-54	*	*	6.9 (0.6-25.1)	*	0.1 (0.0-1.7)	*	1.1 (0.0-7.9)	*	*	*	1.1 (0.0-7.9)	*	*	*	
	55-64	*	*	1.5 (0.2-5.8)	*	3.2 (0.7-9.3)	*	1.8 (0.3-5.9)	*	*	*	1.8 (0.3-5.9)	*	*	*	
	65-74	*	*	6.9 (0.6-25.1)	*	0.9 (0.0-7.0)	*	3.2 (0.2-15.9)	*	*	*	3.2 (0.2-15.9)	*	*	*	
	75+	*	*	6.9 (0.6-25.1)	*	0.1 (0.0-1.7)	*	1.1 (0.0-7.9)	*	*	*	1.1 (0.0-7.9)	*	*	*	
All ages	*	*	1.5 (0.2-5.8)	*	3.2 (0.7-9.3)	*	1.8 (0.3-5.9)	*	*	*	1.8 (0.3-5.9)	*	*	*		
Pancreas	15-44	*	*	6.9 (0.6-25.1)	*	0.9 (0.0-7.0)	*	3.2 (0.2-15.9)	*	*	*	3.2 (0.2-15.9)	*	*	*	
	45-54	*	*	6.9 (0.6-25.1)	*	0.1 (0.0-1.7)	*	1.1 (0.0-7.9)	*	*	*	1.1 (0.0-7.9)	*	*	*	
	55-64	*	*	1.5 (0.2-5.8)	*	3.2 (0.7-9.3)	*	1.8 (0.3-5.9)	*	*	*	1.8 (0.3-5.9)	*	*	*	
	65-74	*	*	6.9 (0.6-25.1)	*	0.9 (0.0-7.0)	*	3.2 (0.2-15.9)	*	*	*	3.2 (0.2-15.9)	*	*	*	
	75+	*	*	6.9 (0.6-25.1)	*	0.1 (0.0-1.7)	*	1.1 (0.0-7.9)	*	*	*	1.1 (0.0-7.9)	*	*	*	
All ages	*	*	1.5 (0.2-5.8)	*	3.2 (0.7-9.3)	*	1.8 (0.3-5.9)	*	*	*	1.8 (0.3-5.9)	*	*	*		
Larynx	15-44	*	*	6.9 (0.6-25.1)	*	0.9 (0.0-7.0)	*	3.2 (0.2-15.9)	*	*	*	3.2 (0.2-15.9)	*	*	*	
	45-54	*	*	6.9 (0.6-25.1)	*	0.1 (0.0-1.7)	*	1.1 (0.0-7.9)	*	*	*	1.1 (0.0-7.9)	*	*	*	
	55-64	*	*	1.5 (0.2-5.8)	*	3.2 (0.7-9.3)	*	1.8 (0.3-5.9)	*	*	*	1.8 (0.3-5.9)	*	*	*	
	65-74	*	*	6.9 (0.6-25.1)	*	0.9 (0.0-7.0)	*	3.2 (0.2-15.9)	*	*	*	3.2 (0.2-15.9)	*	*	*	
	75+	*	*	6.9 (0.6-25.1)	*	0.1 (0.0-1.7)	*	1.1 (0.0-7.9)	*	*	*	1.1 (0.0-7.9)	*	*	*	
All ages	*	*	1.5 (0.2-5.8)	*	3.2 (0.7-9.3)	*	1.8 (0.3-5.9)	*	*	*	1.8 (0.3-5.9)	*	*	*		

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Stage: Distant	
		1968-1972			1973-1977			1978-1982			1983-1987				
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	3yr	5yr		10yr
Colon	15-44	*	*	*	22.4 (5.0-47.4)	*	*	*	24.2 (7.1-46.6)	*	*	*	*	*	*
	45-54	23.9 (4.8-51.2)	*	22.0 (4.1-48.7)	41.6 (15.8-66.0)	*	*	*	39.9 (21.1-58.1)	*	*	*	*	*	*
	55-64	31.3 (9.7-56.4)	*	14.3 (4.7-29.1)	29.7 (15.4-45.5)	*	*	*	27.8 (13.0-44.8)	*	*	*	*	*	*
	65-74	*	*	14.7 (4.0-31.9)	13.8 (4.7-27.9)	*	*	*	24.4 (10.2-42.1)	*	*	*	*	*	*
	75+	*	*	*	17.8 (4.1-40.2)	*	*	*	11.6 (3.8-24.3)	*	*	*	*	*	*
All ages	*	*	8.0 (3.9-14.2)	22.5 (15.0-31.0)	12.7 (6.8-20.6)	10.8 (5.1-19.2)	9.8 (5.4-15.7)	7.5 (3.6-13.2)	*	*	*	*	*	*	
Rectosigmoid & rectum	15-44	*	*	*	20.3 (4.7-43.7)	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	24.6 (5.2-51.7)	22.4 (6.1-45.0)	*	*	*	37.5 (11.1-64.8)	*	*	*	*	*	*
	65-74	*	*	7.0 (0.9-22.5)	52.9 (23.0-76.8)	*	*	*	28.8 (10.3-51.0)	*	*	*	*	*	*
	75+	*	*	32.4 (8.1-62.9)	17.0 (2.6-43.2)	*	*	*	39.6 (11.1-70.1)	*	*	*	*	*	*
All ages	*	*	17.6 (9.0-28.7)	27.9 (16.8-40.2)	*	*	*	29.8 (17.4-43.4)	*	*	*	*	*	*	
Liver & intrahepatic bile ducts	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	2.3 (0.1-14.2)	*	*	*	*	0.2 (0.0-1.7)	*	*	*	*	*	*
	65-74	*	*	0.1 (0.0-1.8)	0.3 (0.0-3.5)	*	*	*	1.2 (0.1-7.4)	*	*	*	*	*	*
	75+	*	*	*	2.2 (0.2-10.5)	*	*	*	0.1 (0.0-1.8)	*	*	*	*	*	*
All ages	*	*	0.9 (0.1-3.7)	0.7 (0.1-2.5)	*	*	*	0.4 (0.1-1.5)	*	*	*	*	*	*	
Pancreas	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	1.0 (0.0-8.7)	*	*	*	11.5 (1.5-32.6)	*	*	*	*	*	*
	65-74	*	*	*	14.2 (1.3-42.5)	*	*	*	4.5 (0.4-17.5)	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	3.4 (0.1-18.0)	*	*	*	*	*	*
All ages	*	*	0.5 (0.0-3.0)	2.1 (0.4-6.8)	*	*	*	7.0 (2.5-14.8)	*	*	*	*	*	*	
Larynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)															Observed Survival (%)					Stage: Local											
		1988-1992					1993-1997					1998-2002					1998-2002																
		1yr	3yr	5yr	10yr	15yr	1yr	3yr	5yr	10yr	15yr	1yr	3yr	5yr	10yr	15yr	1yr	3yr	5yr	10yr													
Colon	15-44	100.1	100.3	69.7	64.5	66.3	84.9	81.0	77.2	93.6	93.6	90.1	83.5	84.1	93.5	89.9	83.1	83.1	83.1	(100.1-100.1)	(100.3-100.3)	(41.6-86.3)	(36.9-82.8)	(76.5-98.6)	(64.3-94.2)	(59.6-91.9)	(71.9-96.9)	(64.8-93.6)	(76.4-98.3)	(71.8-96.6)	(64.1-92.6)	(64.1-92.6)	(64.1-92.6)
	45-54	100.4	100.4	85.4	77.8	83.4	83.4	74.2	73.2	100.2	100.2	95.7	92.4	91.6	100.0	95.1	91.2	88.4	(100.4-100.4)	(75.0-99.3)	(63.0-95.6)	(52.7-92.5)	(79.8-97.1)	(68.8-91.9)	(57.9-85.2)	(81.0-97.5)	(78.2-98.2)	(100.0-100.0)	(85.4-98.4)	(80.0-96.3)	(75.4-94.7)	(80.0-96.3)	
	55-64	94.4	84.6	84.4	76.2	89.9	89.9	82.1	75.8	94.1	94.1	81.0	76.8	65.1	93.6	79.4	74.0	58.9	(84.4-98.4)	(71.2-92.8)	(69.9-93.6)	(56.8-90.6)	(89.1-99.1)	(80.6-95.5)	(70.6-90.2)	(71.1-88.1)	(53.1-75.3)	(86.3-97.1)	(69.7-86.3)	(63.7-81.7)	(48.1-68.2)	(48.1-68.2)	
	65-74	89.2	75.2	67.3	64.5	87.3	87.3	84.0	80.3	80.3	90.5	81.9	78.7	67.8	89.0	77.5	70.9	51.2	(79.6-95.1)	(62.6-85.0)	(51.1-81.0)	(42.6-85.2)	(90.4-99.9)	(77.1-94.5)	(72.1-93.2)	(60.8-97.3)	(55.3-79.3)	(82.9-93.0)	(69.9-83.3)	(62.8-77.5)	(41.7-59.8)	(41.7-59.8)	
	75+	84.7	78.9	66.4	*	86.3	85.5	81.7	101.9	85.5	85.5	76.6	68.4	43.9	80.1	62.5	47.4	18.3	(72.4-93.3)	(62.6-92.6)	(44.1-88.1)	*	(77.0-93.1)	(72.8-96.1)	(64.7-97.3)	(68.7-136.8)	(78.8-90.7)	(57.4-78.7)	(55.3-68.8)	(39.8-54.6)	(11.6-26.3)	(11.6-26.3)	
	All ages	90.2	81.1	73.0	70.8	92.6	86.4	81.3	80.4	90.6	90.6	81.7	76.8	65.4	87.9	74.6	65.7	47.6	(85.5-93.9)	(74.4-86.8)	(64.4-80.8)	(59.3-81.6)	(89.0-95.4)	(81.3-90.9)	(74.9-87.0)	(70.7-89.6)	(58.7-71.9)	(84.9-90.3)	(70.7-78.1)	(61.4-69.6)	(42.8-52.3)	(42.8-52.3)	
	Rectosigmoid & rectum	15-44	85.1	*	*	*	100.1	85.3	85.6	*	100.1	100.1	96.7	96.9	91.2	100.0	96.5	90.3	(52.4-96.1)	*	*	*	(100.1-100.1)	(52.5-96.3)	(52.7-96.6)	*	(100.1-100.1)	(77.7-99.7)	(77.5-99.5)	(64.7-97.6)	(64.7-97.6)	(64.7-97.6)	
45-54	92.2	75.5	54.9	45.0	92.4	87.9	88.7	86.5	86.5	94.5	88.9	87.3	71.4	94.3	88.3	86.3	68.9	(71.5-98.3)	(52.5-88.8)	(31.4-73.7)	(22.4-66.0)	(77.9-97.7)	(72.4-95.3)	(73.0-96.2)	(67.2-96.6)	(83.5-98.3)	(83.3-98.1)	(75.7-94.6)	(73.3-93.2)	(51.5-81.2)	(51.5-81.2)		
55-64	92.0	75.9	61.8	47.9	94.0	92.0	84.8	79.6	94.8	94.8	93.0	73.8	64.3	94.3	91.2	71.0	58.0	(75.6-97.9)	(57.2-88.0)	(43.3-76.6)	(30.4-64.7)	(83.5-98.3)	(80.0-98.0)	(68.1-94.7)	(58.1-94.4)	(85.9-98.4)	(85.9-97.8)	(81.4-95.9)	(58.4-80.5)	(43.7-69.9)	(43.7-69.9)		
65-74	78.8	71.7	55.1	55.3	100.0	90.7	88.0	95.1	95.1	93.8	85.9	81.4	85.9	92.2	81.2	73.5	65.6	(64.3-88.3)	(55.3-84.2)	(36.7-71.8)	(33.4-77.4)	(93.2-101.8)	(79.2-97.9)	(73.5-98.1)	(70.0-114.4)	(85.8-97.9)	(71.2-97.8)	(71.5-87.8)	(63.1-81.4)	(54.4-74.7)	(54.4-74.7)		
75+	73.7	54.8	42.2	*	91.6	88.7	77.4	*	80.7	80.7	74.0	65.2	60.4	75.4	60.3	45.7	24.1	(55.0-87.0)	(35.0-73.6)	(21.4-66.6)	*	(80.1-98.7)	(72.4-101.2)	(54.5-97.9)	*	(70.9-88.2)	(62.1-84.3)	(50.6-68.7)	(36.1-54.8)	(14.6-34.8)	(14.6-34.8)		
All ages	81.2	65.5	51.6	45.6	95.3	89.7	84.2	87.1	89.6	89.6	83.8	75.6	70.3	86.9	76.6	64.9	50.9	(73.9-87.0)	(56.7-73.5)	(42.0-60.9)	(35.0-56.6)	(91.2-98.1)	(83.7-94.6)	(76.0-91.2)	(73.6-99.4)	(85.5-92.8)	(82.1-78.1)	(71.9-80.7)	(59.6-69.7)	(44.9-56.6)	(44.9-56.6)		
Liver & intrahepatic bile ducts	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	(52.4-96.1)	*	*	*	(100.1-100.1)	(52.5-96.3)	(52.7-96.6)	*	(100.1-100.1)	(77.7-99.7)	(77.5-99.5)	(64.7-97.6)	(64.7-97.6)	(64.7-97.6)	
45-54	5.7	*	*	*	18.0	*	*	*	18.0	18.0	36.7	*	36.7	36.5	*	*	*	(0.7-19.1)	*	*	*	(4.1-39.9)	(4.1-39.9)	(4.1-39.9)	(4.1-39.9)	(16.2-57.2)	(16.2-57.2)	(16.2-57.2)	(16.2-57.2)	(16.2-57.2)	(16.2-57.2)		
55-64	10.3	*	*	*	10.9	*	*	*	10.9	10.9	52.5	31.0	52.5	51.6	29.3	*	*	(2.1-26.4)	*	*	*	(4.1-21.6)	(4.1-21.6)	(4.1-21.6)	(4.1-21.6)	(30.3-69.3)	(30.3-69.3)	(30.3-69.3)	(30.3-69.3)	(30.3-69.3)	(30.3-69.3)		
65-74	2.4	*	*	*	7.0	*	*	*	7.0	7.0	12.4	*	12.4	11.5	*	*	*	(0.3-9.7)	*	*	*	(2.1-16.0)	(2.1-16.0)	(2.1-16.0)	(2.1-16.0)	(5.3-20.4)	(5.3-20.4)	(5.3-20.4)	(5.3-20.4)	(5.3-20.4)	(5.3-20.4)		
75+	7.5	*	*	*	14.5	*	*	*	14.5	14.5	39.0	21.7	39.0	38.0	20.3	12.4	*	(3.5-13.5)	*	*	*	(8.8-21.5)	(8.8-21.5)	(8.8-21.5)	(8.8-21.5)	(28.9-47.0)	(28.9-47.0)	(28.9-47.0)	(28.9-47.0)	(28.9-47.0)	(28.9-47.0)		
All ages	32.1	*	*	*	18.8	*	*	*	18.8	18.8	29.1	13.9	29.1	28.2	20.3	12.4	*	(14.4-51.9)	*	*	*	(5.3-39.0)	(5.3-39.0)	(5.3-39.0)	(5.3-39.0)	(14.8-43.2)	(14.8-43.2)	(14.8-43.2)	(14.8-43.2)	(14.8-43.2)	(14.8-43.2)		
Pancreas	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	(56.8-102.5)	*	*	*	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	
45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	(56.8-102.5)	*	*	*	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	
55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	(56.8-102.5)	*	*	*	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	
65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	(56.8-102.5)	*	*	*	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	(56.8-102.5)	
75+	97.0	93.2	83.2	*	102.7	101.9	71.3	*	102.7	101.9	71.3	71.8	82.1	78.0	59.8	59.8	24.1	(56.8-102.5)	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(102.7-102.7)	(101.9-107.2)	(61.9-107.2)	(58.4-93.6)	(44.8-97.9)	(42.6-93.0)	(26.4-82.0)	(26.4-82.0)	(26.4-82.0)	(26.4-82.0)		
All ages	97.0	93.2	83.2	*	102.7	101.9	71.3	*	102.7	101.9	71.3	71.8	82.1	78.0	59.8	59.8	24.1	(56.8-102.5)	(55.2-107.7)	(55.2-107.7)	(55.2-107.7)	(102.7-102.7)	(101.9-107.2)	(61.9-107.2)	(58.4-93.6)	(44.8-97.9)	(42.6-93.0)	(26.4-82.0)	(26.4-82.0)	(26.4-82.0)			

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)											
		1988-1992				1993-1997				1998-2002				1998-2002											
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr								
Colon	15-44	82.1	60.4	46.8	*	83.9	48.3	34.6	32.6	97.9	76.6	61.9	62.3	97.9	76.4	61.7	61.7								
	45-54	95.4	64.9	55.5	53.1	89.5	72.9	63.4	54.1	92.5	74.2	67.8	64.6	92.3	73.7	66.9	62.4								
	55-64	84.5	66.7	52.6	52.2	86.6	73.9	66.6	61.2	91.9	71.9	53.8	47.2	83.9	70.6	52.0	42.7								
	65-74	79.4	52.6	37.6	*	83.5	61.3	49.2	43.3	86.8	65.1	49.6	40.5	85.3	61.5	44.7	30.4								
	75+	64.5	47.7	40.6	*	68.8	56.9	44.4	*	69.8	54.8	49.9	39.7	65.6	45.5	35.0	15.1								
All ages	77.4	55.6	44.0	37.5	80.0	62.9	52.2	50.1	83.4	64.7	52.5	45.6	81.1	59.9	45.8	32.7									
Rectosigmoid & rectum	15-44	78.1	74.3	74.3	*	97.2	74.3	40.8	*	92.4	59.8	40.9	*	92.4	59.6	40.8	*								
	45-54	85.8	72.0	64.9	*	82.1	48.3	40.2	*	92.5	73.4	70.2	42.1	92.3	72.9	69.2	40.5								
	55-64	93.5	61.6	44.6	*	93.0	65.1	47.4	*	90.0	69.4	57.4	44.1	89.5	68.0	55.1	39.6								
	65-74	80.5	36.3	36.3	*	82.7	63.1	49.4	*	86.4	67.5	54.6	40.0	84.9	63.7	49.1	30.1								
	75+	53.7	31.7	31.7	*	74.6	57.5	49.6	*	79.4	65.4	60.7	*	74.7	53.1	42.0	17.4								
All ages	75.2	46.9	32.3	33.4	83.9	60.7	46.9	35.0	86.5	67.6	57.6	41.6	84.3	62.3	50.0	30.1									
Liver & intrahepatic bile ducts	15-44	4.0	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	45-54	22.8	4.9	4.9	*	25.3	4.9	4.9	*	9.0	40.5	*	*	8.8	*	*	*								
	55-64	22.8	4.9	4.9	*	25.3	4.9	4.9	*	9.0	40.5	*	*	8.8	*	*	*								
	65-74	22.8	4.9	4.9	*	25.3	4.9	4.9	*	9.0	40.5	*	*	8.8	*	*	*								
	75+	22.8	4.9	4.9	*	25.3	4.9	4.9	*	9.0	40.5	*	*	8.8	*	*	*								
All ages	4.0	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2	12.2								
Pancreas	15-44	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	45-54	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	55-64	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	65-74	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	75+	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
All ages	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2	12.2								
Larynx	15-44	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	45-54	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	55-64	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	65-74	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
	75+	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2								
All ages	12.8	8.4	8.4	*	12.2	12.2	12.2	*	12.2	12.2	12.2	*	12.2	12.2	12.2	12.2	12.2								

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)									
		1988-1992					1993-1997					1998-2002					1998-2002				
		3Yr	5Yr	10Yr	3Yr	5Yr	10Yr	3Yr	5Yr	10Yr	3Yr	5Yr	10Yr	3Yr	5Yr	10Yr	3Yr	5Yr	10Yr		
Colon	15-44	39.7	*	*	*	48.0	*	*	*	79.1	21.3	*	79.1	21.2	*	79.1	21.2	*	79.1	21.2	
		(23.0-55.9)				(25.5-67.4)				(56.9-90.8)	(7.7-39.2)		(56.9-90.7)	(7.7-39.1)		(56.9-90.7)	(7.7-39.1)		(56.9-90.7)	(7.7-39.1)	
	45-54	45.5	*	*	*	37.6	*	*	*	49.5	*	*	49.5	*	*	49.4	*	*	49.4	*	
		(21.9-66.5)				(21.1-54.1)				(36.8-61.0)			(36.7-60.9)			(36.7-60.9)			(36.7-60.9)		
	55-64	30.0	*	*	*	30.1	*	*	*	44.3	13.4	*	44.1	13.1	*	44.1	13.1	*	44.1	13.1	
		(16.2-45.0)				(17.3-44.0)				(32.6-55.4)	(6.5-22.7)		(32.4-55.1)	(6.4-22.3)		(32.4-55.1)	(6.4-22.3)		(32.4-55.1)	(6.4-22.3)	
65-74	28.1	*	*	*	48.6	22.8	*	*	32.6	12.5	6.8	32.1	11.8	*	32.1	11.8	*	32.1	11.8		
	(15.3-42.5)				(36.0-60.1)	(12.3-35.5)			(23.5-42.0)	(6.8-20.1)	(2.9-13.2)	(23.1-41.4)	(6.5-19.0)	(2.6-11.9)	(23.1-41.4)	(6.5-19.0)	(2.6-11.9)	(23.1-41.4)	(6.5-19.0)		
75+	7.6	*	*	*	27.7	*	*	*	18.5	8.8	*	17.3	7.2	*	17.3	7.2	*	17.3	7.2		
	(2.5-16.6)				(17.5-39.2)				(12.2-25.9)	(4.3-15.5)		(11.4-24.2)	(3.5-12.6)		(11.4-24.2)	(3.5-12.6)		(11.4-24.2)	(3.5-12.6)		
All ages	24.4	8.5	4.8-13.6	*	37.0	18.3	14.4	14.4	35.5	12.5	7.0	34.6	11.6	6.1	34.6	11.6	6.1	34.6	11.6		
	(18.2-31.2)		(4.8-13.6)		(30.7-43.4)	(13.1-24.3)	(9.4-20.5)		(30.6-40.4)	(9.2-16.3)	(4.5-10.3)	(29.8-39.4)	(8.5-15.2)	(3.9-9.0)	(29.8-39.4)	(8.5-15.2)	(3.9-9.0)	(29.8-39.4)	(8.5-15.2)		
Rectosigmoid & rectum	15-44	*	*	*	*	49.3	*	*	*	37.7	*	*	37.7	*	*	37.7	*	*	37.7	*	
						(18.2-74.5)				(15.3-60.2)			(15.3-60.2)			(15.3-60.2)			(15.3-60.2)		
	45-54	66.8	*	*	*	33.7	*	*	*	52.1	*	*	52.0	*	*	52.0	*	*	52.0	*	
		(28.4-88.0)				(13.2-55.8)				(32.5-68.5)			(32.4-68.4)			(32.4-68.4)			(32.4-68.4)		
	55-64	61.3	*	*	*	38.3	*	*	*	69.4	*	*	69.0	*	*	69.0	*	*	69.0	*	
		(35.4-79.6)				(20.8-55.8)				(47.9-83.5)			(47.8-83.0)			(47.8-83.0)			(47.8-83.0)		
65-74	56.3	*	*	*	22.5	*	*	*	36.4	*	*	35.7	*	*	35.7	*	*	35.7	*		
	(33.7-74.2)				(10.2-37.7)				(21.3-51.7)			(21.0-50.8)			(21.0-50.8)			(21.0-50.8)			
75+	32.5	*	*	*	29.5	*	*	*	29.3	*	*	27.4	*	*	27.4	*	*	27.4	*		
	(10.6-58.4)				(15.5-45.4)				(16.0-44.3)			(15.0-41.4)			(15.0-41.4)			(15.0-41.4)			
All ages	49.1	16.4	8.7-26.4	*	31.3	15.9	14.4	14.4	44.1	14.8	12.3	42.9	13.6	10.3	42.9	13.6	10.3	42.9	13.6		
	(36.4-60.8)		(8.7-26.4)		(23.2-39.7)	(8.8-24.9)			(35.7-52.2)	(9.2-21.7)	(7.0-19.3)	(34.8-50.8)	(8.4-20.0)	(5.9-16.1)	(34.8-50.8)	(8.4-20.0)	(5.9-16.1)	(34.8-50.8)	(8.4-20.0)		
Liver & intrahepatic bile ducts	15-44	*	*	*	*	0.5	*	*	*	0.0	*	*	0.0	*	*	0.0	*	*	0.0	*	
						(0.0-2.7)				(0.0-0.4)			(0.0-0.4)			(0.0-0.4)			(0.0-0.4)		
	45-54	2.1	*	*	*	1.6	*	*	*	5.4	*	*	5.2	*	*	5.2	*	*	5.2	*	
		(0.2-8.3)				(0.1-9.7)				(1.9-11.7)			(1.8-11.4)			(1.8-11.4)			(1.8-11.4)		
	65-74	*	*	*	*	3.6	*	*	*	6.7	*	*	6.7	*	*	6.7	*	*	6.7	*	
						(0.2-16.7)				(0.9-21.6)			(0.9-21.6)			(0.9-21.6)			(0.9-21.6)		
Pancreas	15-44	*	*	*	*	9.4	*	*	*	16.1	*	*	16.1	*	*	16.1	*	*	16.1	*	
						(1.2-28.2)				(5.3-32.2)			(5.3-32.1)			(5.3-32.1)			(5.3-32.1)		
	45-54	2.2	*	*	*	10.4	*	*	*	4.0	*	*	4.0	*	*	4.0	*	*	4.0	*	
		(0.2-10.3)				(2.1-26.3)				(0.9-11.3)			(0.9-11.1)			(0.9-11.1)			(0.9-11.1)		
	55-64	*	*	*	*	9.6	*	*	*	1.1	*	*	1.1	*	*	1.1	*	*	1.1	*	
						(1.2-29.3)				(0.1-4.9)			(0.1-4.7)			(0.1-4.7)			(0.1-4.7)		
65-74	1.9	*	*	*	8.1	*	*	*	5.4	*	*	5.3	*	*	5.3	*	*	5.3	*		
	(0.4-5.8)				(3.5-15.4)				(2.7-9.5)			(2.7-9.3)			(2.7-9.3)			(2.7-9.3)			
All ages	1.9	1.9	0.4-5.8	*	8.1	5.4	5.3	5.3	5.4	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3		
	(0.4-5.8)		(0.4-5.8)		(3.5-15.4)				(2.7-9.5)			(2.7-9.3)			(2.7-9.3)			(2.7-9.3)			
Larynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007				2008-2012				2013-2017				2013-2017				
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		
Colon	15-44	*	*	*	*	*	*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	45-54	100.2	100.7	100.6	100.6	96.9	96.9	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	55-64	98.2	99.4	96.8	94.3	83.5-99.2	83.5-99.2	98.3	98.3	98.3	98.3	98.3	97.9	95.7	95.7	90.1		
	65-74	90.6	90.9	94.4	92.5	80.9-99.5	80.9-99.5	96.7	96.7	96.7	96.7	96.7	95.7	92.4	92.4	88.9		
	75+	97.3	97.3	95.4	93.3	80.9-99.5	80.9-99.5	98.6	98.6	98.6	98.6	98.6	93.9	85.6	85.6	70.3		
	75+	96.1	96.8	96.4	94.1	77.9-105.5	77.9-105.5	98.3	98.3	98.3	98.3	98.3	96.4	92.5	92.5	85.6		
	All ages	91.1-98.9	89.1-101.5	92.0-99.6	88.0-98.8	95.9-99.7	95.9-99.7	98.3	98.3	98.3	98.3	98.3	96.4	92.5	92.5	85.6		
Rectosigmoid & rectum	15-44	*	*	*	*	*	*	100.1	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	45-54	100.2	100.7	100.6	100.6	89.2	89.2	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	55-64	100.6	98.5	98.7	98.8	85.6-100.9	85.6-100.9	99.2	99.2	99.2	99.2	99.2	98.8	94.4	94.4	94.4		
	65-74	98.5	102.1	99.6	96.8	89.8-101.2	89.8-101.2	99.6	99.6	99.6	99.6	99.6	98.6	93.5	93.5	91.6		
	75+	98.0	105.5	95.1	97.7	79.0-101.2	79.0-101.2	90.8	90.8	90.8	90.8	90.8	86.9	71.7	71.7	62.8		
	75+	99.2	99.3	98.2	98.4	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
	All ages	94.4-101.1	90.8-103.5	93.4-101.3	92.1-102.8	93.9-99.1	93.9-99.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
Liver & Intrahepatic bile ducts	15-44	*	*	*	*	*	*	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	45-54	100.2	100.7	100.6	100.6	89.2	89.2	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	55-64	98.1	98.5	96.6	96.6	85.6-100.9	85.6-100.9	99.2	99.2	99.2	99.2	99.2	98.8	94.4	94.4	94.4		
	65-74	88.1	93.0	86.4	86.4	79.0-101.2	79.0-101.2	90.8	90.8	90.8	90.8	90.8	86.9	71.7	71.7	62.8		
	75+	96.6	96.6	96.7	96.7	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
	75+	96.2	96.2	96.2	96.2	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
	All ages	87.9	96.2	84.4	88.5	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
Pancreas	15-44	*	*	*	*	*	*	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	45-54	100.2	100.7	100.6	100.6	89.2	89.2	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	55-64	98.1	98.5	96.6	96.6	85.6-100.9	85.6-100.9	99.2	99.2	99.2	99.2	99.2	98.8	94.4	94.4	94.4		
	65-74	88.1	93.0	86.4	86.4	79.0-101.2	79.0-101.2	90.8	90.8	90.8	90.8	90.8	86.9	71.7	71.7	62.8		
	75+	96.6	96.6	96.7	96.7	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
	75+	96.2	96.2	96.2	96.2	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
	All ages	87.9	96.2	84.4	88.5	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
Larynx	15-44	*	*	*	*	*	*	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	45-54	100.2	100.7	100.6	100.6	89.2	89.2	100.2	100.2	100.2	100.2	100.2	100.0	100.0	100.0	100.0		
	55-64	98.1	98.5	96.6	96.6	85.6-100.9	85.6-100.9	99.2	99.2	99.2	99.2	99.2	98.8	94.4	94.4	94.4		
	65-74	88.1	93.0	86.4	86.4	79.0-101.2	79.0-101.2	90.8	90.8	90.8	90.8	90.8	86.9	71.7	71.7	62.8		
	75+	96.6	96.6	96.7	96.7	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
	75+	96.2	96.2	96.2	96.2	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		
	All ages	87.9	96.2	84.4	88.5	89.3-119.1	89.3-119.1	97.2	97.2	97.2	97.2	97.2	95.5	88.4	88.4	85.3		

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)			Stage II
		2003-2007			2008-2012			2013-2017			2013-2017						
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr				
Colon	15-44	100.1	78.8	100.1	100.2	95.8	100.0	100.2	100.2	91.9	100.0	100.0	100.0	91.6	(70.3-97.8)		
	45-54	100.2	96.2	100.2	100.2	87.3	100.2	100.2	94.8	92.9	100.0	100.0	94.2	92.0	(83.9-96.1)		
	55-64	98.8	90.8	98.6	93.7	86.8	99.8	99.8	93.8	90.5	99.4	99.4	92.6	88.3	(82.2-92.3)		
	65-74	99.6	91.7	98.3	94.1	87.6	97.1	97.1	89.4	87.8	96.0	96.0	86.1	81.7	(75.4-86.5)		
	75+	91.9	87.9	88.5	85.2	81.8	92.6	92.6	88.3	84.6	87.6	87.6	74.3	62.3	(56.3-67.7)		
	All ages	97.3	90.1	95.9	91.6	86.1	96.6	96.6	91.1	87.9	94.4	94.4	85.1	78.5	(75.3-81.3)		
Rectosigmoid & rectum	15-44	100.1	85.5	100.1	91.2	91.2	100.2	100.2	100.3	100.3	100.0	100.0	100.0	100.0	(100.0-100.0)		
	45-54	94.9	85.5	100.2	96.0	90.9	100.2	100.2	95.2	95.6	100.0	100.0	94.6	94.6	(80.1-98.6)		
	55-64	97.9	95.8	98.3	89.1	84.7	100.4	100.4	97.6	94.5	100.0	100.0	96.3	92.2	(80.6-97.0)		
	65-74	97.0	87.9	94.0	81.6	73.1	96.0	96.0	93.8	92.8	96.9	96.9	90.3	86.4	(74.5-93.0)		
	75+	88.3	80.3	99.1	81.4	78.5	96.4	96.4	81.4	80.7	91.8	91.8	69.4	60.5	(48.4-70.6)		
	All ages	94.8	88.7	97.8	85.9	80.3	98.3	98.3	91.2	90.0	96.2	96.2	85.4	80.5	(74.7-85.0)		
Liver & Intrahepatic bile ducts	15-44	100.0	81.5	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	45-54	100.0	81.5	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	55-64	100.0	81.5	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	65-74	100.0	81.5	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	75+	100.0	81.5	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	All ages	100.0	81.5	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
Pancreas	15-44	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	45-54	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	55-64	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	65-74	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	75+	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	All ages	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
Larynx	15-44	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	45-54	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	55-64	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	65-74	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	75+	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		
	All ages	100.0	81.2	100.0	95.0	72.9	100.0	100.0	95.0	95.0	100.0	100.0	90.6	90.6	(80.2-89.3)		

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)		
		2003-2007			2008-2012			2013-2017			2013-2017					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Stage III																
Colon	15-44	97.2 (81.5-99.7)	71.2 (48.0-85.5)	100.1 (100.1-100.1)	72.1 (56.0-83.1)	63.2 (47.0-75.7)	98.1 (87.2-99.8)	91.5 (78.5-96.8)	85.9 (70.6-93.7)	98.1 (87.1-99.7)	91.3 (78.3-96.7)	85.6 (70.4-93.3)				
	45-54	97.3 (91.3-99.3)	86.0 (76.2-92.2)	97.3 (91.5-99.2)	78.7 (69.7-85.3)	68.4 (58.7-76.3)	99.3 (94.3-100.1)	88.4 (81.2-93.1)	76.8 (67.6-83.8)	99.1 (94.1-99.9)	87.9 (80.8-92.5)	76.0 (66.9-83.0)				
	55-64	91.7 (85.2-95.6)	75.9 (65.0-84.1)	97.9 (94.5-99.4)	85.8 (79.6-90.3)	78.5 (71.1-84.4)	96.8 (93.6-98.5)	88.6 (83.6-92.3)	80.1 (73.9-85.1)	96.4 (93.3-98.1)	87.5 (82.5-91.1)	78.2 (72.1-83.1)				
	65-74	90.5 (84.7-94.4)	67.7 (58.4-75.6)	93.6 (88.9-96.6)	78.4 (71.4-84.2)	65.1 (57.1-72.3)	95.2 (91.3-97.5)	84.9 (79.0-89.6)	76.5 (69.2-82.6)	94.2 (90.4-96.5)	81.9 (76.2-86.4)	71.3 (64.5-77.1)				
	75+	80.6 (73.1-86.6)	67.8 (57.0-77.4)	80.9 (74.9-86.0)	67.1 (59.4-74.2)	59.2 (50.3-67.9)	83.2 (77.6-87.7)	62.8 (55.8-69.4)	55.2 (47.5-62.8)	79.0 (73.8-83.3)	53.5 (47.6-59.1)	41.4 (35.6-47.1)				
	All ages	89.2 (86.2-91.7)	72.0 (67.1-76.4)	91.7 (89.3-93.6)	76.3 (72.8-79.5)	66.4 (62.4-70.3)	92.5 (90.5-94.2)	79.8 (76.6-82.6)	71.2 (67.6-74.7)	90.7 (88.7-92.4)	75.0 (72.1-77.7)	64.1 (60.8-67.3)				
Rectosigmoid & rectum	15-44	95.8 (73.5-99.5)	78.6 (51.8-91.6)	96.8 (79.1-99.6)	93.7 (76.6-98.5)	90.1 (71.6-96.9)	100.1 (100.1-100.1)	100.2 (100.2-100.2)	86.3 (62.8-95.6)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	86.0 (62.6-95.3)				
	45-54	95.4 (86.0-98.6)	76.4 (60.5-86.7)	97.2 (88.9-99.4)	85.2 (73.9-92.1)	72.6 (59.6-82.1)	97.2 (89.0-99.4)	87.3 (76.5-93.4)	77.4 (65.4-85.9)	97.1 (88.8-99.3)	86.8 (76.1-92.9)	76.6 (64.7-84.9)				
	55-64	95.5 (87.7-98.6)	75.7 (60.2-86.1)	94.9 (89.2-97.8)	82.0 (73.5-88.1)	69.6 (59.9-77.6)	96.7 (91.7-98.8)	87.1 (79.9-92.0)	78.9 (70.5-85.4)	96.3 (91.3-98.4)	85.9 (78.8-90.8)	77.0 (68.8-83.4)				
	65-74	88.3 (79.8-93.6)	63.1 (49.9-74.2)	94.0 (86.5-97.7)	77.2 (67.0-85.1)	71.2 (60.1-80.3)	89.9 (82.6-94.4)	73.4 (63.3-81.5)	66.0 (55.1-73.3)	89.0 (81.8-93.4)	70.8 (61.0-78.6)	61.6 (51.4-70.3)				
	75+	90.1 (77.7-97.3)	44.3 (26.5-62.2)	89.6 (80.1-95.8)	67.6 (54.3-79.2)	70.1 (54.4-84.0)	90.9 (83.6-95.9)	72.8 (61.8-82.3)	59.5 (46.8-71.7)	86.2 (79.3-91.0)	61.3 (52.0-69.3)	43.4 (34.1-52.3)				
	All ages	91.7 (87.8-94.6)	63.6 (56.2-70.2)	93.4 (90.2-95.8)	78.0 (73.1-82.3)	71.5 (65.9-76.5)	93.0 (90.1-95.3)	79.4 (74.8-83.4)	69.6 (64.3-74.5)	91.0 (88.1-93.2)	74.1 (69.8-77.9)	62.0 (57.3-66.3)				
Liver & Intrahepatic bile ducts	15-44	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	59.7 (20.1-84.8)	*	*	46.6 (20.1-69.6)	*	*	46.6 (20.1-69.5)	*	*				
	55-64	*	*	48.8 (25.1-69.0)	*	*	23.5 (7.8-44.0)	*	*	23.4 (7.7-43.8)	*	*				
	65-74	40.6 (16.7-63.7)	*	43.5 (28.0-58.1)	11.6 (4.2-23.1)	*	36.7 (23.1-50.5)	3.7 (0.7-10.8)	*	36.4 (22.9-50.0)	3.5 (0.7-10.4)	*				
	75+	45.1 (15.2-72.6)	*	23.9 (13.8-35.7)	*	*	18.1 (12.1-25.2)	8.0 (3.9-14.0)	*	17.2 (11.5-23.9)	6.8 (3.3-12.0)	*				
	All ages	54.8 (37.2-69.6)	*	41.8 (32.9-50.5)	20.5 (13.7-28.3)	18.3 (11.8-26.2)	29.7 (23.2-36.5)	10.5 (6.6-15.5)	6.5 (3.6-10.5)	29.1 (22.7-35.7)	10.0 (6.2-14.7)	6.0 (3.3-9.7)				
Pancreas	15-44	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	55.6 (24.4-78.4)	*	*	*	*	*	*	*	*				
	55-64	44.2 (17.3-68.5)	*	57.5 (32.9-76.0)	*	*	44.3 (25.8-61.3)	*	*	44.1 (25.7-61.0)	*	*				
	65-74	*	*	35.2 (15.8-55.6)	*	*	43.5 (28.4-57.7)	*	*	43.0 (28.1-57.1)	*	*				
	75+	*	*	18.9 (8.1-33.2)	*	*	14.5 (6.1-26.6)	*	*	13.8 (5.8-25.3)	*	*				
	All ages	42.4 (25.7-58.4)	*	39.5 (28.9-50.0)	10.3 (4.8-18.3)	*	37.6 (28.7-46.4)	6.0 (2.4-12.1)	*	36.9 (28.2-45.5)	5.8 (2.3-11.7)	*				
Larynx	15-44	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*				
	All ages	*	*	*	*	*	*	*	*	*	*	*				

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017		2013-2017		
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		
Colon	15-44	69.0 (48.9-82.5)	*	64.8 (49.2-76.7)	20.5 (9.8-33.9)	84.3 (68.4-92.7)	31.8 (18.0-46.6)	84.3 (68.4-92.6)	31.8 (18.0-46.5)	*	84.3 (68.4-92.6)	31.8 (18.0-46.5)	*	84.3 (68.4-92.6)	31.8 (18.0-46.5)	*		
	45-54	65.7 (54.1-75.1)	36.1 (24.4-48.0)	73.8 (62.7-82.1)	26.2 (17.0-36.4)	68.5 (57.7-77.0)	32.3 (22.9-42.1)	68.3 (57.6-76.9)	32.1 (22.8-41.8)	21.3 (13.1-30.8)	68.3 (57.6-76.9)	32.1 (22.8-41.8)	21.1 (12.9-30.5)	68.3 (57.6-76.9)	32.1 (22.8-41.8)	21.1 (12.9-30.5)		
	55-64	50.6 (39.8-60.4)	21.2 (12.0-32.2)	60.8 (52.5-68.1)	17.5 (11.4-24.5)	63.2 (55.8-69.8)	26.3 (20.1-33.0)	63.0 (55.6-69.5)	26.0 (19.8-32.5)	16.2 (11.0-22.2)	63.0 (55.6-69.5)	26.0 (19.8-32.5)	15.8 (10.7-21.7)	63.0 (55.6-69.5)	26.0 (19.8-32.5)	15.8 (10.7-21.7)		
	65-74	40.0 (29.7-50.1)	11.4 (4.6-21.6)	42.2 (34.3-50.0)	16.6 (10.6-23.8)	54.7 (47.4-61.4)	24.5 (18.2-31.4)	54.1 (46.9-60.8)	23.7 (17.6-30.3)	15.7 (10.2-22.2)	54.1 (46.9-60.8)	23.7 (17.6-30.3)	14.7 (9.6-20.8)	54.1 (46.9-60.8)	23.7 (17.6-30.3)	14.7 (9.6-20.8)		
	75+	25.9 (18.6-33.8)	*	27.6 (21.5-34.2)	10.3 (6.5-15.2)	23.2 (18.4-28.3)	8.1 (5.1-12.1)	21.8 (17.3-26.7)	8.1 (5.1-12.1)	4.2 (1.9-8.0)	21.8 (17.3-26.7)	8.1 (5.1-12.1)	3.1 (1.4-6.0)	21.8 (17.3-26.7)	8.1 (5.1-12.1)	3.1 (1.4-6.0)		
	All ages	43.4 (38.6-48.2)	16.1 (11.9-20.9)	46.9 (42.8-50.8)	16.2 (13.2-19.4)	49.9 (46.2-53.5)	20.9 (18.0-24.0)	48.8 (45.2-52.3)	20.0 (17.1-22.9)	13.3 (10.8-16.1)	48.8 (45.2-52.3)	20.0 (17.1-22.9)	12.4 (10.0-15.0)	48.8 (45.2-52.3)	20.0 (17.1-22.9)	12.4 (10.0-15.0)		
	15-44	52.0 (22.9-74.9)	*	80.6 (51.2-93.3)	37.1 (14.0-60.7)	86.8 (66.8-96.6)	24.3 (7.3-46.7)	86.8 (66.8-96.5)	24.3 (7.3-46.6)	*	86.8 (66.8-96.5)	24.3 (7.3-46.6)	*	86.8 (66.8-96.5)	24.3 (7.3-46.6)	*		
	45-54	47.0 (26.8-65.0)	*	63.0 (46.4-75.8)	26.5 (13.6-41.4)	62.8 (48.2-74.4)	19.2 (9.9-30.8)	62.7 (48.1-74.3)	19.1 (9.9-30.6)	*	62.7 (48.1-74.3)	19.1 (9.9-30.6)	*	62.7 (48.1-74.3)	19.1 (9.9-30.6)	*		
	55-64	50.9 (35.1-64.7)	*	60.2 (47.4-70.9)	29.7 (17.9-42.5)	57.3 (46.6-66.7)	17.7 (10.9-25.8)	57.1 (46.5-66.4)	17.4 (10.7-25.5)	10.5 (5.5-17.3)	57.1 (46.5-66.4)	17.4 (10.7-25.5)	10.2 (5.4-16.9)	57.1 (46.5-66.4)	17.4 (10.7-25.5)	10.2 (5.4-16.9)		
	65-74	43.6 (27.7-58.7)	*	42.5 (28.8-55.6)	11.0 (3.8-22.7)	65.8 (53.8-75.5)	17.3 (9.4-27.2)	65.1 (53.3-74.7)	16.6 (9.0-26.2)	15.9 (8.1-26.2)	65.1 (53.3-74.7)	16.6 (9.0-26.2)	14.8 (7.5-24.3)	65.1 (53.3-74.7)	16.6 (9.0-26.2)	14.8 (7.5-24.3)		
75+	41.7 (26.7-56.4)	*	39.3 (28.3-50.3)	9.1 (2.8-20.2)	24.9 (17.1-33.6)	5.4 (2.2-11.1)	23.2 (15.9-31.3)	4.4 (1.7-9.0)	*	23.2 (15.9-31.3)	4.4 (1.7-9.0)	*	23.2 (15.9-31.3)	4.4 (1.7-9.0)	*			
All ages	45.8 (37.8-53.4)	14.5 (8.2-22.5)	50.5 (44.0-56.6)	18.6 (13.4-24.4)	52.1 (46.5-57.4)	14.7 (11.1-18.8)	50.8 (45.3-55.9)	13.9 (10.5-17.8)	10.0 (7.0-13.7)	50.8 (45.3-55.9)	13.9 (10.5-17.8)	9.2 (6.4-12.6)	50.8 (45.3-55.9)	13.9 (10.5-17.8)	9.2 (6.4-12.6)			
Liver & intrahepatic bile ducts	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	9.8 (1.3-28.8)	*	28.6 (14.3-44.6)	*	28.5 (14.3-44.5)	*	28.6 (14.3-44.6)	*	*	28.5 (14.3-44.5)	*	*			
	55-64	4.8 (0.1-28.7)	*	18.2 (7.5-32.7)	*	23.2 (13.0-35.1)	*	23.1 (13.0-34.9)	*	23.2 (13.0-35.1)	*	*	23.1 (13.0-34.9)	*	*			
	65-74	17.0 (5.3-34.3)	*	5.8 (1.6-13.8)	*	17.0 (10.8-24.3)	*	16.8 (10.7-24.1)	*	17.0 (10.8-24.3)	*	*	16.8 (10.7-24.1)	*	*			
	75+	14.4 (4.1-31.1)	*	4.5 (1.7-9.5)	*	3.1 (1.5-5.7)	*	2.9 (1.4-5.4)	*	3.1 (1.5-5.7)	*	*	2.9 (1.4-5.4)	*	*			
	All ages	16.4 (8.9-26.0)	*	11.1 (7.1-16.0)	*	15.8 (12.2-19.8)	*	15.5 (12.0-19.4)	*	15.8 (12.2-19.8)	*	2.3 (1.1-4.4)	*	15.5 (12.0-19.4)	*	*		
	15-44	26.1 (10.6-44.8)	*	36.5 (21.3-51.9)	*	27.4 (14.2-42.3)	*	27.3 (14.2-42.2)	*	27.4 (14.2-42.3)	*	*	*	27.3 (14.2-42.2)	*	*		
	45-54	15.4 (6.5-27.7)	*	18.2 (11.3-26.5)	*	24.1 (17.3-31.7)	*	24.0 (17.2-31.5)	*	12.2 (6.8-19.4)	24.1 (17.3-31.7)	12.1 (6.7-19.2)	*	24.0 (17.2-31.5)	12.1 (6.7-19.2)	*		
	55-64	10.6 (4.5-19.7)	*	6.6 (3.6-11.0)	*	13.5 (8.8-19.1)	*	13.3 (8.7-18.9)	*	13.3 (8.7-18.9)	*	*	*	13.3 (8.7-18.9)	*	*		
	65-74	9.4 (3.8-18.1)	*	2.0 (0.8-4.2)	*	2.6 (1.4-4.5)	*	2.5 (1.3-4.3)	*	2.6 (1.4-4.5)	*	*	*	2.5 (1.3-4.3)	*	*		
75+	13.4 (9.1-18.7)	*	10.1 (7.5-13.0)	1.9 (0.8-3.9)	14.8 (12.0-17.9)	4.5 (3.0-6.5)	14.5 (11.7-17.6)	4.3 (2.8-6.2)	3.7 (2.3-5.6)	14.8 (12.0-17.9)	4.5 (3.0-6.5)	3.4 (2.1-5.2)	14.5 (11.7-17.6)	4.3 (2.8-6.2)	3.4 (2.1-5.2)			
All ages	13.4 (9.1-18.7)	*	10.1 (7.5-13.0)	1.9 (0.8-3.9)	14.8 (12.0-17.9)	4.5 (3.0-6.5)	14.5 (11.7-17.6)	4.3 (2.8-6.2)	3.7 (2.3-5.6)	14.8 (12.0-17.9)	4.5 (3.0-6.5)	3.4 (2.1-5.2)	14.5 (11.7-17.6)	4.3 (2.8-6.2)	3.4 (2.1-5.2)			
15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
Larynx	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*				

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-1987

Site	Age Group	Relative Survival (%)												Stage: Local				
		1968-1972			1973-1977			1978-1982			1983-1987							
		1yr	3yr	5yr	1yr	3yr	5yr	10yr	5yr	10yr	10yr	5yr	10yr					
Lung (incl. trachea & bronchus)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	29.2 (9.9-52.0)	*	*	37.4 (18.3-56.7)	*	*	33.6 (13.1-55.8)	*	*	41.7 (18.6-63.6)	*	*	*	*	*	*	
	55-64	36.8 (21.4-52.5)	*	*	24.6 (13.2-37.9)	13.3 (5.5-24.6)	*	22.6 (12.3-34.9)	*	*	43.6 (29.1-57.4)	31.5 (18.6-45.5)	*	*	*	*	*	
	65-74	37.0 (23.6-50.5)	*	*	15.2 (8.8-23.2)	5.9 (2.3-12.1)	*	20.3 (12.8-29.1)	5.7 (2.2-11.8)	*	27.9 (18.2-38.5)	5.4 (1.7-12.6)	*	*	*	*	*	
	75+	21.4 (6.7-42.3)	*	*	19.1 (9.3-31.8)	*	*	17.4 (8.9-28.6)	*	*	11.3 (5.3-19.9)	*	*	*	*	*	*	
	All ages	*	*	*	27.0 (21.0-33.4)	14.5 (9.8-20.1)	14.0 (9.1-19.9)	22.5 (17.1-28.5)	12.1 (8.0-17.1)	8.5 (5.1-13.1)	29.6 (23.4-36.1)	14.5 (9.8-20.1)	10.0 (5.9-15.6)	4.7 (1.9-9.7)				
Bone	15-44	*	*	*	67.7 (29.8-88.2)	*	100.1 (100.1-100.1)	100.2 (100.2-100.2)	*	100.1 (100.1-100.1)	73.7 (38.4-90.8)	73.8 (38.5-91.0)	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	86.5 (49.9-97.6)	83.2 (42.4-101.6)	82.6 (48.8-97.5)	71.6 (35.4-89.8)	42.1 (13.7-68.6)	85.7 (45.8-114.1)	89.5 (69.1-97.6)	84.9 (61.8-96.7)	87.7 (63.8-99.9)	65.4 (35.6-84.2)				
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	*	86.5 (49.9-97.6)	83.2 (42.4-101.6)	82.6 (48.8-97.5)	71.6 (35.4-89.8)	42.1 (13.7-68.6)	85.7 (45.8-114.1)	89.5 (69.1-97.6)	84.9 (61.8-96.7)	87.7 (63.8-99.9)	65.4 (35.6-84.2)				
Melanoma of skin	15-44	100.1 (100.1-100.1)	*	100.8 (100.8-100.8)	100.4 (100.4-100.4)	100.8 (100.8-100.8)	100.2 (100.2-100.2)	100.5 (100.5-100.5)	92.4 (54.1-99.7)	96.0 (74.4-99.5)	96.3 (74.7-99.9)	96.7 (74.9-100.2)	97.8 (75.8-101.4)					
	45-54	*	*	*	*	*	100.5 (100.5-100.5)	101.6 (103.1-103.1)	103.1 (103.1-103.1)	100.5 (100.5-100.5)	101.5 (101.5-101.5)	98.2 (74.3-104.5)	97.5 (73.7-104.5)					
	55-64	95.0 (63.3-100.6)	91.2 (57.1-102.4)	93.3 (66.7-103.7)	89.7 (64.1-99.7)	93.3 (66.7-103.7)	93.3 (66.7-103.7)	95.1 (78.6-99.8)	88.7 (70.4-97.7)	82.0 (61.5-94.6)	101.2 (83.1-103.6)	99.8 (78.8-105.8)	99.1 (73.6-112.1)					
	65-74	100.5 (78.4-104.1)	94.3 (64.6-108.6)	105.2 (81.3-117.1)	98.1 (77.3-107.3)	105.2 (81.3-117.1)	94.8 (78.3-104.2)	96.2 (83.9-101.2)	94.8 (78.3-104.2)	92.2 (70.9-106.7)	103.6 (103.6-103.6)	101.2 (88.9-107.2)	83.1 (64.7-96.9)	74.5 (49.3-98.3)				
	75+	109.2 (84.2-113.2)	91.5 (50.2-120.7)	125.5 (84.1-158.4)	117.0 (89.1-134.8)	125.5 (84.1-158.4)	102.0 (79.6-120.0)	95.3 (81.6-104.1)	102.0 (79.6-120.0)	110.8 (76.1-142.7)	97.6 (85.5-104.5)	108.3 (90.7-121.1)	114.3 (90.0-134.9)	123.5 (66.0-191.9)				
	All ages	*	*	104.1 (91.3-113.5)	99.4 (89.0-106.4)	104.1 (91.3-113.5)	96.6 (88.6-102.8)	96.8 (91.4-100.3)	96.6 (88.6-102.8)	94.9 (84.0-104.0)	100.6 (96.7-102.7)	102.8 (96.8-107.2)	98.1 (89.1-105.6)	97.1 (82.4-110.7)				

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Stage: Regional	
		1968-1972			1973-1977			1978-1982			1983-1987				
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	10yr	5yr		10yr
Lung (incl. trachea & bronchus)	15-44	20.0 (4.9-42.5)	*	*	25.1 (8.2-46.5)	*	*	20.1 (4.6-43.5)	*	*	*	*	*	*	*
	45-54	44.5 (23.4-63.8)	*	24.3 (11.4-39.8)	15.1 (5.3-29.5)	*	*	38.7 (23.3-53.9)	*	*	*	*	*	*	*
	55-64	20.9 (12.2-31.4)	*	18.2 (10.2-28.0)	23.9 (14.6-34.5)	*	*	18.3 (9.7-29.0)	9.4 (3.9-17.9)	*	*	*	*	*	*
	65-74	8.9 (2.8-19.4)	*	12.2 (6.2-20.3)	14.8 (8.5-22.9)	5.5 (2.1-11.5)	*	16.8 (10.0-25.1)	*	*	*	*	*	*	*
	75+	19.4 (4.0-44.6)	*	1.3 (0.2-5.5)	3.2 (1.0-7.7)	*	*	8.6 (3.1-18.0)	*	*	*	*	*	*	*
	All ages	*	*	12.0 (8.3-16.5)	4.1 (2.0-7.4)	13.0 (9.5-17.2)	3.2 (1.6-5.8)	17.4 (13.0-22.4)	5.2 (2.7-8.9)	*	*	*	*	*	*
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	78.9 (39.8-94.6)	*	*	*	*	*	*	*
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	57.1 (22.2-87.2)	*	*	51.5 (18.2-82.2)	*	*	*	*	*	*	*
	All ages	*	84.6 (40.2-100.3)	*	81.5 (59.5-94.5)	71.3 (45.0-92.3)	64.6 (40.8-83.7)	62.3 (34.9-82.8)	48.0 (23.4-71.9)	37.5 (13.6-65.7)	37.0 (12.7-69.7)	*	*	*	*

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Stage: Distant	
		1968-1972			1973-1977			1978-1982			1983-1987				
		1yr	3yr	5yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr			
Lung (incl. trachea & bronchus)	15-44	*	*	*	4.4 (0.3-18.6)	*	*	*	*	*	*	11.7 (2.9-27.5)	*	*	*
	45-54	11.2 (1.9-30.0)	*	*	19.6 (7.0-36.9)	*	*	11.8 (3.5-25.6)	*	*	*	15.0 (3.5-34.2)	*	*	*
	55-64	10.9 (3.1-24.3)	*	*	4.3 (1.5-9.4)	*	*	8.9 (3.5-17.4)	*	*	*	4.2 (1.5-9.0)	*	*	*
	65-74	5.5 (0.4-22.4)	*	*	7.2 (2.6-15.1)	*	*	6.1 (2.5-12.2)	*	*	*	13.5 (7.6-21.0)	*	*	*
	75+	*	*	*	11.1 (1.1-34.8)	*	*	3.2 (0.5-10.6)	*	*	*	0.9 (0.2-2.9)	*	*	*
	All ages	*	*	*	8.4 (5.1-12.9)	*	*	6.4 (3.9-9.9)	*	*	*	6.4 (4.2-9.3)	*	*	*
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)											
		1988-1992				1993-1997				1998-2002				1998-2002											
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr								
Lung (incl. trachea & bronchus)	15-44	42.4	(12.7-70.0)	*	56.8	(29.8-76.9)	*	47.3	(23.5-68.0)	42.6	(20.2-63.5)	*	85.5	(53.5-96.2)	47.2	(23.5-67.8)	42.5	(20.2-63.3)							
	45-54	62.3	(31.9-82.3)	*	73.4	(41.9-84.7)	*	66.5	(49.1-79.3)	53.3	(35.2-68.6)	*	87.7	(72.9-94.7)	66.1	(48.7-78.7)	52.6	(34.7-67.7)							
	55-64	38.8	(22.9-54.4)	16.6	56.0	(32.4-70.4)	26.5	48.3	(32.1-62.9)	42.2	(26.0-57.8)	*	64.8	(48.1-77.4)	47.4	(31.5-61.7)	40.7	(25.1-55.8)							
	65-74	32.6	(21.8-44.0)	14.5	58.7	(38.5-70.4)	28.0	40.6	(28.9-52.2)	27.9	(17.9-39.1)	*	56.6	(44.3-67.0)	38.4	(27.3-49.3)	25.0	(16.0-35.1)							
	75+	16.0	(8.1-26.4)	*	30.2	(21.8-39.2)	10.0	22.9	(14.9-32.2)	18.8	(10.6-29.6)	*	33.5	(25.1-42.2)	18.5	(12.0-26.1)	12.6	(7.1-19.8)							
	All ages	31.9	(25.1-39.0)	12.4	51.8	(45.3-57.9)	24.1	39.0	(32.9-45.1)	30.7	(24.8-36.9)	20.9	54.7	(48.6-60.4)	36.1	(30.5-41.8)	27.1	(21.9-32.5)							
Bone	15-44	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	*	*	*	*	*	*	*	*	*	*	*							
	45-54	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	*	*	*	*	*	*	*	*	*	*	*							
	55-64	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	*	*	*	*	*	*	*	*	*	*	*							
	65-74	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	*	*	*	*	*	*	*	*	*	*	*							
	75+	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	*	*	*	*	*	*	*	*	*	*	*							
	All ages	81.2	(59.4-93.2)	74.1	93.5	(83.7-97.4)	83.7	87.5	(75.3-92.7)	88.7	(72.1-96.2)	64.7	87.4	(71.1-94.8)	70.7	(54.0-82.3)	58.4	(42.0-71.7)							
Connective & soft tissues (incl. peripheral nerves)	15-44	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	45-54	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	55-64	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	65-74	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	75+	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	All ages	81.2	(59.4-93.2)	74.1	93.5	(83.7-97.4)	83.7	87.5	(75.3-92.7)	88.7	(72.1-96.2)	64.7	87.4	(71.1-94.8)	70.7	(54.0-82.3)	58.4	(42.0-71.7)							
Melanoma of skin	15-44	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	45-54	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	55-64	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	65-74	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	75+	*	(15.6-80.3)	*	52.5	(15.6-80.3)	*	78.5	(36.6-95.0)	83.3	(46.0-96.0)	*	100.0	(100.0-100.0)	93.4	(61.8-99.0)	83.1	(45.8-95.7)							
	All ages	81.2	(59.4-93.2)	74.1	93.5	(83.7-97.4)	83.7	87.5	(75.3-92.7)	88.7	(72.1-96.2)	64.7	87.4	(71.1-94.8)	70.7	(54.0-82.3)	58.4	(42.0-71.7)							
Non-melanoma skin cancer	15-44	100.1	(100.1-100.1)	100.4	100.7	(100.7-100.7)	101.6	100.1	100.3	100.5	(100.5-100.5)	98.6	100.1	100.2	100.4	100.0	100.0	97.6							
	45-54	100.3	(100.3-100.3)	96.1	97.0	(97.0-101.3)	95.4	100.3	100.9	98.5	(101.6-101.6)	83.1	100.1	100.2	100.4	100.0	100.0	84.3							
	55-64	96.8	(85.3-99.9)	94.7	93.2	(93.2-103.0)	91.3	99.7	97.5	100.1	(100.1-100.1)	107.2	100.6	100.7	100.0	100.0	93.1	83.6							
	65-74	98.3	(89.1-101.5)	97.3	95.0	(95.0-104.8)	96.6	100.9	99.5	95.1	(95.1-104.8)	90.8	99.8	97.7	98.1	98.0	87.5	68.3							
	75+	96.9	(86.8-102.9)	88.7	88.7	(88.7-115.9)	79.9	102.4	113.9	127.3	(111.2-140.6)	136.5	95.5	94.7	88.0	73.2	58.6	34.2							
	All ages	97.8	(93.8-100.4)	93.9	93.1	(93.1-117.4)	84.7	101.1	103.6	105.4	(99.0-110.0)	108.8	98.6	96.0	93.3	88.1	79.7	62.6							

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)										Observed Survival (%)																								
		1988-1992					1993-1997					1998-2002					1998-2002																			
		1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr																
Lung (incl. trachea & bronchus)	15-44	48.4 (21.8-70.8)	*	*	*	34.6 (16.7-53.4)	*	*	64.1 (37.1-81.9)	*	64.1 (37.1-81.9)	*	*	64.0 (37.1-81.9)	*	64.0 (37.1-81.9)	*	*	64.0 (37.1-81.9)	*	64.0 (37.1-81.9)	*	*	64.0 (37.1-81.9)	*											
	45-54	33.9 (18.3-50.2)	*	*	*	60.7 (44.2-73.8)	23.2 (10.9-38.2)	23.0 (10.9-37.6)	23.0 (10.9-37.6)	23.0 (10.9-37.6)	23.0 (10.9-37.6)	23.0 (10.9-37.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)	20.2 (8.9-34.6)									
	55-64	30.0 (18.5-42.4)	*	*	*	49.2 (36.5-60.7)	9.0 (3.1-18.7)	17.4 (9.8-27.0)	17.4 (9.8-27.0)	17.4 (9.8-27.0)	17.4 (9.8-27.0)	17.4 (9.8-27.0)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)	7.0 (3.5-12.1)								
	65-74	18.1 (11.1-26.5)	*	*	*	32.8 (24.5-41.4)	*	*	31.0 (23.4-38.9)	*	31.0 (23.4-38.9)	*	*	30.5 (23.0-38.2)	*	30.5 (23.0-38.2)	*	*	30.5 (23.0-38.2)	*	30.5 (23.0-38.2)	*	*	30.5 (23.0-38.2)	*	30.5 (23.0-38.2)	*	30.5 (23.0-38.2)	*							
	75+	8.1 (3.8-14.4)	*	*	*	10.8 (6.3-16.7)	*	*	12.6 (8.4-17.7)	*	12.6 (8.4-17.7)	*	*	11.7 (7.8-16.4)	*	11.7 (7.8-16.4)	*	*	11.7 (7.8-16.4)	*	11.7 (7.8-16.4)	*	*	11.7 (7.8-16.4)	*	11.7 (7.8-16.4)	*	11.7 (7.8-16.4)	*							
All ages	21.0 (16.4-26.1)	*	*	*	32.7 (27.8-37.7)	8.3 (5.5-11.9)	6.1 (3.3-10.0)	9.9 (7.2-13.1)	9.9 (7.2-13.1)	9.9 (7.2-13.1)	9.9 (7.2-13.1)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)	6.3 (4.2-9.0)								
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*								
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*							
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*						
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*					
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*					
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	40.8 (18.8-62.3)	*	*	52.4 (20.5-78.0)	*	52.4 (20.5-78.0)	*	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	42.9 (15.1-69.4)	*	*	42.9 (15.1-69.4)	*	42.9 (15.1-69.4)	*	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)	47.8 (18.1-74.1)		
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	91.8 (58.7-101.8)	*	*	*	82.8 (55.3-97.5)	86.7 (51.7-107.7)	102.0 (58.1-129.8)	56.9 (30.9-78.5)	56.9 (30.9-78.5)	56.9 (30.9-78.5)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)	52.4 (26.3-77.1)		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)						
		1988-1992					1993-1997					1998-2002						
		1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr			
Lung (incl. trachea & bronchus)	15-44	24.5 (8.4-45.0)	*	*	*	*	30.0 (14.0-47.9)	*	*	*	40.7 (24.8-56.0)	*	*	*	40.6 (24.8-55.9)	*	*	*
	45-54	15.2 (4.4-32.2)	*	*	*	26.3 (15.1-38.9)	*	*	*	38.3 (26.7-49.7)	*	*	*	38.2 (26.6-49.6)	*	*	*	
	55-64	12.1 (5.6-21.1)	*	*	*	37.0 (24.8-49.3)	*	*	*	30.5 (21.3-40.3)	5.2 (1.7-11.7)	*	*	30.4 (21.2-40.0)	5.1 (1.7-11.5)	*	*	*
	65-74	8.9 (4.3-15.5)	*	*	*	19.0 (13.2-25.6)	*	*	*	16.7 (11.3-23.0)	3.9 (1.6-7.9)	*	*	16.4 (11.1-22.6)	3.7 (1.5-7.4)	*	*	*
	75+	2.0 (0.5-5.4)	*	*	*	5.4 (2.8-9.4)	*	*	*	8.4 (5.3-12.5)	*	*	*	7.9 (5.0-11.6)	*	*	*	
All ages	8.6 (5.7-12.1)	*	*	*	19.4 (15.7-23.4)	2.9 (1.3-5.5)	*	*	*	21.0 (17.6-24.6)	4.9 (3.2-7.1)	4.0 (2.6-6.1)	20.4 (17.1-23.9)	4.6 (3.0-6.6)	3.5 (2.1-5.4)	*	*	*
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)										Observed Survival (%)						
		2003-2007		2008-2012		2013-2017		2013-2017		2013-2017		2013-2017		2013-2017				
		1yr	3yr	1yr	3yr	1yr	3yr	1yr	3yr	1yr	3yr	1yr	3yr	1yr	3yr	5yr		
Lung (incl. trachea & bronchus)	15-44	100.1 (100.1-100.1)	*	100.1 (100.1-100.1)	100.2 (100.2-100.2)	88.4 (40.7-98.6)	100.1 (100.1-100.1)	100.2 (100.2-100.2)	100.3 (100.3-100.3)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	
	45-54	100.2 (100.2-100.2)	78.5 (46.1-93.0)	100.2 (100.2-100.2)	94.8 (79.2-99.1)	85.3 (67.1-94.2)	100.2 (100.2-100.2)	95.1 (80.6-99.2)	89.7 (73.6-96.6)	100.0 (100.0-100.0)	94.6 (80.2-98.6)	100.0 (100.0-100.0)	94.6 (80.2-98.6)	100.0 (100.0-100.0)	94.6 (80.2-98.6)	88.8 (72.8-95.7)	88.8 (72.8-95.7)	88.8 (72.8-95.7)
	55-64	100.6 (100.6-100.6)	91.2 (46.3-100.4)	95.7 (86.3-98.9)	92.8 (81.7-97.8)	86.1 (71.5-94.3)	100.4 (100.4-100.4)	94.6 (87.7-98.1)	89.0 (79.7-94.7)	100.0 (100.0-100.0)	93.3 (86.5-96.8)	100.0 (100.0-100.0)	93.3 (86.5-96.8)	100.0 (100.0-100.0)	93.3 (86.5-96.8)	86.9 (77.8-92.4)	86.9 (77.8-92.4)	86.9 (77.8-92.4)
	65-74	96.9 (84.0-100.4)	83.5 (61.6-95.2)	101.3 (101.3-101.3)	86.7 (75.2-94.0)	76.0 (61.6-86.8)	99.4 (94.4-100.7)	90.7 (81.9-96.2)	83.6 (72.8-91.4)	98.3 (93.4-99.6)	87.5 (79.0-92.7)	98.3 (93.4-99.6)	87.5 (79.0-92.7)	98.3 (93.4-99.6)	87.5 (79.0-92.7)	78.0 (67.9-85.3)	78.0 (67.9-85.3)	78.0 (67.9-85.3)
	75+	86.2 (67.1-96.4)	48.8 (25.1-71.5)	97.1 (86.6-101.8)	62.6 (44.6-78.2)	53.0 (33.3-72.3)	92.2 (84.8-96.9)	72.8 (61.3-82.4)	64.5 (50.4-77.4)	88.5 (81.4-93.0)	63.3 (53.3-71.7)	88.5 (81.4-93.0)	63.3 (53.3-71.7)	88.5 (81.4-93.0)	63.3 (53.3-71.7)	49.6 (38.7-59.5)	49.6 (38.7-59.5)	49.6 (38.7-59.5)
	All ages	95.0 (89.0-98.4)	75.2 (63.3-84.4)	98.5 (95.3-100.2)	84.2 (77.8-89.4)	74.9 (67.1-81.7)	97.3 (94.8-98.9)	86.7 (82.1-90.5)	80.6 (75.0-85.5)	95.6 (93.1-97.2)	81.9 (77.5-85.5)	95.6 (93.1-97.2)	81.9 (77.5-85.5)	95.6 (93.1-97.2)	81.9 (77.5-85.5)	73.1 (68.0-77.5)	73.1 (68.0-77.5)	73.1 (68.0-77.5)
Bone	15-44	*	*	100.0 (100.0-100.0)	*	*	100.0 (100.0-100.0)	90.4 (48.3-98.7)	79.5 (39.4-94.6)	100.0 (100.0-100.0)	90.4 (48.3-98.7)	100.0 (100.0-100.0)	90.4 (48.3-98.7)	100.0 (100.0-100.0)	79.4 (39.3-94.4)	79.4 (39.3-94.4)	79.4 (39.3-94.4)	
	45-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	*	*	101.1 (101.1-101.1)	80.5 (45.4-95.8)	93.7 (62.0-99.3)	84.5 (54.0-96.0)	82.2 (51.9-95.2)	80.4 (50.4-94.6)	83.6 (53.5-95.0)	80.5 (50.9-93.3)	83.6 (53.5-95.0)	80.5 (50.9-93.3)	83.6 (53.5-95.0)	80.5 (50.9-93.3)	77.8 (48.8-91.6)	77.8 (48.8-91.6)	77.8 (48.8-91.6)
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	93.5 (61.9-99.1)	93.6 (61.9-99.2)	93.7 (62.0-99.3)	96.0 (74.6-99.5)	88.3 (67.8-96.2)	82.0 (57.5-93.3)	96.0 (74.6-99.5)	88.3 (67.8-96.2)	96.0 (74.6-99.5)	88.3 (67.8-96.2)	96.0 (74.6-99.5)	81.8 (57.4-93.0)	81.8 (57.4-93.0)	81.8 (57.4-93.0)	
	45-64	*	*	91.1 (51.0-98.9)	*	*	100.2 (100.2-100.2)	100.5 (100.5-100.5)	101.0 (101.0-101.0)	100.0 (100.0-100.0)	100.5 (100.5-100.5)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	
	55-64	*	*	100.4 (100.4-100.4)	*	*	100.4 (100.4-100.4)	94.2 (60.7-100.2)	95.1 (61.3-101.2)	100.0 (100.0-100.0)	94.2 (60.7-100.2)	100.0 (100.0-100.0)	93.0 (60.0-99.0)	100.0 (100.0-100.0)	93.0 (60.0-99.0)	93.0 (60.0-99.0)	93.0 (60.0-99.0)	
	65-74	*	*	*	*	*	101.2 (101.2-101.2)	104.1 (104.1-104.1)	*	*	104.1 (104.1-104.1)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	All ages	86.0 (47.3-98.9)	*	98.1 (84.9-100.8)	78.9 (57.4-91.5)	99.9 (91.6-100.8)	98.4 (90.2-101.4)	96.5 (86.1-101.5)	99.0 (90.8-99.9)	95.4 (87.5-98.4)	96.5 (86.1-101.5)	99.0 (90.8-99.9)	95.4 (87.5-98.4)	96.5 (86.1-101.5)	91.3 (81.5-96.1)	91.3 (81.5-96.1)	91.3 (81.5-96.1)	
Melanoma of skin	15-44	*	*	88.7 (56.9-101.2)	88.7 (47.2-101.5)	100.3 (100.3-100.3)	101.0 (101.0-101.0)	92.4 (51.0-101.5)	94.9 (52.4-104.2)	100.0 (100.0-100.0)	92.4 (51.0-101.5)	100.0 (100.0-100.0)	89.4 (49.4-98.2)	100.0 (100.0-100.0)	89.4 (49.4-98.2)	89.4 (49.4-98.2)	89.4 (49.4-98.2)	
	45-64	*	*	100.2 (100.2-100.2)	100.6 (100.6-100.6)	101.1 (101.1-101.1)	100.2 (100.2-100.2)	100.6 (100.6-100.6)	101.0 (101.0-101.0)	100.0 (100.0-100.0)	100.6 (100.6-100.6)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	
	55-64	100.6 (100.6-100.6)	102.1 (102.1-102.1)	100.6 (100.6-100.6)	101.5 (101.5-101.5)	102.9 (102.9-102.9)	100.4 (100.4-100.4)	100.4 (100.4-100.4)	102.9 (102.9-102.9)	101.6 (101.6-101.6)	100.4 (100.4-100.4)	101.6 (101.6-101.6)	99.1 (93.7-99.9)	100.0 (100.0-100.0)	99.1 (93.7-99.9)	99.1 (93.7-99.9)	99.1 (93.7-99.9)	
	65-74	101.4 (101.4-101.4)	104.8 (104.8-104.8)	100.6 (96.2-101.2)	101.7 (96.1-103.6)	99.1 (84.0-105.1)	100.7 (98.0-101.0)	99.5 (95.6-101.5)	97.2 (91.8-100.8)	99.6 (97.0-99.9)	99.5 (95.6-101.5)	99.6 (97.0-99.9)	95.8 (92.1-97.8)	100.0 (100.0-100.0)	95.8 (92.1-97.8)	90.6 (85.6-93.9)	90.6 (85.6-93.9)	90.6 (85.6-93.9)
	75+	97.1 (80.0-104.4)	98.2 (72.2-113.2)	101.0 (97.4-103.3)	102.6 (95.0-108.4)	118.1 (106.7-126.8)	102.4 (99.8-104.0)	103.7 (98.8-107.7)	106.1 (99.2-112.1)	95.5 (93.2-97.1)	106.1 (99.2-112.1)	95.5 (93.2-97.1)	83.2 (79.3-86.4)	100.0 (100.0-100.0)	83.2 (79.3-86.4)	72.2 (67.6-76.3)	72.2 (67.6-76.3)	72.2 (67.6-76.3)
	All ages	99.7 (93.2-101.9)	101.0 (90.3-105.8)	100.5 (99.0-101.4)	101.6 (98.6-103.6)	103.9 (99.1-107.2)	101.0 (99.9-101.6)	101.0 (98.9-102.6)	101.3 (98.5-103.6)	98.5 (97.4-99.1)	101.3 (98.5-103.6)	98.5 (97.4-99.1)	93.3 (91.4-94.8)	100.0 (100.0-100.0)	93.3 (91.4-94.8)	88.5 (86.0-90.5)	88.5 (86.0-90.5)	88.5 (86.0-90.5)

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)										Observed Survival (%)						
		2003-2007		2008-2012		2013-2017		2013-2017		2013-2017		2013-2017		2013-2017				
		1Yr	3Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr			
Lung (incl. trachea & bronchus)	15-44	*	*	*	*	*	100.1	(100.1-100.1)	*	*	*	100.0	(100.0-100.0)	*	*	*		
	45-54	*	*	*	*	*	100.2	(100.2-100.2)	79.8	(48.9-93.4)	59.1	(25.1-82.2)	79.3	(48.6-92.8)	58.4	(24.8-81.3)		
	55-64	100.6	(100.6-100.6)	83.2	(46.0-96.6)	*	100.4	(100.4-100.4)	87.9	(69.2-96.2)	78.7	(56.0-91.4)	86.7	(68.2-94.8)	76.8	(54.6-89.2)		
	65-74	66.8	(39.7-84.3)	83.5	(60.3-98.1)	87.3	91.0	(72.8-97.7)	64.8	(42.6-81.0)	*	90.0	(72.0-96.6)	62.4	(41.0-77.9)	*		
	75+	94.0	(47.7-103.4)	84.1	(52.3-98.0)	*	51.8	(34.0-67.5)	37.3	(20.5-55.3)	*	48.8	(32.0-63.7)	31.6	(17.4-46.8)	*		
	All ages	85.9	(70.6-94.2)	65.3	(44.4-81.1)	73.7	83.1	(74.9-89.0)	64.3	(54.3-73.0)	50.7	(39.7-60.9)	81.2	(73.2-87.1)	61.0	(51.5-69.2)	46.6	(36.5-56.0)
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	94.0	(49.8-102.7)	90.7	(73.2-97.5)	78.0	(57.9-90.4)	90.1	(47.8-98.5)	74.4	(55.2-86.3)	74.4	(55.2-86.3)
	All ages	79.8	(56.9-91.8)	59.5	(32.4-79.4)	*	76.5	(56.8-88.8)	76.5	(56.8-88.8)	78.0	(57.9-90.4)	89.6	(72.4-96.4)	74.4	(55.2-86.3)		
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	All ages	94.1	(59.7-100.6)	66.3	(43.1-95.2)	77.2	96.8	(64.4-101.4)	87.8	(55.7-100.2)	75.2	(41.8-94.2)	94.9	(63.1-99.4)	83.1	(52.7-94.8)	69.3	(38.5-86.8)
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	90.2	(65.4-97.8)	91.1	(66.1-98.7)	92.2	(66.9-99.9)	89.8	(65.2-97.4)	89.8	(65.2-97.4)		
	65-74	*	*	101.2	(83.1-104.1)	*	101.2	(101.2-101.2)	96.5	(82.5-101.5)	97.3	(82.1-103.6)	100.0	(100.0-100.0)	92.8	(79.4-97.6)	90.3	(76.2-96.3)
	75+	97.0	(45.2-108.0)	82.2	(59.3-99.9)	*	99.4	(91.4-104.0)	99.8	(86.8-109.8)	100.7	(82.9-115.8)	90.7	(83.4-94.9)	73.9	(64.2-81.3)	60.2	(49.6-69.3)
	All ages	90.3	(46.0-101.8)	90.3	(77.8-98.3)	86.9	96.2	(91.2-99.1)	95.0	(88.3-99.7)	95.4	(87.5-101.4)	93.1	(88.2-99.9)	86.0	(80.0-90.3)	81.4	(74.6-86.5)

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017		2013-2017		
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr		
Lung (incl. trachea & bronchus)	15-44	71.5 (40.7-88.3)	*	87.0 (57.3-96.6)	41.8 (19.2-63.1)	*	87.1 (68.9-95.0)	80.4 (60.9-90.9)	*	66.6 (46.3-80.8)	86.9 (68.8-94.9)	79.9 (60.6-90.4)	*	65.9 (45.8-80.0)				
	45-54	69.8 (51.1-82.6)	*	80.7 (63.7-90.4)	57.7 (40.5-71.7)	41.5 (24.9-57.4)	87.1 (68.9-95.0)	80.4 (60.9-90.9)	66.6 (46.3-80.8)	86.9 (68.8-94.9)	79.9 (60.6-90.4)	65.9 (45.8-80.0)						
	55-64	64.4 (52.3-74.1)	24.7 (13.9-37.1)	91.0 (80.7-96.1)	51.6 (38.8-63.1)	29.8 (18.6-42.0)	94.0 (84.1-98.0)	49.2 (35.9-61.3)	28.8 (17.8-40.7)	93.6 (83.7-97.5)	48.5 (35.4-60.4)	28.1 (17.4-39.7)						
	65-74	51.9 (41.3-61.5)	21.6 (12.6-32.3)	61.8 (50.2-71.6)	25.1 (15.9-35.4)	13.8 (6.9-23.1)	73.3 (61.4-82.2)	50.2 (37.9-61.5)	27.1 (16.8-38.6)	72.5 (60.7-81.2)	48.4 (36.5-59.4)	25.3 (15.7-36.1)						
	75+	33.6 (24.0-43.6)	12.3 (4.2-25.4)	37.9 (28.3-46.5)	13.4 (8.1-20.3)	*	47.4 (36.1-58.1)	18.9 (10.3-29.6)	*	45.2 (34.4-55.4)	16.5 (9.0-25.9)	*						
	All ages	53.1 (47.3-58.6)	20.7 (15.2-26.8)	63.8 (58.1-69.0)	31.7 (26.6-37.0)	17.4 (13.2-22.2)	70.6 (64.3-76.0)	42.6 (36.1-49.0)	27.9 (22.1-34.0)	69.1 (63.0-74.4)	40.6 (34.4-46.7)	25.9 (20.5-31.6)						
Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*					
Connective & soft tissue (incl. peripheral nerves)	15-44	*	67.2 (29.2-88.0)	55.2 (23.9-78.1)	*	55.1 (23.9-78.1)	*	55.1 (23.9-78.1)	*	55.1 (23.9-78.1)	*	55.1 (23.9-78.1)	*	55.1 (23.9-78.1)				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	81.5 (42.8-95.7)	*	81.5 (42.8-95.7)	*	81.5 (42.8-95.7)	*	81.5 (42.8-95.7)	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	95.1 (47.5-100.7)	*	62.2 (36.6-80.3)	*	79.1 (61.6-89.6)	60.9 (42.0-75.8)	51.3 (30.6-69.4)	58.8 (40.6-73.2)	47.8 (28.6-64.8)									
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	101.0 (101.0-101.0)	*	101.0 (101.0-101.0)	*	100.0 (100.0-100.0)	*	100.0 (100.0-100.0)					
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*					
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*				
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*				
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*				
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*				
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*				
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*					

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017				
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr		
Lung (incl. trachea & bronchus)	15-44	51.2 (35.8-64.6)	*	*	15.5 (7.5-26.1)	81.4 (68.9-89.2)	35.8 (24.0-47.7)	23.8 (13.2-36.2)	81.3 (68.8-89.2)	35.7 (23.9-47.6)	23.8 (13.2-36.1)	81.3 (68.8-89.2)	35.7 (23.9-47.6)	23.8 (13.2-36.1)	81.3 (68.8-89.2)	35.7 (23.9-47.6)	23.8 (13.2-36.1)	
	45-54	52.6 (43.3-61.0)	10.4 (4.5-19.0)	8.3 (4.2-14.3)	20.9 (14.8-27.7)	79.4 (73.0-84.6)	28.7 (22.2-35.4)	12.7 (8.1-18.2)	79.4 (72.9-84.5)	28.5 (22.1-35.2)	12.5 (8.1-18.0)	79.4 (72.9-84.5)	28.5 (22.1-35.2)	12.5 (8.1-18.0)	79.4 (72.9-84.5)	28.5 (22.1-35.2)	12.5 (8.1-18.0)	
	55-64	49.3 (41.8-56.4)	16.2 (9.6-24.3)	6.7 (3.7-10.7)	21.3 (16.4-26.7)	62.1 (56.8-66.9)	21.2 (17.1-25.7)	10.9 (7.7-14.8)	61.8 (56.5-66.6)	21.0 (16.9-25.3)	10.7 (7.5-14.4)	61.8 (56.5-66.6)	21.0 (16.9-25.3)	10.7 (7.5-14.4)	61.8 (56.5-66.6)	21.0 (16.9-25.3)	10.7 (7.5-14.4)	
	65-74	31.7 (25.9-37.8)	7.8 (4.1-13.3)	1.7 (0.6-3.7)	9.6 (6.5-13.4)	55.6 (50.6-60.2)	21.5 (17.5-25.8)	8.3 (5.1-12.5)	55.0 (50.1-59.6)	20.8 (16.9-24.9)	7.8 (4.8-11.7)	55.0 (50.1-59.6)	20.8 (16.9-24.9)	7.8 (4.8-11.7)	55.0 (50.1-59.6)	20.8 (16.9-24.9)	7.8 (4.8-11.7)	
	75+	21.7 (16.8-26.9)	4.3 (1.5-9.7)	*	3.1 (1.8-5.1)	19.9 (17.0-22.9)	4.2 (2.8-6.0)	*	18.8 (16.1-21.6)	3.6 (2.4-5.1)	*	18.8 (16.1-21.6)	3.6 (2.4-5.1)	*	18.8 (16.1-21.6)	3.6 (2.4-5.1)	*	
	All ages	36.8 (33.5-40.1)	9.3 (6.8-12.2)	3.5 (2.4-4.8)	11.8 (10.0-13.7)	49.7 (47.2-52.1)	17.5 (15.7-19.5)	8.3 (6.9-9.9)	48.6 (46.2-51.0)	16.8 (15.0-18.6)	7.8 (6.4-9.3)	48.6 (46.2-51.0)	16.8 (15.0-18.6)	7.8 (6.4-9.3)	48.6 (46.2-51.0)	16.8 (15.0-18.6)	7.8 (6.4-9.3)	
	Bone	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
45-54		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
55-64		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
65-74		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
75+		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
Connective & soft tissues (incl. peripheral nerves)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	33.0 (11.0-57.5)	*	*	*	47.1 (26.0-65.8)	*	*	41.8 (25.3-57.5)	*	*	41.4 (25.1-56.9)	*	*	41.4 (25.1-56.9)	*	*		
Melanoma of skin	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
Non-melanoma skin cancer	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	61.7 (28.0-85.8)	*	*	56.9 (25.8-79.1)	*	*	56.9 (25.8-79.1)	*	*	56.9 (25.8-79.1)	*	*	
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)																		Stage: Local
		1968-1972			1973-1977			1978-1982			1983-1987			1988-1992			1993-1997			
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	
Female breast	15-44	94.5 (83.5-98.4)	87.4 (70.1-95.3)	73.0 (60.1-82.4)	98.9 (95.1-99.8)	85.4 (78.1-90.5)	76.2 (67.3-83.1)	65.3 (54.1-74.5)	95.5 (91.4-97.7)	83.5 (77.2-88.2)	77.6 (70.7-83.1)	66.4 (58.3-73.4)								
	45-54	91.0 (80.4-96.2)	82.1 (67.0-91.1)	69.1 (56.6-78.9)	94.3 (88.9-97.5)	77.1 (68.0-84.1)	66.6 (56.1-75.3)	61.4 (49.8-71.5)	97.1 (92.5-99.0)	90.5 (83.6-94.8)	81.0 (72.2-87.5)	66.4 (55.3-75.8)								
	55-64	96.6 (83.4-100.2)	77.3 (57.5-90.0)	74.1 (57.2-86.5)	95.5 (86.6-99.1)	74.9 (61.4-84.9)	66.6 (51.9-78.6)	51.1 (34.8-66.9)	98.7 (91.8-100.5)	85.0 (74.1-92.2)	75.5 (62.7-85.2)	65.5 (49.2-79.6)								
	65-74	99.9 (75.2-104.0)	109.9 (82.8-114.4)	93.6 (72.4-104.1)	88.6 (74.6-96.2)	78.2 (60.7-90.9)	62.3 (42.9-79.3)	58.5 (35.1-83.0)	101.2 (91.2-102.6)	91.5 (76.8-100.2)	85.4 (67.3-98.2)	85.9 (56.9-110.1)								
	75+	*	*	*	96.2 (60.2-108.2)	90.0 (55.8-115.1)	*	*	91.4 (73.7-100.6)	82.2 (55.9-102.0)	62.5 (31.9-93.5)	*								
All ages	*	*	*	96.8 (92.6-99.7)	82.1 (76.4-87.3)	63.0 (56.0-69.7)	55.2 (46.7-63.8)	96.3 (93.7-98.2)	86.2 (81.6-90.2)	75.4 (69.6-80.7)	71.0 (62.8-79.0)									
Cervix uteri	15-44	92.2 (80.2-97.1)	78.6 (62.1-88.7)	82.0 (70.4-89.5)	96.2 (88.2-98.8)	83.8 (72.9-90.7)	84.2 (73.2-91.1)	77.4 (65.0-86.2)	95.6 (90.4-98.1)	88.0 (80.6-92.8)	79.9 (70.4-86.7)	75.3 (64.7-83.4)								
	45-54	92.0 (70.4-98.3)	91.0 (74.0-97.3)	73.3 (54.8-85.8)	84.9 (73.5-91.8)	63.4 (49.2-74.7)	64.3 (49.9-75.8)	59.3 (43.5-72.7)	96.1 (87.6-99.0)	77.0 (63.3-86.3)	71.3 (56.7-82.1)	66.5 (50.3-79.2)								
	55-64	87.6 (64.4-96.8)	70.5 (41.4-88.6)	59.3 (37.4-76.9)	93.8 (79.9-98.8)	76.5 (58.4-88.3)	66.2 (46.7-81.2)	60.0 (37.3-79.9)	99.0 (86.8-100.8)	98.7 (84.9-102.4)	88.5 (69.6-98.4)	88.0 (66.2-102.0)								
	65-74	*	*	*	82.5 (41.5-97.9)	*	*	*	87.6 (62.3-97.8)	48.3 (23.2-71.3)	*	*								
	75+	*	*	*	86.5 (79.1-91.7)	64.8 (29.9-89.5)	*	*	64.8 (29.9-89.5)	64.8 (29.9-89.5)	*	*								
All ages	*	*	*	86.5 (79.1-91.7)	67.7 (58.4-75.6)	64.7 (55.0-73.2)	86.8 (81.2-91.1)	69.0 (61.4-75.7)	66.7 (58.5-74.1)	66.7 (58.5-74.1)	61.2 (53.8-68.1)	61.9 (53.4-70.0)								
Corpus uteri	15-44	79.5 (48.8-93.1)	92.3 (56.0-99.0)	79.6 (48.7-93.3)	100.2 (100.2-100.2)	92.3 (54.6-99.3)	92.7 (54.8-99.8)	67.7 (44.9-84.4)	93.7 (76.7-98.5)	83.5 (64.3-93.0)	83.8 (64.5-93.4)	76.8 (50.7-91.1)								
	45-54	83.9 (61.9-94.0)	83.5 (56.1-92.3)	79.3 (55.6-91.8)	88.3 (71.1-95.7)	76.6 (57.5-88.3)	73.5 (53.3-86.7)	67.7 (44.9-84.4)	94.8 (84.1-98.6)	90.9 (77.8-97.0)	92.1 (78.7-98.2)	96.5 (82.5-102.9)								
	55-64	81.6 (60.0-92.7)	86.3 (66.0-95.4)	59.7 (39.8-75.4)	84.7 (68.0-93.5)	70.5 (50.8-84.5)	62.5 (41.8-78.9)	58.7 (36.3-78.8)	99.4 (89.4-100.9)	90.5 (76.3-97.7)	93.6 (78.9-101.0)	98.5 (75.0-110.7)								
	65-74	*	*	*	99.1 (75.5-103.0)	101.7 (72.1-110.5)	*	*	93.9 (70.8-100.8)	88.4 (64.0-101.1)	87.7 (61.7-103.8)	*								
	75+	*	*	*	88.4 (76.8-95.8)	63.3 (48.7-76.5)	65.3 (49.5-79.9)	99.2 (93.3-102.2)	78.0 (67.0-87.1)	84.4 (71.4-95.2)	88.2 (79.1-95.5)	80.9 (63.4-96.4)								
All ages	*	*	*	94.3 (76.8-95.8)	87.8 (74.3-94.6)	85.0 (70.1-93.1)	95.5 (86.5-98.6)	81.8 (69.3-89.7)	80.1 (67.1-88.5)	84.0 (71.4-95.2)	80.8 (68.7-88.9)									
Ovary & fallopian tube	15-44	88.4 (67.9-96.2)	83.4 (60.4-93.8)	83.4 (74.3-94.6)	93.7 (86.5-98.6)	70.7 (69.3-89.7)	65.4 (61.7-82.0)	73.6 (58.7-84.2)	100.4 (87.5-99.3)	83.8 (73.0-90.6)	84.0 (73.2-90.9)	80.8 (68.7-88.9)								
	45-54	82.3 (45.0-95.7)	89.1 (61.2-99.5)	84.0 (45.4-97.3)	90.2 (71.8-97.0)	70.7 (48.7-85.0)	65.4 (41.7-82.0)	73.6 (58.7-84.2)	100.4 (100.4-100.4)	101.4 (101.4-101.4)	102.6 (102.6-102.6)	95.0 (67.1-103.7)								
	55-64	89.1 (59.7-98.5)	82.3 (53.1-94.7)	71.6 (41.9-89.3)	97.1 (74.9-100.7)	90.3 (66.2-99.7)	87.3 (59.8-100.4)	83.6 (61.0-94.2)	83.6 (61.0-94.2)	59.2 (36.3-76.9)	54.7 (32.5-73.5)	48.2 (25.7-70.0)								
	65-74	*	*	*	96.3 (60.3-102.8)	73.4 (34.2-97.0)	*	*	83.5 (44.1-97.9)	*	*	*								
	75+	*	*	*	79.4 (69.0-87.2)	57.6 (45.4-68.6)	59.3 (46.3-71.3)	95.9 (89.9-99.9)	69.5 (60.0-78.0)	58.3 (46.6-69.6)	85.5 (75.4-93.9)	60.0 (45.4-74.2)								
All ages	*	*	*	94.3 (76.8-95.8)	87.8 (74.3-94.6)	85.0 (70.1-93.1)	95.5 (86.5-98.6)	81.8 (69.3-89.7)	80.1 (67.1-88.5)	84.0 (71.4-95.2)	80.8 (68.7-88.9)									

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)															Stage: Regional			
		1968-1972			1973-1977			1978-1982			1983-1987			1988-1992						
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr		3yr	5yr	10yr
Female breast	15-44	86.8 (75.9-93.0)	53.1 (38.4-65.9)	54.5 (41.9-65.5)	88.1 (80.6-92.8)	50.6 (40.4-60.0)	41.8 (31.8-51.5)	25.1 (16.3-34.8)	92.5 (86.8-95.9)	58.1 (49.3-65.8)	47.5 (38.5-55.9)	32.7 (23.7-42.0)								
	45-54	76.8 (63.2-86.1)	46.2 (30.1-61.0)	38.0 (27.1-49.0)	83.2 (73.9-89.5)	54.0 (43.4-63.6)	39.4 (29.2-49.5)	29.2 (19.3-40.1)	91.2 (84.7-95.1)	65.6 (56.1-73.7)	47.7 (37.2-57.5)	34.4 (23.9-45.2)								
	55-64	65.9 (51.4-77.2)	49.6 (33.6-64.1)	34.3 (23.0-46.1)	79.4 (70.3-86.3)	41.3 (30.7-51.7)	27.9 (18.5-38.4)	18.4 (10.0-29.1)	86.2 (77.3-92.0)	62.6 (51.5-72.1)	47.5 (36.1-58.3)	41.0 (29.0-53.4)								
	65-74	68.3 (48.5-82.5)	*	35.5 (18.2-55.0)	90.2 (77.3-97.1)	62.4 (44.1-77.9)	62.8 (42.2-80.9)	*	82.0 (68.8-90.6)	65.7 (50.6-78.2)	45.8 (31.1-60.4)	*								
	75+	75.2 (39.0-98.7)	*	*	72.8 (46.1-91.6)	41.0 (16.2-71.2)	*	*	79.3 (54.2-95.0)	72.1 (43.2-96.3)	*	*								
All ages	*	*	37.2 (30.3-44.4)	82.2 (77.5-86.2)	50.0 (43.9-56.0)	43.3 (36.8-49.9)	34.3 (26.5-42.9)	84.1 (80.0-87.6)	66.4 (61.1-71.4)	40.7 (35.0-46.5)	29.9 (23.8-36.6)									
Cervix uteri	15-44	79.3 (66.3-87.8)	55.3 (39.3-68.7)	42.5 (30.3-54.2)	77.0 (67.9-83.9)	54.0 (43.8-63.1)	48.1 (37.8-57.7)	43.1 (32.1-53.7)	87.7 (78.9-93.1)	55.4 (44.3-65.2)	45.6 (34.7-55.9)	44.0 (33.0-54.4)								
	45-54	73.1 (62.7-81.1)	49.8 (37.2-61.3)	51.4 (40.9-61.0)	79.5 (71.7-85.4)	63.3 (54.4-71.0)	50.5 (41.4-58.9)	42.8 (33.4-52.0)	78.6 (70.9-84.5)	54.0 (45.3-61.9)	44.1 (35.6-52.4)	37.8 (29.4-46.3)								
	55-64	75.5 (65.2-83.3)	51.7 (38.8-63.5)	43.3 (33.9-52.6)	76.8 (67.4-83.9)	51.8 (42.1-60.8)	44.2 (34.6-53.6)	35.8 (25.9-46.2)	83.8 (75.0-89.8)	50.9 (40.6-60.4)	41.4 (31.5-51.3)	35.1 (25.3-45.5)								
	65-74	83.0 (68.9-92.0)	63.0 (42.8-79.5)	43.4 (29.0-58.0)	75.6 (62.8-84.9)	51.3 (37.8-63.9)	46.6 (32.5-60.7)	42.3 (25.6-61.2)	76.5 (62.8-86.2)	40.1 (25.9-54.4)	27.4 (15.5-41.5)	24.5 (12.5-40.2)								
	75+	74.4 (44.2-93.8)	*	*	65.5 (37.4-85.6)	*	*	*	74.5 (55.3-87.9)	43.9 (24.2-64.3)	*	*								
All ages	*	*	43.9 (38.2-49.6)	75.2 (70.8-79.1)	51.2 (46.1-56.2)	43.0 (37.8-48.2)	37.6 (31.8-43.7)	80.6 (76.4-84.1)	49.2 (44.1-54.2)	40.5 (35.4-45.6)	35.7 (30.5-41.1)									
Corpus uteri	15-44	*	*	*	90.5 (47.7-99.0)	*	*	81.2 (42.9-95.2)	81.9 (43.3-96.1)	*	*									
	45-54	*	*	*	54.3 (19.2-80.2)	*	*	58.7 (34.0-77.1)	*	*	*									
	55-64	60.9 (25.7-84.0)	*	*	51.4 (19.8-76.3)	*	*	54.3 (19.2-80.2)	*	*	*									
	65-74	*	*	*	50.6 (18.5-77.0)	*	*	*	*	*	*									
	75+	*	*	*	*	*	*	*	*	*	*									
All ages	*	*	41.6 (24.5-58.9)	58.3 (41.0-72.5)	54.5 (35.6-71.2)	58.2 (37.3-77.1)	58.2 (37.3-77.1)	75.1 (59.9-85.7)	43.7 (28.0-59.1)	31.8 (17.8-47.7)	35.4 (17.6-57.6)									
Ovary & fallopian tube	15-44	57.7 (31.1-77.2)	*	44.7 (20.2-66.5)	76.0 (54.2-88.5)	51.1 (28.8-69.7)	46.8 (25.4-65.9)	46.8 (25.4-65.9)	80.1 (64.0-89.6)	47.4 (31.3-61.9)	44.2 (28.2-59.2)	*								
	45-54	68.8 (43.0-84.9)	*	72.6 (36.7-90.5)	72.0 (49.9-85.7)	55.9 (29.1-76.4)	*	74.2 (54.8-86.3)	40.8 (23.3-57.6)	38.3 (21.3-55.3)	*									
	55-64	101.2 (101.2-101.2)	*	70.3 (32.7-90.0)	49.6 (25.7-69.9)	*	*	87.8 (65.4-96.6)	62.9 (35.0-82.4)	62.9 (35.0-82.4)	*	*								
	65-74	*	*	43.5 (15.1-70.0)	41.1 (14.9-66.6)	*	*	37.6 (14.9-61.0)	*	*	*	*								
	75+	*	*	*	*	*	*	*	*	*	*	*								
All ages	*	*	19.7 (10.9-30.7)	38.7 (28.2-49.3)	26.9 (17.1-37.9)	25.2 (15.4-36.7)	18.6 (9.1-31.5)	50.9 (41.4-59.7)	26.2 (18.3-34.9)	17.8 (10.9-26.3)	16.2 (9.0-25.8)									

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Stage: Distant
		1968-1972			1973-1977			1978-1982			1983-1987			
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	
Female breast	15-44	33.4 (13.0-55.5)	*	23.0 (8.7-41.3)	*	52.6 (23.8-75.0)	*	48.1 (27.6-66.1)	*	*	*	*	*	*
	45-54	21.3 (6.0-43.0)	*	46.0 (19.5-69.2)	*	42.5 (23.5-60.3)	*	62.8 (43.0-77.4)	*	25.6 (11.3-42.8)	*	*	*	*
	55-64	26.0 (10.1-45.6)	*	43.8 (21.3-64.6)	*	51.7 (26.4-72.4)	*	25.6 (7.2-49.4)	*	*	*	*	*	*
	65-74	25.9 (6.2-52.3)	*	46.9 (17.6-72.7)	*	29.9 (11.6-51.3)	*	54.0 (24.3-77.2)	*	*	*	*	*	*
	75+	*	*	*	*	45.2 (14.5-75.1)	*	39.0 (12.3-67.6)	*	*	*	*	*	*
All ages	*	*	40.2 (28.1-52.1)	19.1 (9.4-32.0)	42.3 (31.5-52.8)	12.7 (6.2-21.8)	44.7 (34.3-54.8)	20.3 (12.2-30.4)	22.8 (14.7-32.3)	*	*	*	*	
Cervix uteri	15-44	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	29.7 (10.4-52.1)	*	*	*	47.5 (13.6-75.8)	*	*	*	*	*	
	55-64	33.8 (13.1-56.2)	*	50.9 (25.5-71.8)	*	14.1 (3.2-33.1)	*	42.8 (12.8-70.6)	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	33.1 (21.0-45.8)	*	35.5 (17.9-53.6)	11.0 (3.9-22.4)	30.6 (17.0-45.4)	*	*	*	*	*		
Corpus uteri	15-44	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	*	*	12.4 (2.7-30.1)	*	18.7 (6.0-37.0)	*	*	*	*	*		
Ovary & fallopian tube	15-44	33.4 (11.3-57.7)	*	62.5 (32.3-82.3)	*	29.6 (9.6-53.1)	*	66.0 (36.7-84.2)	*	*	*	*	*	
	45-54	33.6 (7.9-62.7)	*	45.3 (14.8-72.2)	*	32.9 (16.2-50.7)	*	36.6 (19.3-54.1)	*	*	*	*	*	
	55-64	62.7 (31.4-83.4)	*	38.8 (16.0-61.5)	*	23.9 (9.6-41.9)	*	37.8 (19.2-56.4)	*	*	*	*	*	
	65-74	*	*	14.4 (1.7-40.5)	*	34.0 (8.7-62.7)	*	26.3 (9.3-47.4)	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	33.3 (20.4-46.9)	*	26.9 (17.7-37.0)	7.8 (3.5-14.4)	29.2 (20.2-39.0)	3.2 (0.7-9.2)	*	*	*	*		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)										Observed Survival (%)					Stage: Local	
		1988-1992					1993-1997					1998-2002						
		1Yr	3Yr	5Yr	10Yr	15Yr	1Yr	3Yr	5Yr	10Yr	15Yr	1Yr	3Yr	5Yr	10Yr			
Female breast	15-44	99.4	90.6	85.0	75.9	68.5	95.6	88.5	81.3	76.0	70.2	96.6	99.5	96.3	90.9	85.2	81.1	78.4
	45-54	99.3	93.7	87.4	74.9	66.0	96.8	94.7	86.5	80.5	74.9	100.1	99.9	96.3	90.6	82.0	77.4	74.8
	55-64	98.6	91.1	81.6	57.2	43.1	100.3	96.2	85.1	74.4	68.3	99.1	98.6	96.1	89.6	75.8	71.5	68.5
	65-74	98.8	91.4	80.0	71.1	63.4	97.9	91.1	83.4	73.4	67.8	97.8	96.2	94.1	86.2	77.3	73.1	70.2
	75+	90.3	89.2	77.8	*	*	99.0	97.9	91.3	82.0	75.5	95.5	88.9	83.5	78.9	71.5	68.2	65.1
	All ages	96.0	90.8	83.3	68.7	60.2	98.3	95.2	89.3	80.3	74.4	97.7	96.2	91.5	88.3	81.6	77.6	74.5
	15-44	96.3	84.5	79.6	76.1	70.2	86.4	82.1	78.9	73.4	68.3	98.4	93.0	89.5	83.8	78.5	74.1	70.8
	45-54	96.5	85.8	78.2	68.0	60.2	88.0	84.6	78.0	71.4	65.8	96.6	96.4	93.8	87.8	81.1	76.2	73.1
	55-64	96.6	82.4	74.3	62.7	55.5	96.1	93.5	86.4	75.9	69.9	90.3	89.8	87.3	80.9	74.3	69.0	65.6
	65-74	87.1	61.8	66.4	*	*	89.8	89.8	85.2	76.1	70.2	97.3	97.2	95.7	92.3	87.3	81.0	76.2
75+	70.1	44.0	*	*	*	91.3	87.2	82.2	73.1	67.2	80.9	62.3	60.0	51.9	43.2	38.1	35.1	
All ages	88.6	70.8	67.7	60.2	53.2	92.5	76.7	74.3	67.6	62.5	92.7	90.3	87.2	81.2	75.0	70.2	67.2	
15-44	98.5	98.8	99.1	92.9	87.8	98.8	99.1	98.8	96.0	92.8	98.0	98.0	95.8	97.9	95.4	94.0	92.0	
45-54	98.8	94.0	93.3	92.1	89.3	95.8	95.8	95.8	91.6	88.2	98.8	98.8	96.6	93.2	90.2	87.3	85.1	
55-64	96.9	90.6	88.4	76.4	68.4	97.7	85.9	80.2	72.0	66.4	95.9	95.9	89.3	87.7	86.0	80.0	77.1	
65-74	90.7	74.3	74.8	64.6	58.2	96.0	96.0	93.3	87.2	82.2	93.6	92.3	81.4	80.6	74.1	62.9	60.9	
75+	63.0	*	*	*	*	95.5	84.7	84.7	61.8	58.2	94.3	94.3	86.9	85.5	80.1	74.1	62.9	
All ages	84.5	70.8	70.0	70.3	62.2	96.6	85.6	78.8	68.1	63.1	95.0	93.0	83.9	87.2	80.5	75.0	72.2	
15-44	96.0	87.7	85.7	85.1	81.1	97.7	92.6	90.9	85.6	81.1	99.6	99.5	91.9	94.8	91.6	87.1	84.1	
45-54	97.4	91.4	83.6	78.6	70.9	96.8	90.7	82.3	70.5	65.8	96.6	96.4	96.4	90.8	81.5	76.6	73.1	
55-64	92.6	74.9	71.8	59.9	51.1	98.6	88.8	85.8	70.9	65.8	93.3	92.8	82.8	84.0	77.8	75.1	72.1	
65-74	102.5	108.4	*	*	*	91.5	79.8	64.8	44.7	40.2	87.1	85.7	50.9	63.0	57.8	37.6	35.1	
75+	*	*	*	*	*	82.3	68.2	68.2	42.7	38.2	88.4	88.4	68.2	58.0	58.0	37.6	35.1	
All ages	96.2	91.8	91.4	77.7	64.2	91.0	84.7	77.0	57.0	50.2	90.8	88.7	63.6	71.0	63.2	48.2	45.1	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Site	Age Group	Relative Survival (%)										Observed Survival (%)									
		1988-1992					1993-1997					1998-2002					1998-2002				
		1Yr	3Yr	5Yr	10Yr	15Yr	1Yr	3Yr	5Yr	10Yr	15Yr	1Yr	3Yr	5Yr	10Yr	15Yr	1Yr	3Yr	5Yr	10Yr	
Female breast	15-44	95.9	71.1	55.9	42.6	95.7	81.3	65.8	51.7	98.3	88.7	73.2	60.9	98.3	88.4	72.8	60.2	98.3	88.4	72.8	60.2
	45-54	94.2	75.4	65.2	51.6	98.9	86.9	73.2	63.2	96.9	84.4	76.6	62.5	96.7	83.9	75.7	60.5	96.7	83.9	75.7	60.5
	55-64	92.7	63.7	51.0	30.4	96.6	68.8	58.6	44.8	97.9	85.2	74.6	58.9	97.4	83.6	72.1	53.6	97.4	83.6	72.1	53.6
	65-74	92.5	79.6	62.3	51.2	93.6	73.8	67.3	55.4	99.4	91.7	71.7	58.7	97.8	80.4	65.1	44.7	97.8	80.4	65.1	44.7
	75+	78.5	53.4	49.4	*	78.4	66.8	67.1	*	92.9	70.0	63.3	*	87.8	57.8	45.1	*	87.8	57.8	45.1	*
All ages	88.1	66.8	55.5	45.7	89.3	71.5	64.0	50.6	96.6	80.3	70.0	52.8	94.2	74.1	61.1	39.2	94.2	74.1	61.1	39.2	
Cervix uteri	15-44	87.7	60.5	51.3	49.4	84.1	67.5	55.3	51.3	85.4	52.1	44.5	56.0	85.3	56.0	51.9	44.0	85.3	56.0	51.9	44.0
	45-54	86.9	66.7	56.7	50.4	82.4	58.1	53.4	46.2	87.9	61.0	53.0	50.3	87.8	60.6	52.4	48.6	87.8	60.6	52.4	48.6
	55-64	88.3	65.0	55.1	37.2	82.6	62.5	55.4	46.4	84.1	68.8	57.8	52.4	83.6	67.5	55.8	47.7	83.6	67.5	55.8	47.7
	65-74	79.1	52.9	45.6	30.9	77.9	61.2	48.4	38.7	82.3	54.7	52.5	42.2	81.0	51.8	47.3	32.0	81.0	51.8	47.3	32.0
	75+	68.7	30.8	28.3	*	82.5	54.5	*	*	80.3	81.2	81.0	*	76.0	66.3	56.2	*	76.0	66.3	56.2	*
All ages	82.3	54.7	46.9	37.3	81.9	59.6	49.1	42.6	83.4	64.7	59.5	53.5	81.8	60.5	52.9	42.8	81.8	60.5	52.9	42.8	
Corpus uteri	15-44	*	*	*	*	93.3	*	*	*	86.7	73.4	66.8	*	86.6	73.2	66.5	*	86.6	73.2	66.5	*
	45-54	91.2	*	*	*	85.4	80.8	*	*	92.4	70.7	66.9	*	92.3	70.3	66.1	*	92.3	70.3	66.1	*
	55-64	60.1	34.7	*	*	82.0	62.1	51.9	*	89.9	65.1	60.8	*	89.5	63.9	58.9	*	89.5	63.9	58.9	*
	65-74	*	*	*	*	58.2	37.0	37.0	*	84.1	*	*	*	82.9	*	*	*	82.9	*	*	*
	75+	*	*	*	*	77.5	59.5	55.6	38.7	75.2	56.2	42.1	40.2	73.1	52.6	37.4	31.3	73.1	52.6	37.4	31.3
All ages	91.3	69.9	55.6	52.4	84.8	72.4	64.9	56.3	95.0	78.2	74.8	61.4	95.0	78.0	74.5	60.8	95.0	78.0	74.5	60.8	
Ovary & fallopian tube	15-44	69.4	47.8	34.3	29.5	77.4	55.4	40.0	34.6	96.9	77.5	57.4	35.4	96.7	77.0	56.7	34.2	96.7	77.0	56.7	34.2
	45-54	61.0	34.7	26.0	15.1	62.0	31.1	23.3	15.6	89.8	74.2	58.5	34.4	89.3	72.8	56.6	34.2	89.3	72.8	56.6	34.2
	55-64	61.9	34.4	29.7	15.1	71.8	38.7	30.9	15.6	90.3	46.4	39.4	34.4	88.8	43.9	35.6	34.2	88.8	43.9	35.6	34.2
	65-74	21.7	71.9	*	*	39.5	16.9	16.2	*	40.2	*	*	*	38.6	*	*	*	38.6	*	*	*
	75+	*	*	*	*	14.5	65.1	*	*	12.5	67.9	*	*	12.0	65.2	*	*	12.0	65.2	*	*
All ages	50.0	28.2	25.8	20.0	60.2	42.5	29.6	18.3	73.7	42.2	34.0	30.6	72.1	39.9	30.2	23.4	72.1	39.9	30.2	23.4	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1988-2002

Site	Age Group	1988-1992						1993-1997						1998-2002						Observed Survival (%)					
		1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr				
Female breast	15-44	69.0	41.1	*	65.5	30.5	26.6	*	76.9	36.1	23.4	13.6	76.8	36.1	23.4	13.6	76.8	36.1	23.4	13.6	76.8	36.1	23.4	13.6	
		(53.3-80.3)	(26.6-55.1)	*	(44.3-80.3)	(14.5-48.1)	(12.3-45.3)	*	(64.1-85.6)	(24.4-48.0)	(13.4-35.0)	(5.5-25.4)	(64.1-85.5)	(24.3-47.9)	(13.4-34.9)	(5.4-25.1)	(64.1-85.5)	(24.3-47.9)	(13.4-34.9)	(5.4-25.1)	(64.1-85.5)	(24.3-47.9)	(13.4-34.9)	(5.4-25.1)	
	45-54	71.6	39.3	*	72.4	47.7	33.1	*	67.3	36.1	31.4	*	67.2	35.9	31.1	*	67.2	35.9	31.1	*	67.2	35.9	31.1	*	
		(51.2-84.8)	(22.2-56.1)	*	(56.5-83.3)	(31.2-62.6)	(17.7-49.5)	*	(55.6-76.6)	(25.3-47.0)	(21.0-42.4)	*	(55.6-76.4)	(25.1-46.7)	(20.8-41.9)	*	(55.6-76.4)	(25.1-46.7)	(20.8-41.9)	*	(55.6-76.4)	(25.1-46.7)	(20.8-41.9)	*	
	55-64	43.5	*	*	49.8	*	*	*	70.3	36.8	31.1	*	69.9	36.1	30.0	*	69.9	36.1	30.0	*	69.9	36.1	30.0	*	
Cervix uteri	15-44	64.8	*	*	48.8	*	*	52.8	42.2	*	*	51.9	39.9	*	*	51.9	39.9	*	*	51.9	39.9	*	*		
		(39.1-82.5)	*	*	(28.5-66.6)	*	*	(33.6-69.1)	(23.5-60.3)	*	*	(33.0-67.8)	(22.2-57.1)	*	*	(33.0-67.8)	(22.2-57.1)	*	*	(33.0-67.8)	(22.2-57.1)	*	*		
	45-54	40.1	*	*	53.4	35.8	*	60.9	32.8	*	*	57.2	27.1	*	*	57.2	27.1	*	*	57.2	27.1	*	*		
		(16.1-64.4)	*	*	(24.8-77.1)	(12.5-63.8)	*	(38.9-78.2)	(13.4-55.8)	*	*	(36.5-73.4)	(11.1-46.1)	*	*	(36.5-73.4)	(11.1-46.1)	*	*	(36.5-73.4)	(11.1-46.1)	*	*		
	All ages	53.6	28.5	16.0	54.1	33.0	25.8	*	62.8	37.0	27.9	12.6	61.3	34.5	24.7	8.8	61.3	34.5	24.7	8.8	61.3	34.5	24.7	8.8	
Corpus uteri	15-44	69.1	47.3	*	76.7	50.0	*	76.7	48.8	45.8	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*		
		(43.9-84.8)	(24.1-67.4)	*	(55.3-88.8)	(23.9-71.5)	*	(58.8-87.6)	(31.1-64.4)	(28.5-61.6)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*		
	45-54	59.8	*	*	74.6	51.5	43.5	64.0	42.8	34.4	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*		
		(41.1-74.3)	*	*	(60.8-84.1)	(36.1-65.1)	(27.0-58.9)	(51.9-73.8)	(31.4-53.7)	(23.7-45.4)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*		
	55-64	74.2	42.7	*	66.7	29.3	*	66.6	34.9	14.8	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*		
Ovary & fallopian tube	15-44	69.1	47.3	*	76.7	50.0	*	76.7	48.8	45.8	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*		
		(43.9-84.8)	(24.1-67.4)	*	(55.3-88.8)	(23.9-71.5)	*	(58.8-87.6)	(31.1-64.4)	(28.5-61.6)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*		
	45-54	59.8	*	*	74.6	51.5	43.5	64.0	42.8	34.4	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*		
		(41.1-74.3)	*	*	(60.8-84.1)	(36.1-65.1)	(27.0-58.9)	(51.9-73.8)	(31.4-53.7)	(23.7-45.4)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*		
	55-64	74.2	42.7	*	66.7	29.3	*	66.6	34.9	14.8	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*		
All ages	15-44	69.1	47.3	*	76.7	50.0	*	76.7	48.8	45.8	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*		
		(43.9-84.8)	(24.1-67.4)	*	(55.3-88.8)	(23.9-71.5)	*	(58.8-87.6)	(31.1-64.4)	(28.5-61.6)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*		
	45-54	59.8	*	*	74.6	51.5	43.5	64.0	42.8	34.4	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*		
		(41.1-74.3)	*	*	(60.8-84.1)	(36.1-65.1)	(27.0-58.9)	(51.9-73.8)	(31.4-53.7)	(23.7-45.4)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*		
	55-64	74.2	42.7	*	66.7	29.3	*	66.6	34.9	14.8	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*		
All ages	15-44	69.1	47.3	*	76.7	50.0	*	76.7	48.8	45.8	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*	76.6	48.7	45.6	*		
		(43.9-84.8)	(24.1-67.4)	*	(55.3-88.8)	(23.9-71.5)	*	(58.8-87.6)	(31.1-64.4)	(28.5-61.6)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*	(58.7-87.5)	(31.0-64.2)	(28.4-61.4)	*		
	45-54	59.8	*	*	74.6	51.5	43.5	64.0	42.8	34.4	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*	63.9	42.5	34.0	*		
		(41.1-74.3)	*	*	(60.8-84.1)	(36.1-65.1)	(27.0-58.9)	(51.9-73.8)	(31.4-53.7)	(23.7-45.4)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*	(51.8-73.7)	(31.2-53.4)	(23.4-44.9)	*		
	55-64	74.2	42.7	*	66.7	29.3	*	66.6	34.9	14.8	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*	66.2	34.3	14.3	*		

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007				2008-2012				2013-2017				2013-2017			2013-2017		
		1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	10Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr
Female breast	15-44	100.1	99.5	97.6	98.9	98.9	97.6	98.1	99.9	98.8	99.3	98.1	99.8	98.8	99.1	95.8	98.7	99.1	97.8
		(100.1-100.1)	(97.3-100.1)	(95.8-98.7)	(97.5-99.6)	(97.5-99.6)	(95.8-98.7)	(98.1-100.1)	(98.8-100.0)	(98.0-99.8)	(98.0-99.8)	(96.4-99.1)	(98.7-100.0)	(98.7-100.0)	(97.8-99.6)	(98.7-100.0)	(96.1-98.7)	(97.8-99.6)	(96.1-98.7)
		100.2	99.8	99.0	99.9	99.9	99.0	100.1	100.1	99.7	99.7	99.4	99.9	99.9	99.2	99.9	99.5	99.2	98.5
		(100.2-100.2)	(98.3-100.3)	(97.8-99.8)	(99.0-100.3)	(99.0-100.3)	(97.8-99.8)	(99.3-100.1)	(99.4-100.1)	(98.8-100.1)	(98.8-100.1)	(96.4-99.1)	(99.3-100.0)	(99.3-100.0)	(98.3-99.6)	(99.3-100.0)	(98.3-99.6)	(98.3-99.6)	(97.5-99.1)
		100.5	100.2	99.5	99.5	99.5	99.5	99.8	99.8	98.8	98.8	98.3	99.4	99.4	97.5	99.4	96.0	97.5	96.0
Cervix uteri	15-44	100.4	98.2	97.6	100.2	100.2	100.6	99.6	99.6	99.6	99.2	100.1	98.6	98.6	98.6	98.6	98.6	98.6	98.6
		(100.5-100.5)	(97.7-101.1)	(97.6-100.7)	(98.0-100.4)	(98.0-100.4)	(97.6-100.7)	(99.0-100.1)	(99.0-100.1)	(97.5-99.6)	(97.5-99.6)	(96.6-99.4)	(98.6-99.7)	(98.6-99.7)	(96.3-98.4)	(98.6-99.7)	(98.6-99.7)	(96.3-98.4)	(98.6-99.7)
		100.4	98.2	97.6	100.2	100.2	100.6	99.6	99.6	99.2	100.1	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6
		(97.4-101.2)	(92.3-101.4)	(96.4-103.4)	(97.0-102.0)	(97.0-102.0)	(96.4-103.4)	(98.9-101.1)	(98.2-100.3)	(97.0-100.7)	(97.0-100.7)	(96.4-103.4)	(99.3-102.1)	(99.3-102.1)	(97.2-99.3)	(99.3-102.1)	(97.2-99.3)	(97.2-99.3)	(97.2-99.3)
		102.4	103.7	100.8	101.3	101.3	100.3	102.0	102.0	99.9	99.9	102.4	102.4	97.9	87.1	97.9	87.1	97.9	79.5
Corpus uteri	15-44	96.9	94.0	88.7	89.2	89.2	88.7	88.1	98.1	98.1	98.1	87.0	98.0	98.0	90.9	98.0	90.9	86.7	
		(91.8-98.9)	(87.5-97.2)	(81.4-93.3)	(82.1-93.7)	(82.1-93.7)	(81.4-93.3)	(94.0-99.4)	(94.0-99.4)	(85.0-94.8)	(85.0-94.8)	(79.9-91.7)	(94.0-99.4)	(94.0-99.4)	(84.9-94.6)	(94.0-99.4)	(84.9-94.6)	(79.9-91.7)	
		99.4	93.5	88.3	88.3	88.3	88.3	98.3	98.3	94.9	94.9	92.4	98.2	98.2	94.4	98.2	94.4	91.5	
		(94.8-100.1)	(86.1-97.2)	(81.0-93.0)	(81.0-93.0)	(81.0-93.0)	(81.0-93.0)	(93.0-99.7)	(93.0-99.7)	(88.4-97.9)	(88.4-97.9)	(85.1-96.4)	(92.8-99.5)	(92.8-99.5)	(87.9-97.4)	(92.8-99.5)	(87.9-97.4)	(85.1-96.4)	
		98.9	89.4	87.5	91.6	91.6	87.5	98.1	98.1	92.9	92.9	88.2	97.7	97.7	91.8	97.7	91.8	86.2	
Ovary & fallopian tube	15-44	96.4	71.7	77.3	88.5	88.5	84.6	101.1	91.7	91.7	89.7	89.7	100.0	100.0	88.4	100.0	88.4	83.6	
		(89.5-100.3)	(73.7-96.6)	(77.3-93.8)	(82.6-96.4)	(82.6-96.4)	(77.3-93.8)	(91.5-99.8)	(91.5-99.8)	(84.6-97.2)	(84.6-97.2)	(78.1-94.3)	(91.2-99.4)	(91.2-99.4)	(83.5-96.0)	(91.2-99.4)	(83.5-96.0)	(78.1-94.3)	
		96.4	71.7	77.3	88.5	88.5	84.6	101.1	91.7	91.7	89.7	89.7	100.0	100.0	88.4	100.0	88.4	83.6	
		(82.9-100.2)	(46.8-87.8)	(68.4-94.8)	(74.0-96.4)	(74.0-96.4)	(68.4-94.8)	(101.1-101.1)	(101.1-101.1)	(77.1-98.6)	(77.1-98.6)	(73.7-98.5)	(100.0-100.0)	(100.0-100.0)	(74.3-95.0)	(100.0-100.0)	(74.3-95.0)	(73.7-98.5)	
		93.4	*	83.9	91.2	91.2	83.9	97.8	97.8	98.8	98.8	71.9	94.5	94.5	88.0	94.5	88.0	57.1	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017					
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr			
Female breast	15-44	99.7	96.1	93.6	96.3	94.4	93.6	95.8	97.5	93.2	99.7	97.3	92.9	99.7	97.3	92.9			
		(98.6-100.0)	(93.3-97.8)	(91.2-95.3)	(94.4-97.6)	(98.3-99.8)	(91.2-95.3)	(98.9-100.0)	(95.9-98.5)	(90.9-95.0)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)			
		99.8	95.0	93.5	96.6	99.6	93.5	99.5	97.4	94.3	99.3	96.9	93.4	99.3	96.9	93.4			
		(98.9-100.1)	(92.2-96.8)	(91.6-95.1)	(95.1-97.6)	(98.8-99.9)	(91.6-95.1)	(98.7-99.8)	(96.1-98.4)	(92.6-95.7)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)			
		100.1	95.3	93.0	96.7	99.4	93.0	99.4	97.7	94.6	99.0	96.4	92.4	99.0	96.4	92.4			
Cervix uteri	15-44	99.4	96.3	93.6	96.3	99.4	93.6	95.8	97.5	93.2	99.4	97.3	92.9	99.4	97.3	92.9			
		(98.3-99.8)	(94.4-97.6)	(91.2-95.3)	(94.4-97.6)	(98.3-99.8)	(91.2-95.3)	(98.9-100.0)	(95.9-98.5)	(90.9-95.0)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)			
		99.6	96.6	93.0	96.7	99.6	93.0	99.5	97.4	94.3	99.3	96.9	93.4	99.3	96.9	93.4			
		(98.8-99.9)	(95.1-97.6)	(91.6-95.1)	(95.1-97.6)	(98.8-99.9)	(91.6-95.1)	(98.7-99.8)	(96.1-98.4)	(92.6-95.7)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)			
		100.1	95.3	93.0	96.7	99.4	93.0	99.4	97.7	94.6	99.0	96.4	92.4	99.0	96.4	92.4			
Corpus uteri	15-44	99.4	96.3	93.6	96.3	99.4	93.6	95.8	97.5	93.2	99.4	97.3	92.9	99.4	97.3	92.9			
		(98.3-99.8)	(94.4-97.6)	(91.2-95.3)	(94.4-97.6)	(98.3-99.8)	(91.2-95.3)	(98.9-100.0)	(95.9-98.5)	(90.9-95.0)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)			
		99.6	96.6	93.0	96.7	99.6	93.0	99.5	97.4	94.3	99.3	96.9	93.4	99.3	96.9	93.4			
		(98.8-99.9)	(95.1-97.6)	(91.6-95.1)	(95.1-97.6)	(98.8-99.9)	(91.6-95.1)	(98.7-99.8)	(96.1-98.4)	(92.6-95.7)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)			
		100.1	95.3	93.0	96.7	99.4	93.0	99.4	97.7	94.6	99.0	96.4	92.4	99.0	96.4	92.4			
Ovary & fallopian tube	15-44	99.4	96.3	93.6	96.3	99.4	93.6	95.8	97.5	93.2	99.4	97.3	92.9	99.4	97.3	92.9			
		(98.3-99.8)	(94.4-97.6)	(91.2-95.3)	(94.4-97.6)	(98.3-99.8)	(91.2-95.3)	(98.9-100.0)	(95.9-98.5)	(90.9-95.0)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)	(98.9-99.9)	(95.8-98.3)	(90.6-94.7)			
		99.6	96.6	93.0	96.7	99.6	93.0	99.5	97.4	94.3	99.3	96.9	93.4	99.3	96.9	93.4			
		(98.8-99.9)	(95.1-97.6)	(91.6-95.1)	(95.1-97.6)	(98.8-99.9)	(91.6-95.1)	(98.7-99.8)	(96.1-98.4)	(92.6-95.7)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)	(98.6-99.7)	(95.6-97.8)	(91.7-94.8)			
		100.1	95.3	93.0	96.7	99.4	93.0	99.4	97.7	94.6	99.0	96.4	92.4	99.0	96.4	92.4			

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)															
		2003-2007						2008-2012						2013-2017						2013-2017									
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr										
Female breast	15-44	98.8	83.6	83.6	97.9	85.4	73.5	99.1	88.6	80.5	99.1	99.1	88.4	80.3	98.8	83.6	83.6	97.9	85.4	73.5	99.1	88.6	80.5	99.1	99.1	88.4	80.3		
	45-54	98.6	86.9	86.9	96.5	84.8	75.7	96.4	85.0	78.9	96.4	96.4	84.5	78.1	98.6	86.9	86.9	96.5	84.8	75.7	96.4	85.0	78.9	96.4	96.4	84.5	78.1		
	55-64	96.2	79.5	79.5	98.0	85.9	74.1	97.7	87.6	78.0	97.7	97.7	86.5	76.3	96.2	79.5	79.5	98.0	85.9	74.1	97.7	87.6	78.0	97.7	97.7	86.5	76.3		
	65-74	95.8	83.3	83.3	95.6	82.3	69.5	98.0	82.5	72.4	98.0	98.0	79.7	67.8	95.8	83.3	83.3	95.6	82.3	69.5	98.0	82.5	72.4	98.0	98.0	79.7	67.8		
	75+	91.5	66.9	66.9	86.8	69.2	54.7	89.6	89.6	76.8	67.6	89.6	89.6	65.8	51.4	91.5	66.9	66.9	86.8	69.2	54.7	89.6	89.6	76.8	67.6	89.6	89.6	65.8	51.4
	All ages	95.2	78.7	78.7	93.6	79.8	67.5	95.2	82.3	73.3	95.2	95.2	77.4	66.2	95.2	78.7	78.7	93.6	79.8	67.5	95.2	82.3	73.3	95.2	95.2	77.4	66.2		
Cervix uteri	15-44	91.7	*	86.3	86.3	65.3	*	91.1	71.9	63.0	91.1	91.1	71.8	62.8	91.7	*	86.3	86.3	65.3	*	91.1	71.9	63.0	91.1	91.1	71.8	62.8		
	45-54	87.1	*	74.4	74.4	30.9	87.1	76.8	72.2	87.1	87.1	76.3	71.5	87.1	*	74.4	74.4	30.9	87.1	76.8	72.2	87.1	87.1	76.3	71.5				
	55-64	78.5	52.3	52.3	86.4	51.7	44.5	84.2	51.8	43.2	84.2	84.2	51.2	42.3	78.5	52.3	52.3	86.4	51.7	44.5	84.2	51.8	43.2	84.2	84.2	51.2	42.3		
	65-74	71.0	56.3	56.3	74.5	47.0	42.9	83.6	69.4	61.2	83.6	83.6	66.8	57.0	71.0	56.3	56.3	74.5	47.0	42.9	83.6	69.4	61.2	83.6	83.6	66.8	57.0		
	75+	53.2	*	36.6	56.6	36.6	29.8	65.4	65.4	41.7	34.9	65.4	65.4	35.5	26.4	53.2	*	36.6	56.6	36.6	29.8	65.4	65.4	41.7	34.9	65.4	65.4	35.5	26.4
	All ages	78.4	49.9	49.9	77.3	49.4	44.3	85.4	85.4	62.6	54.8	85.4	85.4	60.7	51.8	78.4	49.9	49.9	77.3	49.4	44.3	85.4	85.4	62.6	54.8	85.4	85.4	60.7	51.8
Corpus uteri	15-44	100.1	94.2	94.2	96.3	78.0	74.4	90.6	90.7	86.1	90.6	90.6	90.5	85.9	100.1	94.2	94.2	96.3	78.0	74.4	90.6	90.7	86.1	90.6	90.6	90.5	85.9		
	45-54	89.9	75.5	75.5	94.7	81.9	68.6	94.6	83.7	79.5	94.6	94.6	83.2	78.7	89.9	75.5	75.5	94.7	81.9	68.6	94.6	83.7	79.5	94.6	94.6	83.2	78.7		
	55-64	89.9	70.7	70.7	92.1	74.0	69.2	91.3	74.6	67.5	91.3	91.3	73.7	66.0	89.9	70.7	70.7	92.1	74.0	69.2	91.3	74.6	67.5	91.3	91.3	73.7	66.0		
	65-74	94.7	72.0	72.0	91.0	51.8	48.8	87.9	46.0	40.0	87.9	87.9	44.4	37.4	94.7	72.0	72.0	91.0	51.8	48.8	87.9	46.0	40.0	87.9	87.9	44.4	37.4		
	75+	64.8	*	45.8	64.8	50.5	32.5	79.8	79.8	48.6	43.1	79.8	79.8	43.1	*	64.8	*	45.8	64.8	50.5	32.5	79.8	79.8	48.6	43.1	79.8	79.8	43.1	*
	All ages	85.1	65.8	65.8	90.2	61.4	51.1	86.5	60.0	49.0	86.5	86.5	57.0	45.3	85.1	65.8	65.8	90.2	61.4	51.1	86.5	60.0	49.0	86.5	86.5	57.0	45.3		
Ovary & fallopian tube	15-44	85.9	63.9	63.9	85.9	73.1	57.4	92.6	80.3	64.0	92.6	92.6	80.1	63.8	85.9	63.9	63.9	85.9	73.1	57.4	92.6	80.3	64.0	92.6	92.6	80.1	63.8		
	45-54	86.6	55.6	55.6	85.7	65.0	51.1	90.3	71.2	53.1	90.3	90.3	70.9	52.6	86.6	55.6	55.6	85.7	65.0	51.1	90.3	71.2	53.1	90.3	90.3	70.9	52.6		
	55-64	87.6	53.9	53.9	83.4	55.5	43.2	89.7	64.4	41.5	89.7	89.7	63.5	40.5	87.6	53.9	53.9	83.4	55.5	43.2	89.7	64.4	41.5	89.7	89.7	63.5	40.5		
	65-74	75.2	50.8	50.8	72.7	49.3	34.9	87.3	58.1	38.1	87.3	87.3	56.3	35.9	75.2	50.8	50.8	72.7	49.3	34.9	87.3	58.1	38.1	87.3	87.3	56.3	35.9		
	75+	90.8	*	32.3	90.8	33.9	25.9	47.6	47.6	19.2	*	47.6	47.6	16.7	*	90.8	*	32.3	90.8	33.9	25.9	47.6	47.6	19.2	*	47.6	47.6	16.7	*
	All ages	84.4	55.1	55.1	70.7	49.5	37.3	75.0	49.4	34.7	75.0	75.0	47.2	32.4	84.4	55.1	55.1	70.7	49.5	37.3	75.0	49.4	34.7	75.0	75.0	47.2	32.4		

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)												Observed Survival (%)					
		2003-2007			2008-2012			2013-2017			2013-2017			2013-2017					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Female breast	15-44	81.3 (69.4-89.0)	50.1 (35.0-63.6)	46.3 (35.2-56.6)	53.7 (42.4-63.8)	88.9 (80.9-93.7)	55.6 (44.7-65.2)	37.9 (27.2-48.6)	88.9 (80.9-93.7)	55.6 (44.7-65.2)	37.9 (27.2-48.6)	88.9 (80.9-93.7)	55.6 (44.7-65.2)	37.9 (27.2-48.6)	88.9 (80.9-93.7)	55.6 (44.7-65.2)	37.9 (27.2-48.6)		
	45-54	72.5 (64.6-79.0)	46.6 (36.9-55.8)	25.4 (19.3-31.9)	44.8 (37.9-51.5)	83.9 (78.2-88.3)	50.1 (42.9-57.0)	34.4 (27.8-41.1)	83.9 (78.2-88.3)	50.1 (42.9-57.0)	34.4 (27.8-41.1)	83.9 (78.2-88.3)	50.1 (42.9-57.0)	34.4 (27.8-41.1)	83.9 (78.2-88.3)	50.1 (42.9-57.0)	34.4 (27.8-41.1)		
	55-64	72.2 (64.1-78.8)	45.2 (35.0-54.9)	22.8 (17.1-29.1)	42.1 (35.4-48.5)	74.6 (69.6-78.9)	42.2 (36.8-47.4)	25.3 (20.5-30.5)	74.6 (69.6-78.9)	42.2 (36.8-47.4)	25.3 (20.5-30.5)	74.6 (69.6-78.9)	42.2 (36.8-47.4)	25.3 (20.5-30.5)	74.6 (69.6-78.9)	42.2 (36.8-47.4)	25.3 (20.5-30.5)		
	65-74	62.3 (49.9-72.6)	42.4 (28.7-55.8)	20.1 (12.7-28.8)	38.3 (28.9-47.6)	71.5 (64.8-77.3)	43.7 (36.4-50.8)	29.4 (22.2-37.1)	71.5 (64.8-77.3)	43.7 (36.4-50.8)	29.4 (22.2-37.1)	71.5 (64.8-77.3)	43.7 (36.4-50.8)	29.4 (22.2-37.1)	71.5 (64.8-77.3)	43.7 (36.4-50.8)	29.4 (22.2-37.1)		
	75+	46.3 (33.3-58.6)	20.8 (9.8-35.1)	12.3 (5.2-23.4)	31.1 (20.8-42.3)	63.0 (54.1-70.9)	29.4 (20.9-38.6)	21.3 (13.0-31.3)	63.0 (54.1-70.9)	29.4 (20.9-38.6)	21.3 (13.0-31.3)	63.0 (54.1-70.9)	29.4 (20.9-38.6)	21.3 (13.0-31.3)	63.0 (54.1-70.9)	29.4 (20.9-38.6)	21.3 (13.0-31.3)		
	All ages	62.5 (57.9-66.7)	37.6 (32.3-42.9)	21.6 (18.3-25.1)	38.6 (34.9-42.3)	71.9 (69.0-74.6)	40.7 (37.4-43.9)	27.0 (23.9-30.3)	71.9 (69.0-74.6)	40.7 (37.4-43.9)	27.0 (23.9-30.3)	71.9 (69.0-74.6)	40.7 (37.4-43.9)	27.0 (23.9-30.3)	71.9 (69.0-74.6)	40.7 (37.4-43.9)	27.0 (23.9-30.3)		
Cervix uteri	15-44	*	*	*	*	46.0 (23.7-65.9)	*	46.0 (23.7-65.9)	*	*	46.0 (23.7-65.9)	*	*	46.0 (23.7-65.9)	*	*			
	45-54	35.4 (14.5-57.2)	*	*	26.9 (12.5-43.6)	67.9 (51.9-79.6)	27.4 (14.8-41.5)	67.9 (51.9-79.6)	27.4 (14.8-41.5)	20.1 (9.5-33.6)	67.9 (51.9-79.6)	27.4 (14.8-41.5)	20.1 (9.5-33.6)	67.9 (51.9-79.6)	27.4 (14.8-41.5)	20.1 (9.5-33.6)			
	55-64	42.4 (20.5-62.9)	*	*	*	52.8 (37.1-66.3)	19.7 (9.6-32.5)	*	52.8 (37.1-66.3)	19.7 (9.6-32.5)	*	52.8 (37.1-66.3)	19.7 (9.6-32.5)	*	52.8 (37.1-66.3)	19.7 (9.6-32.5)			
	65-74	36.8 (18.1-55.8)	*	*	*	31.7 (14.2-50.9)	21.4 (9.8-36.1)	*	31.7 (14.2-50.9)	21.4 (9.8-36.1)	*	31.7 (14.2-50.9)	21.4 (9.8-36.1)	*	31.7 (14.2-50.9)	21.4 (9.8-36.1)			
	75+	29.3 (7.0-57.9)	*	*	*	29.8 (13.4-48.8)	32.5 (17.9-48.2)	*	29.8 (13.4-48.8)	32.5 (17.9-48.2)	*	29.8 (13.4-48.8)	32.5 (17.9-48.2)	*	29.8 (13.4-48.8)	32.5 (17.9-48.2)			
	All ages	41.4 (30.4-52.1)	17.6 (9.1-28.5)	14.2 (6.7-24.5)	29.7 (20.8-39.2)	50.0 (42.4-57.2)	19.9 (14.2-26.3)	16.6 (11.4-22.6)	50.0 (42.4-57.2)	19.9 (14.2-26.3)	16.6 (11.4-22.6)	50.0 (42.4-57.2)	19.9 (14.2-26.3)	16.6 (11.4-22.6)	50.0 (42.4-57.2)	19.9 (14.2-26.3)	16.6 (11.4-22.6)		
Corpus uteri	15-44	*	*	*	*	75.6 (42.0-91.4)	*	75.6 (42.0-91.4)	*	*	75.6 (42.0-91.4)	*	*	75.6 (42.0-91.4)	*	*			
	45-54	52.1 (31.3-69.4)	*	*	33.3 (18.2-49.2)	66.0 (50.1-77.9)	32.0 (18.8-46.1)	66.0 (50.1-77.9)	32.0 (18.8-46.1)	27.8 (15.5-41.6)	66.0 (50.1-77.9)	32.0 (18.8-46.1)	27.8 (15.5-41.6)	66.0 (50.1-77.9)	32.0 (18.8-46.1)	27.8 (15.5-41.6)			
	55-64	56.2 (36.7-71.9)	*	*	21.4 (11.6-33.1)	49.1 (38.5-58.9)	19.2 (9.9-31.0)	49.1 (38.5-58.9)	19.2 (9.9-31.0)	14.7 (7.0-25.2)	49.1 (38.5-58.9)	19.2 (9.9-31.0)	14.7 (7.0-25.2)	49.1 (38.5-58.9)	19.2 (9.9-31.0)	14.7 (7.0-25.2)			
	65-74	32.0 (13.1-53.0)	*	*	*	38.7 (22.0-55.2)	36.7 (24.5-49.0)	*	38.7 (22.0-55.2)	36.7 (24.5-49.0)	*	38.7 (22.0-55.2)	36.7 (24.5-49.0)	*	38.7 (22.0-55.2)	36.7 (24.5-49.0)			
	75+	18.5 (1.9-49.6)	*	*	*	24.8 (8.3-46.0)	20.9 (10.8-33.4)	*	24.8 (8.3-46.0)	20.9 (10.8-33.4)	*	24.8 (8.3-46.0)	20.9 (10.8-33.4)	*	24.8 (8.3-46.0)	20.9 (10.8-33.4)			
	All ages	40.4 (29.9-50.7)	28.6 (18.3-39.8)	16.4 (10.5-23.6)	20.8 (14.4-28.1)	37.4 (31.6-43.2)	16.8 (12.3-21.9)	10.5 (6.8-15.1)	37.4 (31.6-43.2)	16.8 (12.3-21.9)	10.5 (6.8-15.1)	37.4 (31.6-43.2)	16.8 (12.3-21.9)	10.5 (6.8-15.1)	37.4 (31.6-43.2)	16.8 (12.3-21.9)	10.5 (6.8-15.1)		
Ovary & fallopian tube	15-44	65.8 (39.1-83.0)	*	*	*	51.2 (24.6-72.7)	*	51.2 (24.6-72.7)	*	*	51.2 (24.6-72.7)	*	*	51.2 (24.6-72.7)	*	*			
	45-54	56.8 (37.4-72.2)	33.2 (15.1-52.6)	39.3 (23.6-54.7)	48.7 (32.5-63.1)	73.8 (59.9-83.6)	43.7 (30.1-56.5)	32.2 (19.6-45.4)	73.8 (59.9-83.6)	43.7 (30.1-56.5)	32.2 (19.6-45.4)	73.8 (59.9-83.6)	43.7 (30.1-56.5)	32.2 (19.6-45.4)	73.8 (59.9-83.6)	43.7 (30.1-56.5)			
	55-64	67.6 (48.9-80.8)	*	*	25.6 (14.4-38.4)	59.8 (47.8-69.9)	37.3 (26.5-48.2)	28.6 (18.7-39.4)	59.8 (47.8-69.9)	37.3 (26.5-48.2)	28.6 (18.7-39.4)	59.8 (47.8-69.9)	37.3 (26.5-48.2)	28.6 (18.7-39.4)	59.8 (47.8-69.9)	37.3 (26.5-48.2)			
	65-74	53.6 (33.4-70.4)	*	*	*	42.0 (25.9-57.4)	32.4 (19.7-46.0)	*	42.0 (25.9-57.4)	32.4 (19.7-46.0)	*	42.0 (25.9-57.4)	32.4 (19.7-46.0)	*	42.0 (25.9-57.4)	32.4 (19.7-46.0)			
	75+	22.2 (8.6-40.2)	*	*	*	10.3 (4.4-19.1)	21.8 (12.3-33.2)	*	10.3 (4.4-19.1)	21.8 (12.3-33.2)	*	10.3 (4.4-19.1)	21.8 (12.3-33.2)	*	10.3 (4.4-19.1)	21.8 (12.3-33.2)			
	All ages	49.0 (40.1-57.3)	24.4 (16.1-33.6)	13.4 (8.8-18.9)	20.0 (14.6-26.1)	49.4 (43.0-55.4)	26.5 (21.2-32.1)	19.0 (14.2-24.5)	49.4 (43.0-55.4)	26.5 (21.2-32.1)	19.0 (14.2-24.5)	49.4 (43.0-55.4)	26.5 (21.2-32.1)	19.0 (14.2-24.5)	49.4 (43.0-55.4)	26.5 (21.2-32.1)			

* refers to cells where estimates are not computed due to insufficient sample size

Site	Age Group	Relative Survival (%)																		Stage: Local
		1968-1972			1973-1977			1978-1982			1983-1987									
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr						
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	48.0 (16.8-74.3)	*	*	81.6 (42.5-96.1)	*	*	*	54.3 (19.3-80.0)	*	*	*	*	*	*		
	65-74	*	*	*	65.7 (25.4-89.2)	*	*	58.2 (34.2-76.9)	*	*	*	85.4 (48.6-98.3)	83.8 (46.5-101.3)	62.4 (27.0-90.3)	*	*	*	*		
	75+	*	*	*	81.0 (41.6-100.4)	*	*	46.5 (19.2-72.5)	*	*	*	51.0 (25.7-73.7)	41.9 (17.8-69.2)	*	*	*	*			
All ages	*	*	*	66.9 (43.5-83.6)	63.4 (37.8-84.1)	*	61.6 (46.0-74.3)	49.4 (32.3-65.5)	47.6 (28.7-66.9)	70.9 (54.7-82.9)	59.5 (42.4-74.5)	48.8 (31.2-66.2)	*	*	*	*				
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
All ages	*	*	*	90.2 (60.1-101.7)	51.6 (22.7-78.6)	*	32.8 (16.7-50.4)	29.0 (14.0-46.6)	73.9 (54.7-86.8)	43.8 (24.2-62.9)	45.9 (25.3-66.0)	*	*	*	*	*				
Thyroid	15-44	100.1 (100.1-100.1)	93.8 (61.6-99.5)	91.2 (74.0-97.5)	90.7 (73.6-97.0)	90.9 (73.8-97.2)	98.0 (85.0-100.0)	100.1 (100.1-100.1)	96.0 (81.0-100.2)	98.3 (85.3-100.3)	100.1 (100.1-100.1)	100.3 (100.3-100.3)	100.6 (100.6-100.6)	101.4 (101.4-101.4)						
	45-54	*	*	*	90.0 (45.9-98.9)	*	100.5 (100.5-100.5)	101.5 (101.5-101.5)	102.7 (102.7-102.7)	100.4 (100.4-100.4)	101.3 (101.3-101.3)	102.4 (102.4-102.4)	106.4 (106.4-106.4)							
	55-64	71.6 (39.7-89.3)	*	*	79.4 (38.0-95.5)	*	88.2 (37.8-99.5)	*	*	*	*	*	*	*						
	65-74	*	*	*	*	*	*	*	*	*	*	*	*							
	75+	*	*	*	*	*	*	*	*	*	*	*	*							
All ages	*	*	*	77.8 (62.8-87.7)	69.2 (53.7-81.3)	57.7 (42.2-71.6)	75.0 (64.9-82.9)	76.4 (66.0-84.5)	78.2 (67.5-86.5)	95.4 (89.5-98.7)	92.8 (85.3-97.9)	94.2 (85.8-100.1)	95.1 (82.7-103.9)							

* refers to cells where estimates are not computed due to insufficient sample size

Stage: Regional

Site	Age Group	Relative Survival (%)																	
		1968-1972			1973-1977			1978-1982			1983-1987			1988-1992					
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr			
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages				25.7 (6.5-51.4)															
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages				16.6 (3.3-39.2)			19.5 (5.3-40.7)			36.8 (12.6-62.0)									
Thyroid	15-44	100.1 (100.1-100.1)	100.4 (100.4-100.4)	84.6 (49.6-96.5)	100.5 (100.5-100.5)	100.1 (100.1-100.1)	100.3 (100.3-100.3)	100.7 (100.7-100.7)	101.8 (101.8-101.8)	100.4 (100.4-100.4)	100.6 (100.6-100.6)	101.6 (101.6-101.6)							
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	59.3 (18.3-86.7)											
	75+	*	*	*	66.1 (45.8-80.7)			72.8 (55.7-84.9)			67.7 (49.6-81.8)			75.3 (58.4-86.6)			66.5 (48.0-81.0)		
All ages				31.1 (15.7-49.0)			59.3 (39.2-75.8)			57.4 (38.7-73.7)			41.6 (22.2-61.7)			70.7 (51.0-86.1)			

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-1987

Site	Age Group	Relative Survival (%)																		Stage: Distant
		1968-1972			1973-1977			1978-1982			1983-1987									
		1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr	10yr						
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	*	*	*	*	*	*	*	*	*	*	*	20.6 (4.8-44.2)	*	*	*	*		
Thyroid	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All ages	*	*	*	57.5 (27.6-79.5)	*	*	44.3 (14.9-71.9)	*	*	*	32.7 (12.0-55.8)	*	*	*	*	*	*	*		

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)									
		1988-1992					1993-1997					1998-2002					1998-2002				
		1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr		
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	100.0	100.0	*	*	*		
	45-54	101.0	94.1	75.1	*	*	100.8	75.6	77.3	82.9	100.7	100.2	100.7	81.5	87.1	87.1	79.9	79.9	79.9		
	55-64	(101.0-101.0)	(52.8-102.0)	(35.9-95.0)	*	*	(100.8-100.8)	(39.3-93.1)	(40.2-95.3)	(50.6-94.9)	(100.2-100.2)	(57.8-97.2)	(50.6-94.9)	(51.5-96.5)	(57.5-96.6)	(49.6-93.1)	(49.6-93.1)	(49.6-93.1)	(49.6-93.1)		
	65-74	72.4	*	48.0	*	*	97.0	71.7	56.9	89.0	88.3	88.3	84.3	89.0	86.6	79.1	79.1	79.1	79.1		
	75+	78.7	*	*	*	*	82.8	59.9	*	80.8	84.7	77.4	80.8	80.8	79.0	61.8	55.1	55.1	55.1		
	All ages	82.5	67.3	63.0	56.5	53.1	90.9	67.2	53.1	50.9	86.2	86.4	83.4	86.2	86.4	75.6	72.8	72.8	57.7		
		(68.6-91.4)	(51.1-80.4)	(45.4-78.2)	(35.7-77.4)	(33.1-68.9)	(79.6-97.3)	(51.6-80.1)	(36.8-68.3)	(33.1-68.9)	(80.2-94.6)	(80.2-94.6)	(72.3-91.7)	(73.8-95.6)	(60.3-96.4)	(77.3-91.9)	(65.6-83.1)	(62.3-80.8)	(43.5-69.6)		
		*	*	*	*	*	(100.1-100.1)	*	*	*	100.1	100.1	89.6	89.7	100.0	89.4	89.4	89.4	89.4		
		*	*	*	*	*	(100.2-100.2)	100.8	*	*	95.5	96.0	96.0	80.5	95.3	95.3	95.3	95.3	95.3		
	Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	*	*	*	(100.2-100.2)	(100.8-100.8)	*	95.5	96.0	96.0	80.5	95.3	95.3	95.3	95.3	95.3	95.3	
45-54		95.2	97.2	*	*	*	92.5	90.6	82.9	79.3	80.5	80.5	80.5	80.5	100.0	84.8	76.1	72.1			
55-64		(66.8-100.1)	(68.1-102.1)	*	*	*	(70.9-98.8)	(68.5-99.1)	(58.5-95.8)	(56.4-92.2)	(55.9-95.6)	(55.9-95.6)	(55.9-95.6)	(55.9-95.6)	(100.0-100.0)	(64.3-94.0)	(54.1-88.5)	(50.1-85.7)			
65-74		89.5	*	*	*	*	86.4	*	*	102.0	96.9	101.3	101.3	101.3	100.0	91.4	91.4	91.4			
75+		79.7	*	*	*	*	72.4	*	*	83.0	50.0	50.0	50.0	50.0	77.3	40.9	*	*			
All ages		87.9	80.0	82.6	82.6	76.3	87.8	79.1	76.3	78.6	80.0	80.0	78.6	80.0	91.4	73.7	69.7	45.2			
		(75.0-95.4)	(63.8-91.8)	(64.0-96.6)	(64.0-96.6)	(60.3-88.8)	(76.5-94.5)	(65.0-89.3)	(60.3-88.8)	(68.1-87.0)	(88.2-98.2)	(70.5-87.5)	(68.1-87.0)	(68.1-87.0)	(85.4-95.0)	(65.0-80.6)	(60.5-77.2)	(33.7-56.0)			
		100.1	100.3	100.5	98.7	99.3	100.1	100.3	99.3	99.9	100.1	100.2	100.2	99.5	100.0	100.0	99.2	96.8			
		(100.1-100.1)	(100.3-100.3)	(100.5-100.5)	(91.1-101.0)	(92.4-100.3)	(100.1-100.1)	(100.3-100.3)	(92.4-100.3)	(93.0-100.9)	(100.1-100.1)	(100.2-100.2)	(100.2-100.2)	(94.7-100.2)	(100.0-100.0)	(100.0-100.0)	(94.4-99.9)	(90.4-99.0)			
Thyroid		15-44	100.3	97.4	98.2	101.4	101.4	100.3	97.3	93.3	93.3	100.2	100.6	100.6	95.9	100.0	100.0	94.9	91.3		
	45-54	(100.3-100.3)	(77.4-100.5)	(78.1-101.4)	(80.6-104.7)	(77.7-100.4)	(100.3-100.3)	(77.7-100.4)	(78.4-101.2)	(73.1-100.9)	(100.2-100.2)	(100.6-100.6)	(81.8-99.8)	(81.8-99.8)	(100.0-100.0)	(100.0-100.0)	(80.9-98.7)	(75.0-97.2)			
	55-64	100.8	102.9	*	*	*	100.8	102.7	90.9	94.1	96.5	97.8	94.1	94.1	96.0	96.0	91.0	91.0			
	65-74	91.3	*	*	*	*	102.5	109.9	*	89.0	93.1	97.6	97.6	97.6	87.7	87.7	87.7	87.7			
	All ages	90.5	89.2	91.9	86.1	107.2	102.6	104.7	107.2	104.7	97.7	96.3	92.4	92.4	96.2	91.7	84.8	75.0			
		(84.4-94.7)	(82.0-94.3)	(84.6-97.2)	(75.3-95.0)	(84.6-97.2)	(102.6-102.6)	(100.5-106.7)	(101.7-110.6)	(94.1-112.5)	(94.8-99.3)	(92.3-99.1)	(87.1-96.5)	(87.1-96.5)	(93.4-97.9)	(87.9-94.4)	(80.0-88.6)	(69.0-80.0)			

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX E: RELATIVE AND OBSERVED SURVIVAL BY SEX, PERIOD, SITE AND AGE GROUP, 1968 -2017

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)									
		1988-1992					1993-1997					1998-2002					1998-2002				
		1yr	3yr	5yr	10yr	10Yr	1yr	3yr	5yr	10yr	10Yr	1yr	3yr	5yr	10yr	1Yr	3Yr	5Yr	10Yr		
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	45.5	*	*	*	*	
	75+	*	*	*	*	*	*	*	*	*	48.2	*	*	*	45.5	(19.2-68.7)	*	*	*	*	
All ages	*	*	*	*	*	61.2	24.7	58.1	24.7	58.1	(20.3-72.7)	56.7	23.0	56.7	(19.2-68.7)	56.7	23.0	56.7	23.0		
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	63.1	28.9	63.1	28.9	63.1	28.9	63.1	28.9	63.1	28.9	63.1	28.9	63.1	28.9	
	65-74	*	*	*	*	*	92.0	47.7	92.0	47.7	92.0	47.7	92.0	47.7	92.0	47.7	92.0	47.7	92.0	47.7	
	75+	*	*	*	*	*	50.5	22.4	50.5	22.4	50.5	22.4	50.5	22.4	50.5	22.4	50.5	22.4	50.5	22.4	
All ages	83.1	57.2	83.1	57.2	83.1	57.2	83.1	57.2	83.1	57.2	83.1	57.2	83.1	57.2	83.1	57.2	83.1	57.2	83.1	57.2	
Thyroid	15-44	95.9	73.7	95.9	73.7	95.9	73.7	95.9	73.7	95.9	73.7	95.9	73.7	95.9	73.7	95.9	73.7	95.9	73.7	95.9	
	45-54	84.3	49.9	84.3	49.9	84.3	49.9	84.3	49.9	84.3	49.9	84.3	49.9	84.3	49.9	84.3	49.9	84.3	49.9	84.3	49.9
	55-64	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6
	65-74	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6
	75+	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6	49.3	17.6
All ages	61.3	48.3	61.3	48.3	61.3	48.3	61.3	48.3	61.3	48.3	61.3	48.3	61.3	48.3	61.3	48.3	61.3	48.3	61.3	48.3	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 1968-2002

Site	Age Group	Relative Survival (%)										Observed Survival (%)					
		1988-1992			1993-1997			1998-2002			1998-2002			Stage-Distant			
		1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr	1yr	3yr	5yr	10yr
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	45.6 (14.7-72.5)	*	*	*	*	*	*	*
All ages																	
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	42.9 (15.2-68.4)	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	43.0 (15.3-68.5)	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	47.5 (18.7-72.2)	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	31.0 (17.4-45.7)	*	*	*	*	*	*	*
All ages																	
Thyroid	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	82.4 (45.5-95.6)	62.8 (27.5-85.2)	*	*	82.0 (45.3-95.2)	61.7 (27.0-83.6)	*	*
	55-64	*	*	*	*	*	*	*	*	59.7 (24.5-83.4)	*	*	58.6 (24.1-81.8)	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	63.8 (45.8-77.4)	55.8 (37.7-70.8)	52.4 (34.2-68.4)	54.1 (36.6-68.8)	63.1 (45.3-76.5)	54.1 (36.6-68.8)	49.6 (32.4-64.7)	49.6 (32.4-64.7)
All ages																	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)			
		2005-2007			2008-2012			2013-2017			2013-2017						
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr				
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	87.9	*	87.9	83.9	*	88.6	*	89.6	93.5	*	87.5	*	87.5
	55-64	*	*	*	(38.8-98.6)	*	101.4	(62.4-99.5)	(59.3-98.0)	(59.3-98.0)	*	(60.0-99.0)	(62.1-99.1)	(58.6-96.7)	(58.6-96.7)	*	(58.6-96.7)
	65-74	101.7	*	101.7	101.4	95.7	78.7	95.8	86.2	86.2	*	*	94.9	83.3	83.3	*	*
	75+	(101.7-101.7)	103.7	(54.9-103.5)	(45.5-96.7)	(45.5-96.7)	77.9	79.5	79.5	79.5	59.3	59.3	(68.7-99.3)	(56.5-94.3)	(56.5-94.3)	41.6	41.6
	All ages	(73.6-103.5)	(75.4-114.8)	(39.5-95.7)	(41.9-105.6)	(41.9-105.6)	86.0	86.0	86.0	87.2	79.3	79.3	(75.5-98.3)	(45.0-80.9)	(45.0-80.9)	(21.3-60.8)	(21.3-60.8)
		(86.9-101.8)	(85.8-107.2)	(73.3-98.2)	(68.8-97.3)	(68.8-97.3)	100.1	100.1	100.1	100.2	96.3	96.3	(84.6-98.0)	(69.4-89.3)	(69.4-89.3)	(57.3-81.0)	(57.3-81.0)
		89.0	*	100.2	100.4	100.4	100.4	100.4	100.4	100.2	96.3	96.3	100.0	100.0	100.0	96.0	96.0
		(43.3-98.4)	91.3	(100.2-100.2)	(100.4-100.4)	(100.4-100.4)	95.1	95.1	95.1	97.9	95.6	95.6	(100.0-100.0)	(100.0-100.0)	(100.0-100.0)	(74.8-99.4)	(74.8-99.4)
		90.9	(67.8-97.8)	(85.6-100.3)	(78.3-99.7)	(78.3-99.7)	97.1	97.1	97.1	96.1	94.4	94.4	100.0	94.8	94.8	92.2	92.2
Kidney (incl. renal pelvis, ureter & urethra)	15-44	100.6	95.8	100.4	100.4	100.4	100.4	100.4	100.4	100.4	100.4	100.4	100.0	100.0	100.0	100.0	100.0
	45-54	(100.6-100.6)	(65.4-101.1)	(85.2-100.3)	(81.4-100.4)	(81.4-100.4)	93.8	93.8	93.8	93.1	91.6	91.6	(100.0-100.0)	(88.0-97.8)	(88.0-97.8)	(84.2-96.2)	(84.2-96.2)
	55-64	101.4	104.6	98.9	98.9	98.9	98.9	98.9	98.9	93.1	91.6	91.6	(100.0-100.0)	(88.0-97.8)	(88.0-97.8)	(84.2-96.2)	(84.2-96.2)
	65-74	(101.4-101.4)	(104.6-104.6)	(87.4-102.9)	(77.4-102.0)	(77.4-102.0)	93.8	93.8	93.8	93.1	91.6	91.6	(100.0-100.0)	(88.0-97.8)	(88.0-97.8)	(84.2-96.2)	(84.2-96.2)
	75+	92.9	*	73.4	73.4	73.4	73.4	73.4	73.4	97.8	92.0	92.0	(91.5-99.4)	(81.2-94.5)	(81.2-94.5)	(75.3-91.4)	(75.3-91.4)
	All ages	(45.3-102.8)	92.8	(48.5-91.1)	(48.5-91.1)	(48.5-91.1)	83.0	83.0	83.0	82.4	80.9	80.9	(86.4-99.7)	(72.1-92.8)	(72.1-92.8)	(56.6-83.7)	(56.6-83.7)
		96.9	(89.7-99.8)	(80.7-99.3)	(92.7-99.0)	(92.7-99.0)	99.8	99.8	99.8	96.1	93.2	93.2	(86.6-99.5)	(86.9-93.4)	(86.9-93.4)	(79.3-87.9)	(79.3-87.9)
		100.1	100.2	100.2	100.2	100.2	99.9	99.9	99.9	99.3	99.4	99.4	99.7	99.2	99.2	99.2	99.2
		(100.1-100.1)	(100.2-100.2)	(97.8-100.1)	(97.9-100.2)	(97.9-100.2)	100.0	100.0	100.0	99.7	100.1	100.1	(98.0-100.0)	(97.5-99.7)	(97.5-99.7)	(97.5-99.7)	(97.5-99.7)
		100.2	*	99.6	99.6	99.6	100.0	100.0	100.0	99.7	100.1	100.1	100.0	99.2	99.2	99.2	99.2
Thyroid	15-44	100.5	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	101.4	100.0	100.0	100.0	100.0	100.0
	45-54	(100.2-100.2)	*	(94.0-100.4)	(94.0-100.4)	(94.0-100.4)	96.3	96.3	96.3	98.1	97.8	97.8	(100.0-100.0)	(94.4-99.9)	(94.4-99.9)	(94.4-99.9)	(94.4-99.9)
	55-64	100.5	*	101.4	101.4	101.4	101.4	101.4	101.4	98.1	97.8	97.8	(93.4-99.9)	(90.6-99.0)	(90.6-99.0)	(88.6-98.3)	(88.6-98.3)
	65-74	(100.5-100.5)	*	(101.4-101.4)	(101.4-101.4)	(101.4-101.4)	99.2	99.2	99.2	99.2	102.1	102.1	(93.4-99.9)	(90.6-99.0)	(90.6-99.0)	(88.6-98.3)	(88.6-98.3)
	75+	*	*	(101.2-101.2)	(104.0-104.0)	(104.0-104.0)	97.4	97.4	97.4	87.7	87.3	87.3	(88.2-99.8)	(85.3-99.0)	(85.3-99.0)	(85.3-99.0)	(85.3-99.0)
	All ages	100.8	102.4	99.1	99.1	99.1	96.7	96.7	96.7	97.4	99.1	99.1	(64.3-99.1)	(46.3-92.5)	(46.3-92.5)	94.6	94.6
		(100.8-100.8)	(102.4-102.4)	(97.4-100.0)	(96.8-100.6)	(96.8-100.6)	92.8	92.8	92.8	95.5	98.9	98.9	(87.0-99.0)	(93.0-96.3)	(93.0-96.3)	(92.7-96.1)	(92.7-96.1)
		100.8	102.4	99.1	99.1	99.1	96.7	96.7	96.7	97.4	99.1	99.1	(64.3-99.1)	(46.3-92.5)	(46.3-92.5)	94.6	94.6
		(100.8-100.8)	(102.4-102.4)	(97.4-100.0)	(96.8-100.6)	(96.8-100.6)	92.8	92.8	92.8	95.5	98.9	98.9	(87.0-99.0)	(93.0-96.3)	(93.0-96.3)	(92.7-96.1)	(92.7-96.1)

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)										Observed Survival (%)						
		2003-2007		2008-2012		2013-2017		2013-2017		2013-2017		2013-2017						
		1yr	3yr	1yr	3yr	5yr	1yr	3yr	5yr	1yr	3yr	5yr						
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	93.8 (58.8-100.2)	*	*	93.0 (55.2-100.1)	64.5 (32.4-85.6)	54.7 (25.7-78.2)	91.8 (64.5-98.8)	61.7 (31.1-81.9)	50.6 (23.8-72.4)	*	*	*	*	*	*
	75+	*	*	61.8 (31.5-83.6)	*	*	92.6 (41.8-103.6)	*	*	87.8 (39.6-98.2)	*	*	*	*	*	*	*	*
	All ages	94.4 (67.6-101.1)	*	85.7 (67.5-95.1)	67.5 (46.8-83.0)	58.9 (38.0-76.5)	91.3 (70.2-98.9)	73.4 (50.7-88.5)	67.9 (44.9-85.3)	89.1 (68.5-96.5)	68.3 (47.3-82.4)	60.3 (39.8-75.7)	*	*	*	*	*	*
	15-44	100.1 (100.1-100.1)	*	87.0 (36.7-98.3)	88.7 (30.7-88.9)	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	100.2 (100.2-100.2)	100.6 (100.6-100.6)	*	*	100.2 (100.2-100.2)	94.6 (65.5-99.7)	89.4 (62.1-98.0)	100.0 (100.0-100.0)	94.1 (65.2-99.2)	88.6 (61.5-97.0)	*	*	*	*	*	*
	55-64	100.5 (100.5-100.5)	*	92.9 (57.9-99.3)	93.9 (58.5-100.4)	87.9 (55.0-98.8)	86.7 (55.9-96.8)	87.5 (56.3-97.7)	80.5 (48.4-94.7)	86.4 (55.6-96.4)	86.4 (55.6-96.4)	78.7 (47.3-92.6)	*	*	*	*	*	*
	65-74	*	*	*	*	*	101.2 (101.2-101.2)	*	*	100.0 (100.0-100.0)	*	*	*	*	*	*	*	*
75+	*	93.2 (66.6-101.4)	52.9 (23.2-78.7)	78.0 (41.4-95.7)	74.2 (36.6-101.9)	78.0 (41.4-95.7)	72.2 (36.7-95.6)	74.2 (36.6-101.9)	74.0 (39.3-90.7)	61.8 (31.5-81.9)	56.2 (27.7-77.2)	*	*	*	*	*	*	
All ages	102.1 (102.1-102.1)	101.5 (63.1-105.4)	80.0 (65.6-89.9)	89.9 (77.8-96.2)	70.7 (55.1-82.9)	87.4 (73.9-95.7)	87.4 (73.9-95.7)	80.3 (65.1-91.3)	88.0 (76.1-94.2)	81.9 (69.3-89.7)	71.3 (57.9-81.2)	*	*	*	*	*	*	
Kidney (incl. renal pelvis, ureter & urethra)	15-44	100.0 (100.0-100.0)	*	100.0 (100.0-100.0)	100.1 (100.1-100.1)	100.3 (100.3-100.3)	100.2 (100.2-100.2)	87.5 (38.5-98.2)	87.6 (38.6-98.4)	100.0 (100.0-100.0)	87.4 (38.5-98.1)	87.4 (38.5-98.1)	*	*	*	*	*	*
	45-54	100.2 (100.2-100.2)	*	100.2 (100.2-100.2)	100.5 (100.5-100.5)	101.0 (101.0-101.0)	100.5 (100.5-100.5)	100.9 (100.9-100.9)	100.9 (100.9-100.9)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	*	*	*	*	*	*
	55-64	*	95.2 (68.8-99.7)	96.2 (69.4-100.7)	96.2 (69.4-100.7)	97.3 (70.2-101.9)	92.8 (68.8-99.7)	93.6 (68.0-100.1)	94.6 (68.6-101.1)	92.5 (57.3-98.9)	92.5 (57.3-98.9)	92.5 (57.3-98.9)	*	*	*	*	*	*
	65-74	*	101.2 (101.2-101.2)	*	*	100.9 (100.9-100.9)	103.3 (103.3-103.3)	106.5 (106.5-106.5)	106.5 (106.5-106.5)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	100.0 (100.0-100.0)	*	*	*	*	*	*
	75+	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	All ages	100.8 (100.8-100.8)	102.1 (102.1-102.1)	99.5 (92.5-100.6)	100.9 (93.8-102.1)	102.2 (95.0-103.4)	94.1 (85.2-98.1)	96.3 (87.2-100.4)	91.6 (81.2-97.9)	93.1 (84.3-97.1)	93.1 (84.3-97.1)	86.5 (76.6-92.4)	*	*	*	*	*	*
	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All ages	100.8 (100.8-100.8)	102.1 (102.1-102.1)	99.5 (92.5-100.6)	100.9 (93.8-102.1)	102.2 (95.0-103.4)	94.1 (85.2-98.1)	96.3 (87.2-100.4)	91.6 (81.2-97.9)	93.1 (84.3-97.1)	93.1 (84.3-97.1)	86.5 (76.6-92.4)	*	*	*	*	*	*	

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017

Site	Age Group	Relative Survival (%)												Observed Survival (%)				
		2005-2007			2008-2012			2013-2017			2013-2017							
		1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr	1Yr	3Yr	5Yr					
Urinary bladder	15-44	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	45-54	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	55-64	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	65-74	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	75+	62.2 (28.8-85.4)	*	*	29.0 (8.6-54.5)	*	*	26.8 (7.9-50.4)	*	*	*	28.1 (10.9-48.3)	*	*	*	*	*	
	All ages	70.2 (46.1-85.6)	*	83.6 (48.9-97.3)	*	61.7 (37.0-79.8)	*	30.2 (11.8-51.9)	*	72.0 (35.2-90.4)	71.6 (35.0-89.9)	83.6 (61.9-93.5)	95.8 (64.1-100.0)	84.7 (59.7-94.8)	91.7 (84.3-95.7)	60.3 (49.1-69.7)	49.8 (38.4-60.2)	
	15-44	*	100.2 (100.2-100.2)	91.8 (51.0-99.7)	100.6 (100.6-100.6)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	
45-54	*	87.1 (84.5-95.9)	74.2 (43.7-90.7)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	87.1 (84.5-95.9)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)	83.1 (59.6-94.2)		
55-64	89.9 (45.6-98.9)	*	101.2 (101.2-101.2)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	101.2 (101.2-101.2)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)	82.8 (56.6-95.5)		
65-74	95.1 (63.3-100.8)	*	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)	84.0 (42.4-99.8)		
75+	*	81.3 (59.9-94.0)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	84.8 (71.8-93.1)		
All ages	97.7 (83.2-101.1)	81.3 (59.9-94.0)	93.2 (82.6-98.2)	84.8 (71.8-93.1)	84.8 (71.8-93.1)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)	93.2 (82.6-98.2)		
15-44	*	*	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)	100.1 (100.1-100.1)		
45-54	100.2 (100.2-100.2)	*	100.2 (100.2-100.2)	100.6 (100.6-100.6)	100.6 (100.6-100.6)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)		
55-64	100.5 (100.5-100.5)	*	97.7 (82.6-100.1)	98.7 (83.4-101.1)	98.7 (83.4-101.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)		
65-74	*	*	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)		
75+	*	*	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)		
All ages	100.4 (100.4-100.4)	99.5 (60.4-101.3)	98.6 (92.6-100.6)	95.2 (86.9-99.4)	95.2 (86.9-99.4)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)		
15-44	*	*	100.5 (100.5-100.5)	101.1 (101.1-101.1)	101.1 (101.1-101.1)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)	100.5 (100.5-100.5)		
45-54	100.2 (100.2-100.2)	*	100.2 (100.2-100.2)	101.1 (101.1-101.1)	101.1 (101.1-101.1)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)	100.2 (100.2-100.2)		
55-64	100.5 (100.5-100.5)	*	97.7 (82.6-100.1)	98.7 (83.4-101.1)	98.7 (83.4-101.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)	97.7 (82.6-100.1)		
65-74	*	*	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)	101.3 (101.3-101.3)		
75+	*	*	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)	94.0 (44.9-104.4)		
All ages	100.4 (100.4-100.4)	99.5 (60.4-101.3)	98.6 (92.6-100.6)	95.2 (86.9-99.4)	95.2 (86.9-99.4)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)	98.6 (92.6-100.6)		

* refers to cells where estimates are not computed due to insufficient sample size

Appendix E2: Relative and observed survival by period, site, and age group for females, 2003-2017 Stage IV

Site	Age Group	2003-2007						2008-2012						2013-2017						Observed Survival (%)						
		1Yr		3Yr		5Yr		1Yr		3Yr		5Yr		1Yr		3Yr		5Yr		1Yr		3Yr		5Yr		
		Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	Survival (%)	CI	
Urinary bladder	15-44	*		*		*		*		*		*		*		*		*		*		*		*		
	45-54	*		*		*		*		*		*		*		*		*		*		*		*		
	55-64	*		*		*		*		*		*		*		*		*		*		*		*		
	65-74	*		*		*		15.1		15.1		*		14.9		14.9		*		14.9		14.9		14.9		
	75+	*		10.0		10.0		22.9		22.9		*		21.4		21.4		*		21.4		21.4		21.4		
All ages	26.6		38.0		38.0		38.9		38.9		38.9		37.9		37.9		37.9		37.9		37.9		37.9		37.9	
		(9.6-47.5)		(20.2-55.9)		(20.2-55.9)		(23.9-53.7)		(23.9-53.7)		(23.9-53.7)		(23.3-52.4)		(23.3-52.4)		(23.3-52.4)		(23.3-52.4)		(23.3-52.4)		(23.3-52.4)		(23.3-52.4)
Kidney (incl. renal pelvis, ureter & urethra)	15-44	*		*		*		*		*		*		*		*		*		*		*		*		
	45-54	*		62.0		62.0		52.7		52.7		52.7		52.6		52.6		52.6		52.6		52.6		52.6		
	55-64	43.1		47.3		47.3		39.1		39.1		39.1		38.9		38.9		38.9		38.9		38.9		38.9		
	65-74	33.8		46.5		46.5		53.6		53.6		16.4		53.1		53.1		53.1		53.1		53.1		15.8		
	75+	25.3		27.5		27.5		27.7		27.7		27.7		26.3		26.3		26.3		26.3		26.3		26.3		
All ages	37.0		44.4		44.4		41.4		41.4		15.1		40.6		40.6		40.6		40.6		40.6		14.4			
	(25.6-48.5)		(34.6-53.7)		(34.6-53.7)		(15.8-32.6)		(15.8-32.6)		(7.9-25.8)		(7.9-25.8)		(33.8-48.9)		(33.8-48.9)		(33.1-47.9)		(33.1-47.9)		(9.4-20.4)		(7.4-17.6)	
			89.4		89.4		89.4		89.4		89.4		78.4		78.4		78.4		78.4		78.4		78.2		78.2	
Thyroid	15-44	*		*		*		90.4		90.4		90.4		97.4		97.4		94.6		94.6		94.6		94.1		
	45-54	93.9		95.8		95.8		96.2		96.2		96.2		97.4		97.4		94.6		94.6		94.6		94.1		
	55-64	90.3		92.2		92.2		82.0		82.0		79.8		87.8		87.8		88.6		88.6		88.6		87.4		
	65-74	55.2		86.3		86.3		68.7		68.7		68.1		75.9		75.9		68.1		68.1		68.1		65.9		
	75+	53.6		40.2		40.2		62.7		62.7		53.9		62.7		62.7		53.9		53.9		53.9		44.8		
All ages	82.3		87.1		87.1		75.8		75.8		73.6		79.9		79.9		76.2		76.2		76.2		73.2			
	(71.6-89.5)		(79.7-92.1)		(79.7-92.1)		(67.0-82.7)		(67.0-82.7)		(64.3-81.1)		(64.3-81.1)		(72.0-85.9)		(72.0-85.9)		(67.6-83.1)		(67.6-83.1)		(65.0-79.8)		(65.0-79.8)	

* refers to cells where estimates are not computed due to insufficient sample size

APPENDIX F:
COMPUTATION OF EXPECTED SURVIVAL
RATES, CONFIDENCE INTERVAL AND
AGE-STANDARDISED ESTIMATE


(A) Computation of the Expected Survival Rate

The Ederer II method is outlined below:

Suppose that we want to estimate the cumulative expected survival from the start of follow-up to the end of the i^{th} sub-interval (in our case, one interval length is one year). Then, we calculate ${}_1P_i^* = \prod_{j=1}^i P_{j2}^*$, which is the i^{th} year cumulative survival proportion, where

$$P_{j2}^* = \sum_{h=1}^{l_j} \frac{P_j^*(h)}{l_j}$$

is the average of the one-year expected survival probabilities of the patients alive at the start of the j^{th} interval. $P_j^*(h)$ is the expected survival probability of the h^{th} patient in the j^{th} interval; and l_j is the number of patients in the j^{th} interval.



The i -year cumulative expected survival is then = $P_{12}^* \times P_{22}^* \times \dots \times P_{i-1,2}^* \times P_{i2}^*$

(B) Computation of the Confidence Interval

(i) Working on the assumption that the estimated survival rate is normally distributed, the 2-sided $100(1-\alpha)\%$ confidence interval for cumulative relative survival can be computed as

$$C\hat{S}R \pm z_{\alpha/2}SE(C\hat{S}R)$$

$SE(C\hat{S}R)$ is the standard error for cumulative relative survival using Greenwood's formula.

Note: This computation method can also be applied to interval-specific relative survival or the cumulative observed survival.

(ii) In the event that the upper and lower bounds are out-of-range (i.e. exceed the range of 0 and 1), the complementary log-log transformation is used.

Then, the 2-sided $100(1-\alpha)\%$ confidence interval for cumulative relative survival can be written as

$$\frac{1}{\text{Expected Survival Rate}} \log(-\log(\text{Cumulative OSR})) \pm z_{\alpha/2} \text{SE}(\log(-\log(\text{Cumulative OSR})))$$

Using Taylor series, the standard error of the complementary log-log transformed observed survival rate can be approximated by $\frac{SE(OSR)}{OSR * \log(OSR)}$ ¹

(C) Computation of the Age-standardised Estimate

The procedure to obtain age-standardised survival estimates is shown below.

Suppose there are J age classes and K population strata.

Cumulative i -year age-standardised relative survival estimates for the k^{th} population stratum are formulated as:

$$ASRS_{ik} = \sum_{j=1}^J \frac{M_j}{M} R_{ijk},$$

where R_{ijk} is the cumulative relative survival estimate at the end of the i^{th} year of follow-up for age class j and k^{th} population stratum;

$M_j = \sum_k m_{jk}$ is the number of patients in age class j ;

$M = \sum_j M_j$ is the total number of patients, summed across all age classes.

M_j and M are independent of population strata.²

REFERENCES:

1. Voutilainen ET, Dickman PW, Hakulinen T. Surv 2: Relative Survival Analysis Program. In: Software Manual Program Version 202b (Oct 30, 1998); Aug 9, 2000.
2. Sankaranarayanan R, Black RJ, Swaminathan R, Parkin DM. Cancer Survival in Developing Countries; 1998.

APPENDIX G:
HISTOLOGICAL TYPES BY SITE
2008 - 2017

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C00 : Neoplasms of Lip	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Squamous cell carcinoma, NOS	3	2	33.3	5
Adenoid cystic carcinoma	2	1	16.7	3
Mucoepidermoid carcinoma	3	2	33.3	5
Acinic cell carcinoma	0	1	16.7	1
Total with histology	8	6	100	14

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C01 - C02 : Neoplasms of Tongue	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Squamous cell carcinoma	275	379	92.2	654
Verrucous carcinoma	1	5	1.2	6
Squamous cell carcinoma, spindle cell	2	4	1.0	6
Basaloid squamous cell carcinoma	3	3	0.7	6
Squamous cell carcinoma, microinvasive	0	1	0.2	1
Papillary squamous carcinoma	0	1	0.2	1
Adenosquamous carcinoma	1	3	0.7	4
Lymphoepithelial carcinoma	0	1	0.2	1
Adenoid cystic carcinoma	2	3	0.7	5
Mucoepidermoid carcinoma	1	3	0.7	4
Pleomorphic carcinoma	0	1	0.2	1
Adenocarcinoma	0	1	0.2	1
Teratoma, malignant	1	0	0.0	1
Carcinoma	7	1	0.2	8
Malignant neoplasm	1	0	0.0	1
Total cases with histology	294	406	98.8	700
Clinically malignant tumour (no microscopic confirmation)	0	5	1.2	5
Total (all cases)	294	411	100	705
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	13	13		26
Mantle cell lymphoma	0	1		1
Extranodal marginal zone B-cell lymphoma	0	1		1
Plasmablastic lymphoma	0	1		1
Total (Haematolymphoid neoplasms)	13	16		29

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C03 - C06 : Neoplasms of Mouth (including gum, floor of mouth, cheek mucosa, hard & soft palates)	2008 - 2012	2013 - 2017	2013 - 2017	2008 - 2017
	No.	No.	%	No.
Squamous cell carcinoma				
Squamous cell carcinoma NOS	144	201	75.6	345
Verrucous carcinoma, NOS	2	5	1.9	7
Papillary squamous cell carcinoma	0	2	0.8	2
Squamous cell carcinoma, spindle cell	2	1	0.4	3
Basaloid squamous cell carcinoma	0	1	0.4	1
Adenosquamous carcinoma	1	1	0.4	2
Soft tissue tumours				
Sarcoma, NOS	1	0	0.0	1
Epithelioid sarcoma	1	0	0.0	1
Undifferentiated sarcoma	0	2	0.8	2
Rhabdomyosarcoma, NOS	0	1	0.4	1
Kaposi sarcoma	1	1	0.4	2
Malignant tumours				
Mucoepidermoid carcinoma	22	18	6.8	40
Adenoid cystic carcinoma	11	14	5.3	25
Secretory carcinoma	0	1	0.4	1
Adenocarcinoma, NOS	4	0	0.0	4
Malignant melanoma, NOS	3	6	2.3	9
Mucinous adenocarcinoma	2	0	0.0	2
Adenocarcinoma with neuroendocrine differentiation	1	0	0.0	1
Polymorphous low grade adenocarcinoma	0	1	0.4	1
Clear cell adenocarcinoma, NOS	1	2	0.8	3
Malignant myoepithelioma	1	0	0.0	1
Acinic cell carcinoma	6	1	0.4	7
Carcinoma ex pleomorphic adenoma	1	1	0.4	2
Cystadenocarcinoma, NOS	1	0	0.0	1
Sarcomatoid carcinoma	2	0	0.0	2
Carcinoma, NOS	2	5	1.9	7
Malignant neoplasm	1	0	0.0	1
Total cases with histology	210	264	99.2	474
Clinically malignant tumour (no microscopic confirmation)	1	2	0.8	3
Total (all cases)	211	266	100	477
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	4	7		11
Follicular lymphoma	0	1		1
Extranodal NK/T cell lymphoma, nasal type	0	1		1
Plasmablastic lymphoma	0	1		1
Langerhans cell histiocytosis, disseminated	1	0		1
Polymorphic post-transplant lymphoproliferative disorder (PTLD)	1	0		1
Total (Haematolymphoid neoplasms)	6	10		16

C07-C08 : Neoplasms of Major Salivary Glands (including parotid glands)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Squamous carcinoma				
Squamous cell carcinoma, NOS	11	10	4.9	21
Spindle cell carcinoma	1	1	0.5	2
Lymphoepithelial carcinoma	15	13	6.3	28
Basaloid carcinoma	1	2	1.0	3
Adenosquamous carcinoma	1	1	0.5	2
Soft tissue tumours				
Sarcoma, NOS	1	0	0.0	1
Myofibroblastic tumour, NOS	1	0	0.0	1
Rhabdomyosarcoma	0	1	0.5	1
Malignant tumours				
Adenoid cystic carcinoma	30	43	20.9	73
Mucoepidermoid carcinoma	53	32	15.5	85
Acinic cell carcinoma	22	25	12.1	47
Carcinoma ex pleomorphic adenoma	7	15	7.3	22
Infiltrating duct carcinoma, NOS	5	12	5.8	17
Secretory carcinoma	0	2	1.0	2
Adenocarcinoma, NOS	22	11	5.3	33
Basal cell adenocarcinoma	8	5	2.4	13
Oxyphilic adenocarcinoma	0	1	0.5	1
Papillary cystadenocarcinoma, NOS	1	0	0.0	1
Epithelial-myoepithelial carcinoma	2	11	5.3	13
Malignant myoepithelioma	1	4	1.9	5
Neuroendocrine carcinoma, NOS	1	0	0	1
Small cell carcinoma	0	1	0.5	1
Carcinoma	13	14	6.8	27
Malignant tumour	1	1	0.5	2
Total cases with histology	197	205	99.5	402
Clinically malignant tumour (no microscopic confirmation)	1	1	0.5	2
Total (all cases)	198	206	100	404
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	7	9		16
Extranodal marginal zone B-cell lymphoma	6	12		18
Burkitt lymphoma	0	2		2
Follicular lymphoma	4	0		4
Hodgkin lymphoma	1	1		2
Total (Haematolymphoid neoplasms)	18	24		42

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C09-C10 & C12-C14 : Neoplasms of Pharynx (including tonsils, oropharynx / hypopharynx)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Squamous carcinoma				
Squamous cell carcinoma, NOS	246	218	68.3	464
Squamous cell carcinoma, keratinizing	18	34	10.7	52
Squamous cell carcinoma, large cell, nonkeratinizing	10	30	9.4	40
Papillary squamous cell carcinoma	6	6	1.9	12
Lymphoepithelial carcinoma	1	4	1.3	5
Basaloid squamous cell carcinoma	3	7	2.2	10
Adenosquamous carcinoma	1	0	0.0	1
Malignant tumours				
Mucoepidermoid carcinoma	2	2	0.6	4
Mucinous adenocarcinoma	0	1	0.3	1
Acinic cell carcinoma	0	1	0.3	1
Malignant myoepithelioma	1	0	0.0	1
Adenocarcinoma, NOS	1	1	0.3	2
Undifferentiated sarcoma	0	1	0.3	1
Carcinoma, NOS	21	7	2.2	28
Malignant tumour	1	0	0.0	1
Total cases with histology	311	312	97.8	623
Clinically malignant tumour (no microscopic confirmation)	9	7	2.2	16
Total (all cases)	320	319	100	639
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	67	71		138
Lymphoplasmacytic lymphoma	1	0		1
Mantle cell lymphoma	3	4		7
Burkitt lymphoma	1	1		2
Extranodal marginal zone B-cell lymphoma	1	2		3
Follicular lymphoma	5	6		11
Peripheral T-cell lymphoma, NOS	3	0		3
Angioimmunoblastic T-cell lymphoma	1	1		2
Extranodal NK/T cell lymphoma, nasal type	0	1		1
Malignant lymphoma, NOS	1	1		2
Post- transplant lymphoproliferative disorder (PTLD)	1	0		1
Total (Haematolymphoid neoplasms)	84	87		171

C11 : Neoplasms of Nasopharynx	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Carcinoma, NOS	1327	872	59.8	2199
Squamous cell carcinoma				
Papillary squamous cell carcinoma	3	4	0.3	7
Squamous cell carcinoma, NOS	24	28	1.9	52
Squamous cell carcinoma, keratinizing	15	11	0.8	26
Squamous cell carcinoma, large cell, nonkeratinizing	90	503	34.5	593
Lymphoepithelial carcinoma	34	8	0.5	42
Basaloid squamous cell carcinoma	3	1	0.1	4
Soft tissue tumours				
Undifferentiated sarcoma	0	1	0.1	1
Rhabdomyosarcoma	2	1	0.1	3
Malignant tumours				
Basal cell adenocarcinoma	0	1	0.1	1
Adenoid cystic carcinoma	5	3	0.2	8
Neuroendocrine carcinoma, NOS	1	1	0.1	2
Papillary adenocarcinoma	0	1	0.1	1
Mucoepidermoid carcinoma	2	1	0.1	3
Malignant myoepithelioma	0	1	0.1	1
Malignant neoplasm	1	6	0.4	7
Total cases with histology	1507	1443	99.0	2950
Clinically malignant tumour (no microscopic confirmation)	9	14	1.0	23
Total (all cases)	1516	1457	100	2973
Haematolymphoid neoplasms				
Hodgkin lymphoma	1	1		2
Diffuse large B-cell lymphoma	16	36		52
Follicular lymphoma	2	0		2
Extranodal marginal zone B-cell lymphoma	6	4		10
Mantle cell lymphoma	0	1		1
Extraosseous plasmacytoma	0	1		1
Plasmablastic lymphoma	0	1		1
Malignant lymphoma, non-Hodgkin, NOS	0	1		1
Extranodal NK/T cell lymphoma, nasal type	3	2		5
Peripheral T-cell lymphoma, NOS	3	0		3
Follicular dendritic cell sarcoma	1	0		1
Total (Haematolymphoid neoplasms)	32	47		79

C15 : Neoplasms of Oesophagus	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	330	402	70.5	732
Squamous cell carcinoma, keratinizing	17	12	2.1	29
Squamous cell carcinoma, large cell, nonkeratinizing	4	9	1.6	13
Squamous cell carcinoma, spindle cell	7	1	0.2	8
Basaloid squamous cell carcinoma	11	5	0.9	16
Adenosquamous carcinoma	2	7	1.2	9
Adenocarcinoma				
Adenocarcinoma, NOS	72	86	15.1	158
Adenocarcinoma, intestinal type	1	3	0.5	4
Mucinous adenocarcinoma	0	1	0.2	1
Signet ring cell carcinoma	6	1	0.2	7
Adenocarcinoma with mixed subtypes	1	0	0.0	1
Carcinoma, NOS	17	7	1.2	24
Neuroendocrine tumours				
Large cell neuroendocrine carcinoma	0	1	0.2	1
Small cell carcinoma	8	1	0.2	9
Neuroendocrine carcinoma, NOS	5	2	0.4	7
Mesenchymal tumours				
Granular cell tumour, malignant	0	1	0.2	1
Smooth muscle tumour of uncertain malignant potential	3	1	0.2	4
Gastrointestinal stromal tumour	2	1	0.2	3
Gastrointestinal stromal sarcoma	2	6	1.1	8
Malignant melanoma	3	3	0.5	6
Other neoplasms				
Malignant tumour, spindle cell type	0	1	0.2	1
Malignant neoplasm	2	1	0.2	3
Total cases with histology	493	552	96.8	1045
Clinically malignant tumour (no microscopic confirmation)	22	18	3.2	40
Total (all cases)	515	570	100	1085
Haematolymphoid neoplasms				
Extranodal NK/T cell lymphoma, nasal type	0	1		1
Total (Haematolymphoid neoplasms)	0	1		1

C16 : Neoplasms of Stomach	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Adenocarcinoma				
Adenocarcinoma in adenomas	11	4	0.1	15
Adenocarcinoma, NOS	1058	979	36.3	2037
Adenocarcinoma, intestinal type	264	181	6.7	445
Adenocarcinoma, diffuse type	556	564	20.9	1120
Tubular adenocarcinoma	123	236	8.7	359
Papillary adenocarcinoma	5	2	0.1	7
Clear cell adenocarcinoma	1	1	0.0	2
Mucinous adenocarcinoma	34	30	1.1	64
Adenocarcinoma with mixed subtypes	50	103	3.8	153
Adenocarcinoma with neuroendocrine differentiation	5	4	0.1	9
Hepatoid adenocarcinoma	1	0	0.0	1
Squamous carcinoma				
Squamous cell carcinoma, NOS	7	19	0.7	26
Basaloid squamous cell carcinoma	1	0	0.0	1
Adenosquamous carcinoma	2	1	0.0	3
Carcinoma with lymphoid stroma	3	4	0.1	7
Undifferentiated carcinoma	7	3	0.1	10
Pleomorphic carcinoma	1	0	0.0	1
Carcinoma, NOS	39	32	1.2	71
Neuroendocrine tumours				
Carcinoid tumour	20	43	1.6	63
Atypical carcinoid tumour	2	4	0.1	6
Mixed adenoneuroendocrine carcinoma	0	3	0.1	3
Large cell neuroendocrine carcinoma	1	6	0.2	7
Small cell carcinoma	3	3	0.1	6
Neuroendocrine carcinoma, NOS	19	14	0.5	33
Mesenchymal tumours				
Smooth muscle tumour of uncertain malignant potential	1	0	0.0	1
Leiomyosarcoma	0	1	0.0	1
Gastrointestinal stromal tumour	154	104	3.9	258
Gastrointestinal stromal sarcoma	71	256	9.5	327
Kaposi sarcoma	1	0	0.0	1
Clear cell sarcoma	0	1	0.0	1
Malignant melanoma	1	3	0.1	4
Other neoplasms				
Carcinosarcoma	1	0	0.0	1
Malignant neoplasm	2	2	0.1	4
Total cases with histology	2444	2603	96.5	5047
Clinically malignant tumour (no microscopic confirmation)	81	95	3.5	176
Total (all cases)	2525	2698	100	5223

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C16 : Neoplasms of Stomach	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Haematolymphoid neoplasms				
Extranodal marginal zone B-cell lymphoma	49	80		129
Diffuse large B-cell lymphoma	72	88		160
Burkitt lymphoma	2	3		5
Follicular lymphoma	2	1		3
HHV8-positive diffuse large B-cell lymphoma	0	1		1
Peripheral T-cell lymphoma, NOS	3	2		5
Extranodal NK/T cell lymphoma, nasal type	0	1		1
Anaplastic large cell lymphoma, ALK positive	1	0		1
Histiocytic sarcoma	1	0		1
Total (Haematolymphoid neoplasms)	81	96		306

C17 : Neoplasms of Small Intestines	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Adenocarcinoma				
Adenocarcinoma in adenomas	4	2	0.6	6
Adenocarcinoma, NOS	81	72	22.6	153
Adenocarcinoma, intestinal type	0	1	0.3	1
Mucinous adenocarcinoma	2	8	2.5	10
Signet ring cell carcinoma	1	6	1.9	7
Adenocarcinoma with mixed subtypes	1	1	0.3	2
Adenocarcinoma with neuroendocrine differentiation	0	1	0.3	1
Undifferentiated carcinoma	1	1	0.3	2
Carcinoma, NOS	5	3	0.9	8
Neuroendocrine tumours				
Carcinoid tumour, NOS	21	73	23.0	94
Atypical carcinoid tumour	0	7	2.2	7
Gastrinoma	0	1	0.3	1
Neuroendocrine carcinoma, NOS	14	4	1.3	18
Mesenchymal tumours				
Smooth muscle tumour of uncertain malignant potential	1	1	0.3	2
Leiomyosarcoma	1	1	0.3	2
Gastrointestinal stromal tumour	56	30	9.4	86
Gastrointestinal stromal sarcoma	33	90	28.3	123
Sarcoma, NOS	0	1	0.3	1
Angiosarcoma	1	1	0.3	2
Giant cell sarcoma	1	0	0.0	1
Epithelioid sarcoma	1	0	0.0	1
Dedifferentiated liposarcoma	0	1	0.3	1
Other neoplasms				
Malignant neoplasm	0	2	0.6	2
Total cases with histology	224	307	96.5	531
Clinically malignant tumour (no microscopic confirmation)	10	11	3.5	21
Total (all cases)	234	318	100	552
Haematolymphoid neoplasms				
Mantle cell lymphoma	0	1		1
Diffuse large B-cell lymphoma	25	47		72
Burkitt lymphoma	2	2		4
Follicular lymphoma	8	8		16
Extranodal marginal zone B-cell lymphoma	5	5		10
Plasmablastic lymphoma	0	1		1
Enteropathy-associated T-cell lymphoma	8	9		17
Peripheral T-cell lymphoma, NOS	2	5		7
Histiocytic sarcoma	1	0		1
Post- transplant lymphoproliferative disorder (PTLD)	0	1		1
Total (Haematolymphoid neoplasms)	51	79		130

C18 : Neoplasms of Colon	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Mucinous tumour, borderline malignancy	19	52	0.8	71
Adenocarcinoma				
Adenocarcinoma in adenomas	325	475	7.0	800
Adenocarcinoma, NOS	4277	5110	75.6	9387
Tubular adenocarcinoma	3	0	0.0	3
Serrated adenocarcinoma	0	2	0.0	2
Papillary adenocarcinoma	1	0	0.0	1
Micropapillary carcinoma	0	2	0.0	2
Clear cell adenocarcinoma	0	1	0.0	1
Mucinous adenocarcinoma	437	509	7.5	946
Signet ring cell carcinoma	57	57	0.8	114
Medullary carcinoma	1	9	0.1	10
Adenocarcinoma with mixed subtypes	4	17	0.3	21
Adenocarcinoma with neuroendocrine differentiation	7	5	0.1	12
Squamous cell carcinoma, NOS	1	1	0.0	2
Adenosquamous carcinoma	5	3	0.0	8
Undifferentiated carcinoma	3	7	0.1	10
Carcinoma, NOS	21	26	0.4	47
Neuroendocrine tumours				
Carcinoid tumour	55	65	1.0	120
Mixed adenoneuroendocrine carcinoma	2	14	0.2	16
Goblet cell carcinoid	10	6	0.1	16
Large cell neuroendocrine carcinoma	1	3	0.0	4
Neuroendocrine carcinoma, NOS	10	6	0.1	16
Mesenchymal tumours				
Smooth muscle tumour of uncertain malignant potential	0	1	0.0	1
Leiomyosarcoma	0	2	0.0	2
Gastrointestinal stromal tumour	3	0	0.0	3
Gastrointestinal stromal sarcoma	1	5	0.1	6
Sarcoma, NOS	1	2	0.0	3
Other neoplasms				
Malignant neoplasm	16	7	0.1	23
Total cases with histology	5260	6387	94.5	11647
Clinically malignant tumour (no microscopic confirmation)	247	369	5.5	616
Total (all cases)	5507	6756	100	12263

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C18 : Neoplasms of Colon	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Haematolymphoid neoplasms				
Hodgkin lymphoma, mixed cellularity	1	0		1
Diffuse large B-cell lymphoma	25	26		51
Mantle cell lymphoma	1	4		5
Burkitt lymphoma	6	3		9
Follicular lymphoma	2	0		2
Extranodal marginal zone B-cell lymphoma	4	7		11
Extraosseous plasmacytoma	0	1		1
Peripheral T-cell lymphoma, NOS	0	2		2
Enteropathy-associated T-cell lymphoma	1	1		2
Extranodal NK/T cell lymphoma, nasal type	1	0		1
Post- transplant lymphoproliferative disorder (PTLD)	0	1		1
Total (Haematolymphoid neoplasms)	41	45		86

C19 - C20 : Neoplasms of Rectosigmoid and Rectum	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Adenocarcinoma				
Adenocarcinoma in adenomas	148	244	6.3	392
Adenocarcinoma, NOS	2607	3031	78.2	5638
Tubular adenocarcinoma	0	2	0.1	2
Papillary adenocarcinoma	1	0	0.0	1
Micropapillary carcinoma	0	1	0.0	1
Clear cell adenocarcinoma	1	0	0.0	1
Mucinous adenocarcinoma	127	125	3.2	252
Signet ring cell carcinoma	25	32	0.8	57
Adenocarcinoma with mixed subtypes	1	3	0.1	4
Adenocarcinoma with neuroendocrine differentiation	1	2	0.1	3
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	6	3	0.1	9
Basaloid squamous cell carcinoma	1	0	0.0	1
Adenosquamous carcinoma	2	1	0.0	3
Undifferentiated carcinoma	0	2	0.1	2
Carcinoma, NOS	17	12	0.3	29
Neuroendocrine tumours				
Carcinoid tumour	116	243	6.3	359
Atypical carcinoid tumour	3	14	0.4	17
Mixed adenoneuroendocrine carcinoma	1	3	0.1	4
Large cell neuroendocrine carcinoma	2	2	0.1	4
Small cell carcinoma	0	2	0.1	2
Neuroendocrine carcinoma, NOS	29	16	0.4	45
Mesenchymal tumours				
Leiomyosarcoma	3	0	0.0	3
Gastrointestinal stromal tumour	10	6	0.2	16
Gastrointestinal stromal sarcoma	9	14	0.4	23
Malignant melanoma	2	2	0.1	4
Carcinosarcoma	1	0	0.0	1
Other neoplasms				
Malignant neoplasm	9	5	0.1	14
Total cases with histology	3122	3765	97.1	6887
Clinically malignant tumour (no microscopic confirmation)	78	113	2.9	191
Total (all cases)	3200	3878	100	7078
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	4	4		8
Burkitt lymphoma	0	1		1
Follicular lymphoma	0	1		1
Extranodal marginal zone B-cell lymphoma	1	4		5
Plasmablastic lymphoma	0	2		2
Total (Haematolymphoid neoplasms)	5	12		17

C21 : Neoplasms of Anus	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Adenocarcinoma				
Adenocarcinoma in adenomas	8	9	5.1	17
Adenocarcinoma, NOS	51	85	48.0	136
Adenocarcinoma, intestinal type	0	1	0.6	1
Mucinous adenocarcinoma	20	23	13.0	43
Signet ring cell carcinoma	2	2	1.1	4
Adenocarcinoma with mixed subtypes	1	1	0.6	2
Paget disease, extramammary	1	0	0.0	1
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	29	30	16.9	59
Squamous cell carcinoma, keratinizing	1	1	0.6	2
Squamous cell carcinoma, large cell, nonkeratinizing	2	1	0.6	3
Squamous cell carcinoma, microinvasive	0	1	0.6	1
Basaloid squamous cell carcinoma	5	4	2.3	9
Cloacogenic carcinoma	1	0	0.0	1
Carcinoma, NOS	3	0	0.0	3
Neuroendocrine tumours				
Carcinoid tumour	3	6	3.4	9
Atypical carcinoid tumour	0	1	0.6	1
Small cell carcinoma	0	2	1.1	2
Neuroendocrine carcinoma, NOS	0	2	1.1	2
Mesenchymal tumours				
Smooth muscle tumour of uncertain malignant potential	1	0	0.0	1
Gastrointestinal stromal tumour	2	0	0.0	2
Gastrointestinal stromal sarcoma	3	3	1.7	6
Malignant melanoma	3	4	2.3	7
Other neoplasms				
Malignant neoplasm	1	0	0.0	1
Total cases with histology	137	176	99.4	313
Clinically malignant tumour (no microscopic confirmation)	0	1	0.6	1
Total (all cases)	137	177	100	314

C22 : Neoplasms of Liver and Intrahepatic Bile Ducts	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Hepatocellular carcinoma				
Hepatocellular carcinoma, NOS	888	1065	28.8	1953
Hepatocellular carcinoma, fibrolamellar	0	2	0.1	2
Hepatocellular carcinoma, scirrhous	0	1	0.0	1
Hepatocellular carcinoma, spindle cell	3	4	0.1	7
Hepatocellular carcinoma, clear cell	3	4	0.1	7
Hepatocellular carcinoma, pleomorphic	1	0	0.0	1
Hepatoblastoma	11	8	0.2	19
Adenocarcinoma				
Adenocarcinoma, NOS	106	139	3.8	245
Cholangiocarcinoma	77	238	6.4	315
Mucinous adenocarcinoma	1	3	0.1	4
Adenocarcinoma with neuroendocrine differentiation	0	2	0.1	2
Combined hepatocellular carcinoma and cholangiocarcinoma	18	26	0.7	44
Undifferentiated carcinoma	2	0	0.0	2
Pleomorphic carcinoma	1	0	0.0	1
Sarcomatoid carcinoma	3	1	0.0	4
Carcinoma, NOS	27	23	0.6	50
Neuroendocrine tumours				
Carcinoid tumour	0	2	0.1	2
Atypical carcinoid tumour	0	1	0.0	1
Large cell neuroendocrine carcinoma	0	1	0.0	1
Neuroendocrine carcinoma, NOS	0	3	0.1	3
Mesenchymal tumours				
Smooth muscle tumour of uncertain malignant potential	2	1	0.0	3
Leiomyosarcoma	1	0	0.0	1
Sarcoma, NOS	1	3	0.1	4
Malignant solitary fibrous tumour	1	0	0.0	1
Epithelioid hemangioendothelioma	2	2	0.1	4
Embryonal sarcoma	1	1	0.0	2
Angiosarcoma	8	10	0.3	18
Carcinosarcoma	1	1	0.0	2
Other neoplasms				
Malignant neoplasm	9	4	0.1	13
Total cases with histology	1167	1545	41.8	2712
Clinically malignant tumour (no microscopic confirmation)	1703	2152	58.2	3855
Total (all cases)	2870	3697	100	6567

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C22 : Neoplasms of Liver and Intrahepatic Bile Ducts	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	5	2		7
Follicular lymphoma	1	1		2
Extranodal marginal zone B-cell lymphoma	0	3		3
Peripheral T-cell lymphoma, NOS	1	0		1
Anaplastic large cell lymphoma, ALK positive	1	0		1
Langerhans cell histiocytosis, NOS	1	0		1
Follicular dendritic cell sarcoma	1	1		2
Post-transplant lymphoproliferative disorder (PTLD)	1	0		1
Total (Haematolymphoid neoplasms)	11	7		18

C23 - C24 : Neoplasms of Gallbladder, Extrahepatic Bile Ducts and Biliary Tract	2008 - 2012	2013 - 2017	2013 - 2017	2008 - 2017
	No.	No.	%	No.
Adenocarcinoma				
Adenocarcinoma in adenomas	7	4	0.5	11
Adenocarcinoma, NOS	334	418	56.5	752
Cholangiocarcinoma	30	93	12.6	123
Adenocarcinoma, intestinal type	2	25	3.4	27
Mucinous adenocarcinoma	17	14	1.9	31
Signet ring cell carcinoma	7	7	0.9	14
Papillary carcinoma	8	8	1.1	16
Adenocarcinoma with mixed subtypes	1	3	0.4	4
Adenocarcinoma with neuroendocrine differentiation	4	1	0.1	5
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	2	3	0.4	5
Squamous cell carcinoma, small cell, nonkeratinizing	1	0	0.0	1
Adenosquamous carcinoma	6	9	1.2	15
Undifferentiated carcinoma	2	1	0.1	3
Pleomorphic carcinoma	1	1	0.1	2
Sarcomatoid carcinoma	0	2	0.3	2
Carcinoma, NOS	21	21	2.8	42
Neuroendocrine tumours				
Carcinoid tumor	0	4	0.5	4
Atypical carcinoid tumor	0	1	0.1	1
Small cell carcinoma, NOS	1	3	0.4	4
Neuroendocrine carcinoma, NOS	7	4	0.5	11
Mesenchymal tumours				
Leiomyosarcoma	0	1	0.1	1
Carcinosarcoma	1	0	0.0	1
Other neoplasms				
Malignant neoplasm	8	7	0.9	15
Total cases with histology	460	630	85.1	1090
Clinically malignant tumour (no microscopic confirmation)	103	110	14.9	213
Total (all cases)	563	740	100	1303
Haematolymphoid neoplasms				
Mantle cell lymphoma	0	1		1
Histiocytic sarcoma	1	0		1
Total (Haematolymphoid neoplasms)	1	1		2

C25 : Neoplasms of Pancreas	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Intraductal neoplasms				
Intraductal papillary-mucinous carcinoma, invasive	6	10	0.5	16
Mucinous cystic neoplasms				
Mucinous borderline tumour	2	0	0.0	2
Mucinous cystadenocarcinoma	4	4	0.2	8
Adenocarcinoma				
Adenocarcinoma, NOS	852	1264	63.4	2116
Tubular adenocarcinoma	1	1	0.1	2
Clear cell adenocarcinoma	2	0	0.0	2
Mucinous adenocarcinoma	17	31	1.6	48
Signet ring cell carcinoma	3	8	0.4	11
Acinic cell carcinoma	3	3	0.2	6
Serous cystadenocarcinoma	0	1	0.1	1
Adenocarcinoma with mixed subtypes	0	1	0.1	1
Adenocarcinoma with neuroendocrine differentiation	3	0	0.0	3
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	1	3	0.2	4
Adenosquamous carcinoma	12	14	0.7	26
Undifferentiated carcinoma	1	2	0.1	3
Pleomorphic carcinoma	4	1	0.1	5
Carcinoma with osteoclast-like giant cells	2	0	0.0	2
Carcinoma, NOS	53	51	2.6	104
Solid pseudopapillary neoplasm	15	23	1.2	38
Neuroendocrine tumours				
Islet cell carcinoma	1	5	0.3	6
Insulinoma, malignant	2	0	0.0	2
Carcinoid tumour	13	88	4.4	101
Atypical carcinoid tumour	2	21	1.1	23
Large cell neuroendocrine carcinoma	4	1	0.1	5
Small cell carcinoma	3	7	0.4	10
Neuroendocrine carcinoma, NOS	45	29	1.5	74
Mixed islet cell and exocrine adenocarcinoma	1	0	0.0	1
Mesenchymal tumours				
Leiomyosarcoma	0	1	0.1	1
Epithelioid sarcoma	1	0	0.0	1
Angiosarcoma	0	1	0.1	1
Sarcoma, NOS	0	1	0.1	1
Carcinosarcoma	0	1	0.1	1
Other neoplasms				
Malignant neoplasm	28	12	0.6	40
Total cases with histology	1081	1584	79.5	2665
Clinically malignant tumour (no microscopic confirmation)	339	409	20.5	748
Total (all cases)	1420	1993	100	3413

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C25 : Neoplasms of Pancreas	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	4	7		11
Burkitt lymphoma	1	0		1
Follicular lymphoma	1	0		1
Total (Haematolymphoid neoplasms)	6	7		13

C30 - C31 : Neoplasms of Nasal Cavity, Middle Ear & Accessory Sinuses	2008 - 2012	2013 - 2017	2013 - 2017	2008 - 2017
	No.	No.	%	No.
Squamous cell carcinoma				
Spindle cell carcinoma	4	2	0.9	6
Verrucous carcinoma	0	1	0.5	1
Papillary squamous cell carcinoma	4	5	2.3	9
Squamous cell carcinoma, NOS	50	50	23.1	100
Squamous cell carcinoma, keratinizing	5	14	6.5	19
Squamous cell carcinoma, large cell, nonkeratinizing	26	53	24.5	79
Lymphoepithelial carcinoma	1	1	0.5	2
Basaloid squamous cell carcinoma	1	3	1.4	4
Adenosquamous carcinoma	0	1	0.5	1
Neuroendocrine tumours				
Small cell carcinoma	3	5	2.3	8
Carcinoid tumour	1	0	0.0	1
Neuroendocrine carcinoma, NOS	5	6	2.8	11
Soft tissue tumours				
Sarcoma, NOS	4	5	2.3	9
Fibromyxosarcoma	1	0	0.0	1
Malignant solitary fibrous tumour	1	3	1.4	4
Rhabdomyosarcoma	2	5	2.3	7
Malignant peripheral nerve sheath tumour	1	0	0.0	1
Malignant tumours				
Adenocarcinoma	11	4	1.9	15
Adenoid cystic carcinoma	6	11	5.1	17
Basal cell adenocarcinoma	0	2	0.9	2
Polymorphous adenocarcinoma	1	0	0.0	1
Epithelial-myoepithelial carcinoma	1	3	1.4	4
Malignant melanoma	5	7	3.2	12
Olfactory neurocytoma / neuroblastoma	18	22	10.2	40
Teratocarcinoma	1	1	0.5	2
Mucoepidermoid carcinoma	0	2	0.9	2
Carcinoma, NOS	10	7	3.2	17
Malignant tumour, spindle cell type	0	2	0.9	2
Total cases with histology	162	215	99.5	377
Clinically malignant tumour (no microscopic confirmation)	1	1	0.5	2
Total (all cases)	163	216	100	379

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C30 - C31 : Neoplasms of Nasal Cavity, Middle Ear & Accessory Sinuses	2008 - 2012	2013 - 2017	2013 - 2017	2008 - 2017
	No.	No.	%	No.
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	21	35		56
Burkitt lymphoma	1	2		3
Follicular lymphoma	1	1		2
Mantle cell lymphoma	0	1		1
Extrasosseous plasmacytoma	3	2		5
Plasmablastic lymphoma	0	3		3
Peripheral T-cell lymphoma, NOS	1	0		1
Extranodal NK/T cell lymphoma, nasal type	27	21		48
Anaplastic large cell lymphoma, ALK positive	0	1		1
Total (Haematolymphoid neoplasms)	54	66		120

C32 : Neoplasms of Larynx	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	351	385	87.9	736
Squamous cell carcinoma, microinvasive	1	1	0.2	2
Spindle cell carcinoma	4	6	1.4	10
Papillary squamous cell carcinoma	4	8	1.8	12
Lymphoepithelial carcinoma	0	1	0.2	1
Basaloid squamous cell carcinoma	1	0	0.0	1
Neuroendocrine tumours				
Large cell neuroendocrine carcinoma	1	0	0.0	1
Small cell carcinoma	1	2	0.5	3
Combined small cell carcinoma	1	0	0.0	1
Neuroendocrine carcinoma, NOS	1	1	0.2	2
Soft tissue tumours				
Chondrosarcoma, NOS	0	1	0.2	1
Malignant tumours				
Adenoid cystic carcinoma	0	3	0.7	3
Carcinoma	4	5	1.1	9
Malignant neoplasm	1	1	0.2	2
Total cases with histology	370	414	94.5	784
Clinically malignant tumour (no microscopic confirmation)	11	24	5.5	35
Total (all cases)	381	438	100	819
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	1	0		1
Extranodal marginal zone B-cell lymphoma	1	0		1
Peripheral T-cell lymphoma, NOS	0	1		1
Extranodal NK/T cell lymphoma, nasal type	1	0		1
Total (Haematolymphoid neoplasms)	3	1		4

C34 : Neoplasms of Lung (including trachea and bronchus)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Epithelial tumours				
Adenocarcinoma, NOS	2784	3398	43.7	6182
Lepidic adenocarcinoma	113	89	1.1	202
Acinar adenocarcinoma	128	501	6.4	629
Papillary adenocarcinoma	46	66	0.8	112
Micropapillary carcinoma	0	14	0.2	14
Solid adenocarcinoma	9	71	0.9	80
Invasive mucinous adenocarcinoma	49	97	1.2	146
Minimally invasive adenocarcinoma	0	2	0.0	2
Adenocarcinoma with neuroendocrine differentiation	4	7	0.1	11
Others:				
• Clear cell adenocarcinoma	9	5	0.1	14
• Adenocarcinoma with mixed subtypes	139	220	2.8	359
• Signet ring carcinoma	8	6	0.1	14
• Hepatoid adenocarcinoma	0	1	0.0	1
• Adenocarcinoma, intestinal type	0	9	0.1	9
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	929	793	10.2	1722
Squamous cell carcinoma, keratinizing	17	44	0.6	61
Squamous cell carcinoma, nonkeratinizing	11	30	0.4	41
Basaloid squamous cell carcinoma	4	2	0.0	6
Papillary squamous cell carcinoma	2	6	0.1	8
Spindle cell squamous cell carcinoma	7	8	0.1	15
Clear cell squamous cell carcinoma	1	0	0.0	1
Neuroendocrine tumours				
Small cell carcinoma	471	553	7.1	1024
Large cell neuroendocrine carcinoma	43	43	0.6	86
Mixed adenoneuroendocrine carcinoma	0	1	0.0	1
Carcinoid tumours:				
• Carcinoid tumour	16	31	0.4	47
• Atypical carcinoid tumour	2	10	0.1	12
Large cell carcinoma	510	296	3.8	806
Adenosquamous carcinoma	39	68	0.9	107
Other neoplasms				
Tumourlet, NOS	1	0	0.0	1
Sarcomatoid carcinoma	36	56	0.7	92
Adenosarcoma	0	1	0.0	1
Giant cell carcinoma	4	1	0.0	5
Pleomorphic carcinoma	22	36	0.5	58
Lymphoepithelial carcinoma	28	71	0.9	99
Malignant tumour, giant / spindle cell types	35	13	0.2	48
Carcinoma, NOS	114	79	1.0	193
Salivary gland-type tumours				
Mucoepidermoid carcinoma	4	6	0.1	10
Adenoid cystic carcinoma	6	6	0.1	12

C34 : Neoplasms of Lung (including trachea and bronchus)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Mesenchymal tumours				
Sarcoma, NOS	6	3	0.0	9
Synovial sarcoma	0	2	0.0	2
Myofibroblastic tumour	1	0	0.0	1
Solitary fibrous tumour	2	2	0.0	4
Smooth muscle tumours:				
• Smooth muscle tumour of uncertain malignant potential	3	0	0.0	3
• Leiomyomatosis	0	1	0.0	1
• Metastasizing leiomyoma	0	1	0.0	1
• Leiomyosarcoma	2	1	0.0	3
Pleuropulmonary blastoma	2	2	0.0	4
Pulmonary artery intimal sarcoma	0	1	0.0	1
Rhabdomyosarcoma, spindle cell	0	1	0.0	1
Desmoplastic small round cell tumour	1	0	0.0	1
Epithelioid hemangioendothelioma, NOS	1	0	0.0	1
Lymphangiomyomatosis	1	0	0.0	1
Paraganglioma	0	1	0.0	1
Tumours of ectopic origin				
Malignant melanoma	1	1	0.0	2
Choriocarcinoma	1	0	0.0	1
Total cases with histology	5612	6656	85.6	12268
Clinically malignant tumour (no microscopic confirmation)	941	1124	14.4	2065
Total (all cases)	6553	7780	100	14333
Haematolymphoid neoplasms				
B-cell lymphoma				
Extranodal marginal zone B-cell lymphoma	9	15		24
Diffuse large B-cell lymphoma	8	11		19
Follicular lymphoma	0	1		1
Burkitt lymphoma	1	0		1
Primary effusion lymphoma	0	1		1
Intravascular large B-cell lymphoma	0	1		1
Peripheral T-cell lymphoma	0	1		1
Anaplastic large cell lymphoma, ALK positive	2	1		3
Hodgkin lymphoma, nodular sclerosis	2	0		2
Langerhans cell histiocytosis, disseminated	0	2		2
Histiocytic sarcoma	0	1		1
Angiocentric immunoproliferative lesion	0	1		1
Total (Haematolymphoid neoplasms)	22	35		57

C37, C38.0 - C38.3 : Neoplasms of Thymus, Heart and Mediastinum	2008 - 2012	2013 - 2017	2013 - 2017	2008 - 2017
	No.	No.	%	No.
Thymoma				
Type A thymoma	12	25	7.0	37
Type AB thymoma	48	66	18.4	114
Type B1 thymoma	20	45	12.6	65
Type B2 thymoma	43	58	16.2	101
Type B3 thymoma	31	28	7.8	59
Thymoma, NOS	13	25	7.0	38
Thymic carcinoma				
Thymic carcinoma	23	17	4.7	40
Squamous cell carcinoma	5	19	5.3	24
Basaloid carcinoma	0	1	0.3	1
Lymphoepithelial carcinoma	0	2	0.6	2
Pleomorphic carcinoma	0	1	0.3	1
Pseudosarcomatous carcinoma	1	1	0.3	2
Thymic neuroendocrine tumours				
Carcinoid tumour, NOS	2	8	2.2	10
Neuroendocrine carcinoma, NOS	6	1	0.3	7
Large cell neuroendocrine carcinoma	1	3	0.8	4
Small cell carcinoma, NOS	0	1	0.3	1
Other neoplasms				
Malignant tumour, spindle cell type	0	1	0.3	1
Papillary adenocarcinoma	0	1	0.3	1
Malignant melanoma	0	1	0.3	1
Carcinoma, NOS	2	7	2.0	9
Germ cell tumours of the mediastinum				
Seminoma	12	8	2.2	20
Embryonal carcinoma, NOS	0	1	0.3	1
Yolk sac tumour	2	3	0.8	5
Teratoma	4	3	0.8	7
Mixed germ cell tumour	5	6	1.7	11
Choriocarcinoma	3	2	0.6	5
Germ cell tumour, nonseminomatous	3	2	0.6	5
Soft tissue tumours of the mediastinum				
Liposarcoma	1	1	0.3	2
Fibromyxosarcoma	1	0	0.0	1
Sarcoma	3	4	1.1	7
Vascular neoplasms				
Angiosarcoma	1	0	0.0	1
Epithelioid hemangioendothelioma, malignant	0	1	0.3	1

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C37, C38.0 - C38.3 : Neoplasms of Thymus , Heart and Mediastinum	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Neurogenic tumours				
Neuroblastoma	1	2	0.6	3
Paraganglioma	0	1	0.3	1
Total cases with histology	243	345	96.4	588
Clinically malignant tumour (no microscopic confirmation)	5	13	3.6	18
Total (all cases)	248	358	100	606
Haematolymphoid neoplasms				
B-cell lymphoma				
Primary mediastinal (thymic) large B-cell lymphoma	21	52		73
Diffuse large B-cell lymphoma	12	29		41
Extranodal marginal zone B-cell lymphoma	2	2		4
T-cell lymphoma				
Peripheral T-cell lymphoma	0	1		1
Anaplastic large cell lymphoma, ALK positive	0	1		1
T lymphoblastic leukaemia / lymphoma	5	4		9
Malignant lymphoma NOS	1	0		1
Hodgkin lymphoma				
Hodgkin lymphoma, mixed cellularity	1	0		1
Hodgkin lymphoma, nodular sclerosis	4	8		12
Total (Haematolymphoid neoplasms)	46	97		143

C38.4 : Neoplasms of Pleura	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Mesothelial tumours				
Malignant mesothelioma				
Malignant mesothelioma, NOS	42	33	32.7	75
Epithelioid mesothelioma	24	37	36.6	61
Fibrous mesothelioma	7	11	10.9	18
Biphasic mesothelioma	5	9	8.9	14
Mesenchymal tumours				
Epithelioid leiomyosarcoma	1	0	0.0	1
Malignant solitary fibrous tumour	0	1	1.0	1
Synovial sarcoma, NOS	0	1	1.0	1
Other neoplasms				
Malignant tumour, spindle cell type	0	1	1.0	1
Total cases with histology	79	93	92.1	172
Clinically malignant tumour (no microscopic confirmation)	4	8	7.9	12
Total (all cases)	83	101	100	184
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	2	2		4
Extranodal marginal zone B-cell lymphoma	0	1		1
Total (Haematolymphoid neoplasms)	2	3		5

C40 - C41 : Neoplasms of Bone and Articular Cartilage	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Cartilage tumours				
Chondromatosis, NOS	3	1	0.5	4
Chondrosarcoma				
Chondrosarcoma NOS	19	21	11.4	40
Juxtacortical chondrosarcoma	2	1	0.5	3
Myxoid chondrosarcoma	0	1	0.5	1
Mesenchymal chondrosarcoma	2	3	1.6	5
Clear cell chondrosarcoma	1	2	1.1	3
Dedifferentiated chondrosarcoma	0	2	1.1	2
Chondroblastoma, malignant	3	1	0.5	4
Osteogenic tumours				
Osteochondromatosis	1	3	1.6	4
Aggressive osteoblastoma	1	0	0.0	1
Osteosarcoma				
Osteosarcoma, NOS	35	38	20.7	73
Chondroblastic osteosarcoma	3	6	3.3	9
Fibroblastic osteosarcoma	5	0	0.0	5
Telangiectatic osteosarcoma	2	0	0.0	2
Small cell osteosarcoma	1	0	0.0	1
Central osteosarcoma	5	1	0.5	6
Parosteal osteosarcoma	2	2	1.1	4
Periosteal osteosarcoma	1	0	0.0	1
Giant cell tumours				
Giant cell tumour of bone, NOS	43	50	27.2	93
Giant cell tumour of soft parts, NOS	0	2	1.1	2
Giant cell tumour of bone, malignant	3	3	1.6	6
Notochordal tumours				
Chordoma	12	14	7.6	26
Vascular tumours				
Angiosarcoma	0	1	0.5	1
Lipogenic tumours				
Liposarcoma, NOS	1	0	0.0	1
Dedifferentiated liposarcoma	0	1	0.5	1
Leiomyosarcoma, NOS	0	1	0.5	1
Other neoplasms				
Sarcoma, NOS	1	2	1.1	3
Ewing sarcoma	7	7	3.8	14
Malignant neoplasm	2	0	0.0	2

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C40 - C41 : Neoplasms of Bone and Articular Cartilage	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Odontogenic tumours				
Odontogenic tumour, NOS	15	12	6.5	27
Ameloblastoma, malignant	3	2	1.1	5
Total cases with histology	173	177	96.2	350
Clinically malignant tumour (no microscopic confirmation)	5	7	3.8	12
Total (all cases)	178	184	100	362
Haematolymphoid neoplasms				
Solitary plasmacytoma of bone	1	15		16
B-cell lymphoma				
Diffuse large B-cell lymphoma	9	7		16
Plasmablastic lymphoma	0	1		1
T-cell lymphoma				
Peripheral T-cell lymphoma	0	1		1
Anaplastic large cell lymphoma, ALK positive	1	1		2
Hodgkin lymphoma, mixed cellularity	1	0		1
Langerhans cell histiocytosis, disseminated	17	12		29
Total (Haematolymphoid neoplasms)	29	37		66

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C43 : Malignant Melanoma of Skin	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Malignant melanoma, NOS	64	77	47.0	141
Nodular melanoma	27	28	17.1	55
Malignant melanoma, regressing	1	0	0.0	1
Amelanotic melanoma	1	2	1.2	3
Lentigo maligna melanoma	3	1	0.6	4
Superficial spreading melanoma	14	22	13.4	36
Acral lentiginous melanoma, malignant	22	26	15.9	48
Desmoplastic melanoma, malignant	0	1	0.6	1
Malignant melanoma in giant pigmented nevus	0	1	0.6	1
Mixed epithelioid and spindle cell melanoma	0	1	0.6	1
Epithelioid cell melanoma	0	3	1.8	3
Spindle cell melanoma, NOS	2	2	1.2	4
Blue nevus, malignant	2	0	0.0	2
Total cases with histology	136	164	100	300

C44 : Neoplasms of Skin (Non-Melanoma)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Keratinocytic / epidermal tumours				
Basal cell carcinoma				
Basal cell tumour	3	3	0.1	6
Basal cell carcinoma, NOS	954	719	21.3	1673
Basal cell carcinoma, nodular	708	1395	41.4	2103
Multifocal superficial basal cell carcinoma	39	43	1.3	82
Infiltrating basal cell carcinoma, NOS	39	66	2.0	105
Basosquamous carcinoma	23	20	0.6	43
Adenoid basal carcinoma	8	28	0.8	36
Basal cell adenocarcinoma	0	1	0.0	1
Squamous cell carcinoma				
Bowen disease malignant	0	1	0.0	1
Squamous cell carcinoma, microinvasive	3	2	0.1	5
Verrucous carcinoma, NOS	7	6	0.2	13
Squamous cell carcinoma, NOS	621	855	25.3	1476
Spindle cell squamous cell carcinoma	5	3	0.1	8
Basaloid squamous cell carcinoma	5	1	0.0	6
Clear cell squamous cell carcinoma	2	5	0.1	7
Acantholytic squamous cell carcinoma	6	4	0.1	10
Sarcomatoid carcinoma	1	0	0.0	1
Merkel cell carcinoma	1	9	0.3	10
Adenosquamous carcinoma	1	3	0.1	4
Adenocarcinoma				
Adenocarcinoma with neuroendocrine differentiation	1	0	0.0	1
Mucinous adenocarcinoma	10	10	0.3	20
Clear cell adenocarcinoma	1	0	0.0	1
Adenocarcinoma, NOS	7	6	0.2	13
Appendageal tumours				
Paget disease, extramammary	21	23	0.7	44
Sebaceous carcinoma	29	19	0.6	48
Eccrine poroma, malignant	22	19	0.6	41
Skin appendage carcinoma	13	2	0.1	15
Adenoid cystic carcinoma	11	6	0.2	17
Trichilemmocarcinoma	7	3	0.1	10
Eccrine adenocarcinoma	6	5	0.1	11
Apocrine adenocarcinoma	2	0	0.0	2
Nodular hidradenoma, malignant	2	4	0.1	6
Malignant eccrine spiradenoma	2	1	0.0	3
Pilomatrix carcinoma	1	0	0.0	1
Sclerosing sweat duct carcinoma	1	3	0.1	4
Malignant myoepithelioma	0	1	0.0	1

C44 : Neoplasms of Skin (Non-Melanoma)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Soft tissue and neural tumours				
Paraganglioma	0	1	0.0	1
Atypical fibrous histiocytoma	0	2	0.1	2
Dermatofibrosarcoma	74	45	1.3	119
Kaposi sarcoma	16	17	0.5	33
Angiosarcoma	9	7	0.2	16
Malignant solitary fibrous tumour	0	1	0.0	1
Angiomyxoma	0	1	0.0	1
Malignant fibrous histiocytoma	1	0	0.0	1
Malignant neoplasm Carcinoma, NOS	1 7	1 11	0.0 0.3	2 18
Total cases with histology	2670	3352	99.4	6022
Clinically malignant tumour (no microscopic confirmation)	16	21	0.6	37
Total (all cases)	2686	3373	100	6059
Haematolymphoid neoplasms				
B-cell lymphoma				
Diffuse large B-cell lymphoma	4	17		21
Follicular lymphoma	5	2		7
Extranodal marginal zone B-cell lymphoma	12	9		21
Primary cutaneous follicle centre lymphoma	1	3		4
Plasmablastic lymphoma	1	2		3
T-cell lymphoma				
Mycosis fungoides / Sezary syndrome	71	64		135
Peripheral T-cell lymphoma, NOS	8	5		13
Subcutaneous panniculitis-like T-cell lymphoma	5	4		9
Primary cutaneous CD8-positive aggressive epidermotropic cytotoxic T-cell lymphoma	11	5		16
Anaplastic large cell lymphoma, ALK positive	1	1		2
Primary cutaneous anaplastic large cell lymphoma	15	6		21
Extranodal NK/T cell lymphoma, nasal type	1	1		2
Primary cutaneous gamma-delta T-cell lymphoma	0	2		2
Lymphomatoid papulosis	0	1		1
Langerhans cell histiocytosis, disseminated	4	4		8
Cutaneous mastocytosis	0	2		2
Malignant lymphoma, non-Hodgkin, NOS	1	0		1
Total (Haematolymphoid neoplasms)	140	128		268

C48 : Neoplasms of Retroperitoneum and Peritoneum	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Aggressive fibromatosis	8	2	1.1	10
Leiomyomatosis	0	1	0.5	1
Liposarcoma				
Liposarcoma, well differentiated	12	15	7.9	27
Dedifferentiated liposarcoma	11	26	13.7	37
Pleomorphic liposarcoma	2	0	0.0	2
Liposarcoma, NOS	1	3	1.6	4
Leiomyosarcoma	14	13	6.8	27
Sarcoma				
Sarcoma, NOS	9	7	3.7	16
Epithelioid sarcoma	1	0	0.0	1
Desmoplastic small round cell tumour	0	1	0.5	1
Malignant solitary fibrous tumour	2	2	1.1	4
Gastrointestinal stromal sarcoma	5	2	1.1	7
Endometrial stromal sarcoma	0	1	0.5	1
Synovial sarcoma, NOS	1	0	0.0	1
Angiosarcoma	1	1	0.5	2
Epithelial - Mesenchymal tumours				
Adenosarcoma	1	0	0.0	1
Mullerian mixed tumour	0	1	0.5	1
Carcinosarcoma	0	1	0.5	1
Germ cell tumours				
Yolk sac tumour	0	1	0.5	1
Neural tumours				
Ganglioneuroblastoma	0	1	0.5	1
Neuroblastoma	1	2	1.1	3
Malignant peripheral nerve sheath tumour	1	0	0.0	1
Paraganglioma				
Paraganglioma, NOS	1	2	1.1	3
Paraganglioma, malignant	1	3	1.6	4
Neuroendocrine carcinoma, NOS	0	1	0.5	1
Mesothelioma				
Mesothelioma, malignant	6	9	4.7	15
Fibrous mesothelioma, malignant	2	1	0.5	3
Epithelioid mesothelioma, malignant	5	5	2.6	10
Mesothelioma, biphasic, malignant	1	0	0.0	1

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C48 : Neoplasms of Retroperitoneum and Peritoneum	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Carcinoma				
High grade serous carcinoma	40	51	26.8	91
Serous carcinoma	1	7	3.7	8
Adenocarcinoma, NOS	2	11	5.8	13
Mucinous cystadenocarcinoma	0	2	1.1	2
Clear cell carcinoma	0	2	1.1	2
Carcinoma, NOS	2	2	1.1	4
Malignant neoplasm	2	3	1.6	5
Total cases with histology	133	179	94.2	312
Clinically malignant tumour (no microscopic confirmation)	6	11	5.8	17
Total (all cases)	139	190	100	329
Haematolymphoid neoplasms				
B-cell lymphoma				
Diffuse large B-cell lymphoma	4	3		7
Burkitt lymphoma	1	0		1
Follicular lymphoma	1	2		3
Anaplastic large cell lymphoma, ALK positive	0	1		1
Total (Haematolymphoid neoplasms)	6	6		12

C49: Neoplasms of Connective and Soft Tissues (including C47: peripheral nerves and autonomic nervous system)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Adipocytic tumours				
Atypical lipoma / well differentiated lipoma	40	78	12.7	118
Dedifferentiated liposarcoma	7	26	4.2	33
Myxoid liposarcoma	18	16	2.6	34
Pleomorphic liposarcoma	2	11	1.8	13
Round cell liposarcoma	0	3	0.5	3
Mixed liposarcoma	1	1	0.2	2
Liposarcoma, NOS	10	11	1.8	21
Fibroblastic and myofibroblastic tumours				
Atypical myxoinflammatory fibroblastic tumour	0	1	0.2	1
Aggressive fibromatosis	15	21	3.4	36
Giant cell fibroblastoma	1	2	0.3	3
Myofibroblastic tumour, NOS	8	3	0.5	11
Myofibroblastic sarcoma	0	2	0.3	2
Fibrosarcoma, NOS	1	2	0.3	3
Fibromyxosarcoma	30	48	7.8	78
Infantile fibrosarcoma	0	1	0.2	1
Solitary fibrous tumour	0	3	0.5	3
Malignant solitary fibrous tumour	2	7	1.1	9
Myxosarcoma	3	1	0.2	4
Dermatofibrosarcoma, NOS	6	40	6.5	46
So-called fibrohistiocytic tumours				
Plexiform fibrohistiocytic tumour	0	2	0.3	2
Atypical fibrous histiocytoma	5	4	0.7	9
Giant cell tumour of soft parts, NOS	4	9	1.5	13
Malignant tenosynovial giant cell tumour	4	1	0.2	5
Vascular tumours				
Epithelioid hemangioendothelioma, NOS	2	0	0.0	2
Hemangioendothelioma, NOS	0	4	0.7	4
Kaposi sarcoma	8	6	1.0	14
Angiosarcoma	30	32	5.2	62
Pericytic (perivascular) tumours				
Glomus tumour, malignant	0	1	0.2	1
Smooth muscle tumours				
Smooth muscle tumour of uncertain malignant potential	4	5	0.8	9
Leiomyomatosis, NOS	1	0	0.0	1
Leiomyosarcoma, NOS	28	35	5.7	63
Skeletal muscle tumours				
Rhabdomyosarcoma, NOS	3	1	0.2	4
Embryonal rhabdomyosarcoma, NOS	2	5	0.8	7
Alveolar rhabdomyosarcoma	7	5	0.8	12
Pleomorphic rhabdomyosarcoma, adult type	4	4	0.7	8
Spindle cell rhabdomyosarcoma	0	2	0.3	2

C49: Neoplasms of Connective and Soft Tissues (including C47: peripheral nerves and autonomic nervous system)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Gastrointestinal stromal tumours				
Gastrointestinal stromal sarcoma	4	2	0.3	6
Chondro-osseous tumours				
Chondrosarcoma, NOS	1	2	0.3	3
Myxoid chondrosarcoma	5	7	1.1	12
Chondroblastic osteosarcoma	0	1	0.2	1
Extraskeletal osteosarcoma NOS	2	4	0.7	6
Peripheral nerve sheath tumours				
Neurofibromatosis, NOS	7	2	0.3	9
Malignant peripheral nerve sheath tumour	27	27	4.4	54
Tumours of uncertain differentiation				
Angiomatoid fibrous histiocytoma	3	0	0.0	3
Undifferentiated sarcoma	91	102	16.7	193
Angiomyxoma	5	2	0.3	7
Malignant perivascular epithelioid cell tumour (PEComa)	0	1	0.2	1
Synovial sarcoma	26	19	3.1	45
Clear cell sarcoma, NOS	1	5	0.8	6
Desmoplastic small round cell tumour	0	1	0.2	1
Epithelioid sarcoma	7	5	0.8	12
Malignant myoepithelioma	2	2	0.3	4
Mixed tumour, malignant, NOS	0	1	0.2	1
Malignant rhabdoid tumour	1	2	0.3	3
Alveolar soft part sarcoma	3	4	0.7	7
Undifferentiated small round cell sarcoma of soft tissue				
Ewing sarcoma / primitive neuroectodermal tumour	9	14	2.3	23
Neural tumours				
Ganglioneuroblastoma	7	2	0.3	9
Neuroblastoma, NOS	4	2	0.3	6
Paraganglioma, NOS	3	2	0.3	5
Other neoplasms				
Chordoma, NOS	1	0	0.0	1
Dedifferentiated chordoma	0	1	0.2	1
Teratoma, malignant	1	2	0.3	3
Mesenchymoma, NOS	2	1	0.2	3
Sarcomatoid carcinoma	1	0	0.0	1
Small cell carcinoma, NOS	0	1	0.2	1
Malignant neoplasm	2	1	0.2	3
Total cases with histology	461	608	99.3	1069
Clinically malignant tumour (no microscopic confirmation)	13	4	0.7	17
Total (all cases)	474	612	100	1086

C49: Neoplasms of Connective and Soft Tissues (including C47: peripheral nerves and autonomic nervous system)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Haematolymphoid neoplasms				
B-cell lymphoma				
Diffuse large B-cell lymphoma	11	16		27
Burkitt lymphoma	1	0		1
Follicular lymphoma	1	0		1
Extranodal marginal zone B-cell lymphoma	1	1		2
Intravascular large B-cell lymphoma	0	3		3
Plasmablastic lymphoma	1	0		1
T-cell lymphoma				
Peripheral T-cell lymphoma	1	0		1
Subcutaneous panniculitis-like T-cell lymphoma	1	2		3
Extranodal NK/T cell lymphoma, nasal type	0	1		1
Anaplastic large cell lymphoma	1	2		3
Extrasosseous plasmacytoma	1	1		2
Langerhans cell histiocytosis, disseminated	1	0		1
Histiocytic sarcoma	4	2		6
Follicular dendritic cell sarcoma	3	0		3
Hodgkin lymphoma, nodular sclerosis	0	1		1
Myeloid sarcoma	0	2		2
Polymorphic post-transplant lymphoproliferative disorder	1	0		1
Malignant lymphoma, NOS	1	0		1
Total (Haematolymphoid neoplasms)	29	31		60

C50 : Neoplasms of Breast (Female)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Ductal carcinoma in-situ				
Paget disease	2	5	0.2	7
Ductal carcinoma in-situ	1343	2005	97.2	3348
Solid papillary carcinoma in-situ	0	16	0.8	16
Encapsulated papillary carcinoma	15	37	1.8	52
Total	1360	2063	100.0	3423
Adenocarcinoma				
Adenocarcinoma, NOS	41	33	0.3	74
Infiltrating ductal carcinoma	6324	8049	74.4	14373
Paget disease and infiltrating ductal carcinoma	105	92	0.8	197
Invasive lobular carcinoma	364	603	5.6	967
Mixed ductal-lobular carcinoma	191	171	1.6	362
Infiltrating ductal admixed with other types of carcinoma	493	409	3.8	902
Infiltrating lobular admixed with other types of carcinoma	60	35	0.3	95
Tubular carcinoma	50	73	0.7	123
Invasive cribriform carcinoma	17	27	0.2	44
Mucinous carcinoma	254	381	3.5	635
Carcinoma with medullary features	14	39	0.4	53
Apocrine carcinoma	11	25	0.2	36
Invasive micropapillary carcinoma	9	101	0.9	110
Metaplastic carcinoma	69	77	0.7	146
Solid papillary carcinoma, invasive	0	60	0.6	60
Invasive papillary carcinoma	54	15	0.1	69
Intraductal papillary adenocarcinoma with invasion	40	49	0.5	89
Encapsulated papillary carcinoma with invasion	43	59	0.5	102
Adenoid cystic carcinoma	11	7	0.1	18
Secretory carcinoma	1	1	0.0	2
Lipid-rich carcinoma	0	1	0.0	1
Glycogen-rich carcinoma	0	1	0.0	1
Adenocarcinoma with mixed subtypes	4	10	0.1	14
Adenocarcinoma with neuroendocrine differentiation	3	23	0.2	26
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	3	7	0.1	10
Squamous cell carcinoma, keratinizing	1	0	0.0	1
Squamous cell carcinoma, microinvasive	0	1	0.0	1
Basaloid squamous cell carcinoma	0	1	0.0	1
Epithelial-myoepithelial carcinoma	0	1	0.0	1
Pleomorphic carcinoma	2	4	0.0	6
Inflammatory carcinoma	0	1	0.0	1
Carcinoma, NOS	103	166	1.5	269

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C50 : Neoplasms of Breast (Female)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Neuroendocrine tumours				
Carcinoid tumour	0	2	0.0	2
Large cell neuroendocrine carcinoma	0	1	0.0	1
Small cell carcinoma	2	0	0.0	2
Neuroendocrine carcinoma, NOS	12	9	0.1	21
Phyllodes tumours				
Phyllodes tumour, borderline	153	145	1.3	298
Phyllodes tumour, malignant	47	60	0.6	107
Mesenchymal tumours				
Sarcoma, NOS	5	2	0.0	7
Spindle cell sarcoma	2	1	0.0	3
Giant cell sarcoma	2	0	0.0	2
Fibrosarcoma	1	0	0.0	1
Fibromyxosarcoma	0	1	0.0	1
Malignant fibrous histiocyoma	2	0	0.0	2
Dermatofibrosarcoma	1	2	0.0	3
Dedifferentiated liposarcoma	0	1	0.0	1
Osteosarcoma	1	0	0.0	1
Angiosarcoma	1	4	0.0	5
Other neoplasms				
Malignant neoplasm	9	7	0.1	16
Total cases with histology	8505	10757	99.4	19262
Clinically malignant tumour (no microscopic confirmation)	55	67	0.6	122
Total (all cases)	8560	10824	100	19384
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	17	28		45
Follicular lymphoma	0	1		1
Extranodal marginal zone B-cell lymphoma	3	3		6
Malignant lymphoma, non-Hodgkin, NOS	0	1		1
Histiocytic sarcoma	0	1		1
Total (Haematolymphoid neoplasms)	20	34		54

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C50 : Neoplasms of Breast (Male)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Ductal carcinoma in-situ				
Ductal carcinoma in-situ	0	1		1
Encapsulated papillary carcinoma	1	1		2
Total	1	2		3
Adenocarcinoma				
Invasive papillary carcinoma	2	1	2.8	3
Encapsulated papillary carcinoma with invasion	2	4	11.1	6
Infiltrating ductal carcinoma	18	24	66.7	42
Invasive lobular carcinoma	0	1	2.8	1
Mucinous carcinoma	0	1	2.8	1
Apocrine carcinoma	1	0	0.0	1
Invasive micropapillary carcinoma	1	0	0.0	1
Adenoid cystic carcinoma	1	0	0.0	1
Infiltrating ductal admixed with other types of carcinoma	2	4	11.1	6
Phyllodes tumour				
Phyllodes tumour, malignant	0	1	2.8	1
Total cases with histology	27	36	100	63
Clinically malignant tumour (no microscopic confirmation)	2	0	0.0	2
Total (all cases)	29	36	100	65
Haematolymphoid neoplasms				
Follicular lymphoma	0	1		1
Total (Haematolymphoid neoplasms)	0	1		1

C51 - C52 & C57.9 : Neoplasms of Vulva, Vagina and Female Genital Organ (unspecified)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Epithelial tumours				
Microinvasive squamous cell carcinoma	1	3	1.7	4
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	43	69	38.5	112
Squamous cell carcinoma, keratinizing	16	13	7.3	29
Squamous cell carcinoma, large cell, nonkeratinizing	2	1	0.6	3
Verrucous carcinoma, NOS	1	1	0.6	2
Papillary squamous cell carcinoma	3	3	1.7	6
Basaloid squamous cell carcinoma	1	0	0.0	1
Basal cell carcinoma				
Basal cell carcinoma, NOS	7	12	6.7	19
Basosquamous carcinoma	1	0	0.0	1
Adenocarcinoma				
Paget disease, extramammary	27	45	25.1	72
Adenocarcinoma, NOS	4	4	2.2	8
Clear cell carcinoma	0	4	2.2	4
Endometrioid carcinoma	1	2	1.1	3
Mucinous adenocarcinoma	1	1	0.6	2
Mixed cell adenocarcinoma	1	0	0.0	1
Sebaceous carcinoma	1	0	0.0	1
Adenosquamous carcinoma	2	1	0.6	3
Neuroendocrine tumours				
Small cell carcinoma	1	0	0.0	1
Mesenchymal tumours				
Angiomyxoma	1	0	0.0	1
Embryonal rhabdomyosarcoma, NOS	3	0	0.0	3
Epithelioid sarcoma	2	3	1.7	5
Dermatofibrosarcoma	1	0	0.0	1
Mixed epithelial and mesenchymal tumours				
Mullerian mixed tumour	1	1	0.6	2

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C51 - C52 & C57.9 : Neoplasms of Vulva, Vagina and Female Genital Organ (unspecified)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Other neoplasms				
Malignant myoepithelioma	1	0	0.0	1
Malignant melanoma	7	11	6.1	18
Carcinoma, NOS	1	4	2.2	5
Total cases with histology	130	178	99.4	308
Clinically malignant tumour (no microscopic confirmation)	3	1	0.6	4
Total (all cases)	133	179	100	312
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	0	3		3
Total (Haematolymphoid neoplasms)	0	3		3

C53 : Neoplasms of Cervix Uteri	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
In-situ tumours				
Squamous intraepithelial neoplasia III	1449	1422	94.0	2871
Squamous cell carcinoma in situ, NOS	38	8	0.5	46
Adenocarcinoma in situ, NOS	72	67	4.4	139
Adenosquamous carcinoma in situ	1	3	0.2	4
Carcinoma in situ, NOS	21	13	0.9	34
Total (In-situ tumours)	1581	1513	100	3094
Epithelial tumours				
Microinvasive squamous cell carcinoma	59	49	4.5	108
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	410	549	51.0	959
Squamous cell carcinoma, keratinizing	28	50	4.6	78
Squamous cell carcinoma, large cell, nonkeratinizing	66	48	4.5	114
Papillary squamous cell carcinoma	24	22	2.0	46
Basaloid squamous cell carcinoma	2	5	0.5	7
Squamous cell carcinoma, spindle cell	1	2	0.2	3
Lymphoepithelial carcinoma	3	1	0.1	4
Adenocarcinoma				
Adenocarcinoma, NOS	133	147	13.6	280
Adenocarcinoma, endocervical type	31	29	2.7	60
Endometrioid carcinoma	10	21	1.9	31
Clear cell carcinoma	7	15	1.4	22
Mucinous adenocarcinoma	36	19	1.8	55
Mixed cell adenocarcinoma	8	9	0.8	17
Serous carcinoma	5	4	0.4	9
Adenocarcinoma with neuroendocrine differentiation	6	3	0.3	9
Adenocarcinoma, intestinal type	0	2	0.2	2
Adenocarcinoma in tubulovillous adenoma	0	2	0.2	2
Signet ring cell carcinoma	0	2	0.2	2
Papillary adenocarcinoma	2	0	0.0	2
Adenoid cystic carcinoma	2	0	0.0	2
Adenosquamous carcinoma	30	38	3.5	68
Non-small cell carcinoma	2	0	0.0	2
Undifferentiated carcinoma	4	2	0.2	6
Neuroendocrine tumours				
Neuroendocrine carcinoma, NOS	4	6	0.6	10
Mixed adenoneuroendocrine carcinoma	0	1	0.1	1
Large cell neuroendocrine carcinoma	3	4	0.4	7
Small cell carcinoma	15	13	1.2	28
Mesenchymal tumours				
Smooth muscle tumour of uncertain malignant potential	0	1	0.1	1
Sarcoma, NOS	2	0	0.0	2
Leiomyosarcoma	1	1	0.1	2
Embryonal rhabdomyosarcoma	0	1	0.1	1

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C53 : Neoplasms of Cervix Uteri	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Mixed epithelial and mesenchymal tumours				
Adenosarcoma	7	7	0.6	14
Mullerian mixed tumour	3	3	0.3	6
Malignant melanoma	1	3	0.3	4
Other neoplasms				
Malignant neoplasm	1	1	0.1	2
Carcinoma, NOS	7	13	1.2	20
Total cases with histology	913	1073	99.6	1986
Clinically malignant tumour (no microscopic confirmation)	13	4	0.4	17
Total (all cases)	926	1077	100	2003
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	1	3		4
Myeloid sarcoma	1	0		1
Total (Haematolymphoid neoplasms)	2	3		5

C54 : Neoplasms of Corpus Uteri	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Epithelial tumour				
Endometrioid tumours				
Endometrioid borderline tumour	1	1	0.0	2
Endometrioid carcinoma	1310	1969	75.4	3279
Mucinous adenocarcinoma	5	7	0.3	12
Serous tumours				
Serous carcinoma	83	121	4.6	204
Clear cell carcinoma	30	68	2.6	98
Mixed cell adenocarcinoma	50	98	3.8	148
Adenocarcinoma, NOS	53	36	1.4	89
Squamous cell carcinoma, NOS	2	2	0.1	4
Neuroendocrine carcinoma, NOS	5	4	0.2	9
Transitional cell carcinoma, NOS	1	0	0.0	1
Carcinoma, NOS	10	26	1.0	36
Mesenchymal tumours				
Endometrial stromal tumours				
Endometrial stromal tumour	0	1	0.0	1
High grade endometrial stromal sarcoma	24	17	0.7	41
Low grade endometrial stromal sarcoma	14	13	0.5	27
Smooth muscle tumours				
Smooth muscle tumour of uncertain malignant potential	12	8	0.3	20
Leiomyomatosis	2	1	0.0	3
Leiomyosarcoma, NOS	47	38	1.5	85
Epithelioid leiomyosarcoma	11	4	0.2	15
Myxoid leiomyosarcoma	1	3	0.1	4
Other sarcomas				
Sarcoma, NOS	4	7	0.3	11
Liposarcoma, NOS	1	0	0.0	1
Pleomorphic rhabdomyosarcoma	0	1	0.0	1
Gastrointestinal stromal sarcoma	0	1	0.0	1
Mixed epithelial and mesenchymal tumours				
Adenosarcoma	15	17	0.7	32
Mullerian mixed tumour	91	137	5.2	228
Miscellaneous tumours				
Sex cord-stromal tumour, NOS	0	1	0.0	1
Choriocarcinoma, NOS	0	1	0.0	1
Malignant neoplasm	2	2	0.1	4
Total cases with histology	1774	2584	99.0	4358
Clinically malignant tumour (no microscopic confirmation)	13	26	1.0	39
Total (all cases)	1787	2610	100.0	4397

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C54 : Neoplasms of Corpus Uteri	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Haematolymphoid neoplasms				
B-cell lymphoma				
Diffuse large B-cell lymphoma	1	3		4
Burkitt lymphoma	0	1		1
Extranodal marginal zone B-cell lymphoma	0	1		1
Total (Haematolymphoid neoplasms)	1	5		6

C56 : Ovary	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Epithelial tumours				
Serous tumours				
Borderline tumours				
Serous borderline tumours	59	81	4.4	140
Malignant tumours				
Serous cystadenocarcinoma	257	278	15.2	535
Low grade serous carcinoma	116	51	2.8	167
High grade serous carcinoma	14	135	7.4	149
Serous adenocarcinofibroma	1	2	0.1	3
Cystadenocarcinoma, NOS	1	0	0.0	1
Mucinous tumours				
Borderline tumours				
Mucinous borderline tumour	212	174	9.5	386
Mucinous adenofibroma of borderline malignancy	2	1	0.1	3
Malignant tumours				
Mucinous adenocarcinoma	72	109	5.9	181
Signet ring cell carcinoma	1	4	0.2	5
Mucinous adenocarcinofibroma	1	0	0.0	1
Mucinous cystadenocarcinoma	25	35	1.9	60
Endometrioid tumours				
Borderline tumours				
Endometrioid tumour, borderline malignancy	4	5	0.3	9
Endometrioid adenofibromatous tumour, borderline malignancy	2	0	0.0	2
Malignant tumours				
Endometrioid carcinoma	197	216	11.8	413
Endometrioid adenocarcinofibroma	3	1	0.1	4
Clear cell tumours				
Borderline tumours				
Clear cell adenofibromatous tumour, borderline malignancy	4	1	0.1	5
Clear cell cystic tumour of borderline malignancy	0	4	0.2	4
Malignant tumours				
Clear cell carcinoma	223	294	16.0	517
Clear cell adenocarcinofibroma	2	6	0.3	8
Brenner tumours				
Brenner tumour, borderline malignancy	0	1	0.1	1

C56 : Ovary	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Other epithelial tumours				
Borderline tumours				
Papillary cystadenoma, borderline malignancy	1	0	0.0	1
Mesonephric tumour	0	1	0.1	1
Malignant tumours				
Carcinoma, NOS	14	26	1.4	40
Giant cell carcinoma	1	0	0.0	1
Squamous cell carcinoma, NOS	6	10	0.5	16
Transitional cell carcinoma, NOS	7	2	0.1	9
Adenocarcinoma, NOS	97	74	4.0	171
Papillary adenocarcinoma	6	0	0.0	6
Mixed cell adenocarcinoma	30	37	2.0	67
Adenosquamous carcinoma	2	0	0.0	2
Adenocarcinoma with neuroendocrine differentiation	0	2	0.1	2
Mesonephroma, malignant	1	0	0.0	1
Seromucinous tumours				
Seromucinous borderline tumour	0	16	0.9	16
Seromucinous carcinoma	0	6	0.3	6
Undifferentiated carcinoma				
	2	1	0.1	3
Mesenchymal tumours				
Sarcoma, NOS	1	1	0.1	2
Epithelioid sarcoma	1	0	0.0	1
Fibrosarcoma	1	0	0.0	1
Leiomyosarcoma	0	2	0.1	2
Pleomorphic cell sarcoma	0	1	0.1	1
Angiomyosarcoma	0	1	0.1	1
Low grade endometrial stromal sarcoma	1	1	0.1	2
Mixed epithelial and mesenchymal tumours				
Adenosarcoma	0	3	0.2	3
Mullerian mixed tumour	32	26	1.4	58
Granulosa cell tumours				
Juvenile tumour	1	3	0.2	4
Theca cell tumour	1	0	0.0	1
Adult type	47	62	3.4	109
Sex cord-stromal tumours				
Sex cord-stromal tumour, NOS	4	5	0.3	9
Sertoli-leydig cell tumours				
Moderately differentiated	5	2	0.1	7
Retiform	1	0	0.0	1
Retiform/ moderately differentiated with heterologous elements	2	3	0.2	5
Poorly differentiated	4	5	0.3	9
Steroid cell tumour, malignant	1	2	0.1	3
Germ cell tumours				
Dysgerminoma	6	9	0.5	15
Yolk sac tumour	12	11	0.6	23
Mixed germ cell tumour	3	3	0.2	6

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C56 : Ovary	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Teratomas				
Teratoma, NOS	3	0	0.0	3
Teratoma, malignant	27	35	1.9	62
Teratocarcinoma	1	0	0.0	1
Monodermal teratoma and somatic-type tumours arising from a dermoid cyst				
Strumal carcinoid	1	1	0.1	2
Struma ovarii, malignant	1	1	0.1	2
Goblet cell carcinoid	0	1	0.1	1
Neuroendocrine carcinoma, NOS	4	2	0.1	6
Sebaceous carcinoma	1	0	0.0	1
Monodermal teratoma and somatic-type tumours arising from a teratoma				
Carcinoid tumour	4	3	0.2	7
Other neoplasms				
Smooth muscle tumour of uncertain malignant potential	0	2	0.1	2
Small cell carcinoma of ovary, hypercalcaemic type	2	1	0.1	3
Mesothelioma	0	1	0.1	1
Malignant neoplasm	8	4	0.2	12
Total cases with histology	1538	1764	96.3	3302
Clinically malignant tumour (no microscopic confirmation)	73	68	3.7	141
Total (all cases)	1611	1832	100	3443
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	3	1		4
B lymphoblastic leukemia / lymphoma, NOS	1	0		1
Total (Haematolymphoid neoplasms)	4	1		5

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C57.0 : Neoplasms of Fallopian Tube	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Malignant epithelial tumours				
Serous carcinoma	12	34	81.0	46
Endometrioid carcinoma	1	1	2.4	2
Clear cell carcinoma	0	1	2.4	1
Adenocarcinoma, NOS	1	1	2.4	2
Undifferentiated carcinoma	0	1	2.4	1
Mixed epithelial and mesenchymal tumours				
Carcinosarcoma	0	4	9.5	4
Total cases with histology	14	42	100	56

C58 : Neoplasms of Placenta	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Invasive hydatidiform mole	9	3	33.3	12
Choriocarcinoma, NOS	9	6	66.7	15
Placental site trophoblastic tumour	2	0	0.0	2
Trophoblastic tumour, epithelioid	0	1	11.1	1
Total cases with histology	20	10	52.6	30
Clinically malignant tumour (no microscopic confirmation)	2	9	47.4	11
Total (all cases)	22	19	100	41

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C60 and C63 : Neoplasms of Penis and Scrotum (including spermatic cord)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Paget disease, extramammary	43	64	45.7	107
Squamous cell carcinoma				
Squamous cell carcinoma	47	61	43.6	108
Verrucous carcinoma	2	2	1.4	4
Papillary squamous cell carcinoma	2	0	0.0	2
Adenosquamous carcinoma	0	1	0.7	1
Basal cell carcinoma	6	5	3.6	11
Mesenchymal tumours				
Liposarcoma	6	3	2.1	9
Leiomyosarcoma	1	1	0.7	2
Undifferentiated sarcoma	0	1	0.7	1
Other neoplasms				
Mesothelioma	0	1	0.7	1
Malignant melanoma	0	1	0.7	1
Carcinoma, NOS	1	0	0.0	1
Total cases with histology	108	140	100	248
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	2	0		2
Total (Haematolymphoid neoplasms)	2	0		2

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C61 : Neoplasms of Prostate	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Epithelial tumours				
Adenocarcinoma				
Acinar Adenocarcinoma	3157	4504	92.8	7661
Mucinous adenocarcinoma	1	1	0.0	2
Adenocarcinoma with neuroendocrine differentiation	0	3	0.1	3
Ductal adenocarcinoma	32	67	1.4	99
Adenoid basal carcinoma	1	0	0.0	1
Squamous cell carcinoma, NOS	0	1	0.0	1
Neuroendocrine tumours				
Small cell carcinoma	0	4	0.1	4
Large cell neuroendocrine carcinoma	0	1	0.0	1
Mesenchymal tumours				
Leiomyosarcoma, NOS	1	0	0.0	1
Embryonal rhabdomyosarcoma, NOS	1	0	0.0	1
Stromal sarcoma, NOS	0	1	0.0	1
Angiosarcoma	0	1	0.0	1
Other neoplasms				
Carcinoma, NOS	16	31	0.6	47
Malignant neoplasm	5	4	0.1	9
Total cases with histology	3214	4618	95.2	7832
Clinically malignant tumour (no microscopic confirmation)	122	235	4.8	357
Total (all cases)	3336	4853	100	8189

C62 : Neoplasms of Testis	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Germ cell tumours				
Seminoma	97	113	54.3	210
Spermatocytic seminoma	1	0	0.0	1
Embryonal carcinoma	10	8	3.8	18
Yolk sac tumour	7	5	2.4	12
Teratoma, malignant	7	6	2.9	13
Mixed germ cell tumour	35	61	29.3	96
Germ cell tumour, nonseminomatous	6	3	1.4	9
Sex cord-stromal tumours	2	5	2.4	7
Mesenchymal tumours				
Leiomyosarcoma, NOS	1	0	0.0	1
Embryonal rhabdomyosarcoma, NOS	1	0	0.0	1
Liposarcoma	1	1	0.5	2
Sarcoma, NOS	1	0	0.0	1
Other neoplasms				
Carcinoma, NOS	0	1	0.5	1
Atypical carcinoid tumour	1	0	0.0	1
Total cases with histology	170	203	97.6	373
Clinically malignant tumour (no microscopic confirmation)	1	5	2.4	6
Total (all cases)	171	208	100	379
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	18	24		42
Extranodal marginal zone B-cell lymphoma	0	2		2
Histiocytic sarcoma	0	1		1
Total (Haematolymphoid neoplasms)	18	27		45

C64 - C66 and C68: Neoplasms of Kidney, Renal Pelvis, Ureter, Urethra and Urinary Organs (unspecified)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Multilocular cystic renal neoplasm of low malignant potential	0	1	0.0	1
Renal cell carcinoma				
Clear cell renal cell carcinoma	405	1138	53.8	1543
Papillary renal cell carcinoma	72	134	6.3	206
Chromophobe renal cell carcinoma	36	50	2.4	86
Collecting duct carcinoma	0	1	0.0	1
Acquired cystic disease-associated renal cell carcinoma	7	27	1.3	34
Mucinous tubular and spindle cell carcinoma	1	1	0.0	2
Hereditary leiomyomatosis and renal cell carcinoma -associated renal cell carcinoma	0	1	0.0	1
Sarcomatoid renal cell carcinoma	34	27	1.3	61
Unclassified renal cell carcinoma	516	133	6.3	649
Nephroblastoma (Wilm's tumour)	4	14	0.7	18
Mesenchymal tumours occurring primarily in children				
Clear cell sarcoma	3	0	0.0	3
Malignant rhabdoid tumour	1	1	0.0	2
Mesoblastic nephroma	1	0	0.0	1
Mesenchymal tumours occurring mainly in adult				
Myofibroblastic tumour, NOS	1	0	0.0	1
Stromal tumour, NOS	0	1	0.0	1
Liposarcoma	3	2	0.1	5
Leiomyosarcoma, NOS	1	0	0.0	1
Angiosarcoma	1	0	0.0	1
Synovial sarcoma	0	2	0.1	2
Sarcoma, NOS	1	0	0.0	1
Mixed epithelial and mesenchymal tumours				
Malignant cystic nephroma	1	1	0.0	2
Urothelial tumours				
Papillary urothelial neoplasm of low malignant potential	2	0	0.0	2
Urothelial carcinoma	205	252	11.9	457
Squamous cell carcinoma				
Verrucous carcinoma, NOS	0	1	0.0	1
Squamous cell carcinoma	8	6	0.3	14

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C64 - C66 and C68: Neoplasms of Kidney, Renal Pelvis, Ureter, Urethra and Urinary Organs (unspecified)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Adenocarcinoma				
Adenocarcinoma, NOS	12	10	0.5	22
Signet ring cell carcinoma	0	1	0.0	1
Adenocarcinoma with neuroendocrine differentiation	0	1	0.0	1
Other neoplasms				
Smooth muscle tumour of uncertain malignant potential	1	0	0.0	1
Carcinoma, NOS	16	30	1.4	46
Large cell carcinoma, NOS	0	1	0.0	1
Neuroendocrine tumours	2	3	0.1	5
Malignant melanoma	1	0	0.0	1
Malignant neoplasm	7	2	0.1	9
Total cases with histology	1342	1841	87.0	3183
Clinically malignant tumour (no microscopic confirmation)	206	274	13.0	480
Total (all cases)	1548	2115	100	3663
Haematolymphoid neoplasms				
B-cell lymphoma				
Malignant lymphoma, small B lymphocytic	0	1		1
Diffuse large B-cell lymphoma	3	4		7
Follicular lymphoma	2	0		2
Extranodal marginal zone B-cell lymphoma	2	0		2
Total (Haematolymphoid neoplasms)	7	5		12

C67 : Neoplasms of Urinary Bladder	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Urothelial tumours				
Papillary urothelial neoplasm of low malignant potential	61	47	5.4	108
Papillary urothelial carcinoma	492	372	42.8	864
Infiltrating urothelial carcinoma	257	333	38.3	590
Squamous cell carcinoma	14	12	1.4	26
Adenocarcinoma				
Adenocarcinoma, NOS	15	23	2.6	38
Mucinous adenocarcinoma	5	4	0.5	9
Signet ring cell carcinoma	1	1	0.1	2
Urachal tumours				
Undifferentiated sarcoma	1	0	0.0	1
Yolk sac tumour	1	0	0.0	1
Tumours of Mullerian type				
Clear cell carcinoma	1	1	0.1	2
Carcinosarcoma	1	1	0.1	2
Neuroendocrine tumours				
Carcinoid tumour	0	1	0.1	1
Small cell carcinoma	2	14	1.6	16
Neuroendocrine carcinoma, NOS	3	2	0.2	5
Paraganglioma	5	8	0.9	13
Mesenchymal tumours				
Sarcoma, NOS	0	3	0.3	3
Embryonal rhabdomyosarcoma	1	0	0.0	1
Primitive neuroectodermal tumour	1	0	0.0	1
Inflammatory myofibroblastic tumour	2	3	0.3	5
Other neoplasms				
Carcinoma, NOS	10	8	0.9	18
Malignant neoplasm	10	4	0.5	14
Total cases with histology	883	837	96.2	1720
Clinically malignant tumour (no microscopic confirmation)	19	33	3.8	52
Total (all cases)	902	870	100	1772
Haematolymphoid neoplasms				
B-cell lymphoma				
Diffuse large B-cell lymphoma	1	0		1
Burkitt lymphoma	1	0		1
Extranodal marginal zone B-cell lymphoma	1	2		3
Peripheral T-cell lymphoma, NOS	0	1		1
Malignant lymphoma, NOS	1	0		1
Total (Haematolymphoid neoplasms)	4	3		7

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C69 : Neoplasms of Eye	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Squamous cell carcinoma				
Squamous cell carcinoma, NOS	2	3	5.9	5
Squamous cell carcinoma, microinvasive	0	1	2.0	1
Lymphoepithelial carcinoma	0	2	3.9	2
Transitional cell carcinoma, NOS	0	1	2.0	1
Soft tissue tumours				
Sarcoma, NOS	0	2	3.9	2
Malignant solitary fibrous tumour	0	1	2.0	1
Liposarcoma, well differentiated	1	0	0.0	1
Rhabdomyosarcoma	1	1	2.0	2
Retinoblastoma	19	10	19.6	29
Malignant tumours				
Adenoid cystic carcinoma	2	7	13.7	9
Adenocarcinoma, NOS	1	1	2.0	2
Oxyphilic adenocarcinoma	0	1	2.0	1
Malignant melanoma	10	14	27.5	24
Total cases with histology	36	44	86.3	80
Clinically malignant tumour (no microscopic confirmation)	3	7	13.7	10
Total (all cases)	39	51	100	90
Haematolymphoid neoplasms				
Extranodal marginal zone B-cell lymphoma	48	34		82
Diffuse large B-cell lymphoma	8	10		18
Follicular lymphoma	4	4		8
Lymphoplasmacytic lymphoma	0	1		1
Mantle cell lymphoma	1	1		2
Malignant lymphoma, non-Hodgkin, NOS	1	1		2
Total (Haematolymphoid neoplasms)	62	51		113

C70-C72 : Brain and Central Nervous System (Benign)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Choroid plexus tumours				
Choroid plexus papilloma	3	3	0.2	6
Neuronal and mixed neuronal-glial tumours				
Dysembryoplastic neuroepithelial tumour	2	0	0.0	2
Neurofibroma, NOS	1	3	0.2	4
Plexiform neurofibroma	1	0	0.0	1
Schwannoma	163	158	12.0	321
Neuroma, NOS	0	1	0.1	1
Meningiomas				
Meningioma, NOS	359	340	25.8	699
Meningothelial meningioma	48	47	3.6	95
Fibrous meningioma	30	12	0.9	42
Psammomatous meningioma	20	18	1.4	38
Angiomatous meningioma	11	8	0.6	19
Transitional meningioma	58	29	2.2	87
Mesenchymal non-meningothelial tumours				
Solitary fibrous tumour, grade 1	0	3	0.2	3
Hemangioma, NOS	1	0	0.0	1
Cavernous hemangioma	1	2	0.2	3
Venous hemangioma	0	1	0.1	1
Capillary hemangioma	0	1	0.1	1
Dermoid cyst, NOS	2	0	0.0	2
Angiolipoma, NOS	1	0	0.0	1
Germ cell tumours				
Teratoma, benign	0	1	0.1	1
Others				
Neoplasm, benign	3	4	0.3	7
Total cases with histology	704	631	47.8	1335
Clinically malignant tumour (no microscopic confirmation)	284	688	52.2	972
Total (all cases)	988	1319	100	2307

C70 - C72 : Brain & Central Nervous System (Borderline and Malignant tumours)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Diffuse astrocytic and oligodendroglial tumours				
Astrocytoma, NOS	28	37	4.7	65
Fibrillary astrocytoma	2	0	0.0	2
Astrocytoma, anaplastic	26	38	4.8	64
Malignant Glioma	17	19	2.4	36
Gliomatosis cerebri	0	1	0.1	1
Glioblastoma, NOS	170	204	26.0	374
Mixed glioma	27	25	3.2	52
Giant cell glioblastoma	4	0	0.0	4
Gliosarcoma	11	8	1.0	19
Oligodendroglioma, NOS	19	22	2.8	41
Oligodendroglioma, anaplastic	16	22	2.8	38
Other astrocytic tumours				
Subependymal giant cell astrocytoma	3	2	0.3	5
Pilocytic astrocytoma	31	24	3.1	55
Pleomorphic xanthoastrocytoma	0	1	0.1	1
Pilomyxoid astrocytoma	2	1	0.1	3
Ependymal tumours				
Subependymoma	3	3	0.4	6
Myxopapillary ependymoma	1	4	0.5	5
Ependymoma, NOS	24	23	2.9	47
Anaplastic Ependymoma	13	10	1.3	23
Other gliomas				
Astroblastoma	1	0	0.0	1
Chordoid glioma	0	2	0.3	2
Diffuse midline glioma, H3 K27M-mutant	0	3	0.4	3
Angiocentric glioma	0	1	0.1	1
Choroid plexus tumours				
Atypical choroid plexus papilloma	2	1	0.1	3
Choroid plexus carcinoma	1	0	0.0	1
Neuronal and mixed neuronal-glial tumours				
Desmoplastic infantile astrocytoma	2	1	0.1	3
Ganglioglioma, NOS	4	6	0.8	10
Ganglioglioma, anaplastic	1	0	0.0	1
Central neurocytoma	6	4	0.5	10
Papillary glioneuronal tumour	0	1	0.1	1
Paraganglioma	3	2	0.3	5
Embryonal tumours				
Medulloblastoma, NOS	11	20	2.5	31
Desmoplastic nodular medulloblastoma	3	1	0.1	4
Large cell medulloblastoma	4	1	0.1	5
Atypical teratoid/rhabdoid tumour	3	5	0.6	8

C70 - C72 : Brain & Central Nervous System (Borderline and Malignant tumours)	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Meningiomas				
Meningiomatosis, NOS	1	0	0.0	1
Meningioma, malignant	10	13	1.7	23
Clear cell meningioma	1	1	0.1	2
Papillary meningioma	1	0	0.0	1
Atypical meningioma	65	78	9.9	143
Mesenchymal non-meningothelial tumours				
Solitary fibrous tumour	3	7	0.9	10
Malignant solitary fibrous tumour	1	5	0.6	6
Hemangioblastoma	24	27	3.4	51
Primitive neuroectodermal tumour, NOS	6	2	0.3	8
Sarcoma, NOS	1	3	0.4	4
Germ cell tumours				
Germinoma	10	6	0.8	16
Teratoma, NOS	1	0	0.0	1
Teratoma, malignant	1	0	0.0	1
Mixed germ cell tumour	2	1	0.1	3
Embryonal tumour with multilayered rosettes, C19MC-altered	1	0	0.0	1
Other neoplasms				
Malignant neoplasm	4	1	0.1	5
Total cases with histology	570	636	80.9	1206
Clinically malignant tumour (no microscopic confirmation)	128	150	19.1	278
Total (all cases)	698	786	100	1484
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	78	106		184
Burkitt lymphoma	0	1		1
Follicular lymphoma	1	0		1
Extranodal marginal zone B-cell lymphoma	2	2		4
Peripheral T-cell lymphoma	0	1		1
Myeloid sarcoma	1	0		1
Malignant lymphoma, non-Hodgkin, NOS	0	1		1
Malignant lymphoma, NOS	3	4		7
Total (Haematolymphoid neoplasms)	85	115		200

C73 : Neoplasms of Thyroid	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Papillary thyroid carcinoma				
Papillary carcinoma	652	1053	54.6	1705
Papillary carcinoma, follicular variant	110	129	6.7	239
Papillary microcarcinoma	256	417	21.6	673
Papillary carcinoma, encapsulated	22	12	0.6	34
Papillary carcinoma, columnar cell	1	1	0.1	2
Nonencapsulated sclerosing carcinoma	1	1	0.1	2
Follicular thyroid carcinoma				
Follicular carcinoma	48	60	3.1	108
Follicular carcinoma, minimally invasive	112	130	6.7	242
Insular carcinoma				
Insular carcinoma	2	3	0.2	5
Medullary thyroid carcinoma				
Medullary carcinoma	33	37	1.9	70
Mixed medullary-papillary carcinoma	2	5	0.3	7
Anaplastic carcinoma				
Anaplastic carcinoma	22	27	1.4	49
Undifferentiated carcinoma	0	8	0.4	8
Pleomorphic carcinoma	1	0	0.0	1
Malignant tumours				
Squamous cell carcinoma, NOS	1	2	0.1	3
Adenocarcinoma, NOS	1	1	0.1	2
Oxyphilic adenocarcinoma	10	23	1.2	33
Carcinoma, NOS	13	5	0.3	18
Malignant neoplasm	3	3	0.2	6
Total cases with histology	1290	1917	99.4	3207
Clinically malignant tumour (no microscopic confirmation)	14	11	0.6	25
Total (all cases)	1304	1928	100	3232
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	11	17		28
Follicular lymphoma	1	1		2
Extranodal marginal zone B-cell lymphoma	11	13		24
Interdigitating dendritic cell sarcoma	1	0		1
Total (Haematolymphoid neoplasms)	24	31		55

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C74 - C75: Neoplasms of Adrenal Gland, Endocrine Glands and Related Structures	2008 - 2012	2013 - 2017	2013 - 2017	2008 - 2017
	No.	No.	%	No.
Adrenal gland				
Paraganglioma, NOS	0	1	2.0	1
Gastrointestinal stromal tumour, NOS	1	0	0.0	1
Adrenal cortical carcinoma	18	13	26.5	31
Adenocarcinoma, NOS	1	1	2.0	2
Carcinoma, NOS	0	2	4.1	2
Malignant neoplasm	2	0	0.0	2
Pheochromocytoma, malignant	7	5	10.2	12
Angiomatoid fibrous histiocytoma	0	1	2.0	1
Ganglioneuroblastoma	1	0	0.0	1
Neuroblastoma, NOS	19	14	28.6	33
Total cases with histology	49	37	75.5	86
Clinically malignant tumour (no microscopic confirmation)	1	12	24.5	13
Total (all cases)	50	49	100	99
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	4	6		10
Malignant lymphoma, small B lymphocytic	1	0		1
Malignant lymphoma, NOS	0	1		1
Total (Haematolymphoid neoplasms)	5	7		12
Pituitary gland				
Germinoma	4	2	7	6
Chordoma, NOS	0	2	7	2
Sarcoma, NOS	0	1	3	1
Anaplastic carcinoma	0	1	3	1
Total cases with histology	4	6	21	10
Clinically malignant tumour (no microscopic confirmation)	13	23	79	36
Total (all cases)	17	29	100	46

APPENDIX G: HISTOLOGICAL TYPES BY SITE 2008 - 2017

C74 - C75: Neoplasms of Adrenal Gland, Endocrine Glands and Related Structures	2008 - 2012 No.	2013 - 2017 No.	2013 - 2017 %	2008 - 2017 No.
Pineal gland				
Pineocytoma	4	1	5.6	5
Germinoma	9	5	27.8	14
Mixed germ cell tumour	2	2	11.1	4
Pineoblastoma	2	3	16.7	5
Papillary tumour of the pineal region	0	1	5.6	1
Astrocytoma NOS	0	1	5.6	1
Glioblastoma NOS	2	0	0.0	2
Total cases with histology	19	13	72.2	32
Clinically malignant tumour (no microscopic confirmation)	4	5	27.8	9
Total (all cases)	23	18	100	41
Haematolymphoid neoplasms				
Diffuse large B-cell lymphoma	1	0		1
Parathyroid gland				
Carcinoma, NOS	2	1		3
Atypical adenoma	1	0		1
Total cases with histology	3	1		4
Carotid body				
Paraganglioma, NOS	5	3		8
Paraganglioma, malignant	1	0		1
Total cases with histology	6	3		9
Aortic body				
Paraganglioma, NOS	14	10		24
Paraganglioma, malignant	1	1		2
Total cases with histology	15	11		26

APPENDIX H:
HAEMATOLYPHOID NEOPLASMS,
2008 - 2017

APPENDIX H: HAEMATOLYPHOID NEOPLASMS, 2008 - 2017

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Acute leukaemia of ambiguous lineage				
Acute undifferentiated leukaemia	25	21	43.8	46
Mixed phenotype acute leukaemia	10	16	33.3	26
Acute leukaemia of ambiguous lineage, NOS	0	11	22.9	11
Total	35	48	100	83

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Myeloid / Lymphoid Neoplasms with eosinophils and gene rearrangement				
Myeloid neoplasms with PDGFRB rearrangement	0	1	100	1
Total	0	1	100	1

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Acute Myeloid Leukaemia and related Precursor Neoplasm				
Acute myeloid leukaemia with recurrent genetic abnormalities	63	82	14.5	145
Myeloid proliferations associated with Down's syndrome	0	2	0.4	2
Acute myeloid leukaemia with myelodysplasia-related changes	47	107	19.0	154
Therapy-related myeloid neoplasms	5	1	0.2	6
Acute myeloid leukaemia, NOS	388	370	65.6	758
Myeloid sarcoma	7	2	0.4	9
Total	510	564	100	1074

APPENDIX H: HAEMATOLYPHOID NEOPLASMS, 2008 - 2017

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Myeloproliferative Neoplasm				
Chronic myelogenous leukaemia, BCR-ABL1 positive	55	112	14.9	167
Chronic neutrophilic leukaemia	1	2	0.3	3
Polycythemia vera	134	181	24.0	315
Primary myelofibrosis	45	75	10.0	120
Essential thrombocythemia	97	166	22.0	263
Chronic eosinophilic leukaemia, NOS	7	11	1.5	18
Mastocytosis	1	5	0.7	6
Myeloproliferative neoplasm, unclassifiable	209	201	26.7	410
Total	549	753	100	1302

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Myelodysplastic / Myeloproliferative Neoplasm				
Chronic myelomonocytic leukaemia	33	59	57.3	92
Atypical chronic myeloid leukaemia, BCR-ABL1 negative	1	1	1.0	2
Juvenile myelomonocytic leukaemia	1	2	1.9	3
Myelodysplastic / myeloproliferative neoplasm with ring sideroblasts and thrombocytosis	14	23	22.3	37
Myelodysplastic / myeloproliferative neoplasm, unclassifiable	44	18	17.5	62
Total	93	103	100	196

APPENDIX H: HAEMATOLYPHOID NEOPLASMS, 2008 - 2017

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Myelodysplastic Syndrome				
Myelodysplastic syndrome with single lineage dysplasia	16	18	3.7	34
Myelodysplastic syndrome with ring sideroblasts	0	3	0.6	3
Myelodysplastic syndrome with multilineage dysplasia	62	158	32.7	220
Myelodysplastic syndrome with excess blasts	66	77	15.9	143
Myelodysplastic syndrome with isolated del(5q)	9	7	1.4	16
Myelodysplastic syndrome, unclassifiable	215	219	45.3	434
Childhood myelodysplastic syndrome	1	1	0.2	2
Total	369	483	100	852

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
B Precursor Lymphoid Neoplasm				
B lymphoblastic leukaemia/lymphoma, NOS	192	167	78.4	359
B lymphoblastic leukaemia/lymphoma, with recurrent genetic abnormalities	22	46	21.6	68
Total	214	213	100	427

APPENDIX H: HAEMATOLYPHOID NEOPLASMS, 2008 - 2017

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
B Mature Neoplasm				
B chronic lymphocytic leukaemia/small lymphocytic lymphoma	152	158	4.8	310
B prolymphocytic leukaemia	1	1	0.0	2
Follicular B lymphoma	256	220	6.7	476
Mantle B lymphoma	52	53	1.6	105
Marginal zone /Lymphoplasmacytic B lymphoma	261	336	10.3	597
Extranodal / Primary cutaneous B lymphoma	1	3	0.1	4
Splenic / Hairy cell B lymphoma	50	56	1.7	106
Large B cell lymphoma	28	77	2.4	105
Burkitt and Burkitt-like lymphoma	57	57	1.7	114
High Grade B-cell lymphoma	932	1276	39.1	2208
Hodgkin lymphoma	212	191	5.9	403
Plasma cell neoplasm & Monoclonal gammopathy of undetermined significance (MGUS)	417	715	21.9	1132
Plasmablastic and primary effusion lymphoma	6	23	0.7	29
EBV and HHV8 associated lymphoproliferative disorder	0	4	0.1	4
B mature disorders / neoplasia unclassifiable	22	90	2.8	112
Total	2447	3260	100	5707

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
T/NK Precursor Lymphoid Neoplasm				
T lymphoblastic leukaemia/lymphoma	38	55	100	93
Total	38	55	100	93

APPENDIX H: HAEMATOLYPHOID NEOPLASMS, 2008 - 2017

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
T/NK Mature Neoplasm				
T prolymphocytic leukaemia	1	4	1.0	5
T large granular lymphocytic leukaemia	7	14	3.7	21
Mature NK neoplasm	2	4	1.0	6
Extranodal NK/T-cell lymphoma, nasal type	45	42	11.0	87
Adult T-cell leukaemia/lymphoma	6	4	1.0	10
Angioimmunoblastic T lymphoma and T follicular helper neoplasm	42	93	24.3	135
Anaplastic large cell lymphoma	26	22	5.7	48
Peripheral T lymphoma, NOS	75	102	26.6	177
Hepatosplenic T lymphoma	2	0	0.0	2
Intestinal T lymphoma	10	10	2.6	20
Subcutaneous panniculitis-like T lymphoma	7	8	2.1	15
Mycosis fungoides / Sezary syndrome	71	64	16.7	135
Primary cutaneous T lymphoproliferative disorder / lymphoma	26	14	3.7	40
EBV positive T/NK lymphoproliferative disease of childhood	3	2	0.5	5
Total	323	383	100	706

APPENDIX H: HAEMATOLYPHOID NEOPLASMS, 2008 - 2017

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Immunodeficiency -associated lymphoproliferative disorders				
Post-transplant lymphoproliferative disorders	7	7	13.7	14
Total	10	51	100	61

	2008- 2012 No.	2013- 2017 No.	2013- 2017 %	2008- 2017 No.
Histiocytic and Dendritic Cell Neoplasm				
Blastic plasmacytoid dendritic cell neoplasm	0	2	6.3	2
Histiocytic sarcoma	7	5	15.6	12
Tumours derived from Langerhans cells	25	22	68.8	47
Interdigitating dendritic cell sarcoma	1	0	0.0	1
Follicular dendritic cell sarcoma	5	2	6.3	7
Erdheim-Chester disease	0	1	3.1	1
Total	38	32	100	70

APPENDIX I:
SUB-SITES DISTRIBUTION, 2008-2017

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C00	LIP	7	50	7	50	14	100
C00.0	External upper lip, vermilion border	2	14.3	1	7.1	3	21.4
C00.1	External lower lip, vermilion border	2	14.3	4	28.6	6	42.9
C00.3	Upper lip, inner aspect	0	0.0	1	7.1	1	7.1
C00.4	Lower lip, inner aspect	2	14.3	1	7.1	3	21.4
C00.9	Lip, unspecified	1	7.1	0	0.0	1	7.1
C01 - C02	TONGUE	448	63.5	257	36.5	705	100
C01.9	Base of tongue	131	18.6	29	4.1	160	22.7
C02.0	Dorsal surface of tongue	8	1.1	6	0.9	14	2.0
C02.1	Border of tongue	66	9.4	51	7.2	117	16.6
C02.2	Ventral surface of tongue	15	2.1	8	1.1	23	3.3
C02.3	Anterior two-thirds of tongue	41	5.8	25	3.5	66	9.4
C02.4	Lingual tonsil	3	0.4	1	0.1	4	0.6
C02.8	Overlapping lesion of tongue	10	1.4	5	0.7	15	2.1
C02.9	Tongue, unspecified	174	24.7	132	18.7	306	43.4
C03 - C06	MOUTH (including gum, floor of mouth and palate)	291	61.0	186	39.0	477	100
C03.0	Upper gum	15	3.1	21	4.4	36	7.5
C03.1	Lower gum	26	5.5	23	4.8	49	10.3
C03.9	Gum, unspecified	11	2.3	3	0.6	14	2.9
C04.0	Anterior floor of mouth	1	0.2	0	0.0	1	0.2
C04.1	Lateral floor of mouth	0	0.0	1	0.2	1	0.2
C04.8	Overlapping Lesion of floor of mouth	1	0.2	0	0.0	1	0.2
C04.9	Floor of mouth, unspecified	54	11.3	12	2.5	66	13.8
C05.0	Hard palate	39	8.2	26	5.5	65	13.6
C05.1	Soft palate	39	8.2	10	2.1	49	10.3
C05.2	Uvula	2	0.4	1	0.2	3	0.6
C05.9	Palate, unspecified / roof of mouth	11	2.3	12	2.5	23	4.8
C06.0	Cheek Mucosa	45	9.4	47	9.9	92	19.3
C06.1	Vestibule of mouth	1	0.2	1	0.2	2	0.4
C06.2	Retromolar area	32	6.7	16	3.4	48	10.1
C06.8	Overlapping lesion of other and unspecified parts of mouth	1	0.2	1	0.2	2	0.4
C06.9	Mouth, unspecified / Minor salivary gland, unspecified Site	13	2.7	12	2.5	25	5.2
C07 - C08	MAJOR SALIVARY GLANDS (including PAROTID GLAND)	215	53.2	189	46.8	404	100
C07	Parotid gland	147	36.4	134	33.2	281	69.6
C08.0	Submandibular / Submaxillary Gland	53	13.1	42	10.4	95	23.5
C08.1	Sublingual Gland	3	0.7	3	0.7	6	1.5
C08.9	Major Salivary Gland, unspecified	12	3.0	10	2.5	22	5.4

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C09 - C10, C12 - C14	PHARYNX (including TONSIL, OROPHARYNX and HYPOPHARYNX)	529	82.8	110	17.2	639	100
C09.0	Tonsillar fossa	12	1.9	4	0.6	16	2.5
C09.1	Tonsillar pillars	11	1.7	4	0.6	15	2.3
C09.9	Tonsil, unspecified	163	25.5	62	9.7	225	35.2
C10.0	Vallecula	3	0.5	1	0.2	4	0.6
C10.1	Anterior surface of epiglottis	3	0.5	0	0.0	3	0.5
C10.2	Lateral wall of oropharynx	3	0.5	1	0.2	4	0.6
C10.3	Posterior wall of oropharynx	4	0.6	0	0.0	4	0.6
C10.8	Overlapping lesion of oropharynx	1	0.2	1	0.2	2	0.3
C10.9	Oropharynx, unspecified	87	13.6	9	1.4	96	15.0
C12	Pyramidal sinus	98	15.3	6	0.9	104	16.3
C13.0	Postcricoid region	6	0.9	4	0.6	10	1.6
C13.1	Aryepiglottic fold, hypopharyngeal aspect	5	0.8	0	0.0	5	0.8
C13.2	Posterior wall of hypopharynx	8	1.3	2	0.3	10	1.6
C13.8	Overlapping Lesion of hypopharynx	2	0.3	0	0.0	2	0.3
C13.9	Hypopharynx, unspecified	114	17.8	13	2.0	127	19.9
C14.0	Pharynx, unspecified	9	1.4	3	0.5	12	1.9
C11	NASOPHARYNX	2226	74.9	747	25.1	2973	100
C11.0	Superior wall of nasopharynx	13	0.4	6	0.2	19	0.6
C11.1	Posterior wall of nasopharynx	28	0.9	9	0.3	37	1.2
C11.2	Lateral wall of nasopharynx	69	2.3	23	0.8	92	3.1
C11.3	Anterior wall of nasopharynx	1	0.0	4	0.1	5	0.2
C11.8	Overlapping lesion of nasopharynx	13	0.4	5	0.2	18	0.6
C11.9	Nasopharynx, unspecified	2102	70.7	700	23.5	2802	94.2
C15	OESOPHAGUS	892	82.2	193	17.8	1085	100
C15.0	Cervical Part of Oesophagus	28	2.6	8	0.7	36	3.3
C15.1	Thoracic Part of Oesophagus	54	5.0	12	1.1	66	6.1
C15.2	Abdominal Part of Oesophagus	1	0.1	0	0.0	1	0.1
C15.3	Upper Third of Oesophagus	83	7.6	18	1.7	101	9.3
C15.4	Middle Third of Oesophagus	244	22.5	48	4.4	292	26.9
C15.5	Lower Third of Oesophagus	267	24.6	57	5.3	324	29.9
C15.8	Overlapping Lesion of Oesophagus	41	3.8	13	1.2	54	5.0
C15.9	Oesophagus, unspecified	174	16.0	37	3.4	211	19.4

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C16	STOMACH	3001	57.5	2222	42.5	5223	100
C16.0	Cardia / Gastro-oesophageal junction	560	10.7	185	3.5	745	14.3
C16.1	Fundus of stomach	84	1.6	87	1.7	171	3.3
C16.2	Body of stomach	187	3.6	150	2.9	337	6.5
C16.3	Pyloric antrum	762	14.6	600	11.5	1362	26.1
C16.4	Pylorus / pyloric canal	132	2.5	98	1.9	230	4.4
C16.5	Lesser curvature of stomach, unspecified	293	5.6	218	4.2	511	9.8
C16.6	Greater curvature of stomach, unspecified	125	2.4	139	2.7	264	5.1
C16.8	Overlapping lesion of stomach	173	3.3	127	2.4	300	5.7
C16.9	Stomach, unspecified	685	13.1	618	11.8	1303	24.9
C17	SMALL INTESTINE	325	58.9	227	41.1	552	100
C17.0	Duodenum	159	28.8	117	21.2	276	50.0
C17.1	Jejunum	58	10.5	33	6.0	91	16.5
C17.2	Ileum	22	4.0	20	3.6	42	7.6
C17.3	Meckel's diverticulum	1	0.2	0	0.0	1	0.2
C17.8	Overlapping lesion of small intestine	6	1.1	5	0.9	11	2.0
C17.9	Small intestine, unspecified	79	14.3	52	9.4	131	23.7
C18	COLON	6287	51.3	5976	48.7	12263	100
C18.0	Caecum / ileocaecal valve	521	4.2	665	5.4	1186	9.7
C18.1	Appendix	148	1.2	173	1.4	321	2.6
C18.2	Ascending colon	634	5.2	696	5.7	1330	10.8
C18.3	Hepatic flexure	313	2.6	299	2.4	612	5.0
C18.4	Transverse colon	507	4.1	600	4.9	1107	9.0
C18.5	Splenic flexure	306	2.5	221	1.8	527	4.3
C18.6	Descending colon	542	4.4	495	4.0	1037	8.5
C18.7	Sigmoid colon	2903	23.7	2404	19.6	5307	43.3
C18.8	Overlapping lesion of colon	242	2.0	218	1.8	460	3.8
C18.9	Colon, unspecified	171	1.4	205	1.7	376	3.1
C19 - C20	RECTOSIGMOID and RECTUM	4299	60.7	2779	39.3	7078	100
C19	Rectosigmoid	1232	17.4	921	13.0	2153	30.4
C20	Rectum	3067	43.3	1858	26.3	4925	69.6
C21	ANUS	191	60.8	123	39.2	314	100
C21.0	Anus, unspecified	76	24.2	50	15.9	126	40.1
C21.1	Anal canal / anal sphincter	40	12.7	24	7.6	64	20.4
C21.8	Overlapping lesion of rectum, anus and anal canal	75	23.9	49	15.6	124	39.5

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C22	LIVER AND INTRAHEPATIC BILE DUCTS	4839	73.7	1728	26.3	6567	100
C22.0	Liver cell carcinoma / Hepatocellular carcinoma / Hepatoma	4408	67.1	1326	20.2	5734	87.3
C22.1	Intrahepatic bile duct carcinoma / Cholangiocarcinoma	431	6.6	402	6.1	833	12.7
C23 - C24	GALLBLADDER, EXTRAHEPATIC BILE DUCTS and BILIARY TRACT	623	47.8	680	52.2	1303	100
C23	Gallbladder	196	15.0	343	26.3	539	41.4
C24.0	Extrahepatic bile duct / biliary duct, unspecified / common bile duct	229	17.6	179	13.7	408	31.3
C24.1	Ampulla of Vater	189	14.5	142	10.9	331	25.4
C24.8	Overlapping lesion of biliary tract	4	0.3	3	0.2	7	0.5
C24.9	Biliary tract, unspecified	5	0.4	13	1.0	18	1.4
C25	PANCREAS	1794	52.6	1619	47.4	3413	100
C25.0	Head of pancreas	778	22.8	733	21.5	1511	44.3
C25.1	Body of pancreas	247	7.2	199	5.8	446	13.1
C25.2	Tail of pancreas	261	7.6	185	5.4	446	13.1
C25.3	Pancreatic duct	4	0.1	4	0.1	8	0.2
C25.4	Endocrine pancreas / Islets of Langerhans	5	0.1	2	0.1	7	0.2
C25.7	Neck of pancreas	34	1.0	27	0.8	61	1.8
C25.8	Overlapping lesion of pancreas	181	5.3	142	4.2	323	9.5
C25.9	Pancreas, unspecified	284	8.3	327	9.6	611	17.9
C30 - C31	NASAL CAVITY , MIDDLE EAR and ACCESSORY SINUSES	248	65.4	131	34.6	379	100
C30.0	Nasal cavity	151	39.8	82	21.6	233	61.5
C30.1	Middle ear / eustachian tube / inner ear / mastoid air cells	4	1.1	4	1.1	8	2.1
C31.0	Maxillary sinus	65	17.2	32	8.4	97	25.6
C31.1	Ethmoidal sinus	10	2.6	3	0.8	13	3.4
C31.2	Frontal sinus	2	0.5	0	0.0	2	0.5
C31.3	Sphenoidal sinus	4	1.1	3	0.8	7	1.8
C31.8	Overlapping lesion of accessory sinuses	9	2.4	6	1.6	15	4.0
C31.9	Accessory Sinus, unspecified	3	0.8	1	0.3	4	1.1
C32	LARYNX	765	93.4	54	6.6	819	100
C32.0	Glottis / intrinsic larynx / true vocal cord	469	57.3	20	2.4	489	59.7
C32.1	Supraglottis / aryepiglottic fold / epiglottis / extrinsic larynx / false vocal cord	183	22.3	24	2.9	207	25.3
C32.2	Subglottis	13	1.6	2	0.2	15	1.8
C32.3	Laryngeal cartilage	1	0.1	0	0.0	1	0.1
C32.8	Overlapping lesion of larynx	24	2.9	1	0.1	25	3.1
C32.9	Larynx, unspecified	75	9.2	7	0.9	82	10.0

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C33 - C34	LUNG (including TRACHEA and BRONCHUS)	9283	64.8	5050	35.2	14333	100
C33	Trachea	4	0.0	4	0.0	8	0.1
C34.0	Main bronchus	562	3.9	208	1.5	770	5.4
C34.1	Upper lobe, bronchus or lung	4446	31.0	2113	14.7	6559	45.8
C34.2	Middle lobe, bronchus or lung	355	2.5	334	2.3	689	4.8
C34.3	Lower lobe, bronchus or lung	2336	16.3	1516	10.6	3852	26.9
C34.8	Overlapping lesion of bronchus and lung	170	1.2	75	0.5	245	1.7
C34.9	Lung, unspecified	1410	9.8	800	5.6	2210	15.4
C37 - C38.3	THYMUS, HEART and MEDIASTINUM	347	57.3	259	42.7	606	100
C37	Thymus	249	41.1	221	36.5	470	77.6
C38.0	Heart / pericardium	6	1.0	0	0.0	6	1.0
C38.1	Anterior mediastinum	58	9.6	26	4.3	84	13.9
C38.2	Posterior mediastinum	4	0.7	0	0.0	4	0.7
C38.3	Mediastinum, part unspecified	30	5.0	12	2.0	42	6.9
C38.4	PLEURA	151	82.1	33	17.9	184	100
C40 -C41	BONE AND ARTICULAR CARTILAGE	194	53.6	168	46.4	362	100
C40.0	Scapula and long bones of upper limb	20	5.5	20	5.5	40	11.0
C40.1	Short bones of upper limb	9	2.5	7	1.9	16	4.4
C40.2	Long bones of lower limb	71	19.6	76	21.0	147	40.6
C40.3	Short bones of lower limb	7	1.9	2	0.6	9	2.5
C41.0	Bones of skull and face	21	5.8	18	5.0	39	10.8
C41.1	Mandible / lower jaw bone	18	5.0	12	3.3	30	8.3
C41.2	Vertebral column	9	2.5	6	1.7	15	4.1
C41.3	Ribs, sternum and clavicle	4	1.1	10	2.8	14	3.9
C41.4	Pelvic bones, sacrum and coccyx	26	7.2	13	3.6	39	10.8
C41.9	Bone and articular cartilage, unspecified	9	2.5	4	1.1	13	3.6
C43	MELANOMA of SKIN	178	59.3	122	40.7	300	100
C43.1	Malignant melanoma of eyelid, including canthus	2	0.7	1	0.3	3	1.0
C43.2	Malignant melanoma of ear and external auricular canal	1	0.3	1	0.3	2	0.7
C43.3	Malignant melanoma of other and unspecified parts of face	14	4.7	7	2.3	21	7.0
C43.4	Malignant melanoma of scalp and neck	7	2.3	7	2.3	14	4.7
C43.5	Malignant melanoma of trunk	39	13.0	25	8.3	64	21.3
C43.6	Malignant melanoma of upper limb, including shoulder	30	10.0	20	6.7	50	16.7
C43.7	Malignant melanoma of lower limb, including hip	73	24.3	55	18.3	128	42.7
C43.8	Overlapping malignant melanoma of skin	2	0.7	1	0.3	3	1.0
C43.9	Malignant melanoma of skin, unspecified	10	3.3	5	1.7	15	5.0

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C44	NON-MELANOMA OF SKIN	3334	55.0	2725	45.0	6059	100
C44.0	Skin of lip	78	1.3	76	1.3	154	2.5
C44.1	Skin of eyelid, including canthus	182	3.0	163	2.7	345	5.7
C44.2	Skin of ear and external auricular canal	175	2.9	73	1.2	248	4.1
C44.3	Skin of other and unspecified parts of face	1370	22.6	1449	23.9	2819	46.5
C44.4	Skin of scalp and neck	265	4.4	190	3.1	455	7.5
C44.5	Skin of trunk (exclude scrotum)	382	6.3	219	3.6	601	9.9
C44.6	Skin of upper limb, including shoulder	418	6.9	219	3.6	637	10.5
C44.7	Skin of lower limb, including hip	254	4.2	173	2.9	427	7.0
C44.8	Overlapping lesion of skin	130	2.1	71	1.2	201	3.3
C44.9	Malignant neoplasm of skin, unspecified	80	1.3	92	1.5	172	2.8
C48	RETROPERITONEUM AND PERITONEUM	88	26.7	241	73.3	329	100
C48.0	Retroperitoneum	60	18.2	81	24.6	141	42.9
C48.1	Specified parts of peritoneum	10	3.0	19	5.8	29	8.8
C48.2	Peritoneum, unspecified	18	5.5	141	42.9	159	48.3
C47 & C49	CONNECTIVE AND SOFT TISSUE (including PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM)	585	53.9	501	46.1	1086	100
C47.0	Peripheral nerves of head, face and neck	6	0.6	4	0.4	10	0.9
C47.1	Peripheral nerves of upper limb, including shoulder	2	0.2	4	0.4	6	0.6
C47.2	Peripheral nerves of lower limb, including hip	2	0.2	4	0.4	6	0.6
C47.3	Peripheral nerves of thorax	4	0.4	4	0.4	8	0.7
C47.4	Peripheral nerves of abdomen	1	0.1	1	0.1	2	0.2
C47.5	Peripheral nerves of pelvis	1	0.1	5	0.5	6	0.6
C47.6	Peripheral nerves of trunk, unspecified	2	0.2	1	0.1	3	0.3
C47.8	Overlapping lesion of peripheral nerves and autonomic nervous system	2	0.2	3	0.3	5	0.5
C47.9	Peripheral nerves and autonomic nervous system, unspecified	3	0.3	1	0.1	4	0.4
C49.0	Connective and soft tissue of head, face and neck	58	5.3	55	5.1	113	10.4
C49.1	Connective and soft tissue of upper limb, including shoulder	79	7.3	60	5.5	139	12.8
C49.2	Connective and soft tissue of lower limb, including hip	206	19.0	166	15.3	372	34.3
C49.3	Connective and soft tissue of thorax	47	4.3	40	3.7	87	8.0
C49.4	Connective and soft tissue of abdomen, abdominal wall & hypochondrium	48	4.4	53	4.9	101	9.3
C49.5	Connective and soft tissue of pelvis, buttock, groin & perineum	67	6.2	57	5.2	124	11.4
C49.6	Connective and soft tissue of trunk / back, unspecified	31	2.9	26	2.4	57	5.2
C49.8	Overlapping lesion of connective and soft tissue	5	0.5	4	0.4	9	0.8
C49.9	Connective and soft tissue, unspecified	21	1.9	13	1.2	34	3.1

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C50	BREAST	65	0.3	19384	99.7	19449	100
C50.0	Nipple and areola	0	0.0	63	0.3	63	0.3
C50.1	Central portion of breast	33	0.2	1551	8.0	1584	8.1
C50.2	Upper-inner quadrant of breast	2	0.0	2008	10.3	2010	10.3
C50.3	Lower-inner quadrant of breast	0	0.0	949	4.9	949	4.9
C50.4	Upper-outer quadrant of breast	8	0.0	5111	26.3	5119	26.3
C50.5	Lower-outer quadrant of breast	1	0.0	1168	6.0	1169	6.0
C50.6	Axillary tail of breast	1	0.0	41	0.2	42	0.2
C50.8	Overlapping lesion of breast	3	0.0	3590	18.5	3593	18.5
C50.9	Breast, unspecified	17	0.1	4903	25.2	4920	25.3
C51 - C52 & C57.9	VULVA , VAGINA and FEMALE GENITAL ORGAN (unspecified)			312	100	312	100
C51.0	Labium majus / Bartholin gland			20	6.4	20	6.4
C51.1	Labium minus			4	1.3	4	1.3
C51.2	Clitoris			2	0.6	2	0.6
C51.9	Vulva, unspecified			170	54.5	170	54.5
C52	Vagina			110	35.3	110	35.3
C57.9	Female genital organ, unspecified			6	1.9	6	1.9
C53	CERVIX UTERI			2003	100	2003	100
C53.0	Endocervix			148	7.4	148	7.4
C53.1	Exocervix			10	0.5	10	0.5
C53.8	Overlapping lesion of cervix uteri			9	0.4	9	0.4
C53.9	Cervix uteri, unspecified			1836	91.7	1836	91.7
C54	CORPUS UTERI			4397	100	4397	100
C54.0	Isthmus uteri / lower uterine segment			4	0.1	4	0.1
C54.1	Endometrium			4030	91.7	4030	91.7
C54.2	Myometrium			35	0.8	35	0.8
C54.3	Fundus uteri			16	0.4	16	0.4
C54.8	Overlapping lesion of corpus uteri			6	0.1	6	0.1
C54.9	Corpus uteri, unspecified			306	7.0	306	7.0
C56	OVARY			3443	100	3443	100
C57.0	FALLOPIAN TUBE			56	100	56	100
C58	PLACENTA			41	100	41	100
C60 & C63	PENIS and SCROTUM (including spermatic cord)	248	100			248	100
C60.0	Prepuce / foreskin	10	4.0			10	4.0
C60.1	Glans penis	34	13.7			34	13.7
C60.2	Body of penis	2	0.8			2	0.8
C60.9	Penis, unspecified / Skin of penis	70	28.2			70	28.2
C63.1	Spermatic cord	7	2.8			7	2.8
C63.2	Scrotum / skin of scrotum	125	50.4			125	50.4

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C61	PROSTATE	8189	100			8189	100
C62	TESTIS	379	100			379	100
C62.0	Undescended testis	6	1.6			6	1.6
C62.9	Testis, unspecified	373	98.4			373	98.4
C64 - C66 & C68	KIDNEY, URETER, URETHRA and URINARY ORGAN (unspecified)	2387	65.2	1276	34.8	3663	100
C64	Kidney	2072	56.6	1043	28.5	3115	85.0
C65	Renal pelvis	157	4.3	107	2.9	264	7.2
C66	Ureter	146	4.0	107	2.9	253	6.9
C68.0	Urethra	8	0.2	14	0.4	22	0.6
C68.9	Urinary organ, unspecified	4	0.1	5	0.1	9	0.2
C67	URINARY BLADDER	1352	76.3	420	23.7	1772	100
C67.0	Trigone of bladder	22	1.2	7	0.4	29	1.6
C67.1	Dome of bladder	32	1.8	10	0.6	42	2.4
C67.2	Lateral wall of bladder	267	15.1	79	4.5	346	19.5
C67.3	Anterior wall of bladder	22	1.2	4	0.2	26	1.5
C67.4	Posterior wall of bladder	65	3.7	27	1.5	92	5.2
C67.5	Bladder neck	33	1.9	10	0.6	43	2.4
C67.6	Ureteric orifice	30	1.7	11	0.6	41	2.3
C67.7	Urachus	15	0.8	4	0.2	19	1.1
C67.8	Overlapping lesion of bladder	136	7.7	35	2.0	171	9.7
C67.9	Bladder, unspecified	730	41.2	233	13.1	963	54.3
C69	EYE	42	46.7	48	53.3	90	100
C69.0	Conjunctiva	4	4.4	3	3.3	7	7.8
C69.2	Retina	13	14.4	23	25.6	36	40.0
C69.3	Choroid	8	8.9	8	8.9	16	17.8
C69.4	Ciliary body / eyeball	4	4.4	2	2.2	6	6.7
C69.5	Lacrimal Gland and duct / Lacrimal sac / nasolacrimal duct	7	7.8	8	8.9	15	16.7
C69.6	Orbit / connective tissue of orbit	5	5.6	3	3.3	8	8.9
C69.8	Overlapping lesion of eye and adnexa	1	1.1	1	1.1	2	2.2

APPENDIX I: SUB-SITES DISTRIBUTION, 2008 - 2017

Site	Description	Male	%	Female	%	Total	%
C70 - C72	BRAIN and CENTRAL NERVOUS SYSTEM (malignant)	776	52.3	708	47.7	1484	100
C70.0	Cerebral meninges	76	5.1	151	10.2	227	15.3
C70.1	Spinal meninges	2	0.1	4	0.3	6	0.4
C71.0	Cerebrum / supratentorial, unspecified	49	3.3	47	3.2	96	6.5
C71.1	Frontal lobe	143	9.6	120	8.1	263	17.7
C71.2	Temporal lobe	79	5.3	49	3.3	128	8.6
C71.3	Parietal lobe	54	3.6	38	2.6	92	6.2
C71.4	Occipital lobe	14	0.9	16	1.1	30	2.0
C71.5	Cerebral ventricle	33	2.2	27	1.8	60	4.0
C71.6	Cerebellum	66	4.4	51	3.4	117	7.9
C71.7	Brain stem / fourth ventricle / infratentorial, unspecified	36	2.4	38	2.6	74	5.0
C71.8	Overlapping lesion of brain	65	4.4	50	3.4	115	7.7
C71.9	Brain, unspecified	125	8.4	85	5.7	210	14.2
C72.0	Spinal cord	28	1.9	22	1.5	50	3.4
C72.3	Optic nerve	4	0.3	4	0.3	8	0.5
C72.4	Acoustic nerve	0	0.0	3	0.2	3	0.2
C72.5	Cranical nerve, unspecified	1	0.1	2	0.1	3	0.2
C72.8	Overlapping lesion of brain and other parts of central nervous system	1	0.1	0	0.0	1	0.1
C72.9	Central nervous system, unspecified	0	0.0	1	0.1	1	0.1
C73	THYROID	815	25.2	2417	74.8	3232	100
C74	ADRENAL GLAND	49	49.5	50	50.5	99	100
C74.0	Cortex of adrenal gland	9	9.1	10	10.1	19	19.2
C74.1	Medulla of adrenal gland	2	2.0	4	4.0	6	6.1
C74.9	Adrenal gland, unspecified	38	38.4	36	36.4	74	74.7
C75	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	72	57.1	54	42.9	126	100
C75.0	Parathyroid gland	2	1.6	2	1.6	4	3.2
C75.1	Pituitary gland	25	19.8	21	16.7	46	36.5
C75.3	Pineal gland	30	23.8	11	8.7	41	32.5
C75.4	Carotid body	5	4.0	4	3.2	9	7.1
C75.5	Aortic body and other paraganglia	10	7.9	16	12.7	26	20.6

